

THE ROYAL SOCIETY OF HEALTH

FOR THE PROMOTION

Founded 1876

LIBRARY REGULATIONS

(a) Books, periodicals and pamphlets may be borrowed by Fellows, Ordinary Members, Associates and Affiliates personally or by a messenger producing a written order. The person to whom such publications are delivered shall sign a receipt for them in a book provided for that purpose.

(b) Publications may be borrowed through the post upon a written order. An acknowledgement of the receipt of such publications must be made on the form provided and returned to the Society immediately. Failing this, it will be assumed that the borrower has received the books, for which he will accordingly be held responsible. The postage of publications returned to the Society shall be defrayed by the borrower.

(c) A borrower may not have more than three publications in his possession at one time.

(d) A borrower will be considered liable for the value of any publication lost or damaged while on loan to him, and, if it be a single volume or part of a set, for the value of the whole work thereby rendered imperfect. Marking or writing in the publications is not permitted, and borrowers are requested to call attention to damage of this character.

(e) **Books and pamphlets may be retained for twenty-eight days. Periodicals may be retained for fourteen days. Applications for extension of the loan period must be made in writing before its expiry.** This loan period cannot be extended without application being made to the Secretary of the Society whose decision in this matter must be accepted as final and binding.

(f) Books and pamphlets added to the Library will not be lent until after the expiry of one month from the date received. The current number of a periodical may not be borrowed.

(g) Borrowers retaining publications longer than the time specified, and neglecting to return them when demanded, forfeit the right to borrow until they be returned, and for such further time as may be ordered by the Council.

Any borrower failing to comply with a request for the return of a publication shall be considered liable for the cost of replacing it, and the Council, may, after giving due notice to him, order it to be replaced at his expense.

No publication may be reissued to the same borrower until at least seven days have elapsed after its return, neither may it be transferred by one borrower to another.

(h) **Publications may not be taken or sent out of the United Kingdom.**

(i) Publications returned through the post must be securely packed and adequately protected.

(j) Parcels should be addressed: THE LIBRARIAN,

THE ROYAL SOCIETY OF HEALTH

90 BUCKINGHAM PALACE ROAD, LONDON, S.W.1

O.B., Truro

— November, 1961

THE ROYAL SOCIETY

FOR THE PROMOTION

OF HEALTH

90 Buckingham Palace Road, London, S.W.1

Class No.

NAPP/91

Acc. No.

26257

This book is returnable on or before the last date Marked below

--	--

THE
REGISTRAR GENERAL'S
STATISTICAL REVIEW
OF
ENGLAND AND WALES
FOR THE YEAR
1956

PART I

TABLES, MEDICAL

WELLCOME INSTITUTE LIBRARY	
Coll.	weIMOmec
Call	
No.	

LONDON

HER MAJESTY'S STATIONERY OFFICE

1957

TABLE OF CONTENTS

Part I. Tables, Medical

Explanatory Notes	Page
.. .. .	v
Populations	
Table 1. Estimated Population, Total, Home and Civilian, by Sex and Age, Mid-year 1956. England and Wales	2
Table 2. Estimated Home Population by Sex and Age, Mid-year 1956. England and Wales, Standard Regions, Wales, Conurbations, Urban and Rural Aggregates outside Conurbations ..	3
Serial Mortality Records	
Table 3. Deaths, Death Rates, Mortality Comparisons and Infant Mortality, 1841-1956. England and Wales	4
Table 4. Death Rates in Age Groups, Infant Mortality and Mortality Ratios, 1841-1956. England and Wales	6
Table 5. Deaths Registered and Death Rates in each Quarter, 1841-1956. England and Wales	9
Table 6. Comparative Mortality Indices (All Ages) and Death Rates at Ages under 15. Principal Epidemic or General Diseases, 1851-1956. England and Wales	10
Table 7. Deaths by Cause and Sex at All Ages, 1946-1956. England and Wales	11
Table 8. Crude Death Rates from Certain Causes by Sex at All Ages, 1946-1956. England and Wales	43
Table 9. Comparative Mortality Indices (Base Year 1938) by Sex for Certain Causes, 1946-1956. England and Wales	57
Table 10. Deaths of Infants under One Year from Certain Causes, 1946-1956. England and Wales	60
Table 11. Infant Mortality from Certain Causes, 1946-1956. England and Wales	61
Vital Statistics by Local Areas	
Table 12. Home Population, Births, Deaths and Infant Mortality, 1956. England and Wales, Standard Regions, Wales, Conurbations, Counties, Boroughs, Urban and Rural Districts	62
Deaths by Age	
Table 13. Deaths by Sex at each year of Age (with Marital Condition), 1956. England and Wales	112
Table 14. Constructed Analysis of 1956 Deaths by Age and Marital Condition. England and Wales	114
Table 15. Deaths at Different Ages, 1956. England and Wales, Standard Regions, Wales, Conurbations, London A.C., City of London, Metropolitan and County Boroughs, Urban and Rural Aggregates in each Administrative County ..	115
Table 16. Deaths at Different Ages by Month of Occurrence, 1956. England and Wales	133

Cause Analyses		Page
Table 17.	Causes of Death at Different Age Periods, 1956. England and Wales	134
Table 18a.	Accidental Poisoning and other Non-Transport Accidents by Place of Occurrence, Age and Sex, 1956. England and Wales	177
Table 18b.	Deaths from Violent Causes—according to Nature of Injury, Sex and Age, 1956. England and Wales	184
Table 18c.	Deaths from Violent Causes—Nature of Injury according to External Cause, 1956. England and Wales	189
Table 19.	Causes of Death by Sex, at Different Periods of Life, 1956. (International Abbreviated List) England and Wales, Standard Regions, Wales, Conurbations, Urban and Rural Aggregates outside Conurbations	190
Table 20.	Suspended.	
Table 21.	Causes of Death by Sex, 1956 (Abridged List) England and Wales, Standard Regions, Wales, Conurbations, London A.C., City of London, Metropolitan and County Boroughs, Administrative Counties	236
Table 22.	Crude Death Rates from the principal Epidemic Diseases and from certain other Causes; Infant Mortality and Maternal Mortality, 1955 and 1956. England and Wales, London A.C., City of London, Metropolitan and County Boroughs, Administrative Counties	260
Table 23.	Causes of Death by Month of Occurrence, Jan.-Dec., 1956. England and Wales	266

Stillbirths and Infant Mortality

Table 24.	Stillbirths by Sex and Legitimacy, 1956. England and Wales, Standard Regions, Wales, Conurbations, London A.C., City of London, Metropolitan and County Boroughs, Urban and Rural Aggregates in each Administrative County	275
Table 25.	Deaths at various Periods in the First Year of Life by Legitimacy. Death Rates per 1,000 related Live Births, 1956. England and Wales, Standard Regions, Wales, Conurbations, London A.C., City of London, Metropolitan and County Boroughs, Urban and Rural Aggregates in each Administrative County	278
Table 26.	Deaths at various Periods in the First Year of Life, 1956 and the Four Quarters thereof. England and Wales, Standard Regions, Wales, Conurbations, Urban and Rural Aggregates outside Conurbations	286
Table 27.	Causes of Death of Infants under One Year at Different Age Periods, 1956. England and Wales	288
Table 28.	Infant Mortality from Certain Causes, 1956. Deaths of Infants under One Year and various sub-divisions of the first year, and deaths of illegitimate infants. England and Wales, Standard Regions, Wales, Conurbations, Urban and Rural Aggregates outside Conurbations	298

Infectious Diseases

Table 29.	Notifications of certain Infectious Diseases. Case Rates per 100,000 Population, 1946-1956. England and Wales and certain Aggregates	301
-----------	--	-----

Table 30.	Seasonal Incidence of certain Infectious Diseases, 1956. England and Wales	Page 304
Table 31.	Cases of certain Infectious Diseases Notified, 1946-1956. England and Wales	305
Table 32.	Cases of certain Infectious Diseases Notified, by Sex and Age, 1956. England and Wales, Standard Regions, Wales, Conurbations	306
Table 33.	Cases of certain Infectious Diseases Notified, 1956. England and Wales, Standard Regions, Wales, Conurbations, Boroughs, Urban and Rural Districts	324
Weather		
Table 34.	Quarterly Air Temperature, Rainfall and Sunshine, 1956. England and Wales	366
Table 35.	Rainfall, Mean Temperature and Sunshine, 1907-1956. England and Wales	367
Table 36.	Meteorological Observations, 1956. Kew Observatory, Richmond	368
Appendices		
Appendix A.	Death Rates per million in England and Wales based upon the sex and age distribution of the population of Great Britain in the year of experience, with rates for Scotland for comparison, 1950-1956.	369
Appendix B.	Changes in Boundaries, Names, etc., of Counties, Boroughs, Urban and Rural Districts.	
	(i) Authorities for changes	370
	(ii) Particulars of changes	371
	(iii) Population of areas as constituted after the change	372
	(iv) 1951 Census. Sex and age distribution of population in areas transferred between County Boroughs, Urban and Rural Aggregates of Administrative Counties	373

EXPLANATORY NOTES

1. New or Recent Changes in Presentation

(a) *Standard Regions, Conurbations, Urban and Rural Aggregates.*

All figures given for regions relate to the Standard Regions whose constitution is set out on page viii.

Six conurbation areas were introduced in 1950 in tables showing Standard Regions. For the constitution and the list of conurbations, see Note 13.

Urban and Rural Aggregates relate to aggregates of conurbations and of areas outside conurbations. The latter are sub-divided into (a) Urban Areas with (i) populations of 100,000 and over, (ii) populations of 50,000 and under 100,000, and (iii) populations under 50,000 (for this purpose areas are allocated according to the size of their enumerated population at the 1951 Census), and (b) Rural Districts. "Urban Areas" includes Boroughs and Urban Districts as defined under the Local Government Acts, and Rural Districts are as defined under those Acts.

(b) *Order of Tables*

The tables were renumbered in 1950 to form the following sequences:—Populations—Tables 1 and 2; Serial mortality records—Tables 3—11; All areas—Table 12; Deaths by age—Tables 13-16; Cause analyses—Tables 17-23; Stillbirths and Infant Mortality—Tables 24-28; Infectious diseases—Tables 29-33; Weather—Tables 34-36. See Table of Contents on page ii.

(c) *Change in Classification*

From 1950 inclusive causes of death are classified according to the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948 (Sixth Revision of the International List)*.

Rates and indices for earlier years have been adjusted as far as possible to give comparability with those for 1950 and on. See Notes 4, 5 and 6 on pages vi and vii.

(d) *Deaths*

The deaths recorded are total deaths, i.e., including deaths of non-civilians registered in this country, unless otherwise stated. Deaths of non-civilians are not now shown separately. See Note 3 on page vi.

(e) *Populations*

The populations shown for local areas are *home* populations. See Note 2 on page vi.

(f) *New and Revised Tables*

Table 20 has been suspended, and Table 21 has been enlarged to include a cause analysis according to the Registrar General's Abridged List as well as the Supplementary Abridged List. The full details previously shown in Table 20 and also figures (based on the Abridged List, without age detail) for administrative areas not separately shown in Table 21, are available at the General Register Office, or can be supplied on payment.

(g) *Usual Residence*

In all tables deaths are classified according to the area of usual residence of the deceased. The definition of usual residence for this purpose was modified in 1953, the main change being that persons dying in hospitals for the chronic sick and in mental and mental deficiency hospitals were in that year regarded as having been resident in the hospital. Such a change with regard to persons dying in accommodation provided under Parts III and IV of the National Assistance Act, 1948, had already been brought into effect during 1952. The method of classification of chronic sick hospitals for this purpose was slightly modified in 1954, and rates for a certain number of smaller areas may not be comparable with those for 1953.

Areas where it is regarded as probable that the number of deaths has been appreciably affected by the *opening, closing or change of use* of certain institutions, so that the figures are not comparable with previous years, have been marked §.

(h) *Notifications of Infectious Diseases*

Notifications of tuberculosis have for some years been recorded on annual returns submitted by local authorities to the Ministry of Health, and figures have been published in the annual reports of the Chief Medical Officer of the Ministry of Health. In 1954 for the first time weekly and quarterly returns of notifications of infectious diseases sent by Medical Officers of Health to the General Register Office were extended to include tuberculosis notification, and figures derived from the quarterly returns are now included in Tables 29, 32 and 33 of this volume.

2. Populations

The estimates of population appearing in this volume and described as "Home" or "Total" populations have the following content:-

Home population—the population, of all types, actually in England and Wales, distributed by area according to residence.

Total population—the home population *plus* members of H.M. Forces belonging to England and Wales and serving overseas but *excluding* the Forces of other countries temporarily in England and Wales.

The mid-1956 estimates of population, both national and local, have been based upon final figures from the full tabulations of the 1951 Census.

3. Deaths

The deaths recorded in this volume are those registered in England and Wales. No distinction is made between deaths of civilians and deaths of non-civilians, except where stated for past years in serial tables.

Except in Tables 16 and 23 the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and the date of registration being usually only a day or two. In Tables 16 and 23 deaths are classified by calendar month of occurrence.

In all tables deaths are classified according to the area of usual residence of the deceased—see also note 1(g).

4. Causes of Death

The classification of causes of death is that prescribed in the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948 (Sixth Revision of the International List), operating from the year 1950 in accordance with international agreement. Violent deaths are generally classified according to the External Cause of Injury, but the alternative method of classification by Nature of Injury (N codes) is also used in Tables 7, 8, 18B, 18C, 19 and 27. The Abridged List used for separate areas in Table 21 is a modification of the International Abbreviated List and was adopted by the Registrar General in consultation with the Ministry of Health; it is extended by the Supplementary Abridged List in the same table. The list used in Table 19 is designed so that it can be condensed into either the International Abbreviated List or the Abridged List of Table 21 (see note at 1(f)). Table 18C employs both of the alternative classifications for violent deaths in the International Intermediate List.

The 1948 International Classification, which was expanded to cover diseases and injuries as well as causes of death, differs considerably from the previous International Lists not only in scope but also in grouping of causes. In order to provide so far as possible continuity and comparability with past experience the following steps have therefore been taken:—

- (a) The 1949 experience has been completely reclassified according to the 1950 procedure and the revised figures used wherever 1949 references appear in this volume. (The full figures for 1949, based on the new Classification, by sex and age have been published in the *Registrar General's Statistical Review of England and Wales* for the two years 1948-1949, Text, Medical*.)
- (b) In the light of the dual classification experience for 1949, and of a limited amount of reclassification undertaken for earlier years, revised figures have been estimated so far as possible for each year 1940-1948, and have been used wherever references to these years appear in this volume. A series of foot-notes has been appended to Table 7 explaining any limitations or qualifications attached to these estimates, and they should be borne in mind wherever the relative causes are distinguished in other tables.

Where more than one cause of death is mentioned on the Medical Certificate, the choice of the assigned cause is determined in the main from the statement of the certifier, and not by arbitrary rules of precedence. The practice in this respect is, in effect, the same as in years since 1940, and has now been adopted internationally.

*Obtainable from Her Majesty's Stationery Office, price 10s. net.

5. Death Rates

The death rate for 1950 and on (except for Infant Mortality and Maternal Mortality) are derived from the total deaths registered in this country and are based on the home population, while those for 1940-1949 are derived from civilian deaths and populations (see note 2 on page vi). All death rates for years prior to 1950 have been revised so far as possible to the new method of classification. Death rates for years 1951 to 1953 shown in this volume are in some cases slightly different from corresponding rates published in the Tables volumes for these years, because the estimated populations on which they are based have been revised in the light of final data from the 1951 Census.

The crude death rates for local areas in Table 12 (col. 14) may not be comparable one with another for two reasons; the populations on which they are based may have widely differing structure by sex and age, and they may include a disproportionate number of invalids where there are certain types of hospital in the area. Since 1953 all deaths in mental and mental deficiency hospitals and most deaths in hospitals for the chronic sick have been assigned to the area of the hospital whether or not the patients had originally been admitted from that area. This practice increases the death rates for areas containing large populations in those types of hospital and (very slightly) decreases the death rates for areas containing no such population. With a view to eliminating differences between local death rates due to these two causes an area comparability factor is provided for each area in column 15 of the table. The product of the crude death rate multiplied by this factor is a rate which is roughly standardised for sex and age structure and also for the presence or absence in the area of hospitals for the chronic sick or mental or mental deficiency hospitals. A description of the factor as it standardises for sex and age structure is given on page 57 of the 1954 *Statistical Review*, Part III, Commentary.* In 1956 the area comparability factors as described there have been adjusted so that they also spread the deaths and the populations in chronic sick and mental and mental deficiency hospitals over all areas of the country in proportion to the non-institutional populations.

Infant Mortality rates are based upon the combined births of the associated and preceding year to which they relate, and Maternal Mortality rates upon live and still births occurring in the calendar year, except in the case of deaths from Abortion which are based on the estimated numbers of women aged 15-44.

6. Standard Mortality Comparisons

The method of calculating the Comparative Mortality Index was explained in the Appendix to Part 1 of the Registrar General's Statistical Review for 1941. An alternative notation of the formula will be found on page vi of Part 1 of the Review for 1942. This method has been used for the C.M.I's in Tables 3 and 4. In Tables 6 and 9 C.M.I's worked on this basis have been adjusted so far as possible to the new method of classification. A certain amount of estimation is involved in this process of revision, and the resultant C.M.I's can only be regarded as approximate. For this reason they are given to two decimal places only instead of three as in the past.

7. Births and Birth Rates

The births recorded are those occurring in the calendar year.

In Table 12 births are allocated to the area of usual residence of the mother. Birth rates in this table have been calculated upon estimates of home populations.

The birth rate area comparability factors and the ratios of the local adjusted birth rates to the national rate shown in columns 9 and 10 of Table 12 serve a similar purpose to those shown for death rates, as explained in Note 5 above. A commentary upon the factor and its use is given on page 30 of the 1954 *Statistical Review*, Part III, Commentary*.

8. Notification of Infectious Diseases

Tables 29 and 31 and Tables 32 and 33 are based on notifications corrected for subsequent amendments of diagnosis by the Notifying Medical Practitioner or by the Medical Superintendent of the Infectious Diseases Hospital. Non-civilians are included unless otherwise stated.

9. Changes in Boundaries.

Areas which have undergone a change of boundary during the year are identified in Table 12 by an asterisk (*); Areas created during the year are identified by the sign (†) while areas abolished are indicated by the sign (‡). Statistics shown for the year for such an area relate to the area as constituted in the respective parts of the year before and after the boundary change; in consequence the base population used in Table 12 for the calculation of birth and death rates, which must be a weighted average of the populations for these two parts of the year, will differ from that included in Part (iii) of Appendix B and Table 2 which relate to the area as constituted *after* the boundary change.

* Obtainable from Her Majesty's Stationery Office, price 8s. 0d. net.

10. Significance Indication

Rates based upon less than 20 births, deaths or notifications are distinguished by italic type as a warning to the user that the smallness of the experiences may affect their significance (see page 9 of the 1936 *Statistical Review*, Text.) Rates given as 0 indicate that the rate is less than half the final digit shown.

A dash (—) in any column indicates that there were no events.

11. Standard Regions

The constitution of the Standard Regions of England and Wales used in this Volume is as follows:—

<p>REGION I. <i>Northern.</i> Cumberland. Durham. Northumberland. Westmorland. Yorkshire, North Riding.</p> <p>REGION II. <i>East and West Ridings.</i> Yorkshire, East Riding. Yorkshire, West Riding.</p> <p>REGION III. <i>North Midland.</i> Derbyshire, Part of¹ Leicestershire. Lincolnshire— Parts of Holland. Parts of Kesteven. Parts of Lindsey. Northamptonshire. Nottinghamshire. Peterborough, Soke of. Rutland.</p>	<p>REGION IV. <i>Eastern.</i> Bedfordshire. Cambridgeshire. Ely, Isle of. Essex, Part of² Hertfordshire, Part of³ Huntingdonshire. Norfolk. Suffolk, East. Suffolk, West.</p> <p>REGION V. <i>London and South Eastern.</i> Essex, Part of⁴ Hertfordshire, Part of⁵ Kent. London A. C. Middlesex. Surrey. Sussex, East. Sussex, West.</p>	<p>REGION VI. <i>Southern.</i> Berkshire. Buckinghamshire. Dorset. Oxfordshire. Southampton. Wight, Isle of.</p> <p>REGION VII. <i>South Western.</i> Cornwall. Devon. Gloucestershire. Somerset. Wiltshire.</p> <p>REGION VIII. <i>Wales I.</i> Brecknockshire. Carmarthenshire. Glamorganshire. Monmouthshire</p>	<p>Wales II. Anglesey. Caernarvonshire. Cardiganshire. Denbighshire. Flintshire. Merionethshire. Montgomeryshire. Pembrokeshire. Radnorshire.</p> <p>REGION IX. <i>Midland.</i> Herefordshire. Shropshire. Staffordshire. Warwickshire. Worcestershire.</p> <p>REGION X. <i>North Western.</i> Cheshire. Derbyshire, Part of⁶ Lancashire.</p>
---	---	--	---

1. All except Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D., and Chapel en le Frith R.D.

2. All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D., and Chigwell U.D.

3. All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D., and Elstree R.D.

4. All areas stated in 2 above.

5. All areas stated in 3 above.

6. All areas stated in 1 above.

12. Definition of Areas

London A.C.=Administrative County of London, which consists of the City of London (including the Inner and Middle Temples) and the Metropolitan Boroughs.

C.B.=County Borough; M.B.=Municipal Borough; Met.B.=Metropolitan Borough U.D.=Urban District; R.D.=Rural District.

13. Conurbations

The conurbation areas used in this volume are those which were agreed in 1950, under the aegis of the Interdepartmental Committee on Social and Economic Research and the Central Statistical Office, for the presentation of official statistics generally.* They each consist of an aggregation of entire local authority areas and are constituted as follows:—

* See *Census 1951, England and Wales' Preliminary Report*, page xxii, H.M.S.O. price 5s.0d. net also *Census 1951, England and Wales, Report on Greater London and Five other Conurbations* page xv, H.M.S.O. price £5-5-0 net.

<i>Durham</i>		<i>Tyneside</i>	<i>Northumberland</i>
Gateshead C.B.	Felling U.D.	Newcastle upon Tyne C.B.	Longbenton U.D.
South Shields C.B.	Hebburn U.D.	Tynemouth C.B.	Newburn U.D.
	Jarrow M.B.		Wallsend M.B.
	Whickham U.D.	Gosforth U.D.	Whitley Bay M.B.

West Yorkshire

Yorkshire, West Riding

Bradford C.B.	Aireborough U.D.	Heckmondwike U.D.	Ossett M.B.
Dewsbury C.B.	Baildon U.D.	Holmfirth U.D.	Pudsey M.B.
Halifax C.B.	Batley M.B.	Horbury U.D.	Queensbury and Shelf U.D.
Huddersfield C.B.	Bingley U.D.	Horsforth U.D.	Ripponden U.D.
Leeds C.B.	Brighouse M.B.	Keighley M.B.	Rothwell U.D.
Wakefield C.B.	Colne Valley U.D.	Kirkburton U.D.	Shipley U.D.
	Denby Dale U.D.	Meltham U.D.	Sowerby Bridge U.D.
	Denholme U.D.	Mirfield U.D.	Spennorth M.B.
	Elland U.D.	Morley M.B.	Stanley U.D.

South East Lancashire

Cheshire

Lancashire

Stockport C.B.	Bolton C.B.	Horwich U.D.	Urmston U.D.
Alderley Edge U.D.	Bury C.B.	Irlam U.D.	Wardle U.D.
Altrincham M.B.	Manchester C.B.	Kearsley U.D.	Westhoughton U.D.
Bowdon U.D.	Oldham C.B.	Lees U.D.	Whitefield U.D.
Bredbury and Romiley U.D.	Rochdale C.B.	Littleborough U.D.	Whitworth U.D.
Cheadle and Gatley U.D.	Salford C.B.	Little Lever U.D.	Worsley U.D.
Dukinfield M.B.	Ashton-under-Lyne M.B.	Middleton M.B.	
Hale U.D.	Audenshaw U.D.	Milnrow U.D.	
Hazel Grove and Bramhall U.D.	Chadderton U.D.	Mossley M.B.	
Hyde M.B.	Crompton U.D.	Prestwich M.B.	
Marple U.D.	Denton U.D.	Radcliffe M.B.	
Sale M.B.	Droylsden U.D.	Royton U.D.	
Stalybridge M.B.	Eccles M.B.	Stretford M.B.	
Wilmslow U.D.	Failsworth U.D.	Swinton and Pendlebury M.B.	
	Farnworth M.B.	Tottington U.D.	
Disley R.D.	Heywood M.B.		

Merseyside

Cheshire

Lancashire

Birkenhead C.B.	Ellesmere Port M.B.	Bootle C.B.	Huyton-with-Roby U.D.
Wallasey C.B.	Hoylake U.D.	Liverpool C.B.	Litherland U.D.
Bebington M.B.	Neston U.D.	Crosby M.B.	
	Wirral U.D.		

West Midlands

Staffordshire

Warwickshire

Worcestershire

Smethwick C.B.	Darlaston U.D.	Birmingham C.B.	Dudley C.B.
Walsall C.B.	Rowley Regis M.B.		
West Bromwich C.B.	Sedgley U.D.	Solihull M.B.	Halesowen M.B.
Wolverhampton C.B.	Tettenhall U.D.	Sutton Coldfield M.B.	Oldbury M.B.
	Tipton M.B.		Stourbridge M.B.
Aldridge U.D.	Wednesbury M.B.		
Amblecote U.D.	Wednesfield U.D.		
Bilston M.B.	Willenhall U.D.		
Brierley Hill U.D.			
Coseley U.D.			

Greater London

London (whole county) *Middlesex* (whole county) *Surrey*

Kent

Essex

Croydon C.B.	Kingston-upon-Thames M.B.	Beckenham M.B.	East Ham C.B.
Banstead U.D.	Malden and Coombe M.B.	Bexley M.B.	West Ham C.B.
Barnes M.B.	Merton and Morden U.D.	Bromley M.B.	
Beddington and Wallington M.B.	Mitcham M.B.	Chislehurst and Sidcup U.D.	Barking M.B.
Carshalton U.D.	Richmond M.B.	Crayford U.D.	Chigwell U.D.
	Sarbiton M.B.	Erith M.B.	Chingford M.B.
Coulsdon and Purley U.D.	Sutton and Cheam M.B.	Orpington U.D.	Dagenham M.B.
Epsom and Ewell M.B.	Wimbledon M.B.	Penge U.D.	Ilford M.B.
Esher U.D.			
		<i>Hertfordshire</i>	Leyton M.B.
		Barnet U.D.	Waltham Holy Cross U.D.
		Bushey U.D.	Walthamstow M.B.
		Cheshunt U.D.	Wanstead and Woodford M.B.
		East Barnet U.D.	
		Elstree R.D.	

CORRIGENDA

Noted
in 1954
Review

Statistical Review, 1954: Part I, Tables, Medical

Appendix B.

Page 371 (ii) Particulars of changes; Bedfordshire:
Luton R.D. to Dunstable M.B.—Column (6) *for 5 read 85*

Page 372 (iii) Population of areas, etc.; Bedfordshire:
Urban Districts—Column (2) *for 212,211 read 212,287*
Dunstable M.B.—Column (2) *for 17,114 read 17,190*
Rural Districts—Column (2) *for 99,726 read 99,650*
Luton—Column (2) *for 19,629 read 19,553*

Note.—4 population of the 85 population transferred were erroneously enumerated in Dunstable M.B. at the 1951 Census.

Page 373 (iv) 1951 Census. Sex and Age Distribution, etc. For the figures entered in the column "Bedfordshire R.Ds. to Bedfordshire U.Ds." substitute those below:—

Ages	Bedfordshire R.Ds. to Bedfordshire U.Ds.	
	Males	Females
All Ages	43	42
Under 5	14	6
5—	4	7
10—	2	2
15—	1	5
20—	1	1
25—	7	11
30—	5	2
35—	2	3
40—	—	2
45—	3	1
50—	3	—
55—	—	—
60—	—	1
65—	—	—
70—	1	1
75—	—	—
80—	—	—
85 and over	—	—

PART I
TABLES, MEDICAL.

TABLE 1—Estimated Population, Total, Home and Civilian, by Sex and Age, mid-year 1956. } England and Wales

(Figures in thousands)

Note.—The estimates of population described as “home” and “total” have the following content:—

Home population — the population, of all types, actually in England and Wales.

Total population — the home population *plus* members of H.M. Forces belonging to England and Wales and serving overseas but *excluding* the Forces of other countries temporarily in England and Wales.

Age	Total Population			Home Population			Civilian Population		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
0	677	348	329	677	348	329	677	348	329
1	650	333	317	650	333	317	650	333	317
2	662	339	323	662	339	323	662	339	323
3	657	337	320	657	337	320	657	337	320
4	645	330	315	645	330	315	645	330	315
0—4	3,291	1,687	1,604	3,291	1,687	1,604	3,291	1,687	1,604
5	660	338	322	660	338	322	660	338	322
6	681	348	333	681	348	333	681	348	333
7	714	366	348	714	366	348	714	366	348
8	768	392	376	768	392	376	768	392	376
9	859	439	420	859	439	420	859	439	420
5—9	3,682	1,883	1,799	3,682	1,883	1,799	3,682	1,883	1,799
10	667	341	326	667	341	326	667	341	326
11	659	338	321	659	338	321	659	338	321
12	664	340	324	664	340	324	664	340	324
13	629	322	307	629	322	307	629	322	307
14	573	292	281	573	292	281	573	292	281
10—14	3,192	1,633	1,559	3,192	1,633	1,559	3,192	1,633	1,559
15	527	267	260	527	267	260	525	265	260
16	560	285	275	559	284	275	555	280	275
17	574	290	284	573	289	284	564	280	284
18	577	291	286	569	283	286	508	223	285
19	572	288	284	527	243	284	433	151	282
15—19	2,810	1,421	1,389	2,755	1,366	1,389	2,585	1,199	1,386
20	566	284	282	512	230	282	420	140	280
All ages under 21	13,541	6,908	6,633	13,432	6,799	6,633	13,170	6,542	6,628
20—24	2,818	1,428	1,390	2,755	1,366	1,389	2,547	1,163	1,384
25—29	2,974	1,495	1,479	2,961	1,482	1,479	2,913	1,436	1,477
30—34	3,235	1,614	1,621	3,228	1,607	1,621	3,198	1,578	1,620
35—39	3,085	1,524	1,561	3,077	1,516	1,561	3,049	1,489	1,560
40—44	3,263	1,607	1,656	3,258	1,603	1,655	3,239	1,584	1,655
45—49	3,298	1,628	1,670	3,296	1,626	1,670	3,287	1,617	1,670
50—54	3,097	1,504	1,593	3,096	1,503	1,593	3,093	1,500	1,593
55—59	2,661	1,225	1,436	2,661	1,225	1,436	2,660	1,224	1,436
60—64	2,242	975	1,267	2,242	975	1,267	2,242	975	1,267
65—69	1,883	790	1,093	1,883	790	1,093	1,883	790	1,093
70—74	1,485	596	889	1,485	596	889	1,485	596	889
75—79	1,017	386	631	1,017	386	631	1,017	386	631
80—84	535	193	342	535	193	342	535	193	342
85 and over	253	80	173	253	80	173	253	80	173
All Ages	44,821	21,669	23,152	44,667	21,517	23,150	44,151	21,013	23,138

**TABLE 2—Estimated Home
Population by Sex and Age,
Mid-year 1956.**

England and Wales, Standard Regions, Wales, Conurbations,
Urban and Rural Aggregates outside Conurbations

(Figures in thousands)

		All Ages	0—	5—	15—	25—	35—	45—	55—	65—	75 and over
ENGLAND AND WALES		M 21,517	1,687	3,516	2,732	3,089	3,119	3,129	2,200	1,386	659
		F 23,150	1,604	3,358	2,778	3,100	3,216	3,263	2,703	1,982	1,146
Regions and Conurbations:											
Northern	M	1,560	134	259	213	229	212	217	154	98	44
	F	1,615	127	248	213	223	214	220	180	126	64
Tyneside Conurbation ...	M	404	36	65	50	62	56	58	41	25	11
	F	438	34	64	58	63	59	61	49	33	17
Remainder of Northern	M	1,156	98	194	163	167	156	159	113	73	33
	F	1,177	93	184	155	160	155	159	131	93	47
East and West Ridings ...	M	1,978	157	324	231	288	288	297	208	128	57
	F	2,136	150	313	259	285	295	307	253	180	94
West Yorkshire Conurbation ...	M	790	62	124	84	115	117	125	88	52	23
	F	893	60	120	101	115	123	136	114	82	42
Remainder of East and West Ridings	M	1,188	95	200	147	173	171	172	120	76	34
	F	1,243	90	193	158	170	172	171	139	98	52
North Western	M	3,065	249	504	366	433	446	460	326	196	85
	F	3,397	238	486	402	445	472	493	414	297	150
South East Lancashire Conurbation ...	M	1,138	92	184	126	165	172	175	122	72	30
	F	1,274	87	178	145	168	183	189	157	112	55
Merseyside Conurbation	M	654	62	119	87	93	91	89	62	36	15
	F	733	60	115	101	99	98	96	78	57	29
Remainder of North Western	M	1,273	95	201	153	175	183	196	142	88	40
	F	1,390	91	193	156	178	191	208	179	128	66
North Midland	M	1,705	136	284	210	251	246	246	170	109	53
	F	1,772	129	272	217	241	244	245	199	144	81
Midland	M	2,230	177	383	285	338	333	318	210	127	59
	F	2,317	168	365	292	331	324	316	248	175	98
West Midlands Conurbation ...	M	1,097	89	191	128	171	169	159	103	60	27
	F	1,171	84	184	149	171	166	161	124	86	46
Remainder of Midland	M	1,133	88	192	157	167	164	159	107	67	32
	F	1,146	84	181	143	160	158	155	124	89	52
Eastern	M	1,655	131	270	225	229	235	230	164	112	59
	F	1,723	125	254	203	223	236	234	199	152	97
London and South Eastern	M	5,146	380	817	588	751	794	780	541	335	160
	F	5,836	362	780	676	791	850	845	694	519	319
Greater London	M	3,884	286	602	431	592	621	601	407	237	107
	F	4,386	272	580	517	621	657	644	512	366	217
Remainder of South Eastern	M	1,262	94	215	157	159	173	179	134	98	53
	F	1,450	90	200	159	170	193	201	182	153	102
Southern	M	1,406	108	226	239	189	187	185	134	91	47
	F	1,434	102	212	170	183	193	192	167	131	84
South Western	M	1,493	114	242	213	199	202	210	156	103	54
	F	1,591	108	229	181	198	210	222	195	149	99
Wales (including Mon- mouthshire)	M	1,279	101	207	162	182	176	186	137	87	41
	F	1,329	95	199	165	180	178	189	154	109	60
Wales I (South East) ...	M	918	73	150	111	134	128	135	99	60	28
	F	946	69	143	120	133	128	135	108	72	38
Wales II (Remainder) ...	M	361	28	57	51	48	48	51	38	27	13
	F	383	26	56	45	47	50	54	46	37	22
Urban/Rural Aggregates:											
Conurbations	M	7,967	627	1,285	906	1,198	1,226	1,207	823	482	213
	F	8,895	597	1,241	1,071	1,237	1,286	1,287	1,034	736	406
Areas outside Conurbations:											
Urban areas with popula- tions of 100,000 & over	M	2,798	228	461	342	411	403	407	290	176	80
	F	3,046	217	446	371	409	415	427	358	259	144
Urban areas with popula- tions of 50,000 and under 100,000	M	1,626	129	266	204	233	231	235	169	107	52
	F	1,791	122	256	214	235	241	250	213	162	98
Urban areas with popula- tions under 50,000 ...	M	4,692	371	784	569	650	662	681	489	325	161
	F	5,087	353	743	603	660	688	709	604	455	272
Rural Districts	M	4,434	332	720	711	597	597	599	429	296	153
	F	4,331	315	672	519	559	586	590	494	370	226

TABLE 3—Deaths, Death Rates, Mortality Comparisons and Infant Mortality, 1841-1956 } England and Wales

Notes: (a) The Comparative Mortality Index expresses the mortality of each year or period as a ratio to that of 1938 adopted as the base, after adjustment for sex and age differences in the populations exposed to risk.
 (b) The ratio of male to female mortality has likewise been adjusted for age differences in the male and female populations.
 (c) See Explanatory notes on page v.

Period	Deaths			Crude rates per 1,000 living			Comparative Mortality Indexes (Base year 1938 taken as unity)			Adjusted Ratio of Male to Female Mortality	Deaths of Infants under 1 year per 1,000 Live Births†		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females		Total	Legitimate	Illegitimate
1841-1850	3,769,396	1,909,125	1,860,271	22.4	23.1	21.6	2.270	2.121	2.437	1.090	153		
1851-1860	4,210,715	2,138,536	2,072,179	22.2	23.1	21.4	2.222	2.086	2.374	1.098	154		
1861-1870	4,794,498	2,459,489	2,335,009	22.5	23.7	21.4	2.247	2.136	2.371	1.125	154		
1871-1880	5,178,311	2,679,416	2,498,895	21.4	22.7	20.1	2.173	2.087	2.269	1.155	149		
1881-1890	5,244,770	2,698,316	2,546,454	19.1	20.3	18.1	2.007	1.928	2.095	1.158	142		
1891-1900	5,575,375	2,865,226	2,710,149	18.2	19.3	17.1	1.938	1.869	2.013	1.169	153		
1901-1910	5,248,774	2,706,356	2,542,418	15.4	16.4	14.4	1.642	1.595	1.693	1.194	128		
1911-1920*	5,188,052	2,684,511	2,503,541	14.4	15.9	13.0	1.470	1.450	1.492	1.247	100	96	194
1921-1930	4,722,991	2,407,475	2,315,516	12.1	12.9	11.4	1.192	1.163	1.224	1.254	72	70	130
1931-1940*	4,992,208	2,551,612	2,440,596	12.3	13.1	11.5	1.087	1.074	1.101	1.307	59	57	95
1941-1950*	4,997,653	2,586,188	2,411,465	12.4	14.1	11.0	0.902	0.918	0.889	1.384	43	41	61
1841-1845	1,746,110	885,168	860,942	21.4	22.1	20.6	2.179	2.038	2.336	1.096	148		
1846-1850	2,023,286	1,023,957	999,329	23.3	24.1	22.6	2.360	2.204	2.534	1.088	157		
1851-1855	2,087,236	1,061,271	1,025,965	22.7	23.5	21.8	2.276	2.139	2.429	1.099	156		
1856-1860	2,123,479	1,077,265	1,046,214	21.8	22.6	21.0	2.177	2.041	2.329	1.095	152		
1861-1865	2,331,957	1,192,943	1,139,014	22.6	23.7	21.5	2.253	2.134	2.385	1.116	151		
1866-1870	2,462,541	1,266,546	1,195,995	22.4	23.7	21.2	2.242	2.138	2.358	1.132	157		
1871-1875	2,572,749	1,330,063	1,242,686	22.0	23.3	20.7	2.220	2.130	2.321	1.150	153		
1876-1880	2,605,562	1,349,353	1,256,209	20.8	22.1	19.5	2.130	2.047	2.221	1.160	145		
1881-1885	2,585,164	1,330,461	1,254,703	19.4	20.5	18.3	2.018	1.936	2.110	1.152	139		
1886-1890	2,659,606	1,367,855	1,291,751	18.9	20.0	17.8	1.997	1.921	2.081	1.164	145		
1891-1895	2,785,391	1,427,164	1,358,227	18.7	19.8	17.7	1.993	1.914	2.079	1.161	151		
1896-1900	2,789,984	1,438,062	1,351,922	17.7	18.8	16.6	1.885	1.825	1.951	1.178	156		
1901-1905	2,671,566	1,379,931	1,291,635	16.0	17.1	15.0	1.716	1.668	1.768	1.191	138		
1906-1910	2,577,208	1,326,425	1,250,783	14.7	15.6	13.8	1.572	1.525	1.622	1.198	117	113	224
1911-1915*	2,598,719	1,344,171	1,254,548	14.3	15.4	13.3	1.495	1.464	1.528	1.226	110	105	210
1916-1920*	2,589,333	1,340,340	1,248,993	14.4	16.5	12.8	1.450	1.443	1.456	1.282	90	85	179
1921-1925	2,336,270	1,189,865	1,146,405	12.1	12.9	11.4	1.220	1.186	1.255	1.240	76	73	140
1926-1930	2,386,721	1,217,610	1,169,111	12.1	12.9	11.4	1.167	1.142	1.194	1.268	68	65	119
1931-1935	2,426,435	1,232,370	1,194,065	12.0	12.7	11.4	1.104	1.080	1.129	1.276	62	60	103
1936-1940*	2,565,773	1,319,242	1,246,531	12.5	13.5	11.6	1.070	1.067	1.074	1.337	55	54	86
1941-1945*	2,497,013	1,301,357	1,195,656	12.8	15.1	11.1	0.956	0.982	0.929	1.414	50	48	71
1946-1950*	2,500,640	1,284,831	1,215,809	11.8	12.8	10.9	0.856	0.867	0.848	1.331	36	36	51
1951-1955	2,571,153	1,325,747	1,245,406	11.7	12.5	10.9	0.819	0.854	0.791	1.483	27	27	34
1905	520,031	267,601	252,430	15.3	16.3	14.4	1.637	1.586	1.692	1.189	128		
1906	531,281	274,233	257,048	15.5	16.5	14.5	1.649	1.606	1.696	1.197	132	127	261
1907	524,221	269,259	254,962	15.1	16.0	14.2	1.621	1.568	1.678	1.192	118	113	220

* For the years 1915-20 and from 3rd September, 1939, to 31st December, 1949, for males, and from 1st June, 1941, to 31st December, 1949, for females, the mortality rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

† Based on related live births from 1931.

TABLE 3—continued

Period	Deaths			Crude rates per 1,000 living			Comparative Mortality Indexes (Base year 1938 taken as unity)			Adjusted Ratio of Male to Female Mortality	Deaths of Infants under 1 year per 1,000 live births †		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females		Total	Legitimate	Illegitimate
1908	520,456	268,714	251,742	14·8	15·8	13·9	1·580	1·539	1·625	1·204	120	116	233
1909	518,003	265,203	252,800	14·6	15·5	13·8	1·571	1·517	1·630	1·192	109	104	211
1910	483,247	249,016	234,231	13·5	14·4	12·7	1·445	1·406	1·487	1·207	105	102	195
1911	527,810	272,512	255,298	14·6	15·6	13·7	1·530	1·496	1·568	1·209	130	125	245
1912	486,939	250,232	236,707	13·4	14·2	12·6	1·428	1·388	1·472	1·211	95	91	181
1913	504,975	261,687	243,288	13·8	14·8	12·9	1·455	1·428	1·484	1·228	108	104	213
1914	516,742	267,359	249,383	14·0	14·9	13·1	1·470	1·439	1·503	1·224	105	100	207
1915*	562,253	292,381	269,872	15·7	17·7	14·0	1·595	1·578	1·613	1·260	110	105	203
1916*	508,217	265,030	243,187	14·3	16·7	12·5	1·457	1·455	1·459	1·300	91	87	183
1917*	498,922	262,215	236,707	14·2	17·1	12·1	1·432	1·456	1·405	1·348	96	90	201
1918*	611,861	314,704	297,157	17·3	20·1	15·2	1·713	1·724	1·695	1·310	97	91	186
1919*	504,203	258,089	246,114	14·0	15·7	12·6	1·421	1·401	1·442	1·267	89	84	173
1920*	466,130	240,302	225,828	12·4	13·5	11·5	1·270	1·253	1·289	1·249	80	76	156
1921	458,629	234,291	224,338	12·1	12·9	11·3	1·233	1·202	1·266	1·234	83	79	158
1922	486,780	247,221	239,559	12·7	13·5	12·0	1·293	1·254	1·336	1·228	77	74	139
1923	444,785	226,858	217,927	11·6	12·4	10·9	1·159	1·129	1·191	1·245	69	67	132
1924	473,235	240,620	232,615	12·2	13·0	11·5	1·211	1·175	1·250	1·239	75	73	133
1925	472,841	240,875	231,966	12·1	12·9	11·4	1·202	1·171	1·236	1·250	75	72	136
1926	453,804	231,549	222,255	11·6	12·4	10·9	1·136	1·110	1·164	1·259	70	68	130
1927	484,609	246,606	238,003	12·3	13·1	11·6	1·203	1·173	1·234	1·261	70	67	120
1928	460,389	235,542	224,847	11·7	12·5	10·9	1·121	1·101	1·142	1·276	65	63	115
1929	532,492	269,903	262,589	13·4	14·2	12·7	1·292	1·256	1·331	1·256	74	72	126
1930	455,427	234,010	221,417	11·4	12·3	10·7	1·084	1·070	1·099	1·291	60	58	105
1931	491,630	249,717	241,913	12·3	13·0	11·6	1·154	1·127	1·183	1·270	66	64	109
1932	484,129	245,715	238,414	12·0	12·7	11·4	1·119	1·093	1·147	1·272	64	62	112
1933	496,465	250,625	245,840	12·3	12·9	11·7	1·132	1·100	1·166	1·262	63	61	106
1934	476,810	242,855	233,955	11·8	12·5	11·1	1·068	1·049	1·089	1·283	59	58	96
1935	477,401	243,458	233,943	11·7	12·5	11·1	1·051	1·035	1·068	1·297	57	56	89
1936	495,764	253,319	242,445	12·1	12·9	11·4	1·073	1·061	1·087	1·311	59	57	88
1937	509,574	260,057	249,517	12·4	13·2	11·7	1·086	1·073	1·100	1·312	58	56	88
1938	478,996	246,898	232,098	11·6	12·5	10·8	1·000	1·000	1·000	1·343	53	52	81
1939*	499,902	255,879	244,023	12·1	13·0	11·3	1·022	1·016	1·028	1·339	51	49	90
1940*	581,537	303,089	278,448	14·4	16·1	12·9	1·171	1·187	1·156	1·382	57	55	82
1941*	535,180	281,035	254,145	13·5	15·7	11·8	1·070	1·096	1·043	1·406	60	59	82
1942*	480,137	251,333	228,804	12·3	14·4	10·7	0·942	0·967	0·916	1·416	51	49	75
1943*	501,412	259,206	242,206	13·0	15·3	11·3	0·957	0·978	0·944	1·397	49	48	71
1944*	492,176	257,705	234,471	12·7	15·3	10·8	0·918	0·952	0·894	1·433	45	44	69
1945*	488,108	252,078	236,030	12·6	15·0	10·8	0·893	0·920	0·875	1·416	46	44	65
1946*	492,090	252,380	239,710	12·0	13·4	10·9	0·881	0·889	0·875	1·378	43	42	60
1947*	517,615	267,714	249,901	12·3	13·6	11·3	0·906	0·921	0·892	1·389	41	40	58
1948*	469,898	242,899	226,999	11·0	11·9	10·1	0·801	0·815	0·789	1·409	34	33	45
1949*	510,736	260,686	250,050	11·8	12·6	11·1	0·856	0·863	0·851	1·396	32	32	45
1950	510,301	261,152	249,149	11·6	12·3	11·0	0·841	0·852	0·833	1·394	30	29	39
1951	549,380	281,724	267,656	12·5	13·4	11·8	0·901	0·922	0·884	1·434	30	29	38
1952	497,484	257,760	239,724	11·3	12·2	10·5	0·806	0·837	0·779	1·472	28	27	35
1953	503,529	259,490	244,039	11·4	12·2	10·7	0·807	0·838	0·782	1·470	27	27	33
1954	501,896	259,797	242,099	11·3	12·2	10·5	0·789	0·830	0·756	1·507	25	25	32
1955	518,864	266,976	251,888	11·7	12·5	10·9	0·805	0·845	0·773	1·506	25	25	32
1956	521,331	267,904	253,427	11·7	12·5	10·9	0·798	0·840	0·764	1·518	24	23	29

*† See footnotes on first page of this Table.

TABLE 4—Death Rates per 1,000 Living in Age Groups, Infant Mortality and Mortality Ratios, 1841-1956 } England and Wales

Notes: (a) The Mortality Ratio expresses the all ages mortality of each year (or period) as a ratio to that of the preceding year (or period) after adjustment for sex and age differences in the populations exposed to risk.

(b) See Explanatory notes on page v.

PERSONS

Period	Mortality Ratio	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850	—	66.0	9.05	5.29	7.48	9.29	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-1860	0.979	67.6	8.46	4.97	7.04	8.67	9.76	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-1870	1.011	68.6	7.99	4.49	6.42	8.21	9.83	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-1880	0.967	63.4	6.47	3.71	5.35	7.07	8.96	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-1890	0.924	56.8	5.30	3.03	4.37	5.63	7.56	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900	0.965	57.7	4.34	2.51	3.73	4.74	6.40	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-1910	0.847	46.0	3.56	2.11	2.99	3.82	5.13	8.31	14.3	28.1	58.8	127.2	260.8	128
1911-1920*	0.896	34.6	3.60	2.28	3.32	4.29	5.47	7.41	12.6	25.0	55.8	125.5	254.2	100
1921-1930	0.811	22.7	2.42	1.64	2.55	3.21	3.64	5.54	10.0	21.3	50.8	120.9	260.2	72
1931-1940*	0.912	16.9	2.01	1.31	2.17	2.85	3.04	4.58	9.26	20.2	48.8	119.5	259.8	59
1941-1950*	0.830	11.4	1.13	0.85	1.58	2.24	2.37	3.38	7.44	17.6	42.4	104.0	216.5	43
1841-1845	—	63.6	8.69	5.01	7.21	8.81	9.66	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-1850	1.083	68.7	9.39	5.56	7.74	9.77	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157
1851-1855	0.964	68.9	8.64	5.23	7.48	9.06	10.1	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-1860	0.956	66.9	8.33	4.72	6.74	8.33	9.38	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-1865	1.035	69.1	8.39	4.72	6.64	8.39	9.79	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-1870	0.995	68.1	7.62	4.28	6.21	8.03	9.86	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-1875	0.990	64.9	6.86	3.97	5.81	7.74	9.61	13.1	18.0	31.6	65.3	141.7	305.2	153
1876-1880	0.959	61.9	6.10	3.47	4.93	6.46	8.35	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-1885	0.948	56.6	5.76	3.23	4.63	5.96	8.01	11.8	17.2	31.0	63.5	136.2	277.9	139
1886-1890	0.989	56.9	4.86	2.84	4.13	5.32	7.15	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-1895	0.998	57.8	4.56	2.65	3.98	5.01	6.81	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900	0.946	57.6	4.12	2.36	3.48	4.50	6.03	10.1	16.2	30.5	62.9	133.8	267.7	156
1901-1905	0.910	50.2	3.74	2.19	3.11	4.00	5.44	8.86	14.9	28.7	59.4	127.3	258.6	138
1906-1910	0.916	41.7	3.38	2.03	2.87	3.64	4.84	7.81	13.7	27.5	58.1	127.0	262.4	117
1911-1915*	0.951	37.5	3.29	2.08	2.88	3.58	4.57	7.28	13.1	26.2	57.3	126.2	257.9	110
1916-1920*	0.970	31.4	3.81	2.48	3.77	5.16	6.55	7.54	12.1	24.0	54.5	124.8	250.7	90
1921-1925	0.841	24.4	2.48	1.71	2.61	3.30	3.79	5.71	10.1	21.6	51.1	121.8	251.4	76
1926-1930	0.957	20.8	2.37	1.57	2.49	3.11	3.49	5.37	9.94	21.0	50.6	120.2	268.2	68
1931-1935	0.946	18.1	2.18	1.41	2.33	2.96	3.20	4.82	9.44	20.4	49.0	119.3	255.7	62
1936-1940*	0.969	15.6	1.84	1.20	2.01	2.72	2.87	4.35	9.09	20.1	48.5	119.7	263.4	55
1941-1945*	0.893	14.0	1.50	1.08	1.96	3.06	3.04	3.95	8.00	18.1	43.0	104.5	213.0	50
1946-1950*	0.895	9.33	0.77	0.62	1.18	1.63	1.84	2.89	6.94	17.1	41.9	103.5	219.3	36
1951-1955	0.957	6.19	0.47	0.41	0.68	0.96	1.24	2.40	6.36	16.6	42.0	105.7	235.7	27
1926	0.945	21.1	2.40	1.49	2.43	3.04	3.46	5.31	9.57	20.5	48.6	115.4	254.3	70
1927	1.058	21.3	2.34	1.54	2.48	3.15	3.58	5.65	10.2	21.5	52.2	124.8	281.2	70
1928	0.932	19.6	2.34	1.60	2.50	3.09	3.43	5.23	9.62	20.3	48.9	112.6	258.0	65
1929	1.153	23.9	2.47	1.70	2.61	3.28	3.65	5.74	10.9	22.8	56.2	136.5	312.3	74
1930	0.839	18.2	2.29	1.54	2.45	3.00	3.36	4.95	9.43	20.0	47.2	111.8	238.1	60
1931	1.064	19.9	2.14	1.47	2.50	3.10	3.36	5.45	9.80	20.6	50.8	123.9	268.2	66
1932	0.970	19.0	2.07	1.39	2.39	3.02	3.21	4.79	9.33	20.1	49.8	121.9	264.6	64
1933	1.011	17.9	2.20	1.43	2.41	3.09	3.34	5.15	9.89	20.4	49.5	123.8	266.2	63
1934	0.944	17.5	2.44	1.43	2.28	2.85	3.10	4.60	9.19	19.7	47.9	113.2	236.4	59
1935	0.983	16.1	2.04	1.32	2.07	2.72	2.99	4.49	8.99	19.6	47.5	114.6	245.4	57
1936	1.022	17.0	1.99	1.21	1.95	2.69	2.82	4.39	9.09	20.1	48.5	118.3	265.5	59
1937	1.012	16.7	1.87	1.18	1.97	2.66	2.89	4.47	9.23	20.6	49.0	120.0	271.7	58
1938	0.921	15.3	1.87	1.19	1.86	2.49	2.65	4.05	8.47	19.0	45.5	110.6	240.0	53
1939*	1.022	13.7	1.48	1.03	1.75	2.45	2.60	3.94	8.56	19.7	47.2	119.0	260.6	51
1940*	1.147	15.6	1.96	1.40	2.54	3.50	3.44	4.92	10.1	22.6	52.3	130.1	278.7	57
1941*	0.914	16.4	2.06	1.37	2.59	3.55	3.53	4.62	8.97	19.8	46.5	114.3	247.2	60
1942*	0.880	14.0	1.50	1.04	1.91	3.02	2.92	3.87	8.82	17.8	42.4	102.6	216.8	51
1943*	1.016	14.0	1.40	1.04	1.88	3.02	2.97	3.95	8.02	18.0	43.1	106.4	220.2	49
1944*	0.959	13.3	1.38	1.05	1.73	2.96	3.01	3.82	7.73	17.6	41.7	100.3	196.5	45
1945*	0.973	12.3	1.18	0.91	1.56	2.73	2.67	3.48	7.36	17.3	41.5	100.3	194.5	46
1946*	0.987	11.9	0.86	0.76	1.33	2.07	2.10	3.15	7.25	17.4	41.3	102.4	214.5	43
1947*	1.028	12.1	0.90	0.70	1.39	1.92	2.03	3.08	7.24	17.5	42.8	108.3	234.4	41
1948*	0.884	8.70	0.75	0.60	1.20	1.55	1.82	2.79	6.70	16.4	39.4	94.1	191.9	34
1949*	1.069	7.71	0.69	0.56	1.10	1.51	1.70	2.80	6.81	17.2	43.1	105.7	227.5	32
1950	0.982	6.69	0.64	0.48	0.90	1.24	1.57	2.62	6.72	17.0	42.7	106.9	227.6	30
1951	1.071	6.53	0.55	0.47	0.76	1.12	1.45	2.63	6.90	18.0	46.1	117.2	266.9	30
1952	0.895	6.25	0.49	0.43	0.71	1.03	1.26	2.42	6.35	16.5	41.0	102.3	228.4	28
1953	1.001	6.36	0.49	0.41	0.64	0.92	1.22	2.35	6.26	16.3	41.1	103.3	230.9	27
1954	0.978	5.91	0.41	0.37	0.63	0.87	1.15	2.37	6.19	16.1	40.6	101.0	222.2	25
1955	1.020	5.86	0.43	0.38	0.64	0.86	1.10	2.23	6.14	16.1	41.4	105.1	233.5	25
1956	0.995	1.75	0.40	0.34	0.57	0.80	1.04	2.19	5.95	16.1	41.0	104.1	233.3	24

*Civilian mortality only in 1915-20 and from 3rd September, 1939, to 31st December, 1949, for males, and from 1st June, 1941 to 31st December, 1949, for females.

†Based on related live births from 1931.

TABLE 4—continued

MALES

Period	Mortality Ratio	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850	—	71.2	9.17	5.13	7.05	9.51	9.94	12.9	18.2	31.8	67.5	148.3	312.3	167
1851-1860	0.984	72.4	8.51	4.88	6.69	8.83	9.57	12.5	18.0	30.9	65.3	146.7	308.2	168
1861-1870	1.024	73.5	8.19	4.48	6.19	8.48	9.94	13.5	19.3	33.1	67.1	147.2	315.0	168
1871-1880	0.977	68.4	6.71	3.71	5.25	7.36	9.34	13.8	20.1	34.9	69.7	150.8	327.4	163
1881-1890	0.924	61.6	5.35	3.95	4.32	5.73	7.77	12.4	19.4	34.7	70.5	146.6	305.8	155
1891-1900	0.969	62.7	4.31	2.45	3.79	5.06	6.76	11.5	18.9	34.9	70.4	146.1	286.8	168
1901-1910	0.853	50.0	3.50	2.03	3.09	4.18	5.57	9.15	16.2	31.8	64.8	137.7	279.2	140
1911-1920*	0.909	37.8	3.61	2.23	3.44	4.94	6.46	8.61	14.5	29.0	63.5	139.3	274.5	112
1921-1930	0.802	25.1	2.52	1.65	2.62	3.41	3.86	6.34	11.6	24.6	58.2	135.4	285.8	81
1931-1940*	0.923	18.8	2.13	1.36	2.30	3.08	3.20	5.17	11.1	24.3	56.8	137.5	282.9	66
1941-1950*	0.855	12.8	1.28	0.95	1.79	2.72	2.72	3.93	9.16	22.7	51.6	120.2	234.7	48
1841-1845	—	68.7	8.82	4.84	6.76	8.99	9.37	12.2	17.2	30.3	65.5	143.7	350.1	162
1846-1850	1.081	73.7	9.54	5.39	7.35	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851-1855	0.970	73.9	8.75	5.15	6.98	9.24	9.95	12.9	18.6	31.6	66.7	150.9	310.9	172
1856-1860	0.954	71.5	8.30	4.63	6.42	8.44	9.17	12.2	17.5	30.4	64.3	142.7	305.3	166
1861-1865	1.046	74.1	8.53	4.68	6.39	8.65	9.76	13.2	18.9	32.8	66.4	145.9	316.6	166
1866-1870	1.002	72.9	7.88	4.30	5.99	8.31	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871-1875	0.996	69.9	7.10	3.99	5.71	8.07	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876-1880	0.961	67.1	6.34	3.44	4.84	6.70	8.70	13.4	19.8	34.9	69.4	152.2	331.5	159
1881-1885	0.946	61.3	5.85	3.16	4.53	6.00	8.16	12.8	19.3	34.2	68.8	145.4	297.9	152
1886-1890	0.992	61.9	4.86	2.76	4.12	5.48	7.40	12.1	19.4	35.2	72.1	147.9	313.7	159
1891-1895	0.997	62.9	4.53	2.57	4.00	5.23	7.07	11.9	19.5	35.8	72.5	149.2	290.8	165
1896-1900	0.954	62.4	4.09	2.32	3.59	4.90	6.47	11.1	18.4	34.1	68.3	143.1	282.8	170
1901-1905	0.914	54.7	3.68	2.14	3.20	4.39	5.89	9.74	17.0	32.4	65.3	137.6	274.6	151
1906-1910	0.914	45.4	3.33	1.97	2.97	3.97	5.25	8.62	15.5	31.2	64.4	137.7	283.0	129
1911-1915*	0.960	40.9	3.42	2.05	3.01	3.98	5.15	8.20	14.9	30.2	64.1	139.2	281.6	121
1916-1920*	0.986	34.4	3.81	2.41	3.91	6.60	8.58	9.07	14.0	27.9	63.0	139.4	267.8	101
1921-1925	0.822	27.0	2.55	1.69	2.66	3.53	4.05	6.51	11.6	24.9	58.2	135.5	272.7	86
1926-1930	0.962	23.1	2.48	1.61	2.58	3.30	3.68	6.18	11.6	24.8	58.3	135.4	298.1	77
1931-1935	0.946	20.1	2.28	1.44	2.45	3.15	3.31	5.40	11.2	23.6	56.7	135.2	278.9	70
1936-1940*	0.988	17.5	1.96	1.27	2.15	2.99	3.09	4.95	11.0	25.0	56.8	139.5	286.3	62
1941-1945*	0.920	15.5	1.69	1.20	2.22	5.00	4.16	4.81	9.85	23.1	51.7	121.6	226.1	56
1946-1950*	0.883	10.5	0.88	0.69	1.33	1.75	1.92	3.23	8.55	22.4	51.6	119.0	241.6	41
1951-1955	0.985	6.95	0.55	0.48	0.86	1.23	1.39	2.71	7.93	22.5	54.6	126.7	265.9	30
1926	0.948	23.3	2.52	1.52	2.48	3.16	3.64	6.05	11.0	23.6	55.9	131.1	284.3	79
1927	1.056	23.7	2.45	1.57	2.54	3.36	3.76	6.54	11.9	24.9	59.9	139.8	312.2	79
1928	0.938	21.9	2.43	1.68	2.62	3.23	3.62	5.95	11.2	23.6	56.5	128.0	290.9	74
1929	1.141	26.2	2.61	1.74	2.69	3.48	3.86	6.70	12.9	26.3	64.1	151.5	343.6	83
1930	0.852	20.4	2.41	1.57	2.57	3.24	3.52	5.66	11.2	23.4	55.2	126.6	263.5	68
1931	1.052	22.4	2.29	1.46	2.60	3.31	3.46	5.76	11.6	23.9	58.7	138.4	295.9	74
1932	0.970	21.0	2.20	1.45	2.54	3.24	3.33	5.33	10.8	23.4	57.9	138.0	289.7	73
1933	1.007	19.9	2.27	1.49	2.56	3.27	3.49	5.74	11.7	23.8	56.6	139.4	286.3	71
1934	0.954	19.3	2.49	1.45	2.38	3.07	3.19	5.14	10.9	23.4	55.4	129.3	256.4	66
1935	0.986	17.9	2.14	1.35	2.14	2.88	3.10	5.02	10.8	23.3	55.2	131.8	268.9	64
1936	1.025	19.1	2.12	1.29	2.06	2.87	2.94	4.91	10.8	24.2	56.3	137.3	291.8	66
1937	1.011	18.6	1.98	1.23	2.12	2.81	3.02	5.03	11.1	24.9	57.1	138.5	292.3	65
1938	0.932	17.1	1.93	1.28	2.01	2.73	2.83	4.57	10.2	23.1	53.7	130.1	263.6	60
1939*	1.016	15.2	1.65	1.08	1.87	2.64	2.74	4.42	10.3	24.3	55.4	139.1	280.8	56
1940*	1.168	17.5	2.12	1.48	2.76	4.80	4.08	5.84	12.5	28.3	61.3	151.8	303.2	64
1941*	0.923	18.2	2.25	1.50	2.94	5.57	4.64	5.64	11.0	25.1	55.2	134.6	258.8	67
1942*	0.882	15.6	1.68	1.16	2.12	4.75	3.85	4.67	9.58	22.4	51.2	120.7	232.9	57
1943*	1.011	15.6	1.61	1.10	2.12	5.04	4.04	4.76	9.95	22.8	51.4	122.6	234.1	55
1944*	0.973	14.8	1.58	1.18	1.95	4.79	4.29	4.75	9.62	22.7	50.6	116.5	212.0	50
1945*	0.966	13.7	1.35	1.03	1.79	4.75	3.84	4.20	9.10	22.3	50.3	115.7	204.7	51
1946*	0.966	13.4	0.97	0.86	1.52	2.66	2.24	3.55	8.94	22.3	49.7	117.4	232.3	48
1947*	1.036	13.5	1.04	0.78	1.62	2.05	2.12	3.44	8.98	22.9	52.5	125.9	266.5	46
1948*	0.885	9.72	0.88	0.64	1.30	1.54	1.87	3.15	8.24	21.6	49.0	108.6	210.2	38
1949*	1.059	8.66	0.80	0.63	1.27	1.59	1.75	3.12	8.39	22.6	53.2	120.7	249.0	36
1950	0.987	7.48	0.75	0.56	1.01	1.39	1.69	2.92	8.26	22.5	53.3	122.5	250.4	34
1951	1.082	7.35	0.65	0.57	0.89	1.36	1.61	2.96	8.62	24.3	58.8	136.9	307.8	34
1952	0.908	7.02	0.57	0.50	0.90	1.33	1.43	2.75	7.91	22.2	53.1	122.1	265.1	31
1953	1.001	7.06	0.56	0.46	0.82	1.18	1.37	2.61	7.81	22.2	53.7	123.4	258.1	30
1954	0.990	6.69	0.48	0.43	0.81	1.12	1.29	2.66	7.69	21.9	53.3	123.0	249.6	29
1955	1.018	6.57	0.49	0.45	0.88	1.18	1.25	2.53	7.66	22.0	54.2	128.5	256.2	28
1956	0.994	6.49	0.46	0.41	0.79	1.07	1.21	2.49	7.45	22.1	54.2	127.5	256.2	27

* Civilian mortality only in 1915-20 and from 3rd September, 1939, to 31st December, 1949

† Based on related live births from 1931.

TABLE 4—continued

FEMALES

Period	Mortality Ratio	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850	—	61.1	8.90	5.44	7.89	9.09	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851-1860	0.974	62.7	8.42	5.06	7.39	8.53	9.93	12.1	15.2	27.0	58.7	134.5	288.9	139
1861-1870	0.999	63.7	7.80	4.51	6.65	7.97	9.72	12.1	15.6	27.9	59.1	134.9	285.1	139
1871-1880	0.957	58.3	6.23	3.72	5.45	6.81	8.61	11.6	15.6	28.7	61.0	135.4	296.4	134
1881-1890	0.923	51.9	5.26	3.11	4.42	5.54	7.38	10.6	15.1	28.5	60.4	130.6	270.8	128
1891-1900	0.961	52.8	4.37	2.57	3.67	4.46	6.08	9.59	14.7	28.4	60.7	130.6	261.4	138
1901-1910	0.841	41.9	3.61	2.17	2.89	3.50	4.74	7.53	12.5	24.8	53.9	119.8	250.3	114
1911-1920	0.881	31.4	3.59	2.34	3.21	3.87	4.78	6.42	10.9	21.5	49.6	116.3	243.6	89
1921-1930	0.820	20.2	2.33	1.63	2.48	3.02	3.45	4.85	8.61	18.3	44.9	111.6	248.2	63
1931-1940	0.900	14.9	1.90	1.26	2.04	2.63	2.88	4.07	7.71	16.7	42.3	107.9	249.1	51
1941-1950*	0.807	10.0	0.97	0.76	1.40	1.97	2.11	2.91	5.96	13.4	35.2	93.3	207.9	37
1841-1845	—	58.6	8.56	5.17	7.65	8.64	9.92	12.1	15.1	27.2	59.1	131.8	288.6	133
1846-1850	1.085	63.6	9.23	5.72	8.12	9.57	11.2	17.7	17.0	29.7	62.7	140.0	297.7	142
1851-1855	0.958	63.8	8.54	5.32	7.75	8.90	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141
1856-1860	0.959	62.3	8.35	4.82	7.06	8.24	9.57	11.8	14.8	26.5	58.1	131.9	285.8	137
1861-1865	1.024	64.2	8.26	4.76	6.89	8.17	9.82	12.1	15.5	27.9	59.1	133.8	287.9	136
1866-1870	0.989	63.3	7.37	4.27	6.42	7.78	9.63	12.1	15.8	27.9	59.1	136.1	282.3	142
1871-1875	0.984	60.0	6.61	3.95	5.92	7.43	9.23	12.0	15.9	28.7	61.3	135.3	293.9	138
1876-1880	0.957	56.8	5.87	3.50	5.02	6.23	8.03	11.3	15.3	28.6	60.8	135.5	299.0	130
1881-1885	0.950	51.9	5.68	3.30	4.72	5.93	7.86	10.9	15.2	28.1	59.1	129.0	265.5	125
1886-1890	0.986	52.0	4.85	2.93	4.15	5.17	6.92	10.3	15.0	28.8	61.7	132.3	276.1	131
1891-1895	0.999	52.8	4.59	2.73	3.97	4.81	6.57	10.1	15.2	29.5	63.0	134.3	264.0	135
1896-1900	0.938	52.7	4.15	2.40	3.37	4.14	5.63	9.10	14.3	27.4	58.5	127.0	258.7	141
1901-1905	0.906	45.8	3.79	2.24	3.02	3.66	5.04	8.05	13.1	25.4	54.8	119.9	249.4	124
1906-1910	0.917	38.0	3.44	2.09	2.76	3.34	4.46	7.05	12.0	24.3	53.1	119.6	250.9	105
1911-1915	0.942	34.0	3.37	2.11	2.75	3.25	4.08	6.46	11.4	22.7	51.7	117.5	245.4	97
1916-1920	0.953	28.4	3.81	2.56	3.66	4.47	5.48	6.39	10.4	20.4	47.7	115.1	241.9	79
1921-1925	0.862	21.8	2.41	1.72	2.56	3.11	3.58	5.03	8.79	18.7	45.5	112.9	241.2	66
1926-1930	0.951	18.5	2.25	1.53	2.41	2.94	3.33	4.69	8.44	18.0	44.4	110.4	254.4	59
1931-1935	0.946	16.0	2.07	1.37	2.22	2.77	3.09	4.43	7.96	17.0	42.8	108.9	245.0	54
1936-1940	0.951	13.7	1.71	1.13	1.87	2.49	2.68	3.83	7.47	16.5	41.8	107.1	252.7	48
1941-1945*	0.865	12.3	1.31	0.97	1.74	2.41	2.46	3.27	6.43	14.0	36.0	93.5	206.6	44
1946-1950*	0.913	8.14	0.64	0.54	1.05	1.54	1.76	2.56	5.51	12.8	34.4	93.2	208.9	32
1951-1955	0.933	5.40	0.39	0.34	0.50	0.70	1.09	2.11	4.89	11.8	33.1	92.4	222.0	23
1926	0.942	18.8	2.28	1.46	2.38	2.92	3.31	4.66	8.25	17.6	42.7	105.4	240.2	61
1927	1.060	18.9	2.23	1.52	2.42	2.95	3.44	4.89	8.78	18.5	45.9	115.2	262.3	60
1928	0.925	17.3	2.24	1.53	2.38	2.96	3.26	4.61	8.21	17.3	42.7	102.6	242.9	56
1929	1.165	21.6	2.33	1.66	2.53	3.09	3.46	4.93	9.05	19.6	49.9	126.7	298.2	65
1930	0.826	16.0	2.18	1.51	2.34	2.76	3.21	4.35	7.90	16.9	40.7	102.2	226.5	51
1931	1.076	17.4	1.99	1.47	2.40	2.90	3.27	4.51	8.27	17.6	44.4	114.4	255.3	57
1932	0.970	16.8	1.94	1.33	2.24	2.81	3.10	4.34	8.02	17.1	43.2	111.4	253.0	56
1933	1.016	15.8	2.12	1.38	2.27	2.91	3.20	4.65	8.35	17.4	43.8	113.5	256.9	54
1934	0.934	15.6	2.39	1.40	2.18	2.64	3.02	4.13	7.69	16.5	41.7	102.8	227.1	52
1935	0.981	14.2	1.94	1.29	1.99	2.57	2.88	4.04	7.48	16.4	41.2	103.4	234.4	50
1936	1.018	14.9	1.86	1.13	1.84	2.52	2.71	3.94	7.60	16.5	42.2	106.2	253.2	51
1937	1.012	14.7	1.75	1.13	1.83	2.52	2.77	3.98	7.67	16.9	42.5	108.2	261.9	50
1938	0.909	13.4	1.80	1.09	1.71	2.25	2.49	3.59	6.97	15.5	38.8	98.1	228.9	46
1939	1.028	12.1	1.31	0.97	1.64	2.27	2.47	3.51	7.05	15.7	40.5	106.2	251.1	44
1940	1.124	13.6	1.80	1.31	2.32	2.87	2.94	4.14	8.04	17.7	45.0	116.4	267.5	49
1941*	0.902	14.5	1.86	1.24	2.28	2.81	2.85	3.77	7.26	15.4	39.5	101.5	241.7	52
1942*	0.878	12.3	1.31	0.91	1.73	2.41	2.41	3.22	6.37	13.9	35.4	91.0	209.2	44
1943*	1.031	12.4	1.18	0.98	1.69	2.36	2.45	3.32	6.43	13.9	36.4	95.9	213.5	43
1944*	0.947	11.7	1.17	0.92	1.55	2.36	2.44	3.11	6.19	13.4	34.6	89.7	188.8	40
1945*	0.979	10.8	1.01	0.79	1.38	2.09	2.13	2.92	5.92	13.3	34.6	90.2	189.5	40
1946*	1.000	10.3	0.75	0.67	1.17	1.78	1.99	2.79	5.82	13.3	34.6	92.4	206.2	37
1947*	1.019	10.6	0.75	0.61	1.21	1.82	1.94	2.74	5.72	13.1	35.2	96.6	219.8	36
1948*	0.885	7.64	0.62	0.55	1.12	1.56	1.77	2.45	5.33	12.2	32.1	84.5	183.5	30
1949*	1.079	6.71	0.57	0.49	0.96	1.43	1.65	2.48	5.39	12.8	35.5	95.8	217.5	28
1950	0.979	5.85	0.53	0.41	0.78	1.09	1.45	2.32	5.30	12.6	34.7	96.6	216.9	26
1951	1.061	5.68	0.46	0.37	0.64	0.90	1.30	2.32	5.32	13.0	36.9	104.4	249.1	26
1952	0.881	5.45	0.41	0.34	0.52	0.76	1.10	2.09	4.90	11.9	32.3	89.6	212.3	24
1953	1.004	5.62	0.41	0.35	0.46	0.67	1.07	2.11	4.79	11.6	32.1	90.7	218.8	24
1954	0.967	5.10	0.34	0.31	0.46	0.63	1.01	2.09	4.75	11.4	31.6	87.4	209.7	22
1955	1.022	5.12	0.36	0.32	0.40	0.55	0.94	1.93	4.70	11.3	32.3	90.9	222.9	21
1956	0.988	4.98	0.33	0.27	0.36	0.53	0.87	1.90	4.52	11.2	31.8	90.1	222.7	20

* Civilian mortality only from 1st June, 1941 to 31st December, 1949.

† Based on related live births from 1921.

TABLE 5—Deaths Registered and Death Rates in each } England and Wales
Quarter, 1841-1956

See Explanatory notes on page v.

Period	Quarter ended							
	March	June	Sept.	Dec.	March	June	Sept.	Dec.
	Deaths: Males				Deaths: Females			
1841-1850	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-1860	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-1870	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-1880	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-1890	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-1910	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-1920*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-1930	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1931-1940*	798,598	604,458	518,256	630,300	780,376	573,530	487,622	599,068
1941-1950*	801,980	612,766	519,908	651,534	751,419	566,731	484,757	608,558
1946*	79,012	58,323	51,737	63,308	76,215	55,585	48,672	59,238
1947*	93,626	60,774	50,218	63,096	88,110	57,241	46,881	57,669
1948*	69,356	57,223	52,059	64,261	63,272	53,034	49,489	61,204
1949*	82,234	61,287	51,480	65,685	79,031	58,685	49,710	62,624
1950	76,984	61,633	52,914	69,621	74,300	59,158	49,953	65,738
1951	104,298	62,560	51,658	63,208	101,580	59,123	48,399	58,554
1952	76,112	59,332	51,097	71,219	70,836	56,037	47,516	65,335
1953	87,706	59,119	50,977	61,688	83,644	55,525	47,568	57,302
1954	79,372	60,528	53,851	66,046	73,748	56,677	50,263	61,411
1955	86,465	63,433	52,582	64,496	82,180	60,797	49,095	59,816
1956	87,175	61,748	53,381	65,600	83,117	58,311	50,750	61,249
	Deaths: Persons				Annual Death Rates per 1,000 persons living			
1841-1850	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851-1860	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861-1870	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871-1880	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881-1890	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901-1910	1,490,235	1,246,735	1,185,415	1,326,389	17·7	14·6	13·8	15·4
1911-1920*	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	14·9
1921-1930	1,489,996	1,136,431	936,261	1,160,303	15·5	11·7	9·5	11·8
1931-1940*	1,578,974	1,177,988	1,005,878	1,229,368	15·8	11·6	9·8	12·0
1941-1950*	1,553,399	1,179,497	1,004,665	1,260,092	15·5	11·6	9·8	12·3
1946*	155,227	113,908	100,409	122,546	15·4	11·2	9·7	11·9
1947*	181,736	118,015	97,099	120,765	17·6	11·3	9·2	11·4
1948*	132,628	110,257	101,548	125,465	12·4	10·3	9·4	11·7
1949*	161,265	119,972	101,190	128,309	15·2	11·2	9·3	11·8
1950	151,284	120,791	102,867	135,359	14·0	11·1	9·3	12·3
1951	205,878	121,683	100,057	121,762	19·1	11·1	9·1	11·0
1952	146,948	115,369	98,613	136,554	13·4	10·6	8·9	12·4
1953	171,350	114,644	98,545	118,990	15·8	10·4	8·9	10·7
1954	153,120	117,205	104,114	127,457	14·0	10·6	9·3	11·4
1955	168,645	124,230	101,677	124,312	15·4	11·2	9·1	11·1
1956	170,292	120,059	104,131	126,849	15·3	10·8	9·3	11·3

*See footnote to Table 3.

TABLE 6 —Comparative Mortality Indices (All Ages) and Death Rates at Ages under 15. Principal Epidemic or General Diseases, 1851-1956 } England and Wales

Notes: (1) See note to Table 3 for explanation of Comparative-Mortality Index.
(2) Changes in cause assignment are allowed for throughout as far as possible.
(3) See Explanatory notes on page v.

Period	Comparative Mortality Indices (base year 1938 taken as unity)											Death rates per million living at ages under 15				
	Tuberculosis (all forms) 001-019	Tuberculosis of resp. system 001-008	Syphilis 020-029	Typhoid and paratyphoid fevers 040, 041	Meningococcal infections 057	Cancer 140-205	Cancer excl. Hodg-kins dis.: Leukæmia, Aleukæmia 140-200 202, 203, 205	Diabetes mellitus 260	Diseases of heart 410-443	Influenza 480-483	Pneumonia (all forms) 490-493, 763	Scarlet fever 050	Diphtheria 055	Whooping cough 056	Poliomyelitis 080, 081	Measles 085
1851-1860	5.67	5.74					0.31									1082
1861-1870	5.46	5.37					0.38					2282	1122	1372		1148
1871-1880	4.73	4.66		84.37			0.47					1664	747	1316		976
1881-1890	4.01	3.81		51.94			0.59					787	804	1171		1153
1891-1900	3.29	3.01		45.78			0.75			4.39		383	873	1037		1144
1901-1910	2.70	2.45		23.84			0.85	0.84		2.54		271	571	815		915
1911-1920†	2.34	2.20		9.28	0.94		0.92	0.89		5.75		123	437	554	13	838
1921-1930	1.62	1.59		2.85	0.58		0.98	0.86		3.61		64	298	405	11	389
1931-1939†	1.18	1.18		1.25	1.25	0.99	1.00	1.01		2.46		46	290	197	11	217
1940-1949†	0.99	1.01	0.67	0.44	1.36	1.00	0.99	0.77	0.97	1.15	0.73	7	112	111	11	62
1851-1855	5.93	5.98					0.30							1338		1047
1856-1860	5.43	5.52					0.32					1919	1347	1300		1114
1861-1865	5.41	5.44					0.36					2307	1389	1336		1189
1866-1870	5.26	5.31					0.40					2258	871	1405		1109
1871-1875	4.84	4.86		97.71			0.44					1760	788	1282		962
1876-1880	4.62	4.48		71.90			0.50					1575	709	1349		988
1881-1885	4.19	4.04		56.99			0.55					1012	828	1180		1070
1886-1890	3.83	3.60		47.20			0.63					572	781	1163		1234
1891-1895	3.48	3.18		45.58			0.71			5.04		434	875	1070		1104
1896-1900	3.12	2.85		45.97			0.79			3.79		331	872	1003		1184
1901-1905	2.85	2.58		29.66			0.83	0.79		2.29		319	653	874		955
1906-1910	2.55	2.32		18.35			0.87	0.88		2.76		224	491	756		874
1911-1915†	2.31	2.16		12.43	0.81		0.92	0.97		2.00		161	434	633	14	1043
1916-1920†	2.38	2.25		6.02	1.07		0.92	0.82		9.53		84	439	473	12	625
1921-1925	1.74	1.70		3.27	0.46		0.99	0.85		3.77		79	302	448	11	420
1926-1930	1.51	1.49		2.45	0.70		0.99	0.90		3.54		48	294	360	12	357
1931-1935	1.29	1.29		1.35	1.48	0.99	1.00	0.98		2.85		50	293	223	11	270
1936-1939†	1.05	1.05		1.14	0.95	0.99	1.00	1.03		2.01		27	287	163	11	149
1940-1944†	1.12	1.13	0.80	0.64	2.22	0.99	0.99	0.91	0.98	1.64	0.85	11	192	140	7	78
1945-1949†	0.88	0.91	0.55	0.26	0.59	1.00	0.99	0.64	0.97	0.70	0.63	3	30	81	16	47
1926	1.54	1.51		2.44	0.50		0.99	0.81		2.22		50	275	378	16	319
1927	1.56	1.54		2.41	0.60		0.99	0.87		5.48		43	250	341	12	337
1928	1.48	1.47		2.88	0.63		1.00	0.89		1.86		43	296	279	12	404
1929	1.53	1.53		2.49	0.85		1.00	0.96		7.01		50	320	604	10	324
1930	1.43	1.42		2.02	0.92		0.99	0.94		1.18		55	332	196	11	404
1931	1.43	1.42		1.61	2.13	0.99	1.00	0.95		3.34		39	252	244	9	320
1932	1.33	1.31		1.64	1.80	1.00	1.00	0.98		3.01		40	223	288	13	332
1933	1.31	1.32		1.41	1.41	0.99	1.00	0.98		5.15		55	255	221	13	190
1934	1.22	1.21		1.01	1.10	1.00	1.00	0.99		1.24		72	393	199	9	368
1935	1.14	1.15		1.09	0.94	0.99	1.00	1.00		1.60		41	345	159	11	134
1936	1.10	1.10		1.59	0.97	1.00	1.01	1.04		1.29		38	311	210	7	281
1937	1.10	1.10		1.27	1.07	0.99	1.00	1.05		3.92		27	305	179	8	106
1938	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	27	305	119	18	169
1939†	1.00	1.00		0.69	0.77	0.98	0.98	1.05		1.83		15	228	140	10	34
1940†	1.14	1.16	0.90	0.83	3.83	1.00	1.00	1.10	1.13	2.52	1.04	12	266	78	9	95
1941†	1.20	1.20	0.87	0.98	3.29	0.99	0.99	0.99	1.00	1.51	0.94	11	280	279	9	128
1942†	1.09	1.09	0.80	0.56	1.83	0.99	0.99	0.89	0.93	0.73	0.74	9	192	94	7	53
1943†	1.12	1.13	0.76	0.46	1.19	0.99	0.99	0.84	0.93	2.65	0.86	11	134	129	4	86
1944†	1.06	1.07	0.68	0.36	0.89	0.98	0.98	0.78	0.93	0.81	0.68	9	92	121	4	28
1945†	1.03	1.06	0.62	0.30	0.81	0.99	0.98	0.75	0.93	0.55	0.66	7	67	79	4	80
1946†	0.90	0.93	0.62	0.32	0.71	0.99	0.99	0.67	0.95	1.04	0.65	3	40	91	5	22
1947†	0.90	0.93	0.56	0.18	0.72	1.00	1.00	0.63	1.01	0.64	0.70	3	23	99	33	69
1948†	0.83	0.86	0.49	0.29	0.39	1.01	1.00	0.57	0.92	0.23	0.53	2	14	80	8	33
1949†	0.75	0.78	0.48	0.19	0.37	1.01	1.00	0.59	1.03	1.03	0.61	1	7	55	29	30
1950	0.59	0.62	0.50	0.09	0.36	1.02	1.01	0.62	1.07	0.71	0.53	1	4	41	33	22
1951	0.51	0.53	0.51	0.12	0.38	1.03	1.01	0.62	1.14	2.87	0.67	1	2	46	8	30
1952	0.39	0.41	0.46	0.12	0.38	1.03	1.01	0.55	1.00	0.31	0.55	1	2	18	10	14
1953	0.32	0.34	0.40	0.03	0.39	1.02	1.01	0.52	0.98	1.14	0.61	0	2	24	14	24
1954	0.28	0.30	0.39	0.05	0.35	1.03	1.01	0.48	0.98	0.31	0.52	1	1	13	5	5
1955	0.23	0.25	0.38	0.08	0.28	1.03	1.02	0.52	0.99	0.51	0.60	0	1	9	8	17
1956	0.19	0.20	0.37	0.04	0.26	1.03	1.02	0.50	0.99	0.44	0.63	0	0	9	4	2

† Civilian mortality only in 1915-20 and from 3rd September, 1939 to 31st December, 1949, for males, and from 1st June, 1941 to 31st December, 1949, for females.

TABLE 7—Deaths by Cause and Sex at All Ages, 1946-1956 — England and Wales

(Excluding non-civilian from 1946 to 1949 inclusive).

- Note: (i) The following categories of the 1948 International Statistical Classification are not applicable to primary death tabulation and are therefore omitted from this table:—306, 308, 649, 775.
 (ii) Although deaths in each year from 1949 inclusive were coded according to the 1948 International Statistical Classification, certain minor changes in coding practice were introduced between 1949 and 1950, and comparability of figures between those years is consequently affected. Categories principally affected are noted accordingly.
 (iii) Deaths assigned to any of the following categories as the underlying cause, but where the interval between onset of the disease and death was stated to exceed one year, are, for years 1951 and on, separately distinguished in footnotes, as well as being included in the totals for these categories:—
 040-043, 050, 055, 056, 058, 084-087, 100-108.
 (iv) See Explanatory notes on page v.

International List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
	ALL CAUSES ... {M ... {F	249452 239602	265739 249852	241674 226971	259942 250031	261152 249149	281724 267656	257760 239724	259490 244039	259797 242099	266976 251888	267904 253427
001-138	I.—INFECTIVE AND PARASITIC DISEASES {M ... {F	16585 11724	17222 12446	15722 10938	14865 9915	12797 8037	11434 6738	9303 5023	8203 4497	7227 3768	6414 3265	5508 2767
001-019	Tuberculosis (all forms) ... {M ... {F	13146 9245	13390 9686	12791 8884	11918 7879	9222 6047	8826 4980	7114 3471	5964 2938	5392 2505	4533 1959	3804 1571
001-008	Tuberculosis of respiratory system ... {M ... {F	†11415 †7593	†11678 †8075	†11313 †7485	10655 6816	8934 5145	7903 4128	6421 2914	5447 2466	4944 2125	4172 1665	3534 1319
001	With mention of occupational disease ... {M ... {F	194 2	234 3	278 5	262 9	255 7	288 6	292 3	298 6	276 4	296 6	247 6
002	Pulmonary ... {M ... {F				10274 6731	8603 5084	7550 4081	6066 2868	5107 2426	4630 2083	3844 1630	3263 1291
003	Pleural ... {M ... {F				66 47	57 38	50 33	53 35	34 29	30 33	25 25	18 19
	0. Pleurisy specified as tuberculous ... {M ... {F				24 11	26 8	19 9	22 7	11 12	15 10	10 4	6 4
	1. Pleurisy with effusion without mention of cause {M ... {F				42 36	31 30	31 24	31 28	23 17	15 23	15 21	12 15
004	Primary, complex with symptoms ... {M ... {F	†11221 †7591	†11444 †8072	†11035 †7480	— 1	— 1	2 —	2 —	— 1	— 1	— —	— —
005	Tracheobronchial glandular, with symptoms ... {M ... {F				5 7	9 7	5 7	4 7	3 2	5 3	4 4	4 2
006	Radiological evidence suggestive of active resp: tub: not classifiable elsewhere {M ... {F				— —	— —	— —	— —	— —	— —	— —	— —
007	Other respiratory ... {M ... {F				30 6	6 9	6 1	4 1	3 1	1 —	— —	— —
008	Unspecified site ... {M ... {F				18 15	3 —	2 —	— —	2 1	2 1	3 —	2 1
010-019	Tuberculosis, other forms ... {M ... {F	1731 1652	1712 1611	1478 1399	1263 1063	988 902	923 852	693 557	517 472	448 380	361 294	270 252
010	Meninges and central nervous system {M ... {F	790 797	784 749	647 665	558 533	432 458	440 442	265 246	177 168	96 95	67 65	39 52
011	Intestines, peritoneum, and mesenteric glands ... {M ... {F	231 206	203 242	168 201	146 148	91 100	83 99	67 66	60 59	38 58	45 41	35 35
012	Bones and joints, active or un-specified ... {M ... {F	*232 *196	*204 *163	*202 *164	146 119	146 101	114 93	110 70	68 71	75 65	67 44	48 36
	0. Vertebral column ... {M ... {F	*167 *149	*137 *115	*136 *114	108 99	100 78	81 67	81 54	47 51	58 56	52 35	37 28
	1-3. Other ... {M ... {F	*65 *47	*67 *48	*66 *50	38 20	46 23	33 26	29 16	21 20	17 9	15 9	11 8
013	Late effects, bones and joints... {M ... {F	* *	* *	* *	1 2	5 2	3 2	5 2	3 2	2 2	6 2	4 5
014	Skin and subcutaneous cellular tissue ... {M ... {F	16 25	9 18	10 7	5 8	5 11	5 11	1 3	2 3	— 7	1 3	— 4
015	Lymphatic system ... {M ... {F	28 29	29 29	29 28	21 36	18 31	12 19	15 14	9 15	10 10	10 10	9 6
016	Genito-urinary system ... {M ... {F	157 113	186 114	183 108	208 93	173 89	167 88	144 66	109 79	121 64	87 52	82 64
017	Adrenal glands ... {M ... {F	12 8	16 20	13 15	18 10	13 11	8 16	13 18	19 12	9 14	6 7	11 5
018	Other organs ... {M ... {F	5 9	10 5	20 5	5 7	10 7	17 6	13 11	8 7	9 4	11 13	6 6

† 002-008 excludes 003.1, which comprises about 36% of deaths shown for 519; includes Hæmoptysis N.O.S. from 783.1, (Hæmoptysis) for these years.

* 012.0 includes 013.0 (late effects of tuberculosis of vertebral column) for these years.

† 012.1-012.3 includes 013.1-013.3 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
019	Disseminated { M F				155 107	95 92	74 75	60 61	62 56	83 66	60 57	36 39
	0-1. Acute miliary tuber- culosis { M F	††260 ††269	††271 ††271	††206 ††206	22 13	22 10	7 11	4 2	3 5	5 7	4 3	2 1
	2. Other forms { M F				133 94	73 82	67 64	56 59	59 51	78 59	56 54	34 38
020-029	Syphilis and its sequelæ ... { M F	1575 616	1445 577	1303 505	1290 491	1202 527	1265 506	1097 522	1001 444	954 467	947 438	922 452
020	Congenital syphilis { M F	†79 †69	†49 †46	†47 †42	45 38	25 20	17 15	17 15	10 3	6 6	2 4	6 8
021	Early syphilis { M F	†	†	†	— 1	— 1	— 1	1 2	— 1	— —	— —	— 1
022	Aneurysm of aorta { M F	495 156	502 177	478 169	515 191	430 225	475 204	435 222	408 190	392 211	424 219	420 218
023	Other cardiovascular syphilis... { M F	†509 †210	†447 †194	†462 †196	353 126	449 151	458 157	388 173	344 159	339 139	341 136	330 153
024	Tabes dorsalis { M F	†178 †54	†164 †44	†111 †32	114 20	99 24	111 32	100 27	87 26	70 26	53 24	66 15
025	General paralysis of insane ... { M F	†314 †127	†283 †116	†205 †66	161 65	111 56	121 47	78 45	91 26	89 37	84 36	56 28
026	Other syphilis of central ner- vous system { M F				29 19	46 28	48 30	50 21	37 25	47 32	27 13	33 19
027	Other forms of late syphilis ... { M F				36 13	21 5	29 14	23 13	18 13	8 15	13 5	10 9
028	Latent syphilis { M F	†	†	†	—	—	—	—	—	—	—	—
029	Syphilis, unqualified { M F				37 18	21 17	6 6	5 4	6 1	3 1	3 1	1 1
030-039	Gonococcal infection and other venereal diseases { M F	19 5	18 2	12 1	3 2	9 —	6 1	12 1	6 —	13 —	3 2	8 —
030	Acute or unspecified gonorrhœa { M F				2 —	5 —	2 1	2 —	— —	2 —	— —	1 —
031	Chronic gonococcal infection of genito-urinary system ... { M F				— 1	— —	2 —	1 —	— —	1 —	— —	— —
032	Gonococcal infection of joint... { M F				— —	1 —	— —	— —	— —	— —	— —	— —
033	Gonococcal infection of eye ... { M F	18 4	17 2	12 1	— —	— —	— —	— —	— —	— —	— —	— —
034	Gonococcal infection of other sites { M F				1 1	2 —	1 —	— 1	— —	2 —	— —	1 —
035	Late effects of gonococcal in- fection { M F				— —	1 —	1 —	8 —	6 —	7 —	2 —	6 —
036	Chancroid { M F				— —	— —	— —	— —	— —	— —	— —	— —
037	Lymphogranuloma venereum ... { M F				— —	— —	— —	1 —	— —	— —	1 —	— —
038	Granuloma inguinale, venereal { M F	1 1	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
039	Other and unspecified venereal diseases { M F				— —	— —	— —	— —	— —	— —	1 1	— —
040-049	Infectious diseases commonly arising in intestinal tract ... { M F	126 95	102 64	96 70	75 69	84 68	75 59	63 43	53 48	49 34	59 51	46 55
040	Typhoid fever* { M F	13 22	17 8	20 18	10 9	8 7	5 7	5 4	1 2	1 3	5 2	— 2
041	Paratyphoid fever* { M F	9 7	2 2	2 8	5 8	— 1	1 8	5 7	— 2	1 3	3 5	2 3
042	Other Salmonella infections... { M F	†24 †21	†29 †21	†35 †14	24 31	31 27	27 9	27 16	23 20	22 11	25 19	20 26
043	Cholera { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

*Including the following "late effects" (see note (iii) on page 11):

040	Typhoid fever	{ M F	1951 —	1952 1	1953 —	1954 1	1955 1	1956 —	††019 includes 138.0 (Sarcoid of Boeck) for these years.
041	Paratyphoid fever	{ M F	— 2	— 3	— —	— —	— —	— —	†023 includes 021, 026-029 for these years.
					1	1	—	—	†024, 025. These numbers combined include 020.1 (Juvenile neurosyphilis) for these years.
									†042 includes 049 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
044	Brucellosis (undulant fever) ... {M F	4 2	3 2	2 2	— 3	— 1	1 1	2 —	2 2	— —	— 1	2 1
045	Bacillary dysentery ... {M F	30 22	28 20	18 16	17 8	22 21	27 30	11 10	13 15	12 13	15 12	13 13
046	Amoebiasis ... {M F	17 1	15 2	10 5	9 4	14 3	13 1	11 —	5 1	6 2	7 1	2 1
047	Other protozoal dysentery ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
048	Unspecified forms of dysentery {M F	29 20	8 9	9 7	3 4	3 2	1 2	2 2	1 1	4 2	1 4	2 2
049	Food poisoning (infection and intoxication) {M F	† †	† †	† †	4 5	6 6	— 1	— 4	8 5	3 —	3 7	5 7
050-064	Other bacterial diseases ... {M F	1093 1175	1041 1103	814 831	657 627	575 533	546 527	395 384	427 407	330 310	251 231	274 223
050	Scarlet fever† ... {M F	*18 *23	*17 *25	*16 *21	13 14	15 18	13 24	9 14	8 19	10 17	8 13	8 7
051	Streptococcal sore throat ... {M F	42 45	43 58	40 55	23 43	37 24	14 15	21 20	15 19	13 12	14 10	15 13
052	Erysipelas ... {M F	42 40	27 34	27 24	27 27	20 21	9 8	6 10	9 13	9 5	7 6	3 4
053	Septicæmia and pyæmia ... {M F	130 109	104 91	106 83	86 60	89 75	62 49	47 64	68 52	56 66	39 41	62 44
054	Bacterial toxæmia ... {M F	— —	— —	— —	— 2	— 2	1 —	— —	2 —	— —	— 1	— 1
055	Diphtheria† ... {M F	205 250	124 118	78 77	45 39	31 18	15 18	14 18	11 12	3 6	6 7	5 3
056	Whooping cough† ... {M F	354 454	386 519	336 412	238 289	162 232	212 244	84 100	104 139	66 73	45 43	42 53
057	Meningococcal infections ... {M F	259 230	287 236	160 136	154 133	154 129	156 142	160 130	166 125	138 121	105 100	109 80
058	Plague ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
059	Tularemia ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
060	Leprosy... {M F	— —	1 —	— —	— —	— —	1 1	— —	— —	— —	— —	— —
061	Tetanus ... {M F	41 22	49 22	48 21	61 18	61 10	59 22	42 21	37 24	28 9	23 10	22 15
062	Anthrax ... {M F	1 —	2 —	— 1	2 —	— —	1 —	2 —	1 —	1 —	1 —	3 —
063	Gas gangrene ... {M F	1 2	1 —	3 1	7 2	4 4	2 3	10 6	4 3	5 1	3 —	4 1
064	Other bacterial diseases ... {M F	— —	— —	— —	1 —	2 —	1 1	— 1	2 1	1 —	— —	1 2
070-074	Spirochætal diseases, except syphilis {M F	13 9	16 10	15 5	39 2	45 12	37 3	32 1	28 5	25 2	27 2	11 1
070	Vincent's infection ... {M F	5 7	4 6	2 2	3 1	2 6	1 —	2 —	2 2	— —	2 1	— 1
071	Relapsing fever ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
072	Leptospirosis icterohæmor- rhagica (Weill's disease) ... {M F	8 2	12 4	13 3	36 1	39 5	36 3	29 1	26 2	25 2	24 1	11 —
073	Yaws ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
074	Other spirochætal and lepto- spirochætal infections ... {M F	— —	— —	— —	— —	4 1	— —	1 —	— 1	— —	1 —	— —
080-096	Diseases attributable to viruses {M F	544 556	1151 962	647 610	839 809	917 811	615 617	535 547	682 608	400 402	538 529	383 403

† Including the following "late effects" (see note (iii) on page 11):—

050	Scarlet fever	{M F	1951 7	1952 5	1953 6	1954 8	1955 8	1956 8
055	Diphtheria	{M F	15 1	10 1	17 1	15 —	11 —	6 3
056	Whooping cough	{M F	2 1	8 1	2 2	1 —	1 —	2 1

‡049. See 042.

*050 excludes deaths occurring 1 or more years after onset, for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
080	Acute poliomyelitis ... {M F}				355 288	411 323	110 81	167 108	199 121	73 39	150 91	68 46
	0. Specified as bulbar or polio-encephalitis ... {M F}				155 118	164 114	35 31	72 42	102 52	29 17	73 41	25 15
	1. With other paralysis ... {M F}				17 12	57 44	21 14	30 12	28 15	13 4	23 17	14 9
	2. Specified as nonparalytic {M F}	55 61	407 281	140 99	— —	— —	— —	2 —	— —	— —	— —	— —
	3. Unspecified ... {M F}				183 158	190 165	54 36	63 54	69 54	31 18	54 33	29 22
081	Late effects of acute polio- myelitis ... {M F}				4 4	10 11	10 16	9 11	8 10	11 11	11 18	9 14
082	Acute infectious encephalitis... {M F}				105 91	58 57	63 55	52 53	70 64	51 37	49 38	58 48
083	Late effects of acute infectious encephalitis ... {M F}	235 231	245 213	215 189	76 95	132 118	92 124	79 95	99 84	80 95	81 77	82 67
084	Smallpox* ... {M F}	6 5	11 4	— —	1 4	— —	3 7	— 1	6 2	— —	— —	— —
085	Measles* ... {M F}	108 95	338 306	162 164	152 155	133 88	173 144	71 70	142 103	29 21	87 89	15 15
086	Rubella (German measles)*... {M F}	— 1	3 1	2 —	1 1	1 —	1 —	2 1	3 3	2 1	— —	— 1
087	Chickenpox ... {M F}	6 3	6 6	6 4	7 7	3 4	6 10	8 5	10 2	8 9	4 5	4 8
088	Herpes zoster ... {M F}	19 53	19 56	25 50	20 36	20 53	19 39	18 42	8 38	17 30	25 41	17 45
089	Mumps ... {M F}	3 3	1 —	9 7	— 3	5 3	5 8	4 6	4 5	7 2	3 8	4 —
090	Dengue ... {M F}	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
091	Yellow fever ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
092	Infectious hepatitis ... {M F}	110 103	120 91	85 95	114 116	142 142	127 125	116 148	126 162	108 151	116 159	116 156
093	Glandular fever (infectious mononucleosis) ... {M F}	2 1	1 4	2 1	1 —	1 1	1 1	4 1	1 2	2 2	3 —	5 1
094	Rabies ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —
095	Trachoma ... {M F}	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
096	Other diseases attributable to viruses ... {M F}	† †	† †	†1 †1	3 9	1 10	5 7	4 6	6 11	12 4	8 3	4 2
100-108	Typhus and other rickettsial diseases ... {M F}	— —	1 —	1 —	— —	— —	— —	— 1	— 1	— —	— —	— —
100	Louse-borne epidemic typhus {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
101	Flea-borne endemic typhus (murine) ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Brill's disease, not specified as louse- or flea-borne typhus* {M F}	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
103	Tabardillo (Mexican typhus), not specified as louse- or flea- borne. {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
104	Tick-borne typhus ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
105	Mite-borne typhus ... {M F}	— —	1 —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —
106	Wolhynian fever (trench fever) {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Typhus, unspecified ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
108	Other rickettsial diseases ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

† 096. See 706-716.

* Including the following "late effects" (see note (iii) on page 11):—084, Smallpox:— 1952-1F; 085, Measles:— 1953-2M, 1F; 1954-5M; 1955-2M; 1956-1M, 1F; 086, Rubella:— 1954-1F; 102, Brill's disease:— 1952-1F.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
110-117	Malaria... {M F				5	9 3	10	8 1	4	9	5	3 1
110	Vivax malaria (benign tertian) {M F						1	1				
111	Malariae malaria (quartan) ... {M F											
112	Falciparum malaria (malignant tertian) ... {M F				1	6 2	7	4	4	5	4	1 1
113	Ovale malaria ... {M F	16	11	9								
114	Mixed malarial infections ... {M F											
115	Blackwater fever ... {M F				4		1	1				
116	Other and unspecified forms of malaria ... {M F					3 1	1	3		4	1	2
117	Recurrent induced malaria ... {M F											
120-133	Other infective and parasitic diseases ... {M F	51 23	47 41	34 31	39 36	34 36	54 45	47 52	38 46	55 46	51 53	57 61
120	Leishmaniasis ... {M F	5	4 1		3		2		1			
121	Trypanosomiasis ... {M F			1						1		
122	Other protozoal diseases ... {M F				1	1 2	1 2	3 2	2 4	5 5	1 1	1 1
123	Schistosomiasis ... {M F			1	1	1			1	1	2	1
124	Other trematode infestation... {M F									1		
125	Hydatid disease ... {M F	7 7	9 8	8 11	6 9	3 6	17 6	7 5	6 7	5 3	6 6	4 6
126	Other cestode infestation ... {M F	2	3 1	2		2 2	2	2	1	2 2	3 1	5
127	Filariasis ... {M F					1						
128	Trichiniasis ... {M F								1			
129	Ankylostomiasis ... {M F											
130	Infestation with worms of other, mixed & unspc'd: type {M F	1 1	2	4			1		1	1	2	
131	Dermatophytosis ... {M F			2	1 2	1	2	1	2			1 1
132	Actinomycosis ... {M F	26 10	15 14	11 11	13 11	8 5	6 3	6 6	2 5	5 2	4	1 4
133	Coccidioidomycosis ... {M F											
134	Other fungus infections ... {M F	10 4	16 15	9 3	11 8	9 3	9 9	10 9	12 7	13 6	9 5	14 7
135	Scabies ... {M F	‡	‡	‡		1	1	1				
136	Pediculosis ... {M F					1					1	
137	Other arthropod infestation ... {M F											
138	Other infective and parasitic diseases ... {M F	*— *1	*— *—	*— *—	4 5	11 13	17 21	17 30	9 23	21 28	24 39	31 41
40-239	II.—NEOPLASMS ... {M F	39244 40420	40814 41022	42236 41488	43124 42054	44436 42838	45531 42436	46220 43138	46773 42907	48104 43727	48907 44037	49675 44679

‡ 135. See 706-716.

* 138. See 019.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
140-205	Malignant neoplasms including $\begin{cases} \text{M} \\ \text{F} \end{cases}$ neoplasms of lymphatic and $\begin{cases} \text{M} \\ \text{F} \end{cases}$ hematopoietic tissues	38319 39197	39927 39857	41302 40353	42196 41008	43570 41700	44632 41448	45429 42213	45935 41989	47313 42782	48160 43180	48935 43775
140-148	Malignant neoplasm of buccal $\begin{cases} \text{M} \\ \text{F} \end{cases}$ cavity and pharynx...	1761 540	1706 551	1643 530	1560 580	1584 618	1566 630	1472 646	1402 568	1516 641	1421 650	1234 654
140	Lip $\begin{cases} \text{M} \\ \text{F} \end{cases}$	191 18	150 19	139 13	160 19	148 13	136 12	96 18	116 8	104 13	109 13	80 13
141	Tongue $\begin{cases} \text{M} \\ \text{F} \end{cases}$	602 123	615 135	581 137	499 156	525 146	492 155	451 135	424 143	442 146	393 150	359 163
142	Salivary gland... .. $\begin{cases} \text{M} \\ \text{F} \end{cases}$	76 47	72 51	78 46	88 56	82 51	81 58	99 70	80 51	80 60	75 65	78 57
143	Floor of mouth $\begin{cases} \text{M} \\ \text{F} \end{cases}$	**	**	**	87 16	89 22	80 22	65 18	80 16	85 23	90 22	78 21
144	Malig: neoplasm of other parts $\begin{cases} \text{M} \\ \text{F} \end{cases}$ of mouth and mouth un- specified	**360 **104	**338 **86	**358 **80	244 65	226 77	246 85	219 74	193 66	226 63	223 71	199 82
145	Oral mesopharynx $\begin{cases} \text{M} \\ \text{F} \end{cases}$	202 43	183 45	165 49	157 33	172 37	188 41	178 55	167 32	180 46	141 46	110 44
146	Nasopharynx $\begin{cases} \text{M} \\ \text{F} \end{cases}$	42 18	47 26	30 22	48 34	50 37	68 42	76 42	69 31	100 38	83 30	73 42
147	Hypopharynx $\begin{cases} \text{M} \\ \text{F} \end{cases}$	49 85	53 99	54 94	56 106	73 139	87 124	100 148	98 146	106 153	83 154	83 152
148	Pharynx, unspecified $\begin{cases} \text{M} \\ \text{F} \end{cases}$	239 102	248 90	238 89	221 95	193 96	202 91	201 86	173 75	201 99	201 99	174 78
150-159	Malig: neoplasm of digestive $\begin{cases} \text{M} \\ \text{F} \end{cases}$ organs and peritoneum ...	20353 18286	20625 18459	20966 18476	20609 18524	20420 18720	20405 18213	20175 18403	19805 18140	19616 18317	19452 18317	19157 18175
150	Esophagus $\begin{cases} \text{M} \\ \text{F} \end{cases}$	1439 824	1548 804	1501 810	1439 786	1510 835	1488 852	1475 850	1335 865	1306 930	1358 956	1378 959
151	Stomach $\begin{cases} \text{M} \\ \text{F} \end{cases}$	7548 6165	7816 6206	8167 6225	8065 6139	8013 6432	8155 6506	8066 6343	8044 6209	7848 6266	7975 6180	7747 6206
152	Small intestine, including duo- denum $\begin{cases} \text{M} \\ \text{F} \end{cases}$	123 96	103 107	102 79	113 102	96 86	92 108	109 93	110 99	101 93	104 101	111 98
153	Large intestine, except rectum $\begin{cases} \text{M} \\ \text{F} \end{cases}$	4706 5918	4725 6025	4593 5845	4509 5932	4319 5834	4246 5451	4165 5657	4163 5556	4047 5481	3920 5535	3812 5471
154	Rectum $\begin{cases} \text{M} \\ \text{F} \end{cases}$	3829 2464	3784 2529	3901 2552	3762 2609	3699 2537	3614 2414	3412 2396	3247 2429	3334 2474	3186 2393	3166 2384
155	Biliary passages and of liver $\begin{cases} \text{M} \\ \text{F} \end{cases}$ (stated to be primary site)...	1219 1419	1147 1375	1103 1393	461 726	479 820	479 767	538 792	487 778	548 809	491 808	516 863
156	Liver (secondary and un- specified) $\begin{cases} \text{M} \\ \text{F} \end{cases}$	1419 1419	1375 1375	1393 1393	589 649	586 562	562 544	553 469	532 470	482 500	447 460	427 438
157	Pancreas $\begin{cases} \text{M} \\ \text{F} \end{cases}$	1344 1220	1379 1182	1449 1325	1514 1363	1567 1434	1620 1368	1723 1562	1724 1491	1773 1530	1830 1628	1847 1557
158	Peritoneum $\begin{cases} \text{M} \\ \text{F} \end{cases}$	144 178	125 228	148 241	153 212	143 173	143 192	121 224	148 225	162 216	126 231	130 180
159	Unspecified digestive organs... $\begin{cases} \text{M} \\ \text{F} \end{cases}$	1 2	4 3	2 6	4 6	8 7	6 11	13 17	15 18	15 18	15 15	23 19
160-165	Malignant neoplasm of res- piratory system $\begin{cases} \text{M} \\ \text{F} \end{cases}$	7689 1791	8594 1975	9473 2121	10189 2207	11340 2353	12237 2434	12971 2579	13862 2577	14888 2681	15729 2794	16523 2897
160	Nose, nasal cavities, middle ear, and accessory sinuses... $\begin{cases} \text{M} \\ \text{F} \end{cases}$	101 87	89 76	100 83	120 87	117 102	124 86	118 85	130 99	125 104	118 82	134 97
161	Larynx $\begin{cases} \text{M} \\ \text{F} \end{cases}$	827 183	769 203	827 205	787 199	809 182	805 202	752 189	737 168	662 181	695 202	675 169
162	Trachea, and of bronchus and lung specified as primary* $\begin{cases} \text{M} \\ \text{F} \end{cases}$	\$6607 \$1437	\$7581 \$1623	\$8403 \$1759	2213 485	2855 596	2998 622	3623 743	3850 733	6424 745	10703 1748	11409 1878
163	Lung & bronchus, unspec'd: $\begin{cases} \text{M} \\ \text{F} \end{cases}$ as to whether primary or secondary*	\$6607 \$1437	\$7581 \$1623	\$8403 \$1759	6917 1360	7399 1391	8168 1459	8358 1494	9031 1518	7571 1181	4118 703	4206 693
164	Mediastinum $\begin{cases} \text{M} \\ \text{F} \end{cases}$	\$154 \$84	\$155 \$73	\$143 \$74	130 69	135 60	115 53	100 54	99 39	82 43	76 39	68 42
165	Thoracic organs (secondary)... $\begin{cases} \text{M} \\ \text{F} \end{cases}$	\$ 7	\$ 22	\$ 12	22 7	25 12	27 12	20 14	15 20	24 17	19 20	31 18
170-181	Malignant neoplasm of breast $\begin{cases} \text{M} \\ \text{F} \end{cases}$ and genito-urinary organs...	4822 15521	5144 15667	5265 15948	5565 15982	5810 16171	5831 16218	5956 16496	6048 16384	6301 16612	6395 16896	6682 17136
170	Breast $\begin{cases} \text{M} \\ \text{F} \end{cases}$	69 7711	70 7738	64 7843	78 7875	65 7927	63 8006	59 8285	81 8158	80 8361	77 8495	69 8580

** 144 includes 143 for these years.

§ 162, 163, includes malignant neoplasm of trachea, bronchus, lung, pleura, specified as secondary, from 165, for these years.

§ 164 includes remainder of 165 for these years.

*A minor change in coding practice introduced in 1954 resulted in a transfer of deaths from 163 to 162 in that year.

TABLE 7—continued

International List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
171	Cervix uteri F	1768	1837	1873	2138	2654	2585	2547	2501	2410	2486	2511
172	Corpus uteri F	342	332	338	514	1157	1185	1237	1203	1185	1147	1184
173	Other parts of uterus, including chorionepithelioma	F	7	18	12	16	25	41	27	41	48	39
174	Uterus, unspecified† F	2170	2082	2058	1579	302	248	213	200	203	203	212
175	Ovary, Fallopian tube, and broad ligament	F	2098	2209	2256	2350	2501	2542	2503	2565	2615	2786
176	Other and unspecified female genital organs	F	412	450	435	425	466	443	471	472	488	475
177	Prostate... .. M	2585	2800	2781	2963	3095	3020	3007	3168	3340	3329	3554
178	Testis M	185	179	195	187	217	195	208	197	217	165	201
179	Other and unspecified male genital organs	M	174	186	156	158	160	169	154	123	127	140
180	Kidney {M F}	434 343	492 350	529 381	562 384	597 366	597 430	638 471	655 443	676 455	706 421	700 463
181	Bladder and other urinary organs... .. {M F}	1375 670	1417 651	1540 712	1617 701	1676 773	1787 738	1890 742	1824 801	1861 847	1956 853	2018 862
190-199	Malignant neoplasm of other and unspecified sites ... {M F}	2168 1927	2329 2025	2310 2079	2381 2274	2466 2347	2469 2232	2546 2358	2477 2501	2570 2537	2676 2537	2799 2798
190	Malignant melanoma of skin... {M F}	555 437	574 465	558 438	71 102	93 131	112 137	115 178	132 168	144 185	164 213	166 181
191	Other malignant neoplasm of skin ... {M F}	447 351	461 343	376 281	369 298	337 292	325 264	312 262	310 249	249	249	249
192	Eye {M F}	48 44	45 43	49 48	60 41	60 62	58 54	49 60	51 57	53 69	53 44	57 56
193	Brain and other parts of nervous system ... {M F}	455 368	552 380	614 387	654 462	678 521	738 495	833 525	811 589	831 624	903 611	889 659
194	Thyroid gland... .. {M F}	67 223	89 231	76 231	82 254	73 241	94 257	104 260	91 264	99 268	95 268	113 272
195	Other endocrine glands ... {M F}	49 38	50 43	60 31	41 63	65 50	47 45	74 49	52 49	60 38	62 46	66 55
196	Bone (including jaw bone) ... {M F}	555 408	544 371	492 388	499 409	455 325	449 315	395 326	396 300	356 319	346 266	385 304
197	Connective tissues {M F}	* *	* *	* *	52 50	82 85	95 93	122 94	92 82	119 105	111 102	121 111
198	Secondary and unspecified malignant neoplasm of lymph nodes	{M F}	116 54	124 57	105 58	83 41	59 32	61 20	46 29	38 29	43 17	37 14
199	Other and unspecified sites ... {M F}	*323 *355	*351 *435	*356 *498	392 501	440 557	439 535	439 539	477 671	540 696	587 708	655 897
200-205	Neoplasms of lymphatic and hæmatopoietic tissues ... {M F}	1526 1132	1525 1180	1645 1199	1892 1441	1950 1491	2124 1721	2309 1731	2341 1819	2422 1934	2487 1986	2540 2115
200	Lymphosarcoma and reticulo-sarcoma {M F}	*279 *158	*282 *157	*276 *167	394 249	381 245	421 294	453 286	454 301	460 338	466 382	459 372
201	Hodgkin's disease {M F}	413 228	409 226	441 237	451 246	414 249	472 277	483 278	488 287	493 288	495 284	507 309
202	Other forms of lymphoma (reticulosis) ... {M F}	24 21	21 25	25 24	41 36	45 41	82 53	90 46	82 64	93 59	75 52	78 62
203	Multiple myeloma (plasmocytoma) ... {M F}	39 55	58 62	90 80	91 105	107 110	154 150	161 175	190 149	218 217	217 261	250 277
204	Leukæmia and aleukæmia ... {M F}				905 798	994 838	984 943	1102 941	1116 1005	1142 1018	1223 1001	1229 1086
	0. Lymphatic leukæmia ... {M F}				322 228	415 312	429 324	443 287	435 314	462 350	484 334	468 361
	1. Myeloid leukæmia ... {M F}				308 311	405 398	398 474	449 462	472 488	470 479	513 494	537 522
	2. Monocytic leukæmia ... {M F}	759 660	748 704	806 683	46 57	96 69	83 62	86 86	100 96	99 82	92 93	119 111
	3. Acute leukæmia, unspecified type... {M F}				133 114	43 35	45 48	91 73	78 77	82 74	95 53	66 52
	4. Other and unspecified leukæmia ... {M F}				96 88	35 24	29 35	33 33	31 30	29 33	39 27	39 40

† 174. Enquiries made from 1950 onwards.

* 199 includes 197 for these years.

¶ 200. Lymphosarcoma and reticulosarcoma of site other than lymph glands, spleen and mediastinum are included in 140-199 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
205	Mycosis fungoides ... {M F	12 10	7 6	7 8	10 7	9 8	11 4	20 5	11 13	16 14	11 6	1
210-229	Benign neoplasm ... {M F	347 726	350 719	382 680	371 625	375 689	386 580	346 584	363 555	328 598	328 571	30 54
210	Buccal cavity and pharynx ... {M F	6 6	4 6	7 4	3 3	3 3	3 1	3 2	1 1	1 2	2 1	1
211	Other parts of digestive system {M F	30 39	32 44	37 36	36 34	30 38	28 16	32 18	25 17	23 24	22 32	2
212	Respiratory system ... {M F	17 18	14 17	30 17	25 10	16 11	9 4	15 9	16 7	17 8	12 10	1
213	Breast ... {M F	— 1	— 2	1 —	— —	— —	1 —	2 —	1 —	3 —	— —	—
214	Uterine fibromyoma ... F	223	178	194	169	174	135	127	117	126	99	9
215	Other benign neoplasm of uterus F	27	16	24	17	16	14	9	13	11	25	1
216	Ovary ... F	168	175	126	141	154	120	125	113	121	103	12
217	Other female genital organs ... F	7	6	5	8	3	1	4	4	2	3	—
218	Male genital organs ... M	1	3	1	4	—	1	2	—	—	—	—
219	Kidney and other urinary organs {M F	136 51	100 50	123 46	120 28	118 44	121 35	99 31	100 28	98 34	87 34	6 34
220	Benign melanoma of skin ... {M F	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —
221	Pilonidal cyst ... {M F	— —	1 —	1 —	— —	1 —	— —	— —	2 —	1 —	1 —	— —
222	Other benign neoplasm of skin {M F	— —	2 —	2 —	3 2	2 —	1 —	1 —	1 —	— —	1 —	— —
223	Brain and other parts of nervous system {M F	119 134	130 156	125 148	120 159	133 161	136 164	115 164	141 168	125 177	133 178	125 163
224	Endocrine glands ... {M F	21 33	35 32	33 45	23 20	39 44	54 52	48 49	37 46	37 52	38 48	39 45
225	Bone and cartilage ... {M F	3 2	8 8	7 10	11 7	13 11	6 14	5 7	18 7	9 4	7 10	7 11
226	Lipoma... {M F	1 4	— 4	— 2	2 4	2 6	3 1	3 6	6 6	3 11	4 3	3 1
227	Other benign neoplasm of muscular and connective tissue {M F	— —	2 5	1 7	2 4	7 6	4 7	7 11	6 5	4 9	5 9	5 12
228	Hamangioma and lymph-angioma ... {M F	8 5	15 13	12 9	8 11	12 12	20 12	13 19	11 12	9 11	12 11	17 8
229	Other and unspecified organs and tissues {M F	5 8	6 5	4 5	13 8	2 3	— 3	3 1	2 7	1 3	5 3	3 4
230-239	Neoplasm of unspecified nature {M F	578 497	537 446	552 455	557 421	491 449	513 408	445 341	475 363	463 347	419 346	435 354
230	Digestive organs ... {M F	42 56	25 37	24 47	27 31	27 40	30 41	16 37	23 19	31 19	20 23	18 26
231	Respiratory organs ... {M F	55 23	53 17	45 9	35 8	47 19	42 18	36 17	36 9	27 11	21 11	21 10
232	Breast ... {M F	— 1	— 1	— —	4 —	— —	2 —	— —	— —	1 —	1 —	— —
233	Uterus ... F	2	4	1	1	1	1	1	2	3	1	1
234	Ovary ... F	7	2	4	4	5	1	2	2	7	4	7
235	Other female genital organs ... F	3	3	—	1	—	1	—	—	—	—	—
236	Other genito-urinary organs... {M F	11 7	16 6	9 8	11 2	7 7	8 7	6 7	11 6	9 —	6 —	5 4
237	Brain and other parts of nervous system {M F	439 368	413 355	449 353	443 340	391 347	405 312	372 260	390 304	383 274	360 279	375 293
238	Skin and musculo-skeletal system {M F	10 9	9 9	11 10	9 3	7 4	10 3	4 7	6 4	3 6	1 1	1 1
239	Other and unspecified organs... {M F	21 21	21 12	14 23	32 27	12 26	18 22	11 10	9 17	10 18	11 26	13 10

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
240-289	III.—ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES	3248 4899	3227 5060	2780 4559	3112 4805	3223 5062	3492 5379	2937 4585	2799 4433	2719 4303	2726 4438	2663 4388
240-245	Allergic disorders ...	1624 1317	1670 1430	1417 1264	1683 1426	1625 1465	1851 1719	1412 1239	1371 1359	1251 1237	1250 1178	1140 1273
240	Hay fever ...				—	—	2	1	—	—	—	1
241	Asthma ...	1624 1317	1670 1430	1417 1264	1681 1425	1622 1463	1844 1714	1408 1235	1366 1356	1246 1233	1248 1171	1134 1268
242	Angioneurotic oedema ...	†	†	†	2	2	3	2	4	3	2	5
243	Urticaria ...				—	—	—	—	—	—	—	—
244	Allergic eczema ...	‡	‡	‡	1	—	—	—	1	1	—	—
245	Other allergic disorders ...	—	—	—	—	—	2	1	1	—	—	2
250-254	Diseases of thyroid gland ...	113 857	127 915	102 767	117 761	117 804	121 783	104 679	104 525	98 623	95 643	99 597
250	Simple goitre ...				10 40	15 31	5 29	9 18	6 18	10 26	7 21	7 20
251	Nontoxic nodular goitre ...	15 66	15 65	16 59	6 32	8 50	6 34	4 38	6 31	6 21	6 42	5 27
252	Thyrotoxicosis with or without goitre ...	75 600	75 626	65 559	77 512	61 502	81 478	61 397	65 317	52 342	50 320	50 300
253	Myxoedema and cretinism ...	21 177	33 205	17 132	20 158	28 208	25 227	27 213	22 148	27 225	29 249	34 241
254	Other diseases of thyroid gland ...	2 14	4 19	4 17	4 19	5 13	3 15	3 13	5 11	3 9	3 11	3 9
260	Diabetes mellitus ...	*1257 *2437	*1164 *2364	*1048 *2204	1100 2338	1221 2463	1219 2484	1091 2247	1066 2128	1048 1980	1084 2207	1108 2134
270-277	Diseases of other endocrine glands ...	131 166	134 220	111 181	121 169	140 183	158 226	138 211	136 194	134 201	114 156	124 146
270	Dis'orders of pancre: int: secretion other than diabetes mell: ...	*	*	*	2 4	3 —	8 3	3 3	3 2	5 2	7 4	8 4
271	Diseases of parathyroid gland ...	1 5	2 6	2 10	— 6	4 2	— 5	4 3	3 5	3 4	5 7	1 11
272	Diseases of pituitary gland ...	13 32	15 45	23 40	29 36	37 55	41 71	39 64	30 80	31 80	36 60	37 58
273	Diseases of thymus gland ...	51 27	47 33	36 28	23 7	20 12	30 13	18 7	15 8	11 3	9 4	13 2
274	Diseases of adrenal glands ...	66 95	69 132	48 102	63 102	63 93	58 107	52 106	67 74	70 75	52 52	49 49
275	Ovarian dysfunction ...	††	††	††	—	—	—	—	—	—	—	1
276	Testicular dysfunction ...	‡‡	‡‡	‡‡	—	1	—	—	—	—	—	—
277	Polyglandular dysfunction and other dis: of endocrine glands ...	— 7	1 4	2 1	4 14	12 21	21 27	22 28	18 25	14 37	5 29	16 21
280-289	Avitaminoses, and other metabolic diseases ...	123 122	132 131	102 143	91 111	120 147	143 167	192 209	122 227	188 262	183 254	192 238
280	Beriberi ...	—	1	3	1 2	2	3	—	—	1	1	4
281	Pellagra ...	1 2	2 1	1 3	— 2	2	—	1 3	1 4	2 4	— 2	— 1
282	Scurvy ...	5 2	5 4	3 3	6 1	8 2	2 1	2 2	5 2	— 2	3 3	1 1
283	Active rickets ...				3 4	—	1 3	2 1	—	2 1	—	1 2
284	Late effects of rickets ...	10 6	5 11	2 5	—	—	2	4 1	—	—	2 1	— 2

† 242. Included in 517 and 716 for these years.

‡ 243, 244. Included in 716 for these years.

* 260 includes 270 and 789.6 (Glycosuria) for these years.

†† 275. Included in 625 for these years.

‡‡ 276. Included in 617 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
285	Osteomalacia {M F	\$3 \$8	\$5 \$9	\$7 \$12	4 10	— —	2 3	1 4	— 4	— 3	1 1	1 2
286	Other avitaminoses and nut- ritional deficiency states .. {M F	39 57	40 31	26 43	27 30	37 31	46 43	64 61	36 58	63 60	48 69	50 69
287	Obesity, not specified as of en- docrine origin {M F	14 23	11 51	18 48	4 24	15 60	30 79	34 76	30 100	45 136	30 110	41 101
288	Gout {M F	23 6	34 5	21 4	14 4	11 7	23 2	21 5	10 3	17 4	16 2	16 2
289	Other metabolic diseases .. {M F	28 18	29 19	23 22	32 34	45 39	34 34	63 56	40 52	58 52	82 64	78 58
290-299	IV.—DISEASES OF THE BLOOD AND BLOOD- FORMING ORGANS {M F	908 1646	1015 1614	892 1426	870 1475	803 1521	843 1466	819 1367	751 1226	799 1349	780 1317	697 1352
290	Pernicious and other hyper- chromic anæmias {M F	530 1020	569 1004	469 816	441 844	412 836	380 783	322 661	282 587	279 639	283 628	262 650
	0. Pernicious anæmia .. {M F				409 780	346 751	333 703	282 584	246 519	246 569	241 547	218 567
	1. Subacute combined degen- eration of spinal cord .. {M F	518 1007	557 988	454 798	25 43	43 58	32 53	33 48	27 39	13 37	24 34	18 36
	2. Other hyperchromic anæmias {M F	12 13	12 16	15 18	7 21	23 27	15 27	7 29	9 29	20 33	18 47	26 47
291	Iron deficiency anæmias (hy- pochromic anæmias) .. {M F	25 75	27 85	27 99	35 90	48 137	41 160	61 147	59 157	64 180	66 169	70 192
292	Other anæmias of specified type {M F	111 166	156 182	160 176	140 185	131 208	153 182	181 232	191 202	222 242	207 225	189 216
	4. Aplastic anæmia .. {M F	85 117	116 131	121 115	103 121	100 140	111 137	126 175	145 147	159 173	143 144	128 138
	0-3, 5-7. Other {M F	26 49	40 51	39 61	37 64	31 68	42 56	44 57	46 55	63 69	64 81	61 78
293	Anæmia of unspecified type {M F	37 90	35 78	31 69	55 110	43 106	61 78	39 108	48 78	47 91	47 105	46 108
294	Polycythæmia {M F	27 26	33 26	19 16	27 24	22 32	31 28	35 25	34 18	35 19	45 26	20 32
295	Hæmophilia {M F	22 —	31 —	17 —	18 —	14 —	23 —	19 1	13 —	15 —	12 —	9 —
296	Purpura and other hæmorr- hagic conditions {M F	63 89	60 111	77 93	62 73	56 72	70 100	74 88	66 92	76 81	71 85	59 63
297	Agranulocytosis {M F	10 15	18 8	11 22	11 26	9 28	24 29	17 26	6 21	14 21	10 17	12 20
298	Diseases of spleen {M F	82 163	84 120	78 135	79 120	62 96	55 103	66 76	48 67	40 71	36 60	23 60
299	Other diseases of blood and blood-forming organs .. {M F	1 2	2 —	3 —	2 3	6 6	5 3	5 3	4 4	7 5	3 2	7 11
300-326	V.—MENTAL, PSYCHO- NEUROTIC & PERSON- ALITY DISORDERS {M F	543 799	527 862	465 695	451 710	479 797	521 815	476 675	415 708	458 715	438 709	374 764
300-309	Psychoses {M F	374 674	363 702	312 548	329 553	314 645	372 641	344 527	306 575	346 611	313 570	278 643
300	Schizophrenic disorders (de- mentia præcox) {M F	30 47	48 44	20 32	27 33	27 41	35 44	39 31	25 37	44 39	24 37	28 24
301	Manic-depressive reaction .. {M F				48 80	39 83	30 62	20 53	26 36	27 46	27 37	17 52
302	Involuntional melancholia .. {M F	‡ —	‡ —	‡ —	1 10	2 1	2 6	5 4	3 8	3 2	4 5	3 1
303	Paranoia and paranoid states {M F				1 2	2 1	2 3	— 1	— —	— 4	1 —	2 4
304	Senile psychosis {M F				214 379	202 453	261 458	220 381	204 416	216 450	202 415	176 500
305	Presenile psychosis {M F	235 424	207 439	192 338	14 19	25 29	21 33	35 29	29 37	28 39	34 42	37 47
307	Alcoholic psychosis {M F	4 1	2 3	4 2	— —	5 1	5 3	1 2	3 3	2 1	— 6	— 2
309	Other and unspecified psy- choses {M F	‡105 ‡202	‡106 ‡216	‡96 ‡176	22 30	12 36	16 32	23 26	16 38	26 30	15 34	15 13

§ 285 includes osteoporosis from 733 for these years.

‡ 309 includes 301-303 and 310-321 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
310-318	Psychoneurotic disorders ... {M F}				13 34	15 52	15 52	15 37	11 43	20 35	17 42	16 38
310	Anxiety reaction without mention of somatic symp- {M F}				1 1	— 3	— 1	3 1	— 4	1 2	2 5	2 3
311	Hysterical reaction without mention of anxiety reaction {M F}				3 21	6 31	6 39	7 26	5 29	8 26	4 27	4 22
312	Phobic reaction ... {M F}				— —	— —	— —	— —	— —	— —	— —	— —
313	Obsessive-compulsive reaction {M F}				1 3	2 1	— —	— 3	— —	2 —	— —	— —
314	Neurotic-depressive reaction... {M F}	†	†	†	— 2	— —	— 3	— 3	2 —	1 1	2 4	2 5
315	Psychoneurosis with somatic symptoms (somatization re- {M F}				— —	1 2	— —	— 1	1 1	— —	— —	— 1
316	Psychoneurosis with somatic symptoms (somatization re- {M F}				1 2	2 2	2 1	— 1	— 2	2 1	1 1	— 1
317	Psychoneurosis with somatic symptoms (somatization re- {M F}				1 —	1 1	3 1	1 —	— 1	1 1	4 —	5 2
318	Psychoneurotic disorders, others mixed and unspec'd: {M F}				6 5	3 12	4 7	4 2	3 6	5 4	4 5	3 4
320-326	Disorders of character, be- {M F}	169 125	164 160	153 147	109 123	150 100	134 122	117 111	98 90	92 69	108 97	80 83
320	Pathological personality ... {M F}				— —	1 —	— —	— 1	— 1	— —	— —	4 1
321	Immature personality... {M F}	†	†	†	— —	— —	— —	— —	— —	— —	— —	— —
322	Alcoholism ... {M F}				24 24	33 16	33 18	21 23	24 13	20 11	22 16	20 18
	0. Acute ... {M F}				8 3	6 2	5 —	3 2	5 1	3 1	3 2	2 —
	1. Chronic ... {M F}	35 9	38 16	28 12	11 21	20 12	23 15	16 19	14 6	15 10	16 9	12 18
	2. Unspecified ... {M F}				5 —	7 2	5 3	2 2	5 6	2 —	3 5	6 —
323	Other drug addiction... {M F}	2 1	4 4	4 5	3 1	1 1	2 11	10 4	2 3	1 3	2 —	— 1
324	Primary childhood behaviour disorders ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
325	Mental deficiency ... {M F}				82 98	115 83	99 93	86 83	72 73	71 55	84 81	56 62
326	Other and unspec: character, behaviour, and intelligence {M F}	132 115	122 140	121 130	— —	— —	— —	— —	— —	— —	— —	— 1
330-398	VI.—DISEASES OF THE NERVOUS SYSTEM & SENSE ORGANS ... {M F}	26734 34942	28703 37270	25787 34597	28371 37917	30402 40707	32024 42617	31958 43067	31488 42234	33094 44387	33976 46013	33716 46339
330-334	Vascular lesions affecting central nervous system ... {M F}	23249 31640	25178 33786	22912 31613	25270 34781	27175 37528	29003 39443	29158 40230	28762 39307	30516 41626	31098 43054	31034 43453
330	Subarachnoid hæmorrhage ... {M F}				536 780	600 1076	831 1231	1014 1633	1058 1618	1211 1747	1094 1856	1244 1902
331	Cerebral hæmorrhage ... {M F}	13861 19449	14326 20000	12935 18611	13289 18983	13642 19587	13752 19507	13122 18784	12831 18274	13326 18833	12861 18629	12562 18192
332	Cerebral embolism and throm- bosis ... {M F}	*8093 *10712	*9454 *12234	*8703 *11562	10061 13398	11510 15331	12682 16520	13072 17413	12916 17025	13795 18292	14813 19649	14791 20366
333	Spasm of cerebral arteries ... {M F}				— 2	2 —	1 1	2 —	2 2	1 —	1 3	— —
334	Other and ill-defined vascular lesions affecting central ner- {M F}	1295 1479	1398 1552	1274 1440	1384 1618	1351 1604	1737 2184	1948 2400	1955 2388	2183 2754	2329 2917	2437 2993
340-345	Inflammatory diseases of central nervous system ... {M F}	885 769	851 885	797 753	801 770	781 781	754 869	668 735	683 808	683 743	741 794	678 811

† { 310-318 } See 309.
320, 321 }

* 332 includes 341 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
340	Meningitis, except meningo- coccal and tuberculous ... {M F}				276 204	236 172	227 168	197 145	230 184	212 141	237 158	216 171
	0. H. influenzae ... {M F}				38 27	27 22	27 15	24 15	25 12	15 15	24 20	22 20
	1. Pneumococcus ... {M F}	††298 ††180	††306 ††232	††249 ††172	106 87	101 66	115 68	91 64	101 84	107 70	119 73	123 89
	2. Due to other specified organism... {M F}				35 22	35 23	30 29	24 16	48 45	41 20	42 28	35 27
	3. Unspecified cause ... {M F}				97 68	73 61	55 56	58 50	56 43	49 36	52 37	36 35
341	Phlebitis and thrombophlebitis of intercranial venous sinuses {M F}	**	**	**	5 2	14 19	12 6	12 11	10 15	12 10	10 11	6 11
342	Intracranial and intraspinal abscess ... {M F}	80 38	76 43	79 37	77 38	81 37	63 38	52 38	54 27	53 31	53 26	57 32
343	Encephalitis, myelitis, and en- cephalomyelitis (except acute infectious) ... {M F}	120 91	108 112	82 102	100 103	106 75	78 72	69 53	69 46	58 42	67 63	49 66
344	Late effects of intracranial ab- scess or pyogenic infection... {M F}	25 14	28 20	20 15	24 19	20 21	22 27	26 19	40 25	36 32	30 30	37 38
345	Multiple sclerosis ... {M F}	362 446	333 478	277 427	319 404	324 457	352 558	312 467	280 511	312 487	344 504	313 493
350-357	Other diseases of central nervous system ... {M F}	2037 2104	2056 2177	1723 1880	1879 2074	2055 2138	1915 2075	1843 1901	1747 1912	1637 1820	1901 1997	1796 1912
350	Paralysis agitans ... {M F}	623 688	639 739	509 688	614 803	633 813	711 896	665 864	655 829	599 812	775 924	675 891
351	Cerebral spastic infantile paralysis ... {M F}	52 44	66 46	40 39	53 33	60 47	71 54	56 48	52 45	53 59	59 53	71 55
352	Other cerebral paralysis ... {M F}	269 419	260 416	251 383	269 420	430 475	231 369	236 247	193 264	209 253	225 292	229 288
353	Epilepsy ... {M F}	659 580	654 578	511 460	483 440	472 443	467 436	456 408	406 418	337 348	404 373	387 341
354	Migraine ... {M F}				2 —	1 —	— —	1 —	1 —	— —	— —	— 1
355	Other diseases of brain ... {M F}	90 123	94 118	65 90	87 102	82 110	85 94	70 89	93 105	103 97	98 99	97 111
356	Motor neurone disease and muscular atrophy ... {M F}				335 251	315 217	300 189	318 202	303 216	307 221	295 218	297 199
	0. Progressive atrophy ... {M F}				254 184	211 157	214 137	208 148	225 141	221 166	183 151	172 138
	1. Amyotrophic lateral sclerosis ... {M F}	316 221	304 246	324 190	64 50	82 45	59 39	83 37	51 40	56 27	64 36	56 25
	2, 3. Other ... {M F}				17 17	22 15	27 13	27 17	27 35	30 28	48 31	69 36
357	Other diseases of spinal cord... {M F}	28 29	49 34	23 30	36 25	62 33	50 37	41 43	44 35	29 30	45 38	40 26
360-369	Diseases of nerves and peri- pheral ganglia ... {M F}	67 70	118 88	78 71	91 81	83 68	80 48	54 48	54 49	62 53	40 35	38 42
360	Facial paralysis ... {M F}				— 4	— —	— —	— —	1 —	1 —	1 —	— —
361	Trigeminal neuralgia ... {M F}				4 4	1 8	4 2	3 7	3 7	3 4	2 3	3 5
362	Brachial neuritis ... {M F}	†48 †41	†60 †43	†34 †44	— —	— —	— —	— —	— —	— —	— 2	— —
363	Sciatica ... {M F}				2 6	— 1	4 5	— 2	— 1	2 1	1 2	1 1
364	Polyneuritis and polyradiculitis {M F}				42 22	33 23	30 13	22 18	25 19	38 30	27 18	28 23
365	Erythredema polyneuritica... {M F}	19 29	58 45	44 27	36 30	34 23	34 19	15 13	19 17	8 7	4 3	3 1

†† 340. See 480-483

** 341. See 332.

† 360-364 includes 366-369 for these years.

TABLE 7—continued

International at No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
366	Other and unspecified forms of {M neuralgia and neuritis ... {F				6 12	15 10	7 7	13 6	7 4	9 6	5 5	3 9
367	Other diseases of cranial nerves {M ... {F				— 1	— 2	1 —	— 1	— —	1 —	— —	1 —
368	Other diseases of peripheral {M nerves except autonomic ... {F	‡	‡	‡	— 1	— 1	— 2	1 1	— —	2 3	1 1	— 1
369	Diseases of peripheral auto- {M nomic nervous system ... {F				1 1	— —	— —	— —	— —	— —	— —	— 1
370-379	Inflammatory diseases of eye {M ... {F	12 11	7 8	5 7	10 16	5 8	8 9	7 5	1 9	1 4	8 3	2 7
370	Conjunctivitis and ophthalmia {M ... {F	1 —	— —	— 1	2 2	— —	1 2	2 —	— 4	— —	— —	— —
371	Blepharitis ... {M ... {F	— —	— —	— —	— 1	— —	— 1	— —	— —	1 —	1 —	— —
372	Hordeolum (stye) ... {M ... {F	1 1	1 2	1 —	— —	— 2	— —	2 1	— 1	— 1	— —	— 1
373	Iritis ... {M ... {F	— —	— —	— —	— 1	1 —	1 —	— —	— —	— —	— —	1 —
374	Keratitis ... {M ... {F	— —	— —	— —	— 1	— 1	— 1	— —	— —	— —	1 —	— —
375	Choroiditis ... {M ... {F	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —
376	Other inflammation of uveal {M tract ... {F	2 3	2 —	— 1	4 1	— 2	— 1	2 —	— 1	— —	2 2	— 3
377	Inflammation of optic nerve {M and retina ... {F	1 —	— —	— —	1 —	— 1	1 1	1 —	— 1	— 1	1 —	1 1
378	Inflammation of lachrymal {M glands and ducts ... {F	1 —	— —	1 —	1 3	1 —	1 —	— 1	— 1	— —	2 —	— —
379	Other inflammatory diseases of {M eye ... {F	6 7	4 6	3 5	2 7	3 2	2 3	2 1	1 1	1 —	2 —	— 2
380-389	Other diseases and conditions of {M eye ... {F	9 26	7 18	13 20	9 14	14 16	7 18	9 30	17 37	20 32	18 22	18 34
380	Refractive errors ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
381	Corneal ulcer ... {M ... {F	2 1	— —	— —	2 —	2 —	1 —	1 —	— 3	1 —	1 —	— —
382	Corneal opacity ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
383	Pterygium ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
384	Strabismus ... {M ... {F	— 2	3 2	— 1	1 —	2 2	— 1	2 —	1 2	3 4	2 2	1 1
385	Cataract ... {M ... {F	3 10	2 12	5 9	1 8	6 10	2 13	3 16	9 17	8 15	7 23	9 21
386	Detachment of retina ... {M ... {F	— —	— 1	1 —	— —	1 —	— 1	1 —	— 1	2 3	— 2	3 3
387	Glaucoma ... {M ... {F	2 10	1 1	4 9	2 5	3 4	3 1	— 9	1 6	2 6	1 1	2 4
388	Other diseases of eye ... {M ... {F	2 2	1 2	3 —	1 1	— —	— 1	— 1	2 2	1 3	2 1	1 3
389	Blindness ... {M ... {F	— 1	— —	— 1	2 —	— —	1 1	2 3	3 6	3 1	5 3	2 2
390-398	Diseases of ear and mastoid {M process ... {F	475 322	486 308	349 253	311 181	289 168	257 155	219 118	224 112	175 109	170 98	150 80
390	Otitis externa ... {M ... {F				— —	— —	1 —	— 1	1 —	— —	— —	— —
391	Otitis media without mention {M of mastoiditis ... {F	*287 *185	*273 *183	*234 *181	229 129	207 122	186 124	156 93	172 88	142 91	137 67	121 61
392	Otitis media with mastoiditis... {M ... {F				18 8	15 15	21 4	20 6	12 8	6 4	8 10	3 4
393	Mastoiditis without mention of {M otitis media ... {F	188 137	213 125	115 72	56 42	60 28	41 23	36 16	38 14	23 12	24 20	24 14

‡ 366-369. See 360-364.

* 390, 391 includes 394-398 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
394	Other inflammatory diseases of ear ... {M ... {F}				2	1	1	1	—	1	—	—
395	Ménière's disease ... {M ... {F}				2	1	1	—	—	1	—	—
396	Other diseases of ear and mastoid process ... {M ... {F}	*	*	*	4	5	7	5	1	2	1	—
397	Deaf mutism ... {M ... {F}				—	—	—	—	—	—	—	—
398	Other deafness... {M ... {F}				—	—	—	—	1	1	—	—
400-468	VII.—DISEASES OF THE CIRCULATORY SYSTEM {M ... {F}	76715 78470	84729 83808	79023 78816	89013 91608	92677 93883	97891 99342	92556 90394	91456 90762	94575 91634	96779 95583	9809 9581
400-402	Rheumatic fever ... {M ... {F}	360 415	350 427	363 449	312 391	259 310	164 214	144 184	143 167	152 147	103 114	10 10
400	Rheum: fever without mention of heart involvement ... {M ... {F}	20 19	23 14	33 26	24 23	21 15	5 11	7 18	13 13	8 11	9 5	
401	Rheumatic fever with heart involvement ... {M ... {F}	326 366	318 391	324 405	284 355	227 259	150 169	128 140	123 135	141 113	87 89	9 8
	0. Active rheumatic pericarditis ... {M ... {F}	67 39	52 42	65 44	60 39	36 38	35 28	33 39	39 35	42 27	30 24	2 2
	1. Acute rheumatic endocarditis ... {M ... {F}	77 86	85 96	84 100	67 80	42 46	41 43	37 45	34 38	31 18	13 16	1 1
	2. Active rheumatic myocarditis ... {M ... {F}	26 33	25 43	21 39	11 26	10 15	5 9	10 5	7 8	7 8	5 3	
	3. Active rheum: fever with other and multiple types of heart involvement {M ... {F}	156 208	156 210	154 222	146 210	139 160	69 89	48 51	43 54	61 60	39 46	4 4
402	Chorea ... {M ... {F}				4 13	11 36	9 34	9 26	7 19	3 23	7 20	1
	0. Without mention of heart involvement ... {M ... {F}	14 30	9 22	6 18	1 7	3 17	6 31	7 22	7 17	3 18	6 18	1
	1. With heart involvement... {M ... {F}				3 6	8 19	3 3	2 4	— 2	— 5	1 2	—
410-416	Chronic rheumatic heart disease {M ... {F}	3868 5989	3991 6025	3680 5745	3733 6075	4251 6940	4076 6777	3469 5637	3334 5503	3144 5452	2991 5356	304 516
410	Diseases of mitral valve ... {M ... {F}	2757 4677	2944 4748	2679 4488	2726 4815	2843 5083	2736 4955	2385 4371	2296 4267	2139 4241	2035 4066	198 392
411	Diseases of aortic valve specified as rheumatic ... {M ... {F}	203 105	189 103	182 108	198 114	272 109	290 133	305 128	290 140	302 172	272 156	32 17
412	Diseases of tricuspid valve ... {M ... {F}				6 4	3 5	3 4	3 4	2 2	6 4	4 12	1
413	Diseases of pulmonary valve specified as rheumatic ... {M ... {F}	436 591	409 578	394 599	— —	2 —	— 2	— —	— —	— —	— —	—
414	Other endocarditis specified as rheumatic ... {M ... {F}				419 629	650 1049	555 907	317 499	276 415	255 361	243 404	25 34
415	Other myocarditis specified as rheumatic ... {M ... {F}	298 413	251 356	217 299	174 256	192 281	147 259	125 173	124 160	96 150	79 151	9 12
416	Other heart disease specified as rheumatic ... {M ... {F}	174 203	198 240	208 251	210 257	289 413	345 517	334 462	346 519	346 524	358 567	36 58
420-422	Arteriosclerotic and degenerative heart disease ... {M ... {F}	57697 56401	64058 60421	59669 56413	67769 66014	69142 65786	72950 69778	69809 63418	68251 63185	70782 63321	72679 65634	7400 6593
420	Arteriosclerotic heart disease, incl: coronary disease ... {M ... {F}	21019 11468	24409 12984	25740 14590	29902 17226	34708 20047	36965 21344	38997 22432	38966 22785	42387 24514	44256 26341	4692 2786
	0. Arteriosclerotic heart disease, so described... {M ... {F}	19513 10719	22993 12278	24506 13913	99 74	93 104	164 164	174 155	204 184	254 253	303 268	28 29
	1. Heart dis: spec'd: as involving coronary arteries {M ... {F}	1506 749	1416 706	1234 677	1229 690	1004 565	846 502	660 388	509 319	445 278	370 308	30 24
421	Chronic endocarditis not specified as rheumatic ... {M ... {F}	2786 2704	2584 2520	2169 2160	2313 2142	1520 1215	1298 1023	1506 1386	1453 1316	1667 1427	1564 1330	157 132

* 394-398. See 390, 391.

† 414. See note to title of 421.4

TABLE 7—continued

International List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
	0. Of mitral valve, specified as non-rheumatic ... {M F}	\$	\$	\$	6 7	30 25	14 22	77 87	57 88	48 65	40 71	63 97
	1. Of aortic valve, not specified as rheumatic ... {M F}	1043 573	1027 533	891 526	1028 555	979 590	929 557	914 527	940 565	1151 719	1143 708	1131 759
	2. Of tricuspid valve, specified as non-rheumatic ... {M F}				—	3	3	—	2	2	1	3
	3. Of pulmonary valve, not specified as rheumatic ... {M F}	\$1743 \$2131	\$1557 \$1987	\$1278 \$1634	1	—	3	1 3	2 1	1 1	3 1	— 2
	4. Other and ill-defined, not specified as rheumatic ... {M F}				1278 1580	508 600	349 440	514 766	453 660	465 642	377 549	373 463
422	Other myocardial degeneration ... {M F}	33892 42229	37065 44917	31760 39663	35554 46646	32914 44524	34687 47411	29306 39600	27832 39084	26728 37380	26859 37963	25513 36744
	0. Fatty degeneration ... {M F}	296 486	491 433	226 373	225 470	215 386	207 308	120 230	116 225	120 207	107 195	98 176
	1. With arteriosclerosis ... {M F}	10293 11493	11721 12836	10626 11954	12030 14545	12271 15097	13324 16670	11720 14685	11355 14878	11019 14388	11338 14878	11050 14663
	2. Other ... {M F}	23303 30250	25053 31648	20908 27336	23299 31631	20428 29041	21156 30433	17466 23981	16361 23981	15589 22785	15414 22890	14365 21905
430-434	Other diseases of heart ... {M F}	2230 2863	2327 2899	2041 2668	2443 2974	2592 3068	3346 3749	3270 3673	3588 3942	4028 4096	4177 4428	4272 4760
430	Acute and subacute endocarditis ... {M F}	293 277	312 250	291 222	255 215	232 167	212 158	182 133	199 140	198 118	208 119	196 121
431	Acute myocarditis not specified as rheumatic ... {M F}	87 104	102 130	104 110	96 128	107 96	98 103	77 77	84 83	80 65	59 57	77 60
432	Acute pericarditis specified as non-rheumatic ... {M F}	15 20	14 23	16 23	19 25	18 12	15 5	11 18	14 11	17 12	13 17	12 9
433	Functional disease of heart ... {M F}	1031 1663	1101 1690	982 1588	1130 1733	979 1631	1201 1874	1133 1755	1164 1740	1095 1671	980 1611	1019 1619
434	Other and unspecified diseases of heart* ... {M F}	804 799	798 806	648 725	943 873	1256 1162	1820 1609	1867 1690	2127 1968	2638 2230	2917 2624	2968 2951
440-447	Hypertensive disease* ... {M F}	6486 6436	7361 7338	7151 7241	8011 8746	9421 10234	10024 10921	9006 9970	9237 10186	9451 10727	9336 11384	9298 11100
440	Essential benign hypertension with heart disease* ... {M F}		**	**	9 13	125 138	127 123	82 86	80 107	95 108	104 124	97 138
441	Essential malignant hypertension with heart disease* ... {M F}				32 32	142 118	174 129	93 64	104 55	90 70	109 40	105 56
442	Hypertensive heart dis: with arteriolar nephrosclerosis* ... {M F}	304 312	317 331	281 282	282 305	255 310	328 366	162 196	172 183	128 164	135 191	150 144
443	Other and unspecified hypertensive heart disease* ... {M F}	**3045 **3150	**3511 **3591	**3360 **3510	3843 4310	6856 7670	7390 8303	4744 5567	4860 5739	5226 6132	5329 6750	5287 6713
444	Essential benign hypertension without mention of heart* ... {M F}				2021 2290	692 831	721 822	2108 2308	2088 2368	2095 2398	2031 2470	1962 2346
445	Essential malignant hypertension without mention of heart* ... {M F}	+2450 +2324	+2819 +2724	+2877 +2861	310 223	283 171	262 186	349 215	414 204	351 219	360 162	353 184
446	Hypertension with arteriolar nephrosclerosis without mention of heart* ... {M F}	687 650	714 692	633 588	629 638	626 571	576 546	536 516	582 507	530 509	515 495	439 473
447	Other hypertensive disease without mention of heart* ... {M F}	†	†	†	885 935	444 425	446 446	932 1018	937 1023	936 1127	953 1148	905 1046
450-456	Diseases of arteries ... {M F}	5565 5549	6122 5888	5550 5455	6040 6360	6208 6368	6545 6819	6103 6346	6091 6508	6201 6544	6287 7194	6286 7089
450	General arteriosclerosis ... {M F}				5325 5617	5701 5891	6038 6366	5320 5701	5237 5862	5272 5784	5292 6373	5211 6174
	0. Without mention of gangrene ... {M F}	4922 4925	5463 5216	4870 4785	4794 5209	5062 5357	5343 5799	4708 5194	4657 5366	4687 5298	4713 5859	4633 5684
	1. With gangrene ... {M F}				531 408	639 534	695 567	612 507	580 496	585 486	579 514	578 490
451	Aortic aneurysm specified as non-syph., and dissecting aneurysm ... {M F}				173 189	212 204	234 231	550 456	594 426	686 537	750 575	815 676
452	Other aneurysm, except of heart and aorta* ... {M F}	294 328	321 330	340 351	182 214	85 100	33 29	28 28	41 31	44 18	47 29	39 35

421.2-421.4 includes 421.0 for these years.

421.4. From 1950, inquiry was made at all ages (instead of at ages under 45 only) regarding endocarditis and valvular disease of unspecified cause, with the result that considerable numbers were assigned to 414 and some to 450.0.

444, 445 includes 447 for these years. ** 443 includes 440, 441 for these years. † 450.0 See note to title of 421.4

434, 440-447, 452. See note (ii) at head of table. Certain changes in coding practice were also introduced at the beginning of 1952 which resulted in a transfer of deaths in that year from codes (440-443) to codes (444-447).

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
453	Peripheral vascular disease ... {M F	43 21	48 20	43 20	60 26	52 26	73 23	71 26	70 22	55 30	63 16	6 3
	0. Raynaud's disease ... {M F	8 12	4 10	3 7	4 10	6 12	4 13	5 9	2 8	4 15	8 3	1 1
	1. Thrombo-angiitis obliterans ... {M F	35 9	44 10	40 13	55 14	41 10	52 6	51 11	52 6	39 8	40 9	4 1
	2., 3. Other ... {M F	9 9	10 10	13 13	1 2	5 4	17 4	15 6	16 8	12 7	15 4	1 1
454	Arterial embolism and throm- bosis ... {M F	20 19	23 26	15 26	18 34	38 42	51 57	31 23	30 38	21 44	32 53	5 5
455	Gangrene of unspecified cause* {M F	266 210	239 252	244 213	206 203	47 40	27 38	17 20	25 24	9 22	11 25	2 2
456	Other diseases of arteries ... {M F	20 46	28 44	38 60	76 77	73 65	89 75	86 92	94 105	114 109	92 123	10 11
460-468	Diseases of veins and other dis- eases of circulatory system... {M F	509 817	520 810	569 845	705 1048	802 1177	786 1084	755 1166	812 1271	917 1347	1006 1473	108 165
460	Varicose veins of lower ex- tremities ... {M F	110 245	88 249	88 229	73 212	83 235	79 225	74 218	50 169	52 201	51 196	5 19
461	Hæmorrhoids ... {M F	110 245	88 249	88 229	15 16	21 13	13 10	21 10	12 13	24 9	22 14	2 2
462	Varicose veins of other speci- fied sites ... {M F	23 23	17 19	27 14	18 21	20 25	20 12	20 20	20 12	20 20	20 20	1 2
463	Phlebitis and thrombophlebitis of lower extremities* ... {M F	** 160	** 288	** 217	87 160	147 288	119 217	138 224	120 236	101 230	141 223	15 26
464	Phlebitis and thrombophlebitis of other sites* ... {M F	** 81	** 24	** 23	55 81	14 24	23 31	10 29	10 26	12 31	14 20	1 2
465	Pulmonary embolism and in- farction ... {M F	176 205	223 215	228 234	284 312	308 333	335 324	316 360	377 418	423 433	465 484	45 57
466	Other venous embolism and thrombosis ... {M F	**186 **331	**182 **311	**218 **352	142 209	163 227	144 239	150 284	189 341	261 399	253 469	33 53
467	Other diseases of circulatory system ... {M F	10 12	4 10	18 9	12 18	36 31	39 29	21 26	23 31	29 31	31 38	2 2
468	Certain diseases of lymph nodes and lymph channels... {M F	††27 ††24	††23 ††25	††17 ††21	14 17	13 7	7 5	7 6	11 8	5 12	9 9	
470-527	VIII.—DISEASES OF THE RESPIRATORY SYSTEM {M F	31642 23951	34798 24746	27928 18281	33823 25598	31781 22715	45234 35320	31530 20672	36388 25959	30714 19692	35000 22994	3573 2404
470-475	Acute upper respiratory in- fections ... {M F	96 68	94 60	82 56	102 75	127 146	124 137	81 81	81 86	78 83	67 69	6 7
470	Acute nasopharyngitis (common cold) ... {M F	10 6	9 6	6 6	6 7	22 47	33 48	10 15	12 15	8 6	8 6	
471	Acute sinusitis... {M F	9 4	10 4	8 4	8 3	4 6	1 4	1 4	4 2	2 4	1 1	
472	Acute pharyngitis ... {M F	20 11	15 11	10 6	9 10	14 14	14 9	7 11	9 10	9 9	8 8	1 1
473	Acute tonsillitis ... {M F	48 38	50 31	50 30	32 30	35 32	22 29	21 27	16 19	18 23	14 18	1 1
474	Acute laryngitis and tracheitis {M F	§ 18	§ 23	§ 23	39 18	28 23	32 23	29 12	23 25	27 17	26 27	2 1
475	Acute upper resp: infection of multiple or unspecified sites {M F	9 9	10 8	8 10	8 7	24 24	22 24	13 12	17 15	14 14	10 9	1 1
480-483	Influenza ... {M F	§§2460 §§2812	§§1700 §§1603	§§674 §§564	2630 2962	1862 2040	7393 8416	879 871	2905 3560	878 933	1460 1523	127 135
480	Influenza with pneumonia ... {M F	§§1161 §§1241	§§788 §§654	§§313 §§234	1209 1282	941 922	3708 4046	449 429	1442 1756	459 446	776 774	66 64
481	'Flu: with other resp: manifes- tations, and 'flu: unqualified {M F	1387 1634	882 1071	3638 4310	404 1071	1427 4310	1427 417	410 1753	410 463	664 725	59 69	
	A. Without mention of re- spiratory complications {M F	?	479 632	1550 2088	212 230	631 896	224 268	307 364	270 329	270 329	270 329	
	B. With mention of respir- atory complications ... {M F	§§1299 §§1571	§§912 §§949	§§361 §§330	?	403 439	2088 2222	192 187	796 857	186 195	357 361	32 32
482	'Flu: with digestive manifesta- tions, but without resp: {M F	24 38	30 41	41 49	16 22	28 38	5 19	12 19	5 19	12 19	14 14	
483	'Flu: with nerv: manifesta- tions, but without dig: or resp: {M F	10 8	9 6	6 11	10 8	8 6	10 11	8 3	4 13	4 1	8 5	8 2

** 466 includes 463, 464 for these years.

†† 468 includes 694, and 782.7 (enlargement of lymph node) for these years.

§474. See 500.

§§ 480-483 includes 340.0 for these years.

* 455, 463, 464. See note (ii) at head of table.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	
490-493	Pneumonia † ... {M F}	10326 8806	11734 9799	9265 7618	10496 9636	9075 8498	11596 10900	9782 8826	10698 10061	9255 8824	10594 10400	11144 11227	
490	Lobar pneumonia † ... {M F}	2815 1949	2884 1973	2429 1545	2399 1773	2229 1587	2382 1697	2171 1443	2171 1521	1870 1467	1994 1472	1973 1449	
491	Bronchopneumonia † ... {M F}	6588 6147	7928 7146	6111 5503	7255 7135	6139 6345	8321 8459	6889 6723	7760 7901	6704 6790	7877 8320	8419 9141	
492	Primary atypical pneumonia † {M F}					19 9	55 37	86 58	76 45	59 57	89 79	59 67	86 76
493	Pneumonia, other and un- specified † ... {M F}	923 710	922 680	725 570	823 719	652 529	807 686	646 615	708 582	592 488	664 541	666 561	
500-502	Bronchitis ... {M F}	*16132 *10917	*18333 *11866	*15147 *8741	17514 11467	17571 10686	22717 14268	17694 9574	19502 10890	17123 8420	19294 9499	19852 9818	
500	Acute bronchitis ... {M F}	*2911 *3183	*3352 *3550	*2195 *2153	2605 3042	1959 2495	2824 3552	1885 2051	2149 2465	1493 1681	1697 1859	1675 1969	
501	Bronchitis, unqualified ... {M F}				1732 1697	1377 1298	1669 1722	1117 1097	1241 1162	1063 1020	1078 1033	1055 1100	
502	Chronic bronchitis ... {M F}				13177 6728	14235 6893	18224 8994	14692 6426	16112 7263	14567 5719	16519 6607	17122 6749	
	0. Bronchitis with emphy- sema ... {M F}	13221 7734	14981 8316	12952 6588	4178 932	4890 1000	6483 1460	6026 1279	6769 1421	6522 1262	7949 1580	8353 1783	
	1. Other ... {M F}				8999 5796	9345 5893	11741 7534	8666 5147	9343 5842	8045 4457	8570 5027	8769 4966	
510-527	Other diseases of respiratory system ... {M F}	2628 1348	2937 1418	2760 1302	3081 1458	3146 1345	3404 1599	3094 1320	3202 1362	3380 1432	3585 1503	3396 1578	
510	Hypertrophy of tonsils and adenoids ... {M F}	33 31	24 32	37 34	18 22	28 21	17 26	28 19	24 18	21 12	22 15	16 13	
511	Peritonsillar abscess (quinsy)... {M F}	10 19	11 13	12 13	9 13	6 9	13 7	8 13	7 13	10 8	4 5	4 6	
512	Chronic pharyngitis and naso- pharyngitis ... {M F}				— 1	— 2	3 —	2 3	1 4	4 1	— 3	3 2	
513	Chronic sinusitis ... {M F}	51 42	57 38	42 45	40 31	45 23	31 13	39 16	38 19	31 19	32 13	25 18	
514	Deflected nasal septum ... {M F}				— 1	— 2	— —	— 1	— —	— —	— —	2 1	
515	Nasal polyp ... {M F}	2 5	5 5	5 4	5 2	4 3	7 4	3 3	3 2	2 4	4 —	4 4	
516	Chronic laryngitis ... {M F}				— 3	4 2	1 —	1 1	— 2	1 —	— 1	— —	
517	Other diseases of upper re- spiratory tract ... {M F}	41 27	35 27	36 20	28 22	30 22	25 21	21 14	19 16	24 24	14 8	19 13	
518	Empyema ... {M F}	148 62	148 67	125 49	116 40	105 40	81 52	82 56	104 58	110 41	87 51	86 44	
519	Pleurisy... {M F}	†143 †116	†158 †108	†137 †107	85 56	83 51	78 47	65 37	57 44	51 45	49 28	59 40	
520	Spontaneous pneumothorax... {M F}	2 3	2 2	8 3	11 4	7 1	5 —	6 1	4 2	6 1	14 1	6 1	
521	Abscess of lung ... {M F}	89 31	100 35	80 29	58 28	45 24	63 28	46 24	54 28	55 25	53 29	43 24	
522	Pulmonary congestion and hypostasis ... {M F}	268 408	297 433	252 389	328 495	262 427	322 483	209 349	158 378	264 438	247 467	255 474	
523	Pneumoconiosis due to silica & silicates (occupational) ... {M F}				526 9	559 8	594 4	557 3	573 6	647 5	714 6	666 9	
524	Other spec'd: pneumoconiosis & pul: fibr: of occupat'l: ... {M F}	396 7	441 7	433 5	— 7	18 —	10 —	6 —	11 —	12 1	23 1	17 6	
525	Other chronic interstitial pneu- monia ... {M F}	173 62	162 76	185 82	171 78	201 75	188 89	180 87	174 69	163 92	199 94	204 73	
526	Bronchiectasis ... {M F}	976 452	1119 488	993 408	1146 530	1143 507	1152 614	1085 487	1117 478	1085 511	1142 550	983 559	
527	Other diseases of lung and pleural cavity ... {M F}	296 83	378 87	415 114	529 127	604 130	814 211	755 207	858 233	894 205	980 232	1004 291	

* 500 includes 474 for these years.

‡ 519 includes 003.1 for these years.

† 490-493. See 763 (Pneumonia of Newborn) for Pneumonia deaths at ages under 4 weeks.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
530-587	IX.—DISEASES OF THE DIGESTIVE SYSTEM {M F}	11229 8443	11629 8703	9847 7275	9658 7269	9438 7198	9601 7244	9243 7022	8844 6984	8960 7115	8944 7249	8549 7174
530-539	Diseases of buccal cavity and œsophagus ... {M F}	133 122	108 112	112 122	131 132	109 165	131 129	111 130	121 117	114 146	125 132	90 135
530	Dental caries ... {M F}					3 6	2 1	2 —	— 2	2 —	— —	1 —
531	Abscesses of supporting structures of teeth ... {M F}					2 2	3 3	1 2	— 1	2 —	2 —	2 —
532	Other inflammatory diseases of supporting structures of teeth {M F}					17 4	9 16	14 8	6 8	6 8	8 4	6 3
533	Disorders of occlusion, eruption, and tooth development* {M F}	55 22	51 18	37 19		5 5	24 24	15 12	23 11	18 7	11 15	10 7
534	Toothache from unspecified cause ... {M F}					— —	— —	— —	— —	— —	— —	— —
535	Other diseases of teeth and supporting structures ... {M F}					— 1	— —	1 —	— —	— —	— —	— —
536	Stomatitis ... {M F}					6 9	7 20	10 14	7 9	8 5	6 7	2 3
537	Diseases of salivary glands ... {M F}	41 57	38 55	29 60		36 46	18 42	17 46	18 46	21 56	19 48	31 43
538	Other diseases of buccal cavity {M F}					4 6	8 2	9 11	4 4	5 2	3 8	7 3
539	Diseases of œsophagus ... {M F}	37 43	19 39	46 43		58 53	38 57	63 35	52 52	58 40	65 60	65 72
540-545	Diseases of stomach and duodenum ... {M F}	4045 1190	3947 1283	3830 1240	3958 1291	4092 1365	4506 1486	4253 1461	3982 1463	4196 1604	4154 1670	3962 1671
540	Ulcer of stomach ... {M F}					2019 792	2035 843	2086 917	1967 904	1818 883	1873 913	1803 967
	0. Without mention of perforation ... {M F}	†2242 †765	†2133 †848	†2080 †790		1363 616	1630 634	1466 702	1374 696	1310 677	1353 701	1356 735
	1. With perforation ... {M F}					656 176	405 209	620 215	593 208	508 206	520 212	508 232
541	Ulcer of duodenum ... {M F}					1737 310	1847 375	2190 437	2092 421	1977 448	2138 554	2111 575
	0. Without mention of perforation ... {M F}	1587 225	1621 254	1603 279		1087 197	1170 243	1355 269	1350 251	1253 275	1334 328	1318 337
	1. With perforation ... {M F}					650 113	677 132	835 168	742 170	724 173	804 226	793 238
542	Gastrojejunal ulcer ... {M F}					55 16	63 11	59 10	47 7	34 8	46 18	65 14
	0. Without mention of perforation ... {M F}	†	†	†		38 12	43 6	42 7	34 4	27 6	35 14	49 10
	1. With perforation ... {M F}					17 4	20 5	17 3	13 3	7 2	11 4	16 4
543	Gastritis and duodenitis ... {M F}	148 170	120 145	87 143		79 128	68 93	76 85	63 98	62 85	49 75	41 81
544	Disorders of function of stomach ... {M F}					18 19	10 16	11 10	6 13	14 6	8 16	13 10
545	Other diseases of stomach and duodenum ... {M F}	†68 †30	†73 †36	†60 †28		50 26	69 27	84 27	78 18	77 33	82 28	60 23
550-553	Appendicitis ... {M F}					739 507	744 555	679 493	598 447	550 356	547 422	485 360
550	Acute appendicitis ... {M F}					644 451	641 469	592 418	517 367	465 304	456 347	415 301
	0. Without mention of peritonitis ... {M F}					89 56	101 79	89 59	82 46	71 45	70 47	66 42
	1. With peritonitis ... {M F}	867 668	855 636	722 535		555 395	540 390	503 359	435 321	394 259	386 300	349 259
551	Appendicitis, unqualified ... {M F}					91 50	61 59	79 64	79 75	83 50	86 72	67 55
552	Other appendicitis ... {M F}					3 6	6 6	2 6	2 2	— 2	2 1	2 3
553	Other diseases of appendix ... {M F}					— 1	36 21	6 5	— 3	— 2	3 2	1 1

* 533. See note (ii) at head of table.

† 540 includes 542 for these years.

‡ 544, 545 includes 784.1-784.3 (nausea and vomiting, pylorospasm and heartburn) for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
560-561	Hernia of abdominal cavity ... {M F	1163 1203	1021 1106	934 931	842 889	832 866	821 883	822 842	758 821	761 804	830 798	768 865
560	Hernia of abdom'l: cavity with- out mention of obstruction... {M F	248 148	227 149	208 123	191 124	151 138	170 125	186 145	182 147	192 168	216 159	188 182
561	Hernia of abdominal cavity with obstruction† ... {M F	915 1055	794 1039	726 808	651 765	681 728	651 758	636 697	576 674	569 636	614 639	580 683
570-578	Other diseases of intestines and peritoneum ... {M F	3914 3547	4517 3865	3112 2816	2764 2676	2345 2290	2139 2267	2005 2203	1991 2197	1873 2065	1884 2174	1781 2157
570	Intestinal obstruction without mention of hernia ... {M F	1018 920	1116 985	923 844	827 813	732 663	721 704	766 714	726 685	701 634	653 707	713 720
	0. 'Intussusception'... {M F	195 118	212 126	167 88	115 68	73 72	85 61	75 45	65 34	54 40	49 33	32 35
	1. Paralytic ileus ... {M F	26 22	20 20	22 20	29 25	26 15	17 18	10 8	23 9	6 7	10 4	19 8
	2. Mesenteric infarction ... {M F	47 36	62 38	49 45	72 67	136 136	166 150	187 174	184 177	211 187	170 206	203 200
	3. Volvulus... {M F	249 197	273 215	228 184	204 170	193 143	190 149	227 165	188 176	188 143	184 163	221 189
	4. Impaction of intestine... {M F	18 55	20 48	17 47	16 48	35 60	25 77	30 74	29 63	44 68	35 84	48 79
	5. Other ... {M F	483 492	529 538	440 460	391 435	269 237	238 249	237 248	237 226	198 189	205 217	190 209
571	Gastro-ent: and colitis, exc: M ulcer've: age 4 w'ks: & over F	*2276 *1782	*2846 *2147	*1567 *1222	1328 1084	922 743	721 644	590 561	546 549	433 467	458 445	357 366
572	Chronic enteritis and ulcer- ative colitis ... {M F	? ?	? ?	? ?	422 583	454 667	434 675	412 674	449 693	484 722	510 747	477 811
	0. Regional enteritis ... {M F	41 38	29 27	26 25	24 24	19 24	20 19	22 20	28 29	24 31	34 34	29 31
	1. Diverticulitis ... {M F	213 278	195 266	236 260	240 283	255 336	247 349	228 330	241 372	306 392	294 430	272 466
	2. Ulcerative colitis ... {M F				143 251	154 273	154 283	149 306	162 269	138 289	173 265	162 302
	3. Other ... {M F	163 292	128 245	158 268	15 25	26 34	13 24	13 18	18 23	16 10	9 18	14 12
573	Functional disorders of in- testines ... {M F				3 7	17 21	15 22	18 20	21 19	7 19	12 19	15 19
574	Anal fissure and fistula ... {M F				2 3	6 1	4 2	1 2	— —	— —	1 3	1 1
575	Abscess of anal and rectal regions ... {M F	35 20	37 15	31 15	27 12	21 14	26 7	26 15	17 12	16 9	12 10	8 9
576	Peritonitis ... {M F				62 40	54 53	62 52	52 59	68 41	57 50	50 46	47 48
577	Peritoneal adhesion ... {M F	75 84	73 75	81 74	8 14	12 7	13 15	4 9	9 11	6 5	5 6	6 4
578	Other diseases of intestines and peritoneum ... {M F	893 1333	893 1305	890 1308	85 120	127 121	143 146	136 149	155 187	169 161	182 192	157 179
580-587	Diseases of liver, gallbladder, and pancreas ... {M F	1107 1713	1181 1619	1137 1631	1224 1774	1316 1957	1325 1986	1454 1939	1442 2030	1469 2074	1466 2115	1426 2015
580	Acute and subacute yellow at- rophy of liver ... {M F	61 88	69 83	68 85	54 98	52 87	59 85	47 78	56 79	63 75	49 67	37 66
581	Cirrhosis of liver ... {M F	487 304	538 324	506 310	556 362	574 440	615 502	645 479	650 505	632 535	617 542	618 535
582	Suppurative hepatitis and liver abscess ... {M F	25 10	24 10	20 8	24 10	23 14	22 10	23 12	20 13	19 21	12 17	14 11
583	Other diseases of liver... {M F	10 14	15 15	9 16	10 25	28 18	22 23	29 27	25 30	18 30	25 38	28 33
584	Cholelithiasis ... {M F	213 548	199 518	210 511	211 521	245 617	213 583	239 569	239 613	273 590	278 606	275 572
585	Cholecystitis without mention of calculi ... {M F	157 520	176 447	164 453	169 472	178 461	161 454	191 443	206 426	192 452	188 431	191 412

† 561. See note (ii) at head of table.

§ 571 includes 785.6 (Diarrhea, age 2 years and over) for these years.

§ 578 includes 785.4, 785.5 and 785.7-785.9 (Flatulence, abdominal pain, incontinence of feces, melena (age 1 year and over) and visible peristalsis) for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
586	Other diseases of gallbladder and biliary ducts ... {M F	21 47	18 42	20 47	28 53	29 57	33 67	30 61	43 57	33 62	26 50	2 3
587	Diseases of pancreas ... {M F	133 182	142 180	140 201	172 233	187 263	200 262	250 270	203 307	239 309	271 364	23 33
590-637	X.—DISEASES OF THE GENITO-URINARY SYSTEM {M F	10445 5197	10226 5161	9456 4623	9602 4512	9627 4788	9247 4567	8657 4167	8330 4004	8467 3989	7997 3961	785 384
590-594	Nephritis and nephrosis ... {M F	3923 4018	3811 3889	3387 3419	3400 3321	3431 3443	3245 3272	2994 2879	2802 2627	2742 2531	2539 2362	265 219
590	Acute nephritis ... {M F	243 202	231 192	208 177	178 147	194 157	162 142	128 95	139 93	116 95	97 54	12 6
591	Nephritis with edema, including nephrosis ... {M F	152 134	148 126	134 122	129 117	236 231	208 192	199 148	193 136	179 147	186 180	15 15
592	Chronic nephritis ... {M F	3230 3400	3132 3298	2808 2879	2883 2820	2815 2898	2625 2744	2416 2397	2230 2201	2205 2084	1982 1936	206 178
593	Nephritis not specified as acute or chronic* ... {M F	1259 1258	1260 1248	1202 1220	210 208	159 137	231 182	234 215	226 185	231 191	256 176	24 17
594	Other renal sclerosis ... {M F	39 24	40 25	35 21	— 29	27 20	19 12	17 24	14 12	11 14	18 16	1 1
600-609	Other diseases of urinary system {M F	1167 856	1240 940	1157 893	1117 911	1181 1052	1222 1017	1159 1018	1243 1081	1286 1229	1261 1375	126 143
600	Infections of kidney ... {M F	378 452	494 505	397 513	421 514	464 590	501 573	498 582	550 637	578 738	608 873	65 90
601	Hydronephrosis ... {M F	47 53	67 46	54 54	62 51	80 62	91 78	79 70	73 61	79 69	80 76	6 8
602	Calculi of kidney and ureter ... {M F	184 149	136 153	153 132	135 119	140 129	167 126	149 138	151 140	161 146	147 154	13 15
603	Other diseases of kidney and ureter... {M F	12 4	11 20	9 9	29 18	27 31	23 29	36 40	40 35	42 27	46 36	4 4
604	Calculi of other parts of urinary system ... {M F	59 5	52 13	54 9	30 6	49 14	38 8	36 5	45 7	42 9	29 11	3 1
605	Cystitis ... {M F	235 168	226 182	242 145	217 177	194 188	179 167	168 154	179 161	168 190	142 183	14 18
606	Other diseases of bladder ... {M F	50 18	51 15	60 15	54 19	63 24	83 24	54 15	85 23	67 25	70 23	6 1
607	Urethritis (nonvenereal) ... {M F	† †	† †	† †	— 1	2 1	1 1	2 —	— —	2 —	1 —	— —
608	Stricture of urethra ... {M F	188 3	187 3	170 —	161 3	131 1	117 3	114 2	93 —	118 2	101 3	10 10
609	Other diseases of urethra ... {M F	114 74	116 13	118 76	8 3	31 12	22 8	23 12	27 17	29 23	37 16	2 2
610-617	Diseases of male genital organs M	5355	5175	4912	5085	5015	4780	4804	4285	4439	4197	394
610	Hyperplasia of prostate ... M	**5149	**4976	**4764	**4932	4762	4553	4351	4173	4334	4090	385
611	Prostatitis ... M				110	124	120	99	82	68	75	5
612	Other diseases of prostate* ... M	**157	**158	**106	**13	94	89	22	9	14	11	1
613	Hydrocele ... M	11	7	7	3	9	3	6	3	3	3	3
614	Orchitis and epididymitis ... M	7	12	10	2	1	5	2	1	2	2	2
615	Redundant prepuce and phimosis M	29	18	18	17	9	2	11	4	3	7	—
616	Sterility, male ... M	—	—	—	—	—	—	—	—	—	—	—
617	Other diseases of male genital organs M	††2	††4	††7	8	16	8	13	13	15	9	1
620-626	Diseases of breast, ovary, Fallopian tube, and parametrium F	95	107	90	81	64	60	58	58	56	61	5
620	Chronic cystic disease of breast F				1	—	—	1	—	—	—	—
621	Other diseases of breast ... F	3	5	7	4	—	2	4	3	3	3	—
622	Acute salpingitis and oophoritis F				7	8	3	3	1	2	1	—
623	Chronic salpingitis and oophoritis ... F	68	78	66	4	—	3	4	1	5	4	—
624	Salpingitis and oophoritis, unqualified F				47	36	32	34	29	24	36	2

* 593, 612. See note (ii) at head of table.

† 593 includes 789.0 (Albuminuria, unqualified) for these years.

† 609 includes 607 for these years.

†† 617 includes 276 for these years.

** 610 includes 612A (Prostatectomy N.O.S.) for years up to 1949 inclusive.

TABLE 7—continued

International t No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
625	Other diseases of ovary and Fallopian tube	†5	†8	†6	3	8	6	4	7	7	5	4
626	Diseases of parametrium and pelvic peritoneum (female)	19	16	11	15	12	14	8	17	15	12	16
10-637	Diseases of uterus and other female genital organs	228	225	231	199	229	218	212	238	173	163	166
630	Infective disease of uterus, vagina and vulva	25	15	27	12	13	15	15	20	15	15	12
631	Uterovaginal prolapse ...	119	128	127	119	138	128	129	134	101	96	108
632	Malposition of uterus ...	2	5	4	3	4	3	2	1	1	1	1
633	Other diseases of uterus ...	52	40	47	37	33	32	28	41	24	26	18
634	Disorders of menstruation ...	13	15	18	16	26	22	24	25	24	19	17
635	Menopausal symptoms ...	8	6	3	7	4	5	4	5	3	1	—
636	Sterility, female ...	1	—	1	—	—	—	1	—	—	2	1
637	Other diseases of female genital organs	8	16	4	5	11	13	9	12	5	3	9
10-689	XI.—DELIVERIES & COMPLICATIONS OF PREGNANCY, CHILDBIRTH & THE PUERPERIUM	1209	1060	811	727	620	†566	†498	†527	†480	†439	†399
10-648	Complications of pregnancy ...	418	329	265	198	225	208	181	211	168	158	163
640	Pyelitis and pyelonephritis of pregnancy	3	—	2	5	5	6	3	6	2	3	5
641	Other infections of genito-urinary tract during pregnancy	—	—	—	2	—	1	3	—	—	2	—
642	Toxæmias of pregnancy ...	311	251	209	120	149	152	131	154	118	101	101
643	Placenta prævia ...	15	5	3	6	9	3	1	—	2	1	—
644	Other hæmorrhage of pregnancy	10	10	7	10	11	5	4	6	1	2	10
645	Ectopic pregnancy ...	57	40	34	36	36	22	22	35	24	22	21
646	Anæmia of pregnancy ...	4	2	2	3	3	5	4	4	3	4	3
647	Pregnancy with malposition of fetus in uterus	1	3	1	1	—	—	—	—	—	—	—
648	Other complications arising from pregnancy	17	18	7	15	12	14	13	6	18	23	23
10-652	Abortion ...	157	143	125	118	103	107	90	76	76	68	72
650	Abortion without mention of sepsis or toxæmia	32	27	27	32	32	37	31	30	33	27	24
651	Abortion with sepsis ...	110	89	87	78	64	67	47	39	32	38	40
652	Abortion with toxæmia, without mention of sepsis	15	27	11	8	7	3	12	7	11	3	8
660	Delivery without complication	6	8	5	1	5	3	6	5	7	2	2
10-678	Delivery with specified complication	422	370	272	241	158	161	130	151	148	118	96
670	Placenta prævia or antepartum hæmorrhage	60	41	36	22	24	29	15	33	29	22	23
671	Retained placenta ...	*162	*156	*115	43	11	23	15	27	19	16	10
672	Other postpartum hæmorrhage				47	27	31	24	24	25	25	14
673	Abnormality of bony pelvis ...	17	16	10	9	2	6	4	3	3	3	1
674	Disproportion or malposition of fetus	60	40	23	34	17	10	8	6	9	11	15

* 671, 672 includes 688.0 (Anæmia of puerperium) for these years.

† 625 includes 275 for these years.

‡ Including the following cases in which it was stated that death followed the maternal condition after an interval of more than 12 months:— 1951:—40; 1952:—35; 1953:—32; 1954:—34; 1955:—34; 1956:—25.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
675	Prolonged labour of other origin F	40	54	33	26	23	24	20	24	21	18	
676	With laceration of perineum, F w/out: mention of other lacer'n.	6	3	1	1	1	1	—	—	—	—	
677	With other trauma ... F	30	27	22	26	18	12	18	13	16	12	
678	With other complications of F childbirth	47	33	32	33	35	25	26	21	26	11	
680-689	Complications of the puerperium F	206	210	144	169	129	87	91	84	81	93	
680	Puerperal urinary infection F	2	1	2	2	1	—	—	—	—	—	
681	Sepsis of childbirth and the F puerperium	§50	§33	§31	25	21	13	4	14	11	13	
682	Puerperal phlebitis and throm- F bosis	47	54	29	31	36	30	28	29	39	35	
683	Pyrexia of unknown origin F	§	§	§	—	—	2	—	1	—	—	
684	Puerperal pulmonary embolism F	§55	§56	§38	25	26	19	25	22	13	23	
685	Puerperal eclampsia ... F	34	46	33	60	31	14	13	7	11	10	
686	Other forms of puerperal tox- F æmia	14	15	7	19	5	2	3	5	4	1	
687	Cerebral hæmorrhage in the F puerperium	—	—	—	3	6	3	11	4	—	7	
688	Other and unspecified compli- F cations of the puerperium	†1	†2	†2	3	3	4	2	2	1	3	
689	Mastitis and other disorders of F lactation	3	3	2	1	—	—	5	—	2	1	
690-716	XII.—DISEASES OF THE F SKIN & CELLULAR	392	355	324	288	287	288	247	279	230	187	
	TISSUE F	362	363	295	303	326	360	356	356	322	321	
690-698	Infections of skin and subcut- F aneous tissue ...	220	169	159	137	124	110	93	96	92	94	
	... F	146	129	105	116	102	135	113	116	102	95	
690	Boil and carbuncle ... F	94	69	61	58	27	29	24	26	18	22	
	... F	54	42	37	42	22	28	25	21	19	12	
691	Cellulitis of finger and toe ... F				2	4	1	3	2	3	3	
	... F				3	4	7	3	10	3	5	
692	Other cellulitis and abscess F w/out ment: of lymphangitis	110	85	88	64	77	64	55	58	59	57	
	... F	83	75	59	58	58	84	62	77	69	70	
693	Other cellulitis and abscess F with lymphangitis ...				5	4	4	—	2	—	—	
	... F				6	1	3	5	—	2	—	
694	Acute lymphadenitis ... F	†	†	†	—	2	1	—	—	1	—	
	... F				2	3	—	—	—	1	—	
695	Impetigo ... F	10	9	5	2	1	1	2	2	1	1	
	... F	5	7	5	—	2	1	—	—	1	1	
696	Infectious warts ... F	—	—	—	—	1	—	—	—	—	—	
	... F	—	—	—	—	1	—	1	1	—	—	
697	Molluscum contagiosum ... F	—	—	—	—	—	—	—	—	—	—	
	... F	—	—	—	—	—	—	—	—	—	—	
698	Other local infections of skin F and subcutaneous tissue ...	6	6	5	6	8	10	9	6	10	11	
	... F	4	5	4	5	11	12	17	7	7	9	
700-716	Other diseases of skin and sub- F cutaneous tissue ...	172	186	165	151	163	178	154	183	138	93	
	... F	216	234	190	187	224	225	243	240	220	226	
700	Seborrhœic dermatitis ... F				3	2	3	1	3	1	1	
	... F				3	6	2	1	4	3	1	
701	Eczema ... F				20	27	21	12	15	11	6	
	... F				12	12	8	11	13	4	15	
702	Occupational dermatitis ... F	69	77	68	1	4	2	—	—	1	—	
	... F	59	64	51	—	—	—	—	—	—	—	
703	Other dermatitis* ... F				36	2	7	6	8	4	2	
	... F				37	5	10	4	8	6	3	

§ 681 includes 683 for these years.

‡ 684 includes 688.2 (Sudden death from unknown cause in the puerperium) for these years.

† 688. See 671, 672, 684.

¶ 694. See 468.

* 703. See note (II) at head of table.

TABLE 7—continued

International t No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
704	Pemphigus ... {M F	51 55	56 61	48 48	44 48	46 57	55 57	61 60	51 55	41 56	19 36	28 42
705	Erythematous conditions* ... {M F	13 21	14 22	12 18	11 18	46 48	34 43	31 46	43 31	28 30	27 47	23 30
706	Psoriasis and similar disorders {M F				5 5	2 4	5 5	5 9	1 7	5 10	4 4	2 5
707	Lichen planus ... {M F				— —	— —	1 1	— 1	— —	1 —	— —	— —
708	Pruritus and related conditions {M F				— —	1 1	1 5	1 2	2 2	1 2	1 2	1 3
709	Corns and callosities ... {M F				— —	— —	1 —	1 —	1 —	1 —	1 —	— —
710	Other hypertrophic and atrophic conditions of skin ... {M F				8 7	7 23	13 28	13 33	22 36	9 30	11 38	18 47
711	Other dermatoses ... {M F	**39 **81	**39 **87	**37 **73	— —	— —	— —	1 —	— —	— —	1 —	— —
712	Diseases of nail ... {M F				— —	— —	1 —	1 —	1 —	1 —	— —	1 —
713	Diseases of hair and hair follicles ... {M F				— —	— —	— —	1 —	1 —	— —	— —	— —
714	Diseases of sweat and sebaceous glands ... {M F				2 1	1 —	— —	1 1	1 1	— 1	2 —	— —
715	Chronic ulcer of skin ... {M F				21 56	24 66	34 63	21 71	34 81	34 75	17 77	24 58
716	Other diseases of skin ... {M F				— —	2 2	1 2	2 1	— 2	1 2	2 1	2 4
0-749	XIII.—DISEASES OF THE BONES & ORGANS OF MOVEMENT {M F	758 1356	726 1296	696 1283	685 1367	522 954	547 1043	536 957	578 982	619 1156	614 1352	624 1236
0-727	Arthritis and rheumatism except rheumatic fever ... {M F	480 1167	462 1105	429 1094	456 1169	289 747	302 775	247 739	296 768	355 890	338 1076	351 951
720	Acute arthritis due to pyogenic organisms ... {M F	36 27	26 26	28 24	19 9	15 11	18 7	12 11	11 18	11 11	9 13	15 5
721	Acute nonpyogenic arthritis ... {M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
722	Rheumatoid arthritis and allied conditions †† ... {M F	293 863	295 841	260 858	276 902	165 562	185 574	155 546	184 558	223 683	214 814	206 729
723	Osteo-arthritis (arthrosis) and allied conditions†† ... {M F	111 203	95 190	100 161	119 186	92 149	84 171	70 160	86 171	111 180	107 237	122 212
724	Other specified forms of arthritis†† ... {M F	— 1	— —	1 —	5 13	2 3	4 4	3 5	— 2	1 3	1 1	— 2
725	Arthritis, unspecified ... {M F	6 17	8 9	4 7	7 8	9 14	7 10	4 12	7 15	3 10	1 3	2 2
726	Muscular rheumatism ... {M F	2 4	4 7	6 2	4 3	5 3	1 3	3 1	4 1	4 2	6 3	3 —
727	Rheumatism, unspecified ... {M F				26 48	1 5	3 6	— 4	4 3	2 1	— 5	3 1
	A, B. Acute and subacute rheumatism (so described) ... {M F	32 51	34 32	30 42	13 23	— 1	1 —	— 2	2 1	1 1	— 3	1 —
	C, D, E. Other ... {M F				13 25	1 4	3 5	— 2	2 2	1 —	— 2	2 1
0-738	Osteomyelitis and other diseases of bone and joint {M F	188 125	180 120	173 129	151 144	155 130	164 175	170 148	180 136	162 178	167 178	156 189
730	Osteomyelitis and periostitis {M F	116 60	99 56	92 53	70 37	73 31	52 41	52 30	59 33	51 36	48 27	37 42
731	Osteitis deformans ... {M F				63 72	61 60	81 83	87 79	80 59	87 80	88 102	93 83
732	Osteochondrosis ... {M F	*63 *62	*73 *59	*70 *67	— —	1 —	1 —	— —	— —	— —	1 —	— 1
733	Other diseases of bone ... {M F				10 22	11 24	15 31	15 27	24 31	11 52	10 43	19 52

705. See note (ii) at head of table.

706-716 includes 096.0 (Herpes febrilis) and 135 for these years.

722-724. In 1940-1949 includes some deaths with associated heart diseases which, from 1950 would be classed to those conditions.

731-733. See 285.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
734	Internal derangement of knee joint ... {M F}	—	—	1	1	—	1	1	—	—	—	—
735	Displacement of intervertebral disc ... {M F}	4	6	5	6	10	9	11	8	7	16	4
736	Affection of sacro-iliac joint... {M F}	—	—	—	1	—	—	—	—	1	1	—
737	Ankylosis of joint ... {M F}	—	1	9	—	—	1	1	—	2	—	1
738	Other diseases of joint ... {M F}	5	1	2	—	—	5	3	9	3	3	1
740-749	Other diseases of musculoskeletal system ... {M F}	90	84	94	78	78	81	119	102	102	109	1
740	Bunion ... {M F}	—	1	—	2	1	—	1	—	1	—	—
741	Synovitis, bursitis, and tenosynovitis, w/out mention of occupational origin {M F}	3	4	4	3	3	4	1	1	1	2	—
742	Synovitis, bursitis, and tenosynovitis of occupational origin {M F}	8	6	3	—	—	—	—	—	—	—	—
743	Infective myositis and other inflammatory diseases of tendon and fascia {M F}	2	1	1	—	—	1	2	—	—	1	—
744	Other diseases of muscle, tendon, and fascia ... {M F}	59	58	63	58	62	58	90	82	81	91	—
745	Curvature of spine ... {M F}	18	16	22	10	3	12	16	11	14	10	—
746	Flat foot ... {M F}	—	—	—	—	—	—	—	—	—	—	—
747	Hallux valgus and varus ... {M F}	—	—	3	2	1	3	1	2	1	2	—
748	Clubfoot ... {M F}	6	5	4	3	1	—	1	1	2	1	—
749	Other deformities ... {M F}	2	1	—	2	7	6	7	7	3	5	—
750-759	XIV.—CONGENITAL MALFORMATIONS {M F}	2956	2977	2526	2406	2528	2425	2323	2216	2349	2431	24
750	Monstrosity ... {M F}	47	52	46	32	34	37	54	33	51	41	—
751	Spina bifida and meningocele... {M F}	555	419	367	350	337	367	372	354	416	435	—
752	Congenital hydrocephalus ... {M F}	144	167	117	115	131	103	117	95	113	93	—
753	Other congen: malformations of nerv: sys'm & sense organs {M F}	63	46	68	48	50	52	62	43	65	50	—
754	Congenital malformations of circulatory system ... {M F}	1158	1247	1077	1044	1158	1050	890	913	948	1007	10
755	Cleft palate and harelip ... {M F}	47	46	27	25	21	20	24	13	16	11	—
756	Congenital malformations of digestive system ... {M F}	583	614	456	458	402	348	344	321	292	296	2
	0. Congenital hypertrophic pyloric stenosis ... {M F}	252	265	142	152	96	63	67	52	46	38	—
	1. Imperforate anus ... {M F}	45	37	24	24	38	33	28	28	31	26	—
	2. Other ... {M F}	286	312	290	282	268	252	249	241	215	232	2
757	Congenital malformations of genito-urinary system ... {M F}	214	239	222	197	247	255	265	265	260	279	2
	1. Polycystic disease of kidney ... {M F}	105	122	122	104	139	138	163	147	138	158	1
	0, 2, 3. Other ... {M F}	109	118	96	110	146	139	143	129	139	135	1

TABLE 7—continued

International t No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
758	Congenital malformations of bone and joint ... {M ... {F	19 21	27 25	17 21	15 23	30 27	32 24	31 31	27 21	30 28	27 32	30 21
759	Other & unspecified congenital malformations, not elsewhere classified	126 90	120 89	129 106	122 109	118 94	161 134	164 148	152 136	158 140	192 128	160 133
0-776	XV.—CERTAIN DISEASES OF EARLY INFANCY {M ... {F	9761 6803	10015 7070	7671 5317	7043 4796	6425 4347	6450 4282	5966 4115	5833 4050	5703 3797	5461 3730	5586 3787
0-769	Birth injuries, asphyxia, and infections of newborn... {M ... {F	4010 2671	4357 2948	3439 2193	3393 2207	3404 2056	3509 2246	3360 2182	3345 2150	3308 2053	3214 2000	3311 2106
760	Intracranial and spinal injury at birth ... {M ... {F	1086 554	1147 678	962 516	943 534	907 497	1033 523	983 533	952 552	950 548	916 519	938 552
761	Other birth injury ... {M ... {F	314 236	349 238	312 214	261 177	251 166	221 176	204 149	195 137	214 145	238 151	219 176
762	Postnatal asphyxia and atelectasis ... {M ... {F	1427 992	1527 1090	1295 880	1413 989	1461 880	1455 990	1469 985	1493 998	1541 955	1467 940	1522 964
763	Pneumonia of newborn ... {M ... {F	739 552	803 578	568 367	521 337	512 331	570 376	534 379	554 336	473 288	483 300	502 304
764	Diarrhoea of newborn ... {M ... {F	198 124	264 168	138 88	118 76	67 33	56 36	40 26	36 24	22 18	25 15	27 21
765	Ophthalmia neonatorum ... {M ... {F	† †	† †	† †	— —	3 —	1 —	— —	— —	1 2	1 1	— 3
766	Pemphigus neonatorum ... {M ... {F	21 19	18 17	11 6	3 4	6 4	1 3	4 1	5 2	2 6	2 5	4 4
767	Umbilical sepsis ... {M ... {F	14 10	29 15	20 19	19 7	8 6	13 9	14 7	8 7	9 15	9 8	12 12
768	Other sepsis of newborn ... {M ... {F	†24 †11	†52 †19	†21 †15	15 10	23 17	24 11	23 17	19 33	24 20	18 12	14 13
769	Neonatal disorders arising from maternal toxæmia ... {M ... {F	187 173	168 145	112 88	100 73	166 122	135 122	89 85	83 61	72 56	55 49	73 57
0-776	Other diseases peculiar to early infancy ... {M ... {F	5761 4135	5658 4122	4232 3124	3650 2589	3021 2291	2941 2036	2606 1933	2488 1900	2395 1744	2247 1730	2275 1681
770	Hæmolytic disease of newborn (erythroblastosis) ... {M ... {F	348 240	436 254	350 227	321 231	286 216	325 187	239 203	225 185	282 186	196 170	182 171
771	Hæmorrhagic disease of newborn ... {M ... {F	162 111	214 151	125 89	108 68	122 62	125 96	103 78	116 81	132 88	120 90	142 82
772	Nutritional maladjustment ... {M ... {F	32 26	35 26	18 17	14 12	18 16	14 7	14 5	6 3	5 6	4 3	8 3
773	Ill-defined diseases peculiar to early infancy ... {M ... {F	670 447	693 442	428 291	320 190	225 181	208 120	175 120	142 84	119 112	136 87	116 70
774	Immaturity with mention of any other subsidiary condition {M ... {F	4569 3311	4280 3249	3311 2500	2887 2088	130 109	106 83	98 71	73 67	68 58	67 64	64 63
776	Immaturity unqualified ... {M ... {F	3311 3311	3249 3249	2500 2500	2088 2088	2240 1707	2159 1539	1977 1456	1926 1480	1789 1294	1724 1316	1763 1292
0-795	XVI.—SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS {M ... {F	6640 9840	6384 9453	4950 7621	4919 7936	3822 6152	3749 5968	2997 4748	2804 4834	3049 5284	3330 5751	3208 5537
0-789	Symptoms referable to systems or organs ... {M ... {F	551 397	505 342	378 286	243 210	137 121	139 98	95 76	75 86	85 63	91 69	68 72
780	Certain symptoms referable to nervous system & special senses {M ... {F	— —	— —	— —	— —	77 68	33 42	40 18	13 16	17 15	18 13	14 8
	2. Convulsions ... {M ... {F	— —	— —	— —	— —	77 64	30 38	35 15	12 15	15 14	17 13	12 8
	0, 1, 3-9. Other ... {M ... {F	— —	— —	— —	— —	4 4	3 —	5 1	1 1	2 —	1 —	1 1
781	Other symptoms referable to nervous system & special senses {M ... {F	— —	— —	— —	— —	3 —	— —	— —	1 —	— —	— —	— —
782	Symptoms referable to cardiovascular & lymphatic system {M ... {F	— —	— —	— —	— —	107 92	66 54	67 34	40 34	42 48	37 36	38 39
	4. Acute heart failure, undefined ... {M ... {F	— —	— —	— —	— —	92 81	63 48	59 51	35 31	38 44	35 32	32 39
	0-3, 5-9. Other ... {M ... {F	— —	— —	— —	— —	15 11	3 6	8 5	5 3	4 4	2 4	3 2

768 includes 765 for these years.

780 includes 788.5 (Tetany) for these years.

782.4 includes 795.2 (Sudden death (cause unknown)), for these years.

782.7. See 468.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
783	Symptoms referable to respira- tory system ... {M ... F	**1 **1	** **1	** **1	—	8 4	6 5	6 2	— 2	4 1	3 2	
784	Symptoms referable to upper gastro-intestinal tract ... {M ... F	††30 ††17	††18 ††12	††29 ††18	21 11	11 12	12 9	13 14	5 6	8 4	15 16	
785	Syms: referable to abdomen & lower gastro-intestin'l system {M ... F	††20 ††18	††25 ††14	††12 ††17	14 23	10 5	5 9	13 4	2 5	9 5	9 1	
786	Symptoms referable to genito- urinary system ... {M ... F	37 19	36 17	42 16	13 9	8 1	6 —	7 1	7 4	8 1	— 8	
787	Symptoms referable to limbs and back ... {M ... F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
788	Other general symptoms ... {M ... F	†2 †4	†8 †6	†3 †3	3 6	2 2	2 1	1 2	1 4	1 1	2 1	
789	Abnormal urinary constituents of unspecified cause... {M ... F	*5 *1	*4 *1	*5 *4	— 1	— —	1 —	2 3	— 2	— 1	2 1	
790-795	Senility and ill-defined diseases {M ... F	6089 9443	5879 9111	4572 7335	4676 7726	3685 6031	3610 5870	2902 4672	2729 4748	2964 5221	3299 5682	
790	Nervousness and debility ... {M ... F	3 3	1 1	— 2	— 3	1 1	6 —	3 1	— —	— —	— 1	
791	Headache ... {M ... F	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	
792	Uræmia unqualified ... {M ... F	77 44	76 41	56 37	63 38	13 23	19 13	18 12	15 13	21 10	20 10	
793	Observation, without need for further medical care ... {M ... F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
794	Senility without mention of psychosis ... {M ... F	5941 9354	5738 9028	4466 7256	4567 7666	3626 5988	3535 5833	2836 4626	2667 4707	2878 5176	3229 5640	
795	Ill-defined and unknown causes of mortality... {M ... F	\$68 \$42	\$64 \$41	\$50 \$40	46 18	45 19	50 24	45 33	47 28	65 35	49 32	
E800-E999	XVII.—ACCIDENTS, POI- SONINGS, AND VIOLENCE {M ... F	11624 7152	12392 7391	11371 6840	11712 6801	11905 6984	12447 7309	11992 6810	12333 7531	12630 8239	12932 8537	
E800-E802	Railway accidents ... {M ... F				329 29	331 38	301 33	390 59	342 25	249 31	283 34	
E800	Involving railroad employee... {M ... F				181 4	203 —	166 2	184 3	193 —	148 1	166 —	
E801	Involving passenger ... {M ... F	401 63	445 48	346 63	27 5	33 16	53 19	107 34	40 8	19 7	35 10	
E802	Involving other and unspecified person ... {M ... F				121 20	95 22	82 12	99 22	109 17	82 23	82 24	
E810-E825	Motor vehicle traffic accidents {M ... F	2780 1027	2807 1031	2536 970	2841 923	3099 1035	3293 1099	3013 958	3225 1021	3289 1158	3552 1256	
E810	Involving collision with railway train ... {M ... F	8 —	6 2	12 2	4 —	13 2	8 2	10 1	12 4	7 1	10 —	
E811	Involving collision with street car ... {M ... F	1 —	— 1	2 —	1 —	1 —	— 1	— —	— —	— —	— —	
E812	To pedestrian ... {M ... F	†1343 †713	†1304 †711	†1190 †720	1205 674	1140 726	1302 725	1099 663	1182 674	1201 807	1210 813	
E813	To pedal cyclist ... {M ... F	†461 †97	†405 †81	†452 †86	490 78	475 80	473 80	443 74	461 73	457 79	437 84	
E814	To rider or pass'r: of m/c: in coll: with non-motor v: or object {M ... F	‡247 ‡19	‡234 ‡25	‡208 ‡12	130 12	175 9	134 14	60 5	65 4	49 1	60 2	
E815	To rider or pass'r: of m/c: in coll: with other m: v: ... {M ... F	311 26	379 37	275 12	425 32	640 56	624 50	662 48	689 57	696 38	797 59	
E816	Other m: v: traffic acc: involv'g two or more vehicles ... {M ... F				190 53	216 75	245 116	191 70	286 91	302 107	389 153	
E817	To occupant of m: v: in coll: with pedestrian or pedal c: {M ... F				— 1	— —	— —	2 —	— —	2 —	— —	
E818	Involving coll: with animal or animal-drawn v: ... {M ... F	§§409 §§172	§§479 §§174	§§397 §§138	— —	6 1	4 2	7 —	3 —	3 —	6 —	
E819	Involving coll: with fixed or unspecified object ... {M ... F				62 13	72 21	33 4	4 3	3 1	4 1	2 1	
E820	While boarding and alighting... {M ... F				20 10	22 11	21 15	15 14	20 19	6 9	12 18	

** 783.1 (Hæmoptysis)=Hæmoptysis of unstated cause but stated to be non-tuberculous for these years. "Hæmoptysis N.O.S." is included in 002-008.

†† 784. See 544, 545. ‡ 785. See 571 and 578. ¶ 788. See 780. * 789. See 260 and 593.

§ 795. See 782.4. † E812 includes E830, and E813 includes E831 for these years.

§§ E814 includes E821 and E832 for these years. §§ E816-E820 includes E822-E825 for these years.

|| E810-E825. See note on next page.

TABLE 7—continued

International No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
E821	To rider of motor cycle not involving collision ... {M F}	‡	‡	‡	133 12	164 14	261 30	280 25	286 34	304 31	322 28	327 23
E822	Involving overturning in roadway ... {M F}				48 8	64 7	54 14	57 11	49 12	47 15	72 14	48 10
E823	Involving running off roadway {M F}				21 4	14 3	52 19	96 20	107 32	130 40	165 49	190 61
E824	Other non-collision motor vehicle traffic accident ... {M F}	§§	§§	§§	104 26	93 28	78 27	78 22	54 19	75 28	62 34	63 31
E825	Of unspecified nature ... {M F}				1 —	4 2	4 —	9 2	8 1	6 1	7 1	13 4
E835	Motor vehicle non-traffic accidents ... {M F}	73 1	77 2	69 4	69 3	88 8	103 15	134 12	117 12	134 8	104 11	84 13
E830	To pedestrian ... {M F}	†	†	†	13 2	32 6	43 10	54 8	32 10	55 8	52 9	47 9
E831	To pedal cyclist ... {M F}	†	†	†	—	1 —	—	—	—	—	1 —	1 —
E832	To rider or passenger of motor-cycle ... {M F}	‡	‡	‡	6 —	7 —	3 —	10 1	10 1	8 —	18 —	5 —
E833	Other m: v: non-traffic acc: involving two or more v's: ... {M F}				—	2 —	1 —	1 —	1 —	1 —	3 —	1 —
E834	While boarding and alighting {M F}	*73 *1	*77 *2	*69 *4	1 —	1 —	2 —	— 1	1 —	—	1 —	1 —
E835	Of other and unspecified nature {M F}				49 1	45 2	54 5	69 2	73 1	70 —	30 1	30 3
E845	Other road vehicle accidents ... {M F}	255 79	257 79	261 80	251 88	294 95	238 68	229 76	181 66	198 60	191 56	157 43
E840	Street car accident to pedestrian ... {M F}	19 22	17 12	26 11	11 13	18 8	8 10	5 4	6 1	5 3	3 2	6 3
E841	Other street car accident, except collision with motor vehicle {M F}	9 5	7 3	6 4	7 3	3 —	4 —	3 1	3 —	1 1	—	2 —
E842	Accident to pedestrian caused by pedal cycle ... {M F}	41 14	45 33	52 31	43 34	47 39	40 29	56 23	32 20	46 24	38 27	35 25
E843	Acc: to rider of p: cycle not involving collision with m: v: {M F}	150 29	152 25	154 30	152 30	168 31	160 31	125 31	113 30	126 23	131 19	101 9
E844	Accident to pedestrian caused by other non-motor road v: {M F}	22 7	16 5	10 3	13 4	11 4	11 4	12 4	10 5	6 —	2 2	4 1
E845	Other non-motor road vehicle accidents ... {M F}	14 2	20 1	13 1	25 4	47 13	15 7	28 13	17 10	14 9	17 6	11 3
E858	Water transport accidents ... {M F}	166 5	158 2	131 6	142 9	186 3	145 8	137 7	147 6	127 5	135 4	140 6
E850	Submersion of occupant of small boat ... {M F}				48 4	57 1	39 3	54 3	56 3	38 2	43 3	52 4
E851	Other water transport injury by submersion ... {M F}	91 3	92 2	65 6	33 2	59 1	44 —	28 4	36 3	42 1	32 —	44 —
E852	Fall on stairs and ladders in water transport ... {M F}				7 —	10 —	6 —	5 —	6 —	7 —	4 —	9 —
E853	Other falls from one level to another in water transport ... {M F}				28 1	25 —	19 —	23 —	22 —	13 —	20 1	12 —
E854	Falls on same level in water transport ... {M F}	35 1	32 —	32 —	1 —	1 —	—	4 —	2 —	2 —	1 —	1 —
E855	Unspecified falls in water transport ... {M F}				1 —	—	—	—	1 —	2 —	2 —	1 —
E856	Machinery accident in water transport ... {M F}				8 —	6 —	7 —	2 —	9 —	3 —	2 —	3 —
E857	Other specified accidents in water transport ... {M F}	40 1	34 —	34 —	16 2	28 1	30 5	20 —	15 —	20 1	30 —	19 1
E858	Water transport accident of unspecified cause ... {M F}				—	—	—	1 —	—	1 —	—	—

‡ E821 and E832. See E814. §§ E822-E825. See E816-E820. † E830 and E831. See E812 and E813.

* E833-E835 includes a few non-motor vehicles used in farming, for these years.

|| E810-E835. Motor Vehicle Accidents. An analysis of these deaths for years 1950 and on according to the types of vehicle involved (as provided for in the 1948 International Statistical Classification) is not included in this table, but details are available at the General Register Office.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
E860-E866	Aircraft accidents ... {M F}											
E860	Accident to personnel in military aircraft ... {M F}				76 19	230 10	273 23	291 20	190 2	222 3	139 5	
E861	Inj: to occupant by acc: to comm: "transport" aircraft {M F}				34 14	76 10	45 20	22 8	3 1	2 2	1	
E862	Other injury in commercial "transport" aircraft ... {M F}				1	—	—	—	—	—	—	
E863	Injury to occupant by accident to other aircraft ... {M F}	15 1	50 9	88 19	18	21	15 1	13 1	4	13	8	
E864	Aircraft accident at airfield to person not in aircraft ... {M F}				3	4	5	28 8	3	4	7 1	
E865	Aircraft accident elsewhere to person not in aircraft ... {M F}				1 5	—	2 2	3 3	1	1	7 4	
E866	Other and unspecified aircraft accidents ... {M F}				8	1	8	3	5	8 1	10	
E870-E895	Accidental poisoning by solid and liquid substances ... {M F}	85 79	92 106	116 99	93 101	113 142	121 143	154 141	136 152	150 165	152 169	
E870	Morphine and other opium de- rivatives ... {M F}	4	6 3	4 3	2 1	3 1	4	8 1	1 4	2	3	
E871	Barbituric acid and derivatives {M F}	20 34	30 47	34 41	27 50	47 80	40 77	61 79	84 85	67 117	77 115	
E872	Aspirin and salicylates ... {M F}	5 15	6 16	16 16	10 17	14 17	18 19	24 26	9 23	18 14	16 15	
E873	Bromides ... {M F}	—	—	—	—	—	1 1	1	—	2	—	
E874	Other analgesic and soporific drugs... {M F}	2 6	8 10	6 7	8 8	5 3	6 9	11 5	3 9	11 8	7 7	
E875	Sulphonamides ... {M F}	—	—	—	1 2	—	1	—	1	—	—	
E876	Strychnine ... {M F}	— 1	2 1	1 1	3 2	2	2 7	2 3	2 2	1	2 1	
E877	Belladonna, hyoscine, and at- ropine ... {M F}	2 1	1	1 1	5	1	1	3	1	—	1 1	
E878	Other and unspecified drugs... {M F}	8 6	5 12	10 8	— 4	5 6	9 3	4 6	5 9	11 10	7 12	
E879	Noxious foodstuffs ... {M F}	— 1	1	1 1	—	1	1	—	—	—	1	
E880	Alcohol... {M F}	7	1 3	6 3	5	4	4 2	8	10 1	11 1	11 6	
E881	Petroleum products ... {M F}	—	1	2	—	1	—	2	1 1	1	5 1	
E882	Industrial solvents ... {M F}	4	3 1	6	3	5	4 1	1 1	1 1	4	2 1	
E883	Corrosive aromatics, acids, and caustic alkalis ... {M F}	14 10	13 6	10 4	10 4	15 9	8 9	9 4	6 5	6 6	8 2	
E884	Mercury and its compounds ... {M F}	—	— 1	2	1	— 1	1	1	3 3	—	1 2	
E885	Lead and its compounds ... {M F}	7	5 1	1 1	2 1	— 2	4	3 1	1 1	4 1	2	
E886	Arsenic and antimony, and their compounds ... {M F}	1	—	3 1	1	— 3	—	1	—	1	1	
E887	Fluorides ... {M F}	—	—	—	—	—	1	—	—	—	1	
E888	Other and unspecified solid and liquid substances ... {M F}	11 5	10 5	13 12	15 12	10 16	18 13	18 12	8 8	11 7	8 5	
E890-E895	Accidental poisoning by gases and vapours ... {M F}	185 213	211 269	195 207	229 235	208 255	252 304	246 302	322 322	326 391	376 476	
E890	Utility (illuminating) gas ... {M F}	152 199	170 250	166 195	195 226	158 248	215 300	203 295	279 312	280 380	320 464	
E891	Motor vehicle exhaust gas ... {M F}	4	4 1	1 2	7 1	7 1	11	8	17	8 2	15	
E892	Other carbon monoxide gas {M F}	10 9	16 14	13 5	13 2	27 16	3	24 7	18 9	23 8	23 10	

TABLE 7—continued

International List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
E893	Cyanide gas ... {M F}	— 1	—	— 2	1 1	—	—	—	—	—	— 1	— 1
E894	Other specified gases and vapours ... {M F}	16 5	21 4	13 5	9 4	16 4	9 1	9 —	8 1	15 1	17 1	14 1
E895	Unspecified gases and vapours {M F}	— 2	—	—	4 1	—	— 1	— 2	—	—	— 1	—
900-E904	Accidental falls ... {M F}				1661 2365	1577 2551	1816 2657	1676 2402	1787 2812	2118 3235	2019 3310	2124 3459
E900	Fall on stairs ... {M F}				290 463	260 458	320 502	321 488	326 495	381 555	405 565	412 536
E901	Fall from ladders ... {M F}				81 10	83 6	95 5	88 13	87 5	95 7	81 7	82 11
E902	Other falls from one level to another ... {M F}	1631 2425	1842 2446	1581 2227	614 355	555 365	607 423	507 267	512 222	503 261	498 214	457 254
E903	Fall on same level ... {M F}				509 1131	448 1115	516 1111	485 1004	562 1183	566 1021	461 991	482 1024
E904	Unspecified falls ... {M F}				167 406	231 607	278 616	275 630	300 907	573 1391	574 1533	691 1634
910-E936	Other accidents ... {M F}	3113 1493	3535 1586	2850 1296	2801 1199	2596 1112	2766 1206	2635 1151	2569 1221	2347 1151	2600 1143	2413 1153
E910	Blow from falling object ... {M F}	477 19	469 17	411 6	437 17	387 10	392 17	365 13	349 16	295 13	297 18	285 20
E911	Caused by vehicle ... {M F}	*116 —	*116 —	*109 —	98 —	90 1	101 —	105 —	83 —	75 —	98 —	67 —
E912	Caused by machinery ... {M F}	206 9	224 3	245 4	198 7	176 5	181 4	186 3	167 5	173 7	243 4	233 10
E913	Caused by cutting and piercing instruments ... {M F}	25 4	22 11	14 8	16 2	15 11	17 6	15 7	17 8	19 14	21 3	15 3
E914	Caused by electric current ... {M F}	90 16	78 16	77 19	68 21	69 20	85 17	94 18	86 25	82 20	92 18	109 14
E915	Caused by explosion of pressure vessel ... {M F}				19 2	8 —	12 —	9 2	9 1	8 —	14 1	7 1
E916	Caused by fire and explosion of combustible material† ... {M F}	365 604	536 603	264 449	191 367	†180 366	311 440	†266 439	220 359	221 437	257 435	233 439
E917	Caused by hot substance, corrosive liquid, and steam† ... {M F}				80 89	78 74	73 64	55 71	71 53	54 69	65 60	70 80
E918	Caused by radiation ... {M F}	—	—	—	—	—	—	—	—	—	—	—
E919	Caused by firearm ... {M F}	78 5	77 5	82 13	84 7	93 6	87 5	104 3	87 5	83 4	66 5	74 3
E920	Foreign body entering the eye and adnexa ... {M F}	—	—	—	— 1	—	— 1	—	—	—	—	—
E921	Inhalat'n and ingest'n of food causing obstr: or suffocation {M F}				241 169	226 181	228 163	242 159	205 163	256 173	259 165	249 185
E922	Inhalat'n and ingest'n of other obj: causing obstr: or suff'n: {M F}				21 15	23 9	14 14	10 6	11 3	16 3	21 14	16 11
E923	Foreign body entering other orifice ... {M F}	558 394	658 470	528 383	17 22	17 14	14 13	20 21	22 22	14 23	7 14	9 15
E924	Acc: mechanical suffocation in bed and cradle† ... {M F}				210 138	180 106	165 130	154 93	125 99	132 90	118 70	118 95
E925	Acc: mechanical suffocation in other and unspecified circs: {M F}				30 10	49 5	56 6	48 9	46 3	71 5	65 4	56 1
E926	Lack of care of infants under 1 year of age ... {M F}	61 86	74 80	66 65	65 65	51 41	63 41	50 46	53 30	28 28	31 30	28 16
E927	Acc: caused by bites and stings of ven: animals and insects... {M F}	3 9	2 4	2 4	2 8	2 —	1 3	2 3	2 4	1 2	3 2	1 4
E928	Other accidents caused by animals ... {M F}	49 7	38 13	43 13	28 5	36 6	24 4	17 5	13 3	13 5	20 7	12 3
E929	Accidental drowning and submersion ... {M F}	810 248	979 231	793 235	822 185	763 200	754 214	713 182	719 194	646 189	759 225	637 188

* E911. See E833-E835. † E916. 80 male deaths which occurred in the Creswell Colliery Disaster on the 26th September, 1950, were registered in 1952, and are therefore included in the 1952 deaths for this cause.

‡ E916, E917, E924. See footnotes to these causes in Table 18A.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
E930	High and low air pressure ... {M F	—	—	—	1	2	2	1	—	1	1	—
E931	Excessive heat and insolation... {M F	3 2	11 13	18 8	10 5	9 3	1 4	4 5	3 1	4 —	3 2	— 1
E932	Excessive cold... {M F	—	—	—	4 2	4 2	6 4	7 3	3 2	17 7	12 10	11 9
E933	Hunger, thirst, and exposure... {M F	38 24	41 26	20 15	16 8	23 14	22 12	11 9	14 9	10 9	18 11	24 10
E934	Cataclysm ... {M F	3 1	6 7	1 1	1 3	— —	— —	17 12	122 175	2 3	— 1	7 2
E935	Lightning ... {M F	12 3	6 1	9 2	9 3	11 2	3 2	11 —	12 2	5 3	12 3	7 2
E936	Other and unspecified accidents {M F	219 62	198 86	168 71	132 49	104 36	153 43	129 42	130 39	121 47	118 41	145 41
E940-E946	Complications due to nonthera- {M peutic medical and surgical {F	3 3	6 9	6 2	6 6	4 4	3 5	2 4	5 3	5 2	3 2	4 5
E940	Generalized vaccinia following {M vaccination ... {F	—	—	—	—	—	—	1 2	—	—	—	—
E941	Postvaccinal encephalitis ... {M F	1 1	2 3	4 —	— —	— —	— 1	— —	— 1	— —	— —	— 2
E942	Other complications of small- {M pox vaccination ... {F	—	1 2	—	—	1 1	—	—	—	—	—	—
E943	Post-immunization jaundice & {M hepatitis ... {F	—	—	—	2 1	—	—	—	—	—	—	—
E944	Other complication of prophy- {M lactic inoculation ... {F	†2 †1	†3 †3	†2 †1	— 2	— 1	—	—	2 1	4 1	2 1	2 2
E945	Complications of anaesthesia {M for nontherapeutic purpose {F	—	—	—	—	—	—	—	—	—	—	—
E946	Other compli'ns due to non- {M therap: med: & surg: procs: {F	†	†	†	—	—	2 3	—	—	—	—	—
E950-E959	Therapeutic misadventure and {M late complications of thera- {F	?	?	?	1 5	10 15	2 1	5 8	29 26	35 29	28 28	27 23
E950	Therapeutic misadventure in {M surgical treatment ... {F	?	?	?	—	—	1 5	2 1	13 15	32 22	23 20	22 19
E951	Therapeutic misadventure in {M infusion or transfusion ... {F	?	?	?	—	2 3	—	—	4 1	—	1 1	—
E952	Therapeutic misadventure in {M local application ... {F	?	?	?	—	—	1	—	1	—	—	—
E953	Therapeutic misadv: in admin: {M of drugs or biologicals ... {F	?	?	?	1 1	3 5	—	2 1	3 5	—	2 —	—
E954	Therapeutic misadventure in {M anaesthesia ... {F	?	?	?	—	1 1	1	—	1 1	—	—	—
E955	Other and unspecified thera- {M peutic misadventure ... {F	?	?	?	—	2 1	—	1 3	7 4	3 2	2 2	—
E956	Late complication of surgical {M operation ... {F	?	?	?	—	1	—	—	—	—	—	—
E957	Late complication of amput- {M ation stump ... {F	?	?	?	—	—	—	—	—	—	—	—
E958	Late complication of irradiation {M ... {F	?	?	?	—	—	—	—	—	—	—	—
E959	Late complications of other {M forms of treatment... {F	?	?	?	—	—	—	—	—	—	—	—
E960-E965	Late effects of injury and {M poisoning ... {F	?	?	?	80 7	175 23	204 26	188 27	179 31	154 32	184 19	153 25
E960	Late effect of motor vehicle {M accident ... {F	?	?	?	1 1	7 3	8 1	6 2	8 1	11 2	11 —	9 4
E961	Late effect of accidental {M poisoning ... {F	?	?	?	—	1	3	—	1	—	1	—
E962	Late effect of other accidental {M injury... {F	?	?	?	3 4	47 19	62 25	79 21	76 29	64 28	66 18	44 23

† E943, E944 include E946 for these years.

‡ E960. Included in E810-E835 for these years.

§ E961. Included in E870-E895 for these years.

¶ E962. Included in rest of E800-E946 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
E963	Late effect of self-inflicted in- jury {M F	‡	‡	‡	1	—	—	—	—	—	—	—
E964	Late effect of injury purposely inflicted by another person (not in war) {M F	‡	‡	‡	—	—	—	—	—	—	—	—
E965	Late effects of injuries due to war operations {M F	*	*	*	74 2	120 1	131	103 2	94 1	79	106 1	100 2
E970-E979	Suicide and self-inflicted injury {M F	2673 1639	2694 1680	2961 1757	3023 1697	2885 1586	2831 1638	2788 1550	3020 1734	3178 1865	3060 1940	3198 2084
E970	Poisoning by analgesic and soporific substances ... {M F	53 116	97 142	142 217	148 207	176 245	152 221	241 295	193 254	222 312	241 354	314 388
E971	Poisoning by other solid and liquid substances {M F	134 103	120 113	122 78	119 99	110 83	111 64	113 62	101 79	82 51	90 42	104 54
E972	Poisoning by gases in domestic use {M F	851 786	919 856	1098 904	1081 852	1034 757	1080 876	1092 780	1271 942	1356 1072	1261 1073	1347 1183
E973	Poisoning by other gases ... {M F	16 1	20 2	36 6	21 —	24 5	33 8	24 3	43 3	39 5	41 2	45 8
E974	Injury by hanging and strang- ulation {M F	590 167	582 165	589 131	632 143	569 128	536 133	531 119	531 126	612 128	573 124	562 117
E975	Injury by submersion (drowning) {M F	344 266	301 234	340 251	357 235	330 221	326 218	270 189	258 216	290 178	282 206	271 213
E976	Injury by firearms and ex- plosives {M F	211 10	241 13	205 13	220 10	198 9	189 13	170 4	208 11	197 6	218 10	210 9
E977	Injury by cutting and piercing instruments {M F	275 55	216 44	187 37	232 38	198 40	162 25	155 29	195 25	160 27	162 22	138 35
E978	Injury by jumping from high place {M F	72 69	70 68	95 61	80 66	84 51	90 41	54 38	74 47	76 51	59 57	63 43
E979	Injury by other and unspecified means {M F	127 66	128 43	147 59	133 47	162 47	152 39	138 31	146 31	144 35	133 50	144 34
E980-E985	Homicide and injury purposely inflicted by other persons (not in war) {M F	90 114	94 123	123 102	86 114	107 107	99 83	102 93	83 98	97 104	101 84	90 91
E980	Non-accidental poisoning by another person {M F				5 18	7 8	5 10	17 12	10 14	14 23	13 11	21 14
E981	Assault by firearm and ex- plosive {M F				8 7	13 11	3 13	10 9	9 10	15 8	6 4	10 10
E982	Assault by cutting and piercing instruments {M F	74 114	84 123	115 102	8 11	7 17	3 8	12 18	9 18	10 16	12 17	10 15
E983	Assault by other means ... {M F				51 77	62 71	73 52	40 54	43 55	44 56	59 51	49 52
E984	Injury by intervention of police {M F				— —	— —	1 —	— —	— —	— —	— —	— —
E985	Execution {M F	16 —	10 —	8 —	14 1	18 —	14 —	23 —	12 1	14 1	11 1	— —
E990-E999	Injury resulting from operations of war {M F				24 1	2 —	— —	2 —	1 —	1 —	5 —	— —
E990	By gas and chemicals ... {M F				— —	— —	— —	— —	— —	— —	— —	— —
E991	By gunshot {M F				— —	— —	— —	— —	— —	— —	— —	— —
E992	By grenade and land mine ... {M F				— —	— —	— —	— —	— —	— —	— —	— —
E993	By bomb {M F				1 —	— —	— —	— —	— —	— —	— —	— —
E994	By marine mine, depth charge, and torpedo {M F	*154 *10	*124 *1	*108 *8	— —	— —	— —	— —	— —	— —	— —	— —
E995	By explosion of artillery shell... {M F				— —	— —	— —	— —	1 —	— —	— —	— —
E996	By explosion of undetermined origin {M F				— —	— —	— —	— —	— —	— —	— —	— —
E997	By aircraft destruction ... {M F				— —	— —	— —	— —	— —	— —	— —	— —
E998	By other and unspecified means {M F				— —	— —	— —	— —	— —	— —	— —	— —
E999	Inj: due war ops: but occurring after cess'n: of hostilities ... {M F				24 —	2 —	— —	2 —	— —	1 —	5 —	— —

‡ E 963. Included in E970-E979 for these years.
 { E 964. Included in E980-E985 for these years.

* E 990-E999. Includes E965 for these years.

TABLE 7—continued.

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
N800-N999	XVII. — ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, & VIOLENCE (NATURE OF INJURY) {M F	? ?	? ?	? ?	11712 6801	11905 6284	12447 7309	11992 6810	12333 7531	12630 8239	12932 8537	12999 8877
N800-N804	Fracture of skull ... {M F	? ?	? ?	? ?	2974 890	3248 961	3477 965	3189 847	3143 855	3057 877	3169 910	3129 977
N805-N809	Fracture of spine and trunk ... {M F	? ?	? ?	? ?	759 210	703 245	674 251	677 271	716 294	759 372	766 389	797 400
N810-N829	Fracture of limbs ... {M F	? ?	? ?	? ?	836 1798	837 1995	960 2069	808 1786	957 2169	1191 2511	1127 2599	1249 2787
N830-N839	Dislocation without fracture ... {M F	? ?	? ?	? ?	6 5	24 9	49 24	43 19	43 13	40 24	58 30	42 22
N840-N848	Sprains and strains of joints and adjacent muscles ... {M F	? ?	? ?	? ?	7 1	4 1	2 4	1 2	2 1	2 1	2 2	—
N850-N856	Head injury (excluding fracture) ... {M F	? ?	? ?	? ?	817 373	902 387	973 405	839 361	862 360	932 429	962 446	912 437
N860-N869	Internal injury of chest, abdomen, and pelvis ... {M F	? ?	? ?	? ?	580 125	746 151	839 166	955 173	854 200	885 173	934 175	934 187
N870-N908	Laceration and open wounds {M F	? ?	? ?	? ?	490 89	402 94	362 77	468 109	502 89	429 107	458 108	397 99
N910-N929	Superficial injury, contusion & crushing with intact skin surface {M F	? ?	? ?	? ?	55 57	38 61	52 63	34 58	40 73	42 90	59 92	57 57
N930-N936	Effects of foreign body entering through orifice ... {M F	? ?	? ?	? ?	280 213	271 206	265 196	275 189	247 191	289 201	291 193	287 211
N940-N949	Burns ... {M F	? ?	? ?	? ?	272 449	257 426	306 485	245 492	288 393	251 480	297 475	267 467
N960-N979	Effects of poisons ... {M F	? ?	? ?	? ?	1759 1542	1752 1522	1893 1664	2042 1624	2155 1800	2271 2057	2287 2159	2457 2357
N950-N959 N980-N999	All other & unspecified effects of external causes ... {M F	? ?	? ?	? ?	2877 1049	2721 926	2595 940	2416 879	2524 1093	2482 917	2522 959	2487 887

TABLE 8 —Crude death Rates per Million Living from Certain Causes, by Sex at All Ages, 1946-1956 } England and Wales

Note : (1) Rates for years up to 1949 are based on civilian deaths and civilian populations. Rates from 1950 are based on total deaths and Home Populations. *See Explanatory notes on page v.*
 (2) Footnotes to individual causes in Table 7 apply also to those causes in this table.
 (3) The symbols M, F and P in the second column indicate "Males", "Females" and all "Persons" respectively.

International List No.	Causes of Death		1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
	Estimated mid-year population (in thousands)	.. { M F P	18616 21979 40595	19612 22174 41786	20370 22380 42750	20580 22520 43100	21169 22661 43830	21044 22771 43815	21110 22845 43955	21206 22903 44109	21288 22986 44274	21389 23052 44441	21517 23150 44667
	ALL CAUSES	.. { M F P	13400 10901 12047	13550 11268 12339	11864 10142 10962	12631 11103 11832	12337 10995 11643	13387 11754 12539	12210 10493 11318	12236 10655 11416	12204 10532 11336	12482 10927 11675	12451 10947 11672
01-138	I.—INFECTIVE & PARASITIC DISEASES	.. { M F P	891 533 697	878 561 710	772 489 624	722 440 575	605 355 475	543 296 415	441 220 326	387 196 288	339 164 248	300 142 218	256 120 185
01-019	Tuberculosis (all forms)	.. { M F P	706 421 552	683 437 552	628 397 507	579 350 459	469 267 364	419 219 315	337 152 241	281 128 202	253 109 178	212 85 146	177 68 120
01-008	Respiratory system	.. { M F P	613 345 468	595 364 473	555 334 440	518 303 405	422 227 321	376 181 275	304 128 212	257 108 179	232 92 160	195 72 131	164 57 109
01-019	Other forms	.. { M F P	93 75 83	87 73 80	73 63 67	61 47 54	47 40 43	44 37 41	33 24 28	24 21 19	21 17 15	17 13 15	13 11 12
01-008	Meninges and central nervous system	.. { M F P	42 36 39	40 34 37	32 30 31	27 24 25	20 20 20	21 19 20	13 11 12	8 7 8	5 4 4	3 3 3	2 2 2
01-008	Intestines, peritoneum, and mesenteric glands	.. { M F P	12 9 11	10 11 11	8 9 9	7 7 7	4 4 4	4 4 4	3 3 3	3 3 3	2 3 2	2 2 2	2 2 2
01-013	Bones and joints	.. { M F P	12 9 11	10 7 9	10 7 9	7 5 6	7 5 6	6 4 5	5 3 4	3 3 3	4 3 3	3 2 3	2 2 2
01-006	Genito-urinary system	.. { M F P	8 5 7	9 5 7	9 5 7	10 4 7	8 4 6	8 4 6	7 3 5	5 3 4	6 3 4	4 2 3	4 3 3
01-009	Disseminated tuberculosis	.. { M F P	14 12 13	14 12 13	10 9 10	8 5 6	4 4 4	4 3 3	3 3 3	3 2 3	4 3 3	3 2 3	2 2 2
01-029	Syphilis and its sequelæ	.. { M F P	85 28 54	74 26 48	64 23 42	63 22 41	57 23 39	60 22 40	52 23 37	47 19 33	45 20 32	44 19 31	43 20 31
01-002	Aneurysm of aorta	.. { M F P	27 7 16	26 8 16	23 8 15	25 8 16	20 10 15	23 9 15	21 10 15	19 8 14	18 9 14	20 10 14	20 9 14
01-003	Other cardiovascular syphilis	.. { M F P	27 10 18	23 9 15	23 9 15	17 6 11	21 7 14	22 7 14	18 8 13	16 7 11	16 6 11	16 6 11	15 7 11
01-004	Tabes dorsalis	.. { M F P	10 2 6	8 2 5	5 1 3	6 1 3	5 1 3	5 1 3	5 1 3	4 1 3	3 1 2	2 1 2	3 1 2
01-005	General paralysis of insane	.. { M F P	17 6 11	14 5 10	10 3 6	8 2 5	5 2 4	6 2 4	4 2 3	4 2 3	4 2 3	4 2 3	3 1 2
01-006	Other syphilis of central nervous system	.. { M F P	?	?	?	1	2	2	2	2	2	1	2
01-009	Infectious diseases commonly arising in intestinal tract	.. { M F P	7 4 5	5 3 4	5 3 4	4 3 3	4 3 3	4 3 3	3 2 2	2 1 2	2 1 2	3 2 2	2 2 2
01-004, 041	Typhoid and paratyphoid fevers	.. { M F P	1 1 1	1 0 1	1 1 1	1 1 1	0 0 0	0 1 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
01-002	Other salmonella infections	.. { M F P	1 1 1	1 1 1	2 1 1	1 1 1	1 1 1	1 0 1	1 1 1	1 1 1	1 0 1	1 1 1	1 1 1

TABLE 8—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
045-048	Dysentery (all forms) .. { M F P	4 2 3	3 1 2	2 1 2	1 1 1	2 1 1	2 1 2	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
045	Bacillary dysentery .. { M F P	2 1 1	1 1 1	1 1 1	1 0 1	1 1 1	1 1 1	1 0 0	1 1 1	1 1 1	1 1 1	1 1 1
050-064	Other bacterial diseases .. { M F P	59 53 56	53 50 51	40 37 38	32 28 30	27 24 25	26 23 24	19 17 18	20 18 19	16 13 14	12 10 11	13 10 11
050	Scarlet fever .. { M F P	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	0 1 1	0 1 1	0 1 1	0 1 0	0 0 0
051	Streptococcal sore throat { M F P	2 2 2	2 3 2	2 2 2	1 2 2	2 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 0 1	1 1 1
052	Erysipelas .. { M F P	2 2 2	1 2 1	1 1 1	1 1 1	1 1 1	0 0 0	0 0 0	0 1 0	0 0 0	0 0 0	0 0 0
053	Septicæmia and pyæmia { M F P	7 5 6	5 4 5	5 4 4	4 3 3	4 3 4	3 2 3	2 3 3	3 2 3	3 3 3	2 2 2	3 2 2
055	Diphtheria .. { M F P	11 11 11	6 5 6	4 3 4	2 2 2	1 1 1	1 1 1	1 1 1	1 1 1	0 0 0	0 0 0	0 0 0
056	Whooping cough .. { M F P	19 21 20	20 23 22	16 18 17	12 13 12	8 10 9	10 11 10	4 4 4	5 6 6	3 3 3	2 2 2	2 2 2
057	Meningococcal infections { M F P	14 10 12	15 11 13	8 6 7	7 6 7	7 6 6	7 6 7	8 6 7	8 5 7	6 5 6	5 5 5	5 3 4
080-096	Diseases attributable to viruses .. { M F P	29 25 27	59 43 51	32 27 29	41 36 38	43 36 39	29 27 28	25 24 25	32 27 29	19 17 18	25 23 24	18 17 18
080, 081	Acute poliomyelitis, including late effects .. { M F P	3 3 3	21 13 16	7 4 6	17 13 15	20 15 17	6 5 5	8 5 7	10 6 8	4 2 3	8 5 6	4 3 3
082, 083	Acute infectious enceph- alitis, including late effects .. { M F P	13 11 11	12 10 11	11 8 9	9 8 9	9 8 8	7 8 8	6 6 6	8 6 7	6 6 6	6 5 6	7 5 6
085	Measles .. { M F P	6 4 5	17 14 15	8 7 8	7 7 7	6 6 5	8 6 7	3 3 3	7 4 6	1 1 1	4 4 4	1 1 1
092	Infectious hepatitis .. { M F P	6 5 5	6 5 5	4 4 4	6 5 5	7 6 6	6 6 6	5 6 6	6 7 7	5 7 6	5 7 6	5 7 6
140-239	II.—NEOPLASMS .. { M F P	2108 1839 1962	2081 1850 1958	2073 1854 1958	2095 1867 1976	2099 1890 1991	2164 1864 2008	2189 1888 2033	2206 1873 2033	2260 1902 2074	2287 1913 2093	2309 1930 2112
140-205	Cancer, including Hodgkin's disease, leukæmia and aleukæmia .. { M F P	2058 1783 1909	2036 1797 1909	2028 1803 1910	2050 1821 1930	2058 1840 1945	2121 1820 1965	2152 1847 1994	2166 1833 1993	2223 1861 2035	2252 1873 2055	2274 1891 2076
140-200 202, 203, 205	Cancer, excluding Hodgkin's disease, leukæmia and aleukæmia .. { M F P	1995 1743 1859	1977 1756 1859	1966 1762 1859	1984 1775 1875	1992 1792 1889	2052 1760 1904	2077 1794 1930	2090 1777 1928	2146 1804 1969	2171 1817 1988	2194 1831 2005
140-148	Malignant neoplasm of buccal cavity and pharynx { M F P	95 25 57	87 25 54	81 24 51	76 26 50	75 27 50	74 28 50	70 28 48	66 25 45	71 28 49	66 28 47	57 28 42
140	Lip .. { M F P	10 1 5	8 1 4	7 1 4	8 1 4	7 1 4	6 1 3	5 1 3	5 0 3	5 1 3	5 1 3	4 1 2
141	Tongue .. { M F P	32 6 18	31 6 18	29 6 17	24 7 15	25 6 15	23 7 15	21 6 13	20 6 13	21 6 13	18 7 12	17 7 12
142-148	Other or unspecified parts of buccal cavity and pharynx .. { M F P	52 18 34	48 18 32	45 17 30	44 18 30	43 20 31	45 22 32	44 20 32	41 18 29	46 21 33	43 21 32	37 21 28
150-159	Malignant neoplasm of digestive organs and peritoneum .. { M F P	1093 832 952	1052 832 935	1029 826 923	1001 823 908	965 826 893	970 800 881	956 806 878	934 792 860	921 797 857	909 795 850	890 785 836

TABLE 8—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
50	Esophagus	M 77 F 37 P 56	79 36 36 36 56 54	74 36 36 36 54 54	70 35 37 38 52 52	71 37 37 37 53 53	71 37 37 37 53 53	70 37 37 38 53 50	63 38 37 40 50 51	61 38 40 41 51 52	63 41 41 41 52 52	64 41 41 41 52 52
51	Stomach	M 405 F 280 P 338	398 280 280 278 335 337	401 278 273 273 330 330	392 273 284 286 330 335	379 284 286 286 330 335	388 286 286 286 335 335	382 278 271 271 328 323	379 271 273 273 319 319	369 273 268 268 319 319	373 268 268 268 312 312	360 268 268 268 312 312
52	Small intestine, including duodenum	M 7 F 4 P 5	5 5 5 5 5 5	5 4 4 4 4 4	5 5 5 5 5 5	5 4 4 4 4 4	4 5 5 5 5 5	5 4 4 4 5 5	5 4 4 4 5 5	5 4 4 4 5 5	5 4 4 4 5 5	5 4 4 4 5 5
53	Large intestine, except rectum	M 253 F 269 P 262	241 272 261 262 257 244	225 261 263 242 244 242	219 263 232 232 257 221	204 257 239 248 232 223	202 239 248 243 221 220	197 248 243 243 223 223	196 243 238 238 220 215	190 238 240 240 215 213	183 240 240 240 213 213	177 236 236 236 208 208
54	Rectum	M 206 F 112 P 155	193 114 114 114 151 151	192 114 114 114 151 151	183 116 112 112 148 148	175 106 106 106 132 132	172 106 106 106 138 138	162 105 105 105 132 132	153 106 106 106 129 129	157 108 108 108 131 131	149 104 104 104 126 126	147 103 103 103 124 124
55	Biliary passages and liver (stated to be primary site)	M 65 F 65 P 65	58 62 62 62 60 58	54 62 62 62 58 58	22 32 32 32 28 30	23 36 36 36 30 34	23 34 35 35 28 30	25 34 35 35 30 29	23 34 35 35 29 29	26 35 35 35 31 31	23 35 35 35 29 29	24 37 37 37 31 31
56	Liver (secondary and unspecified)	M 65 F 65 P 65	60 58 58 58 60 58	58 58 58 58 60 58	29 29 29 29 29 29	28 25 25 25 26 25	27 24 24 24 25 25	26 21 21 21 23 23	25 21 21 21 23 23	23 22 22 22 20 20	21 20 20 20 19 19	20 19 19 19 19 19
57	Pancreas	M 72 F 56 P 63	70 53 53 61 61 65	71 59 59 65 65 65	74 61 63 67 68 68	74 63 60 68 68 68	77 60 68 68 68 68	82 68 68 68 75 75	81 65 65 65 73 73	83 67 67 75 75 75	86 71 71 76 76 76	86 67 67 76 76 76
58	Peritoneum	M 8 F 8 P 8	6 10 10 8 8 8	7 11 11 9 9 8	7 9 9 8 8 8	7 8 8 8 8 8	7 8 8 8 8 8	6 10 10 8 8 8	7 10 10 8 8 8	8 9 9 8 8 8	6 10 10 8 8 8	6 8 8 8 7 7
60-165	Malignant neoplasm of respiratory system	M 413 F 81 P 234	438 89 89 95 253 271	465 95 95 98 271 288	495 98 104 107 312 335	536 107 107 113 335 354	581 113 113 113 354 373	614 113 113 117 373 397	654 117 117 121 397 417	699 121 121 121 417 435	735 121 121 121 435 435	768 125 125 125 435 435
60	Nose, nasal cavities, middle ear, and accessory sinuses	M 5 F 4 P 5	5 3 3 4 4 4	5 4 4 4 4 4	6 4 4 5 5 5	6 4 5 4 5 5	6 4 4 4 5 5	6 4 4 4 5 5	6 4 4 4 5 5	6 4 4 4 5 5	6 4 4 4 5 5	6 4 4 4 5 5
61	Larynx	M 44 F 8 P 25	39 9 9 23 23 23	41 9 9 24 24 24	38 9 9 23 23 23	38 9 9 23 23 23	38 9 9 23 23 23	36 8 8 21 21 21	35 7 7 21 21 21	31 8 8 19 19 19	32 9 9 20 20 19	31 7 7 19 19 19
62	Trachea, and bronchus of and lung specified as primary	M 355 F 65 P 198	387 73 73 79 220 238	413 79 79 79 238 238	108 22 26 27 63 79	135 27 27 33 79 83	142 33 33 33 83 99	172 33 33 32 99 104	182 32 32 50 104 171	302 50 50 76 280 297	500 76 76 81 280 297	530 81 81 81 297 297
63	Lung and bronchus, un- specified as to whether primary or secondary	M 198 F 65 P 198	220 73 73 79 238 238	238 79 79 79 238 238	336 61 61 64 192 201	350 64 64 65 220 224	388 65 65 66 224 239	396 66 66 66 239 239	426 66 66 66 239 239	356 51 51 30 108 110	193 30 30 30 110 110	195 30 30 30 110 110
64	Mediastinum	M 8 F 4 P 6	8 3 3 5 5 5	7 3 3 5 5 5	6 3 3 5 5 5	6 3 3 5 5 5	5 2 2 4 4 4	5 2 2 4 4 4	5 2 2 4 4 4	4 2 2 3 3 3	4 2 2 3 3 3	3 2 2 2 2 2
70-181	Malignant neoplasm of breast and genito-urinary organs	M 259 F 706 P 501	262 707 707 496 498 496	258 713 713 496 496 496	270 710 710 500 500 502	274 714 714 502 502 503	277 712 712 511 511 511	282 715 715 511 511 511	285 715 715 511 511 511	296 723 723 518 518 518	299 733 733 524 524 533	311 740 740 533 533 533
70	Breast	M 4 F 351 P 192	4 349 349 187 187 187	3 350 350 185 185 185	4 350 350 185 185 185	3 352 352 184 184 184	3 352 352 184 184 184	3 363 363 190 190 190	4 376 376 187 187 187	4 364 364 191 191 191	4 369 369 193 193 193	3 371 371 194 194 194
71-174	Uterus	F 195	193	193	189	183	178	176	172	167	168	170
75	Ovary, Fallopian tube and broad ligament	F 95	100	101	104	110	112	110	112	114	121	121
76	Other and unspecified female genital organs	F 19	20	19	19	21	19	21	21	21	21	21
77	Prostate	M 139	143	137	144	146	144	142	149	157	156	165
78	Testis	M 10	9	10	9	10	9	10	9	10	8	9
79	Other and unspecified male genital organs	M 9	9	8	8	8	8	7	6	6	8	7
80	Kidney	M 23 F 16 P 19	25 16 16 20 20 20	26 17 17 21 21 21	27 17 17 22 22 22	28 19 19 22 22 23	28 19 19 23 23 23	30 21 21 25 25 25	31 21 21 25 25 25	32 20 20 26 26 26	33 20 20 26 26 26	33 20 20 26 26 26
81	Bladder and other urinary organs	M 74 F 30 P 50	72 29 29 49 49 49	76 32 32 53 53 53	79 31 31 54 54 54	79 34 34 56 56 56	85 32 32 58 58 58	90 32 32 60 60 60	86 35 35 61 61 61	87 37 37 63 63 63	91 37 37 63 63 63	94 37 37 64 64 64

TABLE 8—continued

Inter- national List No.	Causes of Death		1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
190-199	Malignant neoplasm of other and unspecified sites	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 116 \\ 88 \\ 101 \end{Bmatrix}$	$\begin{Bmatrix} 119 \\ 91 \\ 104 \end{Bmatrix}$	$\begin{Bmatrix} 113 \\ 93 \\ 103 \end{Bmatrix}$	$\begin{Bmatrix} 116 \\ 101 \\ 108 \end{Bmatrix}$	$\begin{Bmatrix} 116 \\ 104 \\ 110 \end{Bmatrix}$	$\begin{Bmatrix} 117 \\ 98 \\ 107 \end{Bmatrix}$	$\begin{Bmatrix} 121 \\ 103 \\ 112 \end{Bmatrix}$	$\begin{Bmatrix} 117 \\ 109 \\ 113 \end{Bmatrix}$	$\begin{Bmatrix} 121 \\ 113 \\ 117 \end{Bmatrix}$	$\begin{Bmatrix} 125 \\ 110 \\ 117 \end{Bmatrix}$	$\begin{Bmatrix} 130 \\ 121 \\ 125 \end{Bmatrix}$
190, 191	Skin	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 30 \\ 20 \\ 24 \end{Bmatrix}$	$\begin{Bmatrix} 29 \\ 21 \\ 25 \end{Bmatrix}$	$\begin{Bmatrix} 27 \\ 20 \\ 23 \end{Bmatrix}$	$\begin{Bmatrix} 25 \\ 20 \\ 23 \end{Bmatrix}$	$\begin{Bmatrix} 26 \\ 21 \\ 23 \end{Bmatrix}$	$\begin{Bmatrix} 23 \\ 18 \\ 21 \end{Bmatrix}$	$\begin{Bmatrix} 23 \\ 21 \\ 22 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 20 \\ 21 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 20 \\ 21 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 21 \\ 21 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 19 \\ 20 \end{Bmatrix}$
192	Eye	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 3 \\ 2 \\ 2 \end{Bmatrix}$	$\begin{Bmatrix} 2 \\ 2 \\ 2 \end{Bmatrix}$	$\begin{Bmatrix} 2 \\ 2 \\ 2 \end{Bmatrix}$	$\begin{Bmatrix} 3 \\ 2 \\ 2 \end{Bmatrix}$	$\begin{Bmatrix} 3 \\ 3 \\ 3 \end{Bmatrix}$	$\begin{Bmatrix} 3 \\ 2 \\ 3 \end{Bmatrix}$	$\begin{Bmatrix} 2 \\ 3 \\ 2 \end{Bmatrix}$	$\begin{Bmatrix} 2 \\ 2 \\ 2 \end{Bmatrix}$	$\begin{Bmatrix} 2 \\ 3 \\ 3 \end{Bmatrix}$	$\begin{Bmatrix} 2 \\ 2 \\ 2 \end{Bmatrix}$	$\begin{Bmatrix} 3 \\ 2 \\ 2 \end{Bmatrix}$
193	Brain and other parts of nervous system ..	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 24 \\ 17 \\ 20 \end{Bmatrix}$	$\begin{Bmatrix} 28 \\ 17 \\ 22 \end{Bmatrix}$	$\begin{Bmatrix} 30 \\ 17 \\ 23 \end{Bmatrix}$	$\begin{Bmatrix} 32 \\ 21 \\ 26 \end{Bmatrix}$	$\begin{Bmatrix} 32 \\ 23 \\ 27 \end{Bmatrix}$	$\begin{Bmatrix} 35 \\ 22 \\ 28 \end{Bmatrix}$	$\begin{Bmatrix} 39 \\ 23 \\ 31 \end{Bmatrix}$	$\begin{Bmatrix} 38 \\ 26 \\ 32 \end{Bmatrix}$	$\begin{Bmatrix} 39 \\ 27 \\ 33 \end{Bmatrix}$	$\begin{Bmatrix} 42 \\ 27 \\ 34 \end{Bmatrix}$	$\begin{Bmatrix} 4 \\ 28 \\ 35 \end{Bmatrix}$
194	Thyroid gland ..	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 4 \\ 7 \\ 10 \end{Bmatrix}$	$\begin{Bmatrix} 5 \\ 10 \\ 8 \end{Bmatrix}$	$\begin{Bmatrix} 4 \\ 10 \\ 7 \end{Bmatrix}$	$\begin{Bmatrix} 4 \\ 11 \\ 8 \end{Bmatrix}$	$\begin{Bmatrix} 3 \\ 11 \\ 7 \end{Bmatrix}$	$\begin{Bmatrix} 4 \\ 8 \\ 11 \end{Bmatrix}$	$\begin{Bmatrix} 5 \\ 11 \\ 8 \end{Bmatrix}$	$\begin{Bmatrix} 4 \\ 12 \\ 8 \end{Bmatrix}$	$\begin{Bmatrix} 5 \\ 12 \\ 8 \end{Bmatrix}$	$\begin{Bmatrix} 4 \\ 12 \\ 8 \end{Bmatrix}$	$\begin{Bmatrix} 5 \\ 12 \\ 9 \end{Bmatrix}$
195	Other endocrine glands ..	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 3 \\ 2 \\ 2 \end{Bmatrix}$	$\begin{Bmatrix} 3 \\ 2 \\ 2 \end{Bmatrix}$	$\begin{Bmatrix} 3 \\ 1 \\ 2 \end{Bmatrix}$	$\begin{Bmatrix} 2 \\ 3 \\ 2 \end{Bmatrix}$	$\begin{Bmatrix} 3 \\ 2 \\ 3 \end{Bmatrix}$	$\begin{Bmatrix} 2 \\ 2 \\ 2 \end{Bmatrix}$	$\begin{Bmatrix} 4 \\ 2 \\ 3 \end{Bmatrix}$	$\begin{Bmatrix} 2 \\ 2 \\ 2 \end{Bmatrix}$	$\begin{Bmatrix} 3 \\ 2 \\ 2 \end{Bmatrix}$	$\begin{Bmatrix} 3 \\ 2 \\ 2 \end{Bmatrix}$	$\begin{Bmatrix} 3 \\ 2 \\ 3 \end{Bmatrix}$
196	Bone (including jaw bone)	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 30 \\ 19 \\ 24 \end{Bmatrix}$	$\begin{Bmatrix} 28 \\ 17 \\ 22 \end{Bmatrix}$	$\begin{Bmatrix} 24 \\ 17 \\ 21 \end{Bmatrix}$	$\begin{Bmatrix} 24 \\ 18 \\ 21 \end{Bmatrix}$	$\begin{Bmatrix} 21 \\ 14 \\ 18 \end{Bmatrix}$	$\begin{Bmatrix} 21 \\ 14 \\ 17 \end{Bmatrix}$	$\begin{Bmatrix} 19 \\ 14 \\ 16 \end{Bmatrix}$	$\begin{Bmatrix} 19 \\ 13 \\ 16 \end{Bmatrix}$	$\begin{Bmatrix} 17 \\ 14 \\ 15 \end{Bmatrix}$	$\begin{Bmatrix} 16 \\ 14 \\ 14 \end{Bmatrix}$	$\begin{Bmatrix} 18 \\ 13 \\ 15 \end{Bmatrix}$
197-199	Other and unspecified sites	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 24 \\ 19 \\ 21 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 22 \\ 23 \end{Bmatrix}$	$\begin{Bmatrix} 23 \\ 25 \\ 24 \end{Bmatrix}$	$\begin{Bmatrix} 26 \\ 26 \\ 26 \end{Bmatrix}$	$\begin{Bmatrix} 27 \\ 30 \\ 29 \end{Bmatrix}$	$\begin{Bmatrix} 28 \\ 28 \\ 28 \end{Bmatrix}$	$\begin{Bmatrix} 29 \\ 29 \\ 29 \end{Bmatrix}$	$\begin{Bmatrix} 29 \\ 34 \\ 31 \end{Bmatrix}$	$\begin{Bmatrix} 33 \\ 36 \\ 35 \end{Bmatrix}$	$\begin{Bmatrix} 35 \\ 36 \\ 35 \end{Bmatrix}$	$\begin{Bmatrix} 38 \\ 44 \\ 41 \end{Bmatrix}$
200-205	Neoplasms of lymphatic and haematopoietic tissues ..	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 82 \\ 52 \\ 65 \end{Bmatrix}$	$\begin{Bmatrix} 78 \\ 53 \\ 65 \end{Bmatrix}$	$\begin{Bmatrix} 81 \\ 54 \\ 67 \end{Bmatrix}$	$\begin{Bmatrix} 92 \\ 64 \\ 77 \end{Bmatrix}$	$\begin{Bmatrix} 92 \\ 66 \\ 79 \end{Bmatrix}$	$\begin{Bmatrix} 101 \\ 76 \\ 88 \end{Bmatrix}$	$\begin{Bmatrix} 109 \\ 76 \\ 92 \end{Bmatrix}$	$\begin{Bmatrix} 110 \\ 79 \\ 94 \end{Bmatrix}$	$\begin{Bmatrix} 114 \\ 84 \\ 98 \end{Bmatrix}$	$\begin{Bmatrix} 116 \\ 86 \\ 101 \end{Bmatrix}$	$\begin{Bmatrix} 118 \\ 91 \\ 104 \end{Bmatrix}$
200	Lymphosarcoma and reticulosarcoma ..	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 15 \\ 7 \\ 11 \end{Bmatrix}$	$\begin{Bmatrix} 14 \\ 7 \\ 11 \end{Bmatrix}$	$\begin{Bmatrix} 14 \\ 7 \\ 10 \end{Bmatrix}$	$\begin{Bmatrix} 19 \\ 11 \\ 15 \end{Bmatrix}$	$\begin{Bmatrix} 18 \\ 11 \\ 14 \end{Bmatrix}$	$\begin{Bmatrix} 20 \\ 13 \\ 16 \end{Bmatrix}$	$\begin{Bmatrix} 21 \\ 13 \\ 17 \end{Bmatrix}$	$\begin{Bmatrix} 21 \\ 13 \\ 17 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 15 \\ 18 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 17 \\ 19 \end{Bmatrix}$	$\begin{Bmatrix} 21 \\ 16 \\ 19 \end{Bmatrix}$
201	Hodgkin's disease ..	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 10 \\ 16 \end{Bmatrix}$	$\begin{Bmatrix} 21 \\ 10 \\ 15 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 11 \\ 16 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 11 \\ 16 \end{Bmatrix}$	$\begin{Bmatrix} 20 \\ 11 \\ 15 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 12 \\ 17 \end{Bmatrix}$	$\begin{Bmatrix} 23 \\ 12 \\ 17 \end{Bmatrix}$	$\begin{Bmatrix} 23 \\ 13 \\ 18 \end{Bmatrix}$	$\begin{Bmatrix} 23 \\ 13 \\ 18 \end{Bmatrix}$	$\begin{Bmatrix} 23 \\ 13 \\ 18 \end{Bmatrix}$	$\begin{Bmatrix} 24 \\ 13 \\ 18 \end{Bmatrix}$
204	Leukæmia and aleukæmia	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 41 \\ 30 \\ 35 \end{Bmatrix}$	$\begin{Bmatrix} 38 \\ 32 \\ 35 \end{Bmatrix}$	$\begin{Bmatrix} 40 \\ 31 \\ 35 \end{Bmatrix}$	$\begin{Bmatrix} 44 \\ 35 \\ 40 \end{Bmatrix}$	$\begin{Bmatrix} 47 \\ 37 \\ 42 \end{Bmatrix}$	$\begin{Bmatrix} 47 \\ 41 \\ 44 \end{Bmatrix}$	$\begin{Bmatrix} 52 \\ 45 \\ 46 \end{Bmatrix}$	$\begin{Bmatrix} 53 \\ 44 \\ 48 \end{Bmatrix}$	$\begin{Bmatrix} 54 \\ 44 \\ 49 \end{Bmatrix}$	$\begin{Bmatrix} 57 \\ 43 \\ 50 \end{Bmatrix}$	$\begin{Bmatrix} 5 \\ 47 \\ 52 \end{Bmatrix}$
	0. Lymphatic leukæmia	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$				$\begin{Bmatrix} 16 \\ 10 \\ 13 \end{Bmatrix}$	$\begin{Bmatrix} 20 \\ 14 \\ 17 \end{Bmatrix}$	$\begin{Bmatrix} 20 \\ 14 \\ 17 \end{Bmatrix}$	$\begin{Bmatrix} 21 \\ 13 \\ 17 \end{Bmatrix}$	$\begin{Bmatrix} 21 \\ 14 \\ 17 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 15 \\ 18 \end{Bmatrix}$	$\begin{Bmatrix} 23 \\ 16 \\ 18 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 16 \\ 19 \end{Bmatrix}$
	1. Myeloid leukæmia ..	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$				$\begin{Bmatrix} 15 \\ 14 \\ 14 \end{Bmatrix}$	$\begin{Bmatrix} 19 \\ 18 \\ 18 \end{Bmatrix}$	$\begin{Bmatrix} 19 \\ 20 \\ 20 \end{Bmatrix}$	$\begin{Bmatrix} 21 \\ 20 \\ 21 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 21 \\ 22 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 21 \\ 21 \end{Bmatrix}$	$\begin{Bmatrix} 24 \\ 21 \\ 23 \end{Bmatrix}$	$\begin{Bmatrix} 25 \\ 23 \\ 24 \end{Bmatrix}$
	2-4 Other and unspecified leukæmia ..	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$				$\begin{Bmatrix} 13 \\ 12 \\ 12 \end{Bmatrix}$	$\begin{Bmatrix} 8 \\ 6 \\ 7 \end{Bmatrix}$	$\begin{Bmatrix} 7 \\ 6 \\ 7 \end{Bmatrix}$	$\begin{Bmatrix} 10 \\ 8 \\ 9 \end{Bmatrix}$	$\begin{Bmatrix} 10 \\ 9 \\ 9 \end{Bmatrix}$	$\begin{Bmatrix} 10 \\ 8 \\ 9 \end{Bmatrix}$	$\begin{Bmatrix} 11 \\ 8 \\ 9 \end{Bmatrix}$	$\begin{Bmatrix} 10 \\ 8 \\ 10 \end{Bmatrix}$
210-229	Benign neoplasm ..	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 19 \\ 33 \\ 26 \end{Bmatrix}$	$\begin{Bmatrix} 18 \\ 32 \\ 26 \end{Bmatrix}$	$\begin{Bmatrix} 19 \\ 30 \\ 25 \end{Bmatrix}$	$\begin{Bmatrix} 18 \\ 28 \\ 23 \end{Bmatrix}$	$\begin{Bmatrix} 18 \\ 30 \\ 24 \end{Bmatrix}$	$\begin{Bmatrix} 18 \\ 25 \\ 22 \end{Bmatrix}$	$\begin{Bmatrix} 16 \\ 26 \\ 21 \end{Bmatrix}$	$\begin{Bmatrix} 17 \\ 24 \\ 21 \end{Bmatrix}$	$\begin{Bmatrix} 15 \\ 26 \\ 21 \end{Bmatrix}$	$\begin{Bmatrix} 15 \\ 25 \\ 20 \end{Bmatrix}$	$\begin{Bmatrix} 14 \\ 24 \\ 19 \end{Bmatrix}$
214	Uterine fibromyoma ..	F	10	8	9	8	8	6	6	5	5	4	4
216	Ovary	F	8	8	6	6	7	5	5	5	5	4	5
219	Kidney and other urin- ary organs ..	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 7 \\ 2 \\ 5 \end{Bmatrix}$	$\begin{Bmatrix} 5 \\ 2 \\ 4 \end{Bmatrix}$	$\begin{Bmatrix} 6 \\ 2 \\ 4 \end{Bmatrix}$	$\begin{Bmatrix} 6 \\ 1 \\ 3 \end{Bmatrix}$	$\begin{Bmatrix} 6 \\ 2 \\ 4 \end{Bmatrix}$	$\begin{Bmatrix} 6 \\ 2 \\ 4 \end{Bmatrix}$	$\begin{Bmatrix} 5 \\ 1 \\ 3 \end{Bmatrix}$	$\begin{Bmatrix} 5 \\ 1 \\ 3 \end{Bmatrix}$	$\begin{Bmatrix} 5 \\ 1 \\ 3 \end{Bmatrix}$	$\begin{Bmatrix} 4 \\ 1 \\ 3 \end{Bmatrix}$	$\begin{Bmatrix} 3 \\ 1 \\ 2 \end{Bmatrix}$
223	Brain and other parts of nervous system ..	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 6 \\ 6 \\ 6 \end{Bmatrix}$	$\begin{Bmatrix} 7 \\ 7 \\ 7 \end{Bmatrix}$	$\begin{Bmatrix} 6 \\ 7 \\ 6 \end{Bmatrix}$	$\begin{Bmatrix} 6 \\ 7 \\ 6 \end{Bmatrix}$	$\begin{Bmatrix} 6 \\ 7 \\ 7 \end{Bmatrix}$	$\begin{Bmatrix} 6 \\ 7 \\ 7 \end{Bmatrix}$	$\begin{Bmatrix} 5 \\ 7 \\ 6 \end{Bmatrix}$	$\begin{Bmatrix} 7 \\ 7 \\ 6 \end{Bmatrix}$	$\begin{Bmatrix} 7 \\ 8 \\ 7 \end{Bmatrix}$	$\begin{Bmatrix} 6 \\ 8 \\ 7 \end{Bmatrix}$	$\begin{Bmatrix} 6 \\ 7 \\ 6 \end{Bmatrix}$
230-239	Neoplasm of unspecified nature	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 31 \\ 23 \\ 26 \end{Bmatrix}$	$\begin{Bmatrix} 27 \\ 20 \\ 24 \end{Bmatrix}$	$\begin{Bmatrix} 27 \\ 20 \\ 24 \end{Bmatrix}$	$\begin{Bmatrix} 27 \\ 19 \\ 23 \end{Bmatrix}$	$\begin{Bmatrix} 23 \\ 20 \\ 21 \end{Bmatrix}$	$\begin{Bmatrix} 24 \\ 18 \\ 21 \end{Bmatrix}$	$\begin{Bmatrix} 21 \\ 15 \\ 18 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 16 \\ 19 \end{Bmatrix}$	$\begin{Bmatrix} 22 \\ 15 \\ 18 \end{Bmatrix}$	$\begin{Bmatrix} 20 \\ 15 \\ 17 \end{Bmatrix}$	$\begin{Bmatrix} 20 \\ 15 \\ 18 \end{Bmatrix}$
240-249	III.—ALLERGIC, ENDO- CRINE SYSTEM, META- BOLIC, & NUTRITION- AL DISEASES	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 174 \\ 223 \\ 201 \end{Bmatrix}$	$\begin{Bmatrix} 165 \\ 228 \\ 198 \end{Bmatrix}$	$\begin{Bmatrix} 136 \\ 204 \\ 172 \end{Bmatrix}$	$\begin{Bmatrix} 151 \\ 213 \\ 184 \end{Bmatrix}$	$\begin{Bmatrix} 152 \\ 223 \\ 189 \end{Bmatrix}$	$\begin{Bmatrix} 166 \\ 236 \\ 202 \end{Bmatrix}$	$\begin{Bmatrix} 139 \\ 201 \\ 171 \end{Bmatrix}$	$\begin{Bmatrix} 132 \\ 194 \\ 164 \end{Bmatrix}$	$\begin{Bmatrix} 128 \\ 187 \\ 159 \end{Bmatrix}$	$\begin{Bmatrix} 127 \\ 193 \\ 161 \end{Bmatrix}$	$\begin{Bmatrix} 124 \\ 190 \\ 158 \end{Bmatrix}$
240-245	Allergic disorders ..	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} 87 \\ 60 \\ 72 \end{Bmatrix}$	$\begin{Bmatrix} 85 \\ 64 \\ 74 \end{Bmatrix}$	$\begin{Bmatrix} 70 \\ 56 \\ 63 \end{Bmatrix}$	$\begin{Bmatrix} 82 \\ 63 \\ 72 \end{Bmatrix}$	$\begin{Bmatrix} 77 \\ 65 \\ 70 \end{Bmatrix}$	$\begin{Bmatrix} 88 \\ 75 \\ 81 \end{Bmatrix}$	$\begin{Bmatrix} 67 \\ 54 \\ 60 \end{Bmatrix}$	$\begin{Bmatrix} 65 \\ 59 \\ 62 \end{Bmatrix}$	$\begin{Bmatrix} 59 \\ 54 \\ 56 \end{Bmatrix}$	$\begin{Bmatrix} 58 \\ 51 \\ 55 \end{Bmatrix}$	$\begin{Bmatrix} 53 \\ 55 \\ 54 \end{Bmatrix}$
241	Asthma	$\begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	$\begin{Bmatrix} ? \\ ? \\ ? \end{Bmatrix}$	$\begin{Bmatrix} ? \\ ? \\ ? \end{Bmatrix}$	$\begin{Bmatrix} ? \\ ? \\ ? \end{Bmatrix}$	$\begin{Bmatrix} 82 \\ 63 \\ 72 \end{Bmatrix}$	$\begin{Bmatrix} 77 \\ 65 \\ 70 \end{Bmatrix}$	$\begin{Bmatrix} 88 \\ 75 \\ 81 \end{Bmatrix}$	$\begin{Bmatrix} 67 \\ 54 \\ 60 \end{Bmatrix}$	$\begin{Bmatrix} 64 \\ 59 \\ 62 \end{Bmatrix}$	$\begin{Bmatrix} 59 \\ 54 \\ 56 \end{Bmatrix}$	$\begin{Bmatrix} 58 \\ 51 \\ 54 \end{Bmatrix}$	$\begin{Bmatrix} 53 \\ 55 \\ 54 \end{Bmatrix}$

TABLE 8—continued

International List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
-254	Diseases of thyroid gland ..	{ M 6	{ M 6	{ M 5	{ M 6	{ M 6	{ M 6	{ M 5	{ M 5	{ M 5	{ M 4	{ M 5
		{ F 39	{ F 41	{ F 34	{ F 34	{ F 35	{ F 34	{ F 30	{ F 23	{ F 27	{ F 28	{ F 26
		{ P 24	{ P 25	{ P 20	{ P 20	{ P 21	{ P 21	{ P 18	{ P 14	{ P 16	{ P 17	{ P 16
	Thyrototoxicosis with or without goitre ..	{ M 4	{ M 4	{ M 3	{ M 4	{ M 3	{ M 4	{ M 3	{ M 3	{ M 2	{ M 2	{ M 2
		{ F 27	{ F 28	{ F 25	{ F 23	{ F 22	{ F 21	{ F 17	{ F 14	{ F 15	{ F 14	{ F 13
		{ P 17	{ P 17	{ P 15	{ P 14	{ P 13	{ P 13	{ P 10	{ P 9	{ P 9	{ P 8	{ P 8
		{ M 1	{ M 2	{ M 1	{ M 1	{ M 1	{ M 1	{ M 1	{ M 1	{ M 1	{ M 1	{ M 2
	Myxœdema and cretinism ..	{ F 8	{ F 9	{ F 6	{ F 7	{ F 9	{ F 10	{ F 9	{ F 6	{ F 10	{ F 11	{ F 10
		{ P 5	{ P 6	{ P 3	{ P 4	{ P 5	{ P 6	{ P 5	{ P 4	{ P 6	{ P 6	{ P 6
		{ M 68	{ M 59	{ M 51	{ M 53	{ M 58	{ M 58	{ M 52	{ M 50	{ M 49	{ M 51	{ M 51
		{ F 111	{ F 107	{ F 98	{ F 104	{ F 109	{ F 109	{ F 98	{ F 93	{ F 86	{ F 96	{ F 92
	Diabetes mellitus ..	{ P 91	{ P 84	{ P 76	{ P 80	{ P 84	{ P 85	{ P 76	{ P 72	{ P 68	{ P 74	{ P 73
-277	Diseases of other endocrine glands ..	{ M 7	{ M 7	{ M 5	{ M 6	{ M 7	{ M 8	{ M 7	{ M 6	{ M 6	{ M 5	{ M 6
		{ F 8	{ F 10	{ F 8	{ F 8	{ F 8	{ F 10	{ F 9	{ F 8	{ F 9	{ F 7	{ F 6
		{ P 7	{ P 8	{ P 7	{ P 7	{ P 7	{ P 9	{ P 8	{ P 7	{ P 8	{ P 6	{ P 6
	Diseases of pituitary gland ..	{ M 1	{ M 1	{ M 1	{ M 2	{ M 2	{ M 2	{ M 2	{ M 1	{ M 1	{ M 2	{ M 2
		{ F 1	{ F 2	{ F 2	{ F 2	{ F 2	{ F 3	{ F 3	{ F 3	{ F 3	{ F 3	{ F 3
		{ P 1	{ P 1	{ P 1	{ P 2	{ P 2	{ P 3	{ P 2	{ P 2	{ P 3	{ P 2	{ P 2
		{ M 4	{ M 4	{ M 2	{ M 3	{ M 3	{ M 3	{ M 2	{ M 3	{ M 3	{ M 2	{ M 2
	Diseases of adrenal glands ..	{ F 4	{ F 6	{ F 5	{ F 5	{ F 4	{ F 5	{ F 5	{ F 3	{ F 3	{ F 3	{ F 2
-289	Avitaminoses, and other metabolic diseases ..	{ P 4	{ P 5	{ P 4	{ P 4	{ P 4	{ P 4	{ P 4	{ P 3	{ P 3	{ P 2	{ P 2
		{ M 7	{ M 7	{ M 5	{ M 4	{ M 6	{ M 7	{ M 9	{ M 6	{ M 9	{ M 9	{ M 9
		{ F 6	{ F 6	{ F 6	{ F 5	{ F 6	{ F 7	{ F 9	{ F 10	{ F 11	{ F 11	{ F 10
		{ P 6	{ P 6	{ P 6	{ P 5	{ P 6	{ P 7	{ P 9	{ P 8	{ P 10	{ P 10	{ P 10
-299	IV.—DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS ...	{ M 49	{ M 52	{ M 44	{ M 42	{ M 38	{ M 40	{ M 39	{ M 35	{ M 38	{ M 36	{ M 32
		{ F 75	{ F 73	{ F 64	{ F 65	{ F 67	{ F 64	{ F 60	{ F 54	{ F 59	{ F 57	{ F 58
		{ P 63	{ P 63	{ P 54	{ P 54	{ P 53	{ P 53	{ P 50	{ P 45	{ P 49	{ P 47	{ P 46
	Perniciou and other hyperchromic anæmias ..	{ M 28	{ M 29	{ M 23	{ M 21	{ M 19	{ M 18	{ M 15	{ M 13	{ M 13	{ M 13	{ M 12
		{ F 46	{ F 45	{ F 36	{ F 37	{ F 37	{ F 34	{ F 29	{ F 26	{ F 28	{ F 27	{ F 28
		{ P 38	{ P 38	{ P 30	{ P 30	{ P 28	{ P 27	{ P 22	{ P 20	{ P 21	{ P 20	{ P 20
		{ M 28	{ M 28	{ M 22	{ M 20	{ M 16	{ M 16	{ M 13	{ M 12	{ M 12	{ M 11	{ M 10
	0. Pernicious anæmia ..	{ F 46	{ F 45	{ F 36	{ F 35	{ F 31	{ F 31	{ F 26	{ F 23	{ F 25	{ F 24	{ F 24
		{ P 38	{ P 37	{ P 29	{ P 28	{ P 25	{ P 24	{ P 20	{ P 17	{ P 18	{ P 18	{ P 18
		{ M 28	{ M 28	{ M 22	{ M 20	{ M 16	{ M 16	{ M 13	{ M 12	{ M 12	{ M 11	{ M 10
		{ F 46	{ F 45	{ F 36	{ F 35	{ F 31	{ F 31	{ F 26	{ F 23	{ F 25	{ F 24	{ F 24
	1. Subacute combined degeneration of spinal cord ..	{ P 38	{ P 37	{ P 29	{ P 28	{ P 25	{ P 24	{ P 20	{ P 17	{ P 18	{ P 18	{ P 18
		{ M 1	{ M 1	{ M 1	{ M 2	{ M 2	{ M 2	{ M 3	{ M 3	{ M 3	{ M 3	{ M 3
		{ F 3	{ F 4	{ F 4	{ F 4	{ F 6	{ F 7	{ F 6	{ F 7	{ F 8	{ F 7	{ F 8
		{ P 2	{ P 3	{ P 3	{ P 3	{ P 4	{ P 5	{ P 5	{ P 5	{ P 6	{ P 5	{ P 6
	Iron deficiency anæmias (hypochromic anæmias) ..	{ M 8	{ M 10	{ M 9	{ M 9	{ M 8	{ M 10	{ M 10	{ M 11	{ M 13	{ M 12	{ M 11
-293	Other anæmias ..	{ F 12	{ F 12	{ F 11	{ F 13	{ F 14	{ F 11	{ F 15	{ F 12	{ F 14	{ F 14	{ F 14
		{ P 10	{ P 11	{ P 10	{ P 11	{ P 11	{ P 11	{ P 13	{ P 12	{ P 14	{ P 13	{ P 13
		{ M 29	{ M 27	{ M 23	{ M 22	{ M 23	{ M 25	{ M 23	{ M 20	{ M 22	{ M 20	{ M 17
	V.—MENTAL, PSYCHO-NEUROTIC, AND PERSONALITY DISORDERS ..	{ F 36	{ F 39	{ F 31	{ F 32	{ F 35	{ F 36	{ F 30	{ F 31	{ F 31	{ F 31	{ F 33
-309	Psychoses ..	{ P 33	{ P 33	{ P 27	{ P 27	{ P 29	{ P 30	{ P 26	{ P 25	{ P 26	{ P 26	{ P 25
		{ M 20	{ M 19	{ M 15	{ M 16	{ M 15	{ M 18	{ M 16	{ M 14	{ M 16	{ M 15	{ M 13
		{ F 31	{ F 32	{ F 24	{ F 25	{ F 28	{ F 28	{ F 23	{ F 25	{ F 27	{ F 25	{ F 28
		{ P 26	{ P 25	{ P 20	{ P 20	{ P 22	{ P 23	{ P 20	{ P 20	{ P 22	{ P 20	{ P 21
-326	Disorders of character, behaviour, and intelligence ..	{ M 9	{ M 8	{ M 8	{ M 5	{ M 7	{ M 6	{ M 6	{ M 5	{ M 4	{ M 5	{ M 4
		{ F 6	{ F 7	{ F 7	{ F 5	{ F 4	{ F 5	{ F 5	{ F 4	{ F 3	{ F 4	{ F 4
		{ P 7	{ P 8	{ P 7	{ P 5	{ P 6	{ P 6	{ P 5	{ P 4	{ P 4	{ P 5	{ P 4
	Mental deficiency ..	{ M 7	{ M 7	{ M 7	{ M 4	{ M 5	{ M 5	{ M 4	{ M 3	{ M 3	{ M 4	{ M 3
-298	VI.—DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS ..	{ F 7	{ F 7	{ F 7	{ F 4	{ F 4	{ F 4	{ F 4	{ F 3	{ F 3	{ F 4	{ F 3
		{ P 7	{ P 7	{ P 7	{ P 4	{ P 5	{ P 4	{ P 4	{ P 3	{ P 3	{ P 4	{ P 3
		{ M 1436	{ M 1464	{ M 1266	{ M 1379	{ M 1436	{ M 1522	{ M 1514	{ M 1485	{ M 1555	{ M 1588	{ M 1567
		{ F 1590	{ F 1681	{ F 1546	{ F 1684	{ F 1796	{ F 1872	{ F 1885	{ F 1844	{ F 1931	{ F 1996	{ F 2002
-334	Vascular lesions affecting central nervous system ..	{ P 1519	{ P 1579	{ P 1412	{ P 1538	{ P 1622	{ P 1704	{ P 1707	{ P 1671	{ P 1750	{ P 1800	{ P 1792
		{ M 1249	{ M 1284	{ M 1125	{ M 1228	{ M 1284	{ M 1378	{ M 1381	{ M 1356	{ M 1433	{ M 1454	{ M 1442
		{ F 1440	{ F 1524	{ F 1413	{ F 1544	{ F 1656	{ F 1732	{ F 1761	{ F 1716	{ F 1811	{ F 1868	{ F 1877
		{ P 1352	{ P 1411	{ P 1275	{ P 1393	{ P 1476	{ P 1562	{ P 1579	{ P 1543	{ P 1629	{ P 1669	{ P 1668
	Subarachnoid hæmorrhage ..	{ M 745	{ M 730	{ M 635	{ M 26	{ M 32	{ M 39	{ M 48	{ M 50	{ M 57	{ M 51	{ M 58
		{ F 885	{ F 902	{ F 832	{ F 31	{ F 38	{ F 47	{ F 60	{ F 61	{ F 67	{ F 66	{ F 70
		{ P 821	{ P 821	{ P 738	{ P 646	{ P 644	{ P 653	{ P 622	{ P 605	{ P 626	{ P 601	{ P 584
	Cerebral hæmorrhage ..	{ M 843	{ M 864	{ M 857	{ M 843	{ M 864	{ M 857	{ M 822	{ M 798	{ M 819	{ M 808	{ M 786
		{ F 749	{ F 758	{ F 759	{ F 749	{ F 758	{ F 759	{ F 726	{ F 705	{ F 726	{ F 709	{ F 689
		{ M 435	{ M 482	{ M 427	{ M 489	{ M 544	{ M 603	{ M 619	{ M 609	{ M 648	{ M 693	{ M 687
		{ F 487	{ F 552	{ F 517	{ F 595	{ F 677	{ F 725	{ F 762	{ F 743	{ F 796	{ F 852	{ F 880
	Cerebral embolism and thrombosis ..	{ P 463	{ P 519	{ P 474	{ P 544	{ P 612	{ P 666	{ P 694	{ P 679	{ P 725	{ P 775	{ P 787

TABLE 8—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
333,334	Spasm of cerebral arteries, and other and ill-defined vascular lesions affecting central nervous system ..	M 70 F 67 P 68	M 71 F 70 P 71	M 63 F 64 P 63	M 67 F 72 P 70	M 64 F 71 P 67	M 83 F 96 P 90	M 92 F 105 P 99	M 92 F 104 P 99	M 103 F 120 P 112	M 109 F 127 P 118	M 110 F 128 P 119
340-345	Inflammatory diseases of central nervous system ..	M 48 F 35 P 41	M 43 F 40 P 42	M 35 F 34 P 34	M 39 F 34 P 36	M 37 F 34 P 36	M 36 F 38 P 37	M 32 F 32 P 32	M 32 F 35 P 34	M 32 F 32 P 32	M 35 F 34 P 35	M 36 F 35 P 36
340	Meningitis, except menin- gococcal and tuberculous	M 16 F 8 P 12	M 16 F 10 P 13	M 12 F 8 P 10	M 13 F 9 P 11	M 11 F 8 P 9	M 11 F 7 P 9	M 9 F 6 P 8	M 11 F 8 P 9	M 10 F 6 P 8	M 11 F 7 P 9	M 12 F 8 P 10
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious) ..	M 6 F 4 P 5	M 6 F 5 P 5	M 4 F 5 P 4	M 5 F 5 P 5	M 5 F 3 P 4	M 4 F 3 P 3	M 3 F 2 P 3	M 3 F 2 P 3	M 3 F 2 P 2	M 3 F 3 P 3	M 4 F 4 P 4
345	Multiple sclerosis ..	M 19 F 20 P 20	M 17 F 22 P 19	M 14 F 19 P 16	M 16 F 18 P 17	M 15 F 20 P 18	M 17 F 25 P 21	M 15 F 20 P 18	M 13 F 22 P 18	M 15 F 22 P 18	M 16 F 21 P 19	M 17 F 22 P 20
350-357	Other diseases of central nervous system ..	M 109 F 96 P 102	M 105 F 98 P 101	M 85 F 84 P 84	M 91 F 92 P 92	M 97 F 94 P 96	M 91 F 91 P 91	M 87 F 83 P 85	M 82 F 83 P 83	M 77 F 79 P 78	M 89 F 87 P 88	M 90 F 88 P 89
350	Paralysis agitans ..	M 33 F 31 P 32	M 32 F 33 P 33	M 25 F 31 P 28	M 30 F 36 P 33	M 30 F 36 P 33	M 34 F 39 P 37	M 32 F 38 P 35	M 31 F 36 P 34	M 28 F 35 P 32	M 36 F 40 P 38	M 37 F 41 P 39
351, 352	Cerebral spastic infantile paralysis and other cerebral paralysis ..	M 17 F 21 P 19	M 17 F 21 P 19	M 14 F 19 P 17	M 16 F 20 P 18	M 23 F 23 P 23	M 14 F 19 P 17	M 14 F 13 P 13	M 12 F 13 P 13	M 12 F 14 P 13	M 13 F 15 P 14	M 14 F 16 P 15
353	Epilepsy ..	M 35 F 26 P 31	M 33 F 26 P 29	M 25 F 21 P 23	M 23 F 20 P 21	M 22 F 20 P 21	M 22 F 19 P 21	M 22 F 18 P 20	M 19 F 18 P 19	M 16 F 15 P 15	M 19 F 16 P 17	M 20 F 17 P 18
356	Motor neurone disease and muscular atrophy ..	M 17 F 10 P 13	M 16 F 11 P 13	M 16 F 8 P 12	M 16 F 11 P 14	M 15 F 10 P 12	M 14 F 8 P 11	M 15 F 9 P 12	M 14 F 9 P 12	M 14 F 10 P 12	M 15 F 11 P 13	M 16 F 12 P 14
	0. Progressive muscular atrophy ..	M 7 F 7 P 7	M 7 F 7 P 7	M 7 F 7 P 7	M 12 F 8 P 10	M 10 F 7 P 8	M 10 F 6 P 8	M 10 F 6 P 8	M 11 F 6 P 8	M 10 F 7 P 9	M 9 F 8 P 8	M 10 F 9 P 9
360-369	Diseases of nerves and peripheral ganglia ..	M 4 F 3 P 3	M 6 F 4 P 5	M 4 F 3 P 3	M 4 F 4 P 4	M 4 F 3 P 3	M 4 F 2 P 3	M 3 F 2 P 2	M 3 F 2 P 2	M 3 F 2 P 3	M 2 F 2 P 2	M 2 F 2 P 2
390-398	Diseases of ear and mastoid process ..	M 26 F 15 P 20	M 25 F 14 P 19	M 17 F 11 P 14	M 15 F 8 P 11	M 14 F 7 P 10	M 12 F 7 P 9	M 10 F 5 P 8	M 11 F 5 P 8	M 8 F 5 P 6	M 8 F 6 P 7	M 9 F 7 P 8
391	Otitis media without men- tion of mastoiditis ..	M 7 F 7 P 7	M 7 F 7 P 7	M 7 F 7 P 7	M 11 F 6 P 8	M 10 F 5 P 8	M 9 F 5 P 7	M 7 F 4 P 6	M 8 F 4 P 6	M 7 F 4 P 5	M 6 F 3 P 5	M 7 F 4 P 6
392, 393	Otitis media with mastoid- itis, and mastoiditis with- out mention of otitis media	M 10 F 6 P 8	M 11 F 6 P 8	M 6 F 4 P 4	M 4 F 2 P 3	M 3 F 2 P 3	M 3 F 1 P 2	M 3 F 1 P 2	M 2 F 1 P 2	M 1 F 1 P 1	M 1 F 1 P 1	M 2 F 2 P 2
400-468	VII.—DISEASES OF THE CIRCULATORY SYSTEM	M 4121 F 3570 P 3823	M 4320 F 3780 P 4033	M 3879 F 3522 P 3692	M 4325 F 4068 P 4191	M 4378 F 4143 P 4256	M 4652 F 4363 P 4501	M 4384 F 3957 P 4162	M 4313 F 3963 P 4131	M 4447 F 3987 P 4208	M 4525 F 4146 P 4328	M 4526 F 4147 P 4329
400-402	Rheumatic fever ..	M 19 F 19 P 19	M 18 F 19 P 19	M 18 F 20 P 19	M 15 F 17 P 16	M 12 F 14 P 13	M 8 F 9 P 9	M 7 F 8 P 7	M 7 F 7 P 7	M 7 F 6 P 7	M 5 F 5 P 5	M 5 F 5 P 5
410-416	Chronic rheumatic heart disease ..	M 208 F 272 P 243	M 203 F 272 P 240	M 181 F 257 P 220	M 180 F 270 P 228	M 201 F 306 P 255	M 194 F 298 P 248	M 164 F 247 P 207	M 157 F 240 P 200	M 148 F 237 P 194	M 140 F 232 P 188	M 141 F 233 P 189
410	Diseases of mitral valve ..	M 148 F 213 P 183	M 150 F 214 P 184	M 132 F 201 P 168	M 132 F 224 P 175	M 134 F 224 P 181	M 130 F 218 P 176	M 113 F 191 P 154	M 108 F 186 P 149	M 100 F 185 P 144	M 95 F 176 P 137	M 96 F 177 P 138
411	Diseases of aortic valve specified as rheumatic ..	M 11 F 5 P 8	M 10 F 5 P 7	M 9 F 5 P 7	M 10 F 7 P 9	M 13 F 5 P 10	M 14 F 6 P 10	M 14 F 6 P 10	M 14 F 6 P 10	M 14 F 7 P 11	M 13 F 7 P 10	M 14 F 8 P 11
412-414	Dis: of tricuspid v: pulm: v: specified as rh: & other en- docarditis specified as rh:	M 23 F 27 P 25	M 21 F 26 P 24	M 19 F 27 P 23	M 21 F 28 P 25	M 31 F 47 P 39	M 27 F 40 P 34	M 15 F 22 P 19	M 13 F 18 P 16	M 12 F 16 P 14	M 12 F 18 P 15	M 13 F 19 P 16
415	Other myocarditis specified as rheumatic ..	M 16 F 19 P 18	M 13 F 16 P 15	M 11 F 13 P 12	M 8 F 11 P 10	M 9 F 12 P 11	M 7 F 11 P 9	M 6 F 8 P 7	M 6 F 7 P 6	M 5 F 7 P 6	M 4 F 5 P 5	M 5 F 6 P 6
416	Other heart disease specified as rheumatic ..	M 9 F 9 P 9	M 10 F 11 P 10	M 10 F 11 P 11	M 10 F 11 P 11	M 14 F 18 P 16	M 16 F 23 P 20	M 16 F 20 P 18	M 16 F 23 P 20	M 16 F 23 P 20	M 17 F 25 P 21	M 18 F 26 P 22

TABLE 8—continued

International t No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
422	Arteriosclerotic and degener- ative heart disease ..	M 3099 F 2566 P 2811	M 3266 F 2725 P 2979	M 2929 F 2521 P 2715	M 3293 F 2931 P 3104	M 3266 F 2903 P 3078	M 3467 F 3064 P 3258	M 3307 F 2776 P 3031	M 3218 F 2759 P 2980	M 3325 F 2755 P 3029	M 3398 F 2847 P 3112	M 3439 F 2848 P 3133
	Arteriosclerotic heart disease, including coronary disease ..	M 1129 F 1245 P 800	M 1245 F 586 P 895	M 1264 F 652 P 943	M 1453 F 765 P 1093	M 1640 F 885 P 1249	M 1757 F 937 P 1331	M 1847 F 982 P 1398	M 1837 F 995 P 1400	M 1991 F 1066 P 1511	M 2069 F 1143 P 1589	M 2181 F 1204 P 1674
	0. Arteriosclerotic heart disease so described ..	M 1048 F 488 P 745	M 1172 F 554 P 844	M 1203 F 622 P 899	M 5 F 3 P 4	M 4 F 5 P 4	M 8 F 7 P 7	M 8 F 7 P 7	M 10 F 8 P 9	M 12 F 11 P 11	M 14 F 12 P 13	M 13 F 12 P 13
	1. Heart disease specified as involving coronary arteries ..	M 1388 F 731 P 1045	M 1588 F 908 P 1209	M 1709 F 958 P 1293	M 1808 F 973 P 1366	M 1804 F 973 P 1372	M 1958 F 1043 P 1483	M 2037 F 1118 P 1560	M 2153 F 1181 P 1649	M 2069 F 1143 P 1589	M 2181 F 1204 P 1674	M 2181 F 1204 P 1674
	2. Angina pectoris without mention of coronary disease ..	M 81 F 34 P 56	M 72 F 32 P 51	M 61 F 30 P 45	M 60 F 31 P 45	M 47 F 25 P 36	M 40 F 22 P 31	M 31 F 17 P 24	M 24 F 14 P 19	M 21 F 12 P 16	M 18 F 13 P 15	M 14 F 10 P 12
	Chronic endocarditis not specified as rheumatic ..	M 150 F 123 P 135	M 132 F 114 P 122	M 106 F 97 P 101	M 112 F 95 P 103	M 72 F 54 P 62	M 62 F 45 P 53	M 71 F 57 P 66	M 69 F 57 P 63	M 78 F 62 P 70	M 73 F 58 P 65	M 73 F 57 P 65
	0. Of mitral valve, speci- fied as non-rheumatic ..	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 0 F 1 P 1	M 1 F 1 P 1	M 4 F 4 P 4	M 3 F 4 P 3	M 2 F 3 P 3	M 2 F 3 P 3	M 3 F 4 P 4	M 3 F 4 P 4
	1. Of aortic valve, not specified as rheumatic ..	M 56 F 26 P 40	M 52 F 24 P 37	M 44 F 24 P 33	M 50 F 25 P 37	M 46 F 26 P 36	M 44 F 24 P 34	M 43 F 25 P 33	M 44 F 25 P 34	M 54 F 31 P 42	M 53 F 31 P 42	M 53 F 33 P 42
	2-4 Of tricuspid v: specified as non-rht; pulm: v: not specified as rht, & other & ill-def: not specified as rht:	M 94 F 97 P 95	M 79 F 90 P 85	M 63 F 70 P 68	M 62 F 70 P 66	M 24 F 26 P 25	M 17 F 19 P 18	M 24 F 29 P 29	M 22 F 29 P 25	M 22 F 28 P 25	M 18 F 24 P 21	M 17 F 20 P 19
	Other myocardial degener- ation ..	M 1821 F 1921 P 1875	M 1890 F 2026 P 1962	M 1559 F 1772 P 1671	M 1728 F 2071 P 1907	M 1555 F 1965 P 1767	M 1648 F 2082 P 1874	M 1388 F 1733 P 1568	M 1312 F 1707 P 1517	M 1256 F 1626 P 1448	M 1256 F 1647 P 1459	M 1186 F 1587 P 1394
	0. Fatty degeneration ..	M 16 F 22 P 19	M 15 F 20 P 17	M 11 F 21 P 14	M 11 F 21 P 16	M 10 F 17 P 14	M 10 F 14 P 12	M 6 F 10 P 8	M 5 F 10 P 8	M 6 F 9 P 7	M 5 F 8 P 7	M 5 F 8 P 6
	1. With arteriosclerosis ..	M 553 F 523 P 537	M 598 F 579 P 588	M 522 F 534 P 528	M 585 F 646 P 617	M 580 F 666 P 624	M 633 F 732 P 685	M 555 F 643 P 601	M 535 F 650 P 595	M 518 F 626 P 574	M 530 F 645 P 600	M 514 F 633 P 576
	2. Other ..	M 1252 F 1376 P 1319	M 1277 F 1427 P 1357	M 1026 F 1221 P 1129	M 1132 F 1405 P 1274	M 965 F 1282 P 1129	M 1005 F 1336 P 1177	M 827 F 1081 P 959	M 772 F 1047 P 915	M 732 F 991 P 867	M 721 F 993 P 862	M 668 F 946 P 812
434	Other diseases of heart ..	M 120 F 130 P 131	M 119 F 131 P 125	M 100 F 119 P 110	M 119 F 132 P 126	M 122 F 135 P 129	M 159 F 165 P 162	M 155 F 161 P 158	M 169 F 172 P 171	M 189 F 178 P 183	M 195 F 206 P 194	M 199 F 206 P 202
	Acute and subacute endocarditis ..	M 16 F 13 P 14	M 16 F 11 P 13	M 14 F 10 P 12	M 12 F 10 P 11	M 11 F 7 P 9	M 10 F 6 P 8	M 9 F 6 P 7	M 9 F 6 P 8	M 9 F 5 P 7	M 10 F 5 P 7	M 9 F 5 P 7
	Acute myocarditis not specified as rheumatic ..	M 5 F 5 P 5	M 5 F 6 P 6	M 5 F 5 P 5	M 5 F 6 P 5	M 5 F 4 P 5	M 5 F 3 P 5	M 4 F 3 P 4	M 4 F 3 P 4	M 4 F 3 P 3	M 3 F 2 P 3	M 3 F 3 P 3
	Acute pericarditis specified as non-rheumatic ..	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 0 P 0	M 1 F 1 P 1	M 1 F 0 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 0 P 0
	Functional disease of heart ..	M 55 F 76 P 66	M 56 F 76 P 67	M 48 F 71 P 60	M 55 F 77 P 66	M 46 F 72 P 60	M 57 F 80 P 72	M 54 F 77 P 66	M 55 F 76 P 66	M 51 F 73 P 62	M 46 F 70 P 58	M 47 F 70 P 59
	Other and unspecified diseases of heart ..	M 43 F 36 P 39	M 41 F 36 P 38	M 32 F 32 P 32	M 46 F 39 P 42	M 59 F 51 P 55	M 86 F 71 P 78	M 88 F 74 P 81	M 100 F 86 P 93	M 124 F 114 P 110	M 136 F 127 P 125	M 138 F 127 P 133
	Hypertensive disease ..	M 348 F 293 P 318	M 375 F 331 P 352	M 351 F 324 P 337	M 389 F 388 P 389	M 445 F 452 P 448	M 476 F 480 P 478	M 427 F 436 P 432	M 436 F 445 P 440	M 444 F 467 P 456	M 446 F 494 P 471	M 432 F 479 P 457
	Essential benign hyperten- sion with heart disease ..	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 0 F 1 P 1	M 6 F 6 P 6	M 4 F 5 P 4	M 4 F 4 P 4	M 4 F 5 P 4	M 4 F 5 P 5	M 5 F 5 P 5	M 5 F 6 P 5
	Essential malignant hyper- tension with heart disease ..	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 2 F 1 P 1	M 7 F 5 P 6	M 8 F 3 P 7	M 4 F 3 P 4	M 5 F 2 P 4	M 4 F 3 P 4	M 5 F 3 P 3	M 5 F 2 P 4
	Hypertensive heart disease with arteriolar nephro- sclerosis ..	M 16 F 14 P 15	M 16 F 15 P 16	M 14 F 13 P 13	M 14 F 14 P 14	M 12 F 16 P 13	M 16 F 16 P 16	M 8 F 9 P 8	M 8 F 8 P 8	M 6 F 7 P 7	M 6 F 8 P 7	M 7 F 6 P 7
447												

TABLE 8—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
443	Other & unspecified hyper- tensive heart disease .. { M F P	164 143 153	179 162 170	165 157 161	187 191 189	324 338 331	351 365 358	225 244 235	229 251 240	245 267 257	249 293 272	
444	Essential benign hyperten- sion without mention of heart { M F P	132 106 118	144 123 133	141 128 134	98 102 100	33 37 35	34 36 35	100 101 100	98 103 101	98 104 101	95 107 101	
445	Essential malignant hyper- tension without mention of heart { M F P	118 106 118	133 123 133	134	15 10 12	13 8 10	12 9 10	17 9 13	20 9 14	16 10 13	17 7 12	
446	Hypertension with arteri- olar nephrosclerosis with- out mention of heart .. { M F P	37 30 33	36 31 34	31 26 29	31 28 29	30 25 27	27 24 26	25 23 23	27 22 25	25 22 23	24 22 23	
447	Other hypertensive disease without mention of heart { M F P	? ? ?	? ? ?	? ? ?	43 42 42	21 19 20	21 20 45	44 45 44	44 45 44	44 49 47	45 50 47	
450-456	Diseases of arteries .. { M F P	299 252 274	312 266 287	272 244 257	293 282 288	293 281 287	311 299 305	289 278 283	287 284 286	291 285 288	294 312 303	
450	General arteriosclerosis .. { M F P				259 249 254	269 260 264	287 280 283	252 250 251	247 256 252	248 252 250	247 276 262	
	0. Without mention of gangrene { M F P	264 224 243	279 235 256	239 214 226	233 231 232	239 236 238	254 255 254	223 227 225	220 234 227	220 230 226	220 254 238	
	1. With gangrene .. { M F P				26 18 22	30 24 27	33 25 29	29 22 25	27 22 24	27 21 24	27 22 25	
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm .. { M F P	? ? ?	? ? ?	? ? ?	8 8 8	10 9 9	11 10 20	26 20 23	28 19 23	32 23 28	35 25 30	
460-468	Diseases of veins and other diseases of circulatory system { M F P	27 37 33	27 37 32	28 38 33	34 47 41	38 52 45	37 48 43	36 51 44	38 55 47	43 59 51	47 64 56	
460	Varicose veins of lower extremities { M F P				4 9 7	4 10 7	4 10 7	4 10 7	2 9 5	2 9 6	2 9 6	
461	Hemorrhoids { M F P	6 11 9	4 11 8	4 10 7	1 1 1	1 1 1	1 0 1	1 0 1	1 1 1	1 0 1	1 1 1	
462	Varicose veins of other specified sites .. { M F P				1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	
463	Phlebitis and thrombo- phlebitis of lower extre- mities { M F P	? ? ?	? ? ?	? ? ?	4 7 6	7 13 10	6 10 8	7 10 8	6 10 8	5 10 7	7 10 8	
464	Phlebitis and thrombo- phlebitis of other sites .. { M F P	? ? ?	? ? ?	? ? ?	3 4 3	1 1 1	1 1 1	0 1 1	0 1 1	1 1 1	1 1 1	
465	Pulmonary embolism and infarction { M F P	9 9 9	11 10 10	11 10 11	14 14 14	15 15 15	16 14 15	15 16 15	18 19 18	19 19 19	22 21 21	
466	Other venous embolism and thrombosis .. { M F P	10 15 13	9 14 12	11 16 13	7 9 8	8 10 9	7 10 9	7 12 10	9 15 12	12 17 15	12 20 16	
470-527	VIII.—DISEASES OF THE RESPIRATORY SYSTEM { M F P	1700 1090 1369	1774 1116 1425	1371 817 1081	1643 1137 1379	1501 1002 1243	2149 1551 1839	1494 905 1188	1716 1133 1413	1443 857 1139	1636 997 1305	
470-475	Acute upper respiratory infections { M F P	5 3 4	5 3 3	4 3 3	5 3 4	6 6 6	6 6 6	4 4 4	4 4 4	4 4 4	3 3 3	
480-483	Influenza { M F P	132 128 130	87 72 79	33 25 29	128 132 130	88 90 89	351 370 361	42 38 40	137 155 147	41 41 41	68 66 67	
480	Influenza with pneumonia { M F P	62 56 59	40 29 35	15 10 13	59 57 58	44 41 43	176 178 177	21 19 20	68 77 73	22 19 20	36 34 35	
481	Influenza with other res- piratory manifestations, & influenza unqualified { M F P	? ? ?	? ? ?	? ? ?	67 73 70	42 47 45	173 189 181	19 18 19	67 77 72	19 20 20	31 31 31	

TABLE 8—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
90-493 53	Pneumonia	M 594 F 426 P 503	M 639 F 468 P 548	M 483 F 357 P 417	M 535 F 443 P 487	M 453 F 390 P 420	M 578 F 495 P 535	M 489 F 403 P 444	M 531 F 454 P 491	M 457 F 396 P 426	M 518 F 464 P 490	M 541 F 498 P 519
	Lobar pneumonia (age 4 weeks and over) ..	M 151 F 89 P 117	M 147 F 89 P 116	M 119 F 69 P 93	M 117 F 79 P 97	M 105 F 70 P 87	M 113 F 75 P 93	M 103 F 63 P 82	M 102 F 66 P 84	M 88 F 64 P 75	M 93 F 64 P 78	M 92 F 63 P 77
	Bronchopneumonia (age 4 weeks and over) ..	M 354 F 280 P 314	M 404 F 322 P 361	M 300 F 246 P 272	M 353 F 317 P 334	M 290 F 280 P 285	M 395 F 371 P 383	M 326 F 294 P 310	M 366 F 345 P 355	M 315 F 295 P 305	M 368 F 361 P 364	M 391 F 395 P 393
	Primary atypical pneu- monia (age 4 weeks and over)	M 354 F 280 P 314	M 404 F 322 P 361	M 300 F 246 P 272	M 353 F 317 P 334	M 290 F 280 P 285	M 395 F 371 P 383	M 326 F 294 P 310	M 366 F 345 P 355	M 315 F 295 P 305	M 368 F 361 P 364	M 391 F 395 P 393
	Pneumonia, other and unspecified	M 50 F 32 P 40	M 47 F 31 P 38	M 36 F 25 P 30	M 40 F 32 P 36	M 31 F 23 P 27	M 38 F 30 P 34	M 31 F 27 P 29	M 33 F 25 P 29	M 28 F 21 P 24	M 31 F 23 P 27	M 31 F 24 P 27
	Pneumonia of the newborn*	M 1.77 F 1.40 P 1.59	M 1.76 F 1.35 P 1.56	M 1.42 F 0.97 P 1.20	M 1.38 F 0.95 P 1.17	M 1.43 F 0.98 P 1.21	M 1.63 F 1.14 P 1.39	M 1.55 F 1.16 P 1.36	M 1.57 F 1.01 P 1.30	M 1.37 F 0.88 P 1.13	M 1.41 F 0.93 P 1.17	M 1.40 F 0.90 P 1.16
502	Bronchitis	M 867 F 497 P 666	M 935 F 535 P 723	M 744 F 390 P 559	M 851 F 509 P 672	M 830 F 472 P 645	M 1080 F 627 P 844	M 838 F 419 P 620	M 920 F 475 P 689	M 804 F 366 P 577	M 902 F 412 P 648	M 923 F 424 P 664
	Acute bronchitis	M 156 F 145 P 150	M 171 F 160 P 165	M 108 F 96 P 102	M 127 F 135 P 131	M 93 F 110 P 102	M 134 F 156 P 146	M 89 F 108 P 90	M 101 F 108 P 105	M 70 F 73 P 72	M 79 F 81 P 80	M 78 F 85 P 82
	Bronchitis unqualified ..	M 84 F 75 P 80	M 65 F 57 P 61	M 79 F 76 P 77	M 53 F 48 P 50	M 59 F 51 P 54	M 59 F 44 P 47	M 50 F 44 P 48	M 50 F 44 P 48	M 49 F 45 P 48	M 49 F 45 P 48	M 49 F 45 P 48
	Chronic bronchitis	M 710 F 352 P 516	M 764 F 375 P 558	M 636 F 294 P 457	M 640 F 299 P 462	M 672 F 304 P 482	M 866 F 395 P 621	M 696 F 281 P 480	M 760 F 317 P 530	M 684 F 249 P 458	M 772 F 287 P 520	M 796 F 292 P 534
	0. Bronchitis with em- physema	M 203 F 41 P 119	M 231 F 44 P 134	M 308 F 56 P 166	M 285 F 62 P 186	M 319 F 55 P 176	M 306 F 55 P 214	M 372 F 69 P 227	M 388 F 77 P 277	M 372 F 69 P 227	M 388 F 77 P 277	M 388 F 77 P 277
	1. Other	M 437 F 257 P 343	M 441 F 260 P 348	M 558 F 331 P 440	M 411 F 225 P 314	M 441 F 255 P 344	M 378 F 194 P 282	M 401 F 218 P 306	M 408 F 215 P 307	M 408 F 215 P 307	M 408 F 215 P 307	M 408 F 215 P 307
527	Other diseases of respiratory system	M 141 F 61 P 98	M 150 F 64 P 104	M 135 F 58 P 95	M 150 F 65 P 105	M 149 F 59 P 102	M 162 F 70 P 114	M 147 F 58 P 100	M 151 F 59 P 103	M 159 F 62 P 109	M 168 F 65 P 114	M 158 F 68 P 111
	Empyema	M 8 F 3 P 5	M 8 F 3 P 5	M 6 F 2 P 4	M 6 F 2 P 4	M 5 F 2 P 3	M 4 F 2 P 3	M 4 F 2 P 3	M 5 F 3 P 4	M 5 F 2 P 3	M 4 F 2 P 3	M 4 F 2 P 3
	Pleurisy	M 8 F 5 P 6	M 8 F 5 P 6	M 7 F 5 P 6	M 4 F 2 P 3	M 4 F 2 P 3	M 4 F 2 P 3	M 3 F 2 P 2	M 3 F 2 P 2	M 2 F 1 P 2	M 2 F 1 P 2	M 3 F 2 P 3
	Pulmonary congestion and hypostasis	M 14 F 19 P 17	M 15 F 20 P 17	M 12 F 17 P 15	M 16 F 22 P 19	M 12 F 19 P 16	M 15 F 21 P 18	M 10 F 15 P 13	M 7 F 12 P 12	M 12 F 19 P 16	M 12 F 20 P 16	M 12 F 20 P 16
524	Silicosis, and occupational pulmonary fibrosis ..	M 21 F 0 P 10	M 22 F 0 P 11	M 21 F 0 P 10	M 26 F 0 P 13	M 27 F 0 P 13	M 29 F 0 P 14	M 27 F 0 P 13	M 28 F 0 P 13	M 31 F 0 P 15	M 34 F 0 P 17	M 32 F 1 P 16
	Other chronic interstitial pneumonia	M 9 F 3 P 6	M 8 F 3 P 6	M 9 F 4 P 6	M 8 F 3 P 6	M 9 F 4 P 6	M 9 F 4 P 6	M 9 F 4 P 6	M 8 F 4 P 6	M 8 F 4 P 6	M 9 F 4 P 7	M 9 F 3 P 6
	Bronchiectasis	M 52 F 21 P 35	M 57 F 22 P 38	M 49 F 18 P 33	M 56 F 24 P 39	M 54 F 22 P 38	M 55 F 27 P 40	M 51 F 21 P 36	M 53 F 21 P 36	M 51 F 22 P 36	M 53 F 24 P 38	M 46 F 24 P 35
	Other diseases of lung and pleural cavity	M 16 F 4 P 9	M 19 F 4 P 11	M 20 F 5 P 12	M 26 F 6 P 15	M 29 F 6 P 17	M 39 F 9 P 23	M 36 F 9 P 22	M 40 F 10 P 25	M 42 F 9 P 25	M 46 F 10 P 27	M 47 F 13 P 29
	1. Emphysema without mention of bronchitis ..	M 15 F 3 P 8	M 17 F 3 P 10	M 19 F 3 P 11	M 23 F 4 P 13	M 27 F 4 P 15	M 36 F 8 P 21	M 34 F 7 P 20	M 38 F 7 P 22	M 39 F 7 P 22	M 43 F 8 P 25	M 43 F 10 P 26
587	IX.—DISEASES OF THE DIGESTIVE SYSTEM ..	M 603 F 384 P 485	M 593 F 392 P 487	M 483 F 325 P 401	M 469 F 323 P 393	M 446 F 318 P 380	M 456 F 318 P 384	M 438 F 307 P 370	M 417 F 305 P 359	M 421 F 310 P 363	M 418 F 314 P 364	M 397 F 310 P 352
539	Diseases of buccal cavity and esophagus	M 7 F 6 P 6	M 6 F 5 P 5	M 5 F 5 P 5	M 6 F 6 P 6	M 5 F 6 P 6	M 6 F 6 P 6	M 5 F 5 P 5	M 6 F 5 P 6	M 5 F 6 P 6	M 6 F 6 P 6	M 4 F 6 P 5

*Rates per 1,000 related live births.

TABLE 8—continued

International List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
540-545	Diseases of stomach and duodenum	M 217 F 54 P 129	M 201 F 58 P 125	M 188 F 55 P 119	M 192 F 57 P 122	M 193 F 60 P 125	M 214 F 65 P 137	M 201 F 64 P 130	M 188 F 64 P 123	M 197 F 70 P 131	M 194 F 72 P 131	M 195 F 73 P 132
540	Ulcer of stomach	M 120 F 35 P 74	M 109 F 38 P 71	M 102 F 35 P 67	M 66 F 27 P 46	M 77 F 28 P 52	M 99 F 37 P 69	M 93 F 40 P 65	M 86 F 39 P 61	M 88 F 40 P 63	M 87 F 40 P 64	M 88 F 41 P 65
	0. Without mention of perforation	M 120 F 35 P 74	M 109 F 38 P 71	M 102 F 35 P 67	M 66 F 27 P 46	M 77 F 28 P 52	M 99 F 37 P 69	M 93 F 40 P 65	M 86 F 39 P 61	M 88 F 40 P 63	M 87 F 40 P 64	M 88 F 41 P 65
	1. With perforation	M 120 F 35 P 74	M 109 F 38 P 71	M 102 F 35 P 67	M 66 F 27 P 46	M 77 F 28 P 52	M 99 F 37 P 69	M 93 F 40 P 65	M 86 F 39 P 61	M 88 F 40 P 63	M 87 F 40 P 64	M 88 F 41 P 65
541	Ulcer of duodenum	M 85 F 10 P 45	M 83 F 11 P 45	M 79 F 12 P 44	M 53 F 9 P 30	M 55 F 11 P 32	M 64 F 12 P 37	M 64 F 11 P 36	M 59 F 12 P 35	M 63 F 14 P 38	M 62 F 15 P 37	M 63 F 16 P 38
	0. Without mention of perforation	M 85 F 10 P 45	M 83 F 11 P 45	M 79 F 12 P 44	M 53 F 9 P 30	M 55 F 11 P 32	M 64 F 12 P 37	M 64 F 11 P 36	M 59 F 12 P 35	M 63 F 14 P 38	M 62 F 15 P 37	M 63 F 16 P 38
	1. With perforation	M 85 F 10 P 45	M 83 F 11 P 45	M 79 F 12 P 44	M 53 F 9 P 30	M 55 F 11 P 32	M 64 F 12 P 37	M 64 F 11 P 36	M 59 F 12 P 35	M 63 F 14 P 38	M 62 F 15 P 37	M 63 F 16 P 38
550-553	Appendicitis	M 47 F 30 P 38	M 44 F 29 P 36	M 35 F 24 P 29	M 36 F 23 P 29	M 35 F 24 P 30	M 32 F 22 P 27	M 28 F 20 P 24	M 26 F 18 P 21	M 26 F 18 P 22	M 23 F 16 P 19	M 23 F 17 P 20
560, 561	Hernia of abdominal cavity	M 62 F 55 P 58	M 52 F 54 P 53	M 46 F 42 P 44	M 41 F 39 P 40	M 39 F 38 P 39	M 39 F 37 P 39	M 39 F 38 P 38	M 36 F 36 P 36	M 36 F 35 P 35	M 39 F 37 P 37	M 39 F 38 P 38
560	Hernia of abdominal cavity without mention of obstruction	M 53 F 7 P 10	M 12 F 7 P 9	M 10 F 5 P 8	M 9 F 6 P 7	M 7 F 5 P 7	M 8 F 6 P 7	M 9 F 6 P 8	M 9 F 6 P 7	M 9 F 7 P 8	M 10 F 7 P 8	M 10 F 8 P 9
561	Hernia of abdominal cavity with obstruction	M 49 F 48 P 49	M 40 F 47 P 44	M 36 F 36 P 36	M 32 F 34 P 33	M 32 F 32 P 32	M 31 F 33 P 32	M 30 F 31 P 30	M 27 F 29 P 28	M 27 F 28 P 27	M 29 F 28 P 28	M 29 F 29 P 29
570-578	Other diseases of intestines and peritoneum	M 210 F 161 P 184	M 230 F 174 P 201	M 153 F 126 P 139	M 134 F 119 P 126	M 111 F 101 P 106	M 102 F 100 P 101	M 95 F 96 P 96	M 94 F 96 P 95	M 88 F 90 P 89	M 88 F 91 P 90	M 89 F 92 P 91
570	Intestinal obstruction without mention of hernia	M 55 F 42 P 48	M 57 F 44 P 50	M 45 F 38 P 41	M 40 F 36 P 38	M 35 F 29 P 32	M 34 F 31 P 33	M 36 F 31 P 34	M 34 F 30 P 32	M 33 F 28 P 30	M 31 F 28 P 31	M 31 F 29 P 32
	2. Mesenteric infarction	M 3 F 2 P 2	M 3 F 2 P 2	M 2 F 2 P 2	M 3 F 3 P 3	M 6 F 6 P 6	M 8 F 7 P 8	M 9 F 8 P 8	M 9 F 8 P 8	M 10 F 8 P 9	M 8 F 7 P 8	M 8 F 8 P 9
	3. Volvulus	M 13 F 9 P 11	M 14 F 10 P 12	M 11 F 8 P 10	M 10 F 8 P 9	M 9 F 6 P 8	M 9 F 7 P 9	M 11 F 8 P 9	M 9 F 8 P 8	M 9 F 7 P 8	M 9 F 8 P 9	M 9 F 9 P 10
571	Gastro-enteritis and colitis except ulcerative, (age 4 weeks and over)	M 122 F 81 P 100	M 145 F 97 P 119	M 77 F 55 P 65	M 65 F 48 P 56	M 44 F 33 P 38	M 34 F 28 P 31	M 28 F 25 P 26	M 26 F 24 P 25	M 20 F 20 P 20	M 21 F 19 P 20	M 21 F 20 P 21
	0. Ages between 4 weeks and 2 years *	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 1434 F 1039 P 1242	M 971 F 624 P 802	M 690 F 489 P 592	M 593 F 444 P 519	M 574 F 411 P 494	M 406 F 313 P 361	M 409 F 287 P 350	M 410 F 288 P 351
	1. Age 2 years and over	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 11 F 15 P 13	M 10 F 14 P 12	M 11 F 14 P 13	M 9 F 12 P 11	M 8 F 12 P 10	M 7 F 11 P 9	M 9 F 12 P 10	M 9 F 13 P 11
572	Chronic enteritis and ulcerative colitis	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 21 F 26 P 23	M 21 F 29 P 26	M 21 F 30 P 25	M 20 F 30 P 25	M 21 F 30 P 26	M 23 F 31 P 27	M 24 F 32 P 28	M 24 F 33 P 29
	1. Diverticulitis	M 11 F 13 P 12	M 10 F 12 P 11	M 12 F 12 P 12	M 12 F 13 P 12	M 12 F 15 P 13	M 12 F 15 P 14	M 11 F 14 P 13	M 11 F 16 P 14	M 14 F 17 P 16	M 14 F 19 P 17	M 14 F 20 P 18
	2. Ulcerative colitis †	M 9 F 13 P 11	M 7 F 11 P 9	M 8 F 12 P 10	M 7 F 11 P 9	M 7 F 12 P 10	M 7 F 13 P 10	M 7 F 13 P 10	M 8 F 12 P 10	M 6 F 13 P 10	M 8 F 11 P 10	M 8 F 12 P 11
580-587	Diseases of liver, gall bladder, and pancreas	M 59 F 78 P 67	M 60 F 73 P 67	M 56 F 73 P 65	M 59 F 79 P 70	M 62 F 86 P 75	M 63 F 87 P 76	M 69 F 85 P 77	M 68 F 89 P 79	M 69 F 90 P 80	M 69 F 91 P 81	M 69 F 92 P 82
581	Cirrhosis of liver	M 26 F 14 P 19	M 27 F 15 P 21	M 25 F 14 P 19	M 27 F 16 P 21	M 27 F 19 P 23	M 29 F 22 P 25	M 31 F 21 P 26	M 31 F 22 P 26	M 30 F 23 P 26	M 29 F 24 P 26	M 29 F 25 P 27

*571.0 Rates per million population aged under 2 years.

†572.2 includes 572.3 and 573 for years up to 1948 inclusive.

TABLE 8—continued

Personal No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
	Cholelithiasis	M 11 F 25 P 19	M 10 F 23 P 17	M 10 F 23 P 17	M 10 F 23 P 17	M 12 F 27 P 20	M 10 F 26 P 18	M 11 F 25 P 18	M 11 F 27 P 19	M 13 F 26 P 19	M 13 F 26 P 20	M 13 F 25 P 19
	Cholecystitis without mention of calculi	M 8 F 24 P 17	M 9 F 20 P 15	M 8 F 20 P 14	M 8 F 21 P 15	M 8 F 20 P 15	M 8 F 20 P 14	M 9 F 19 P 14	M 10 F 19 P 14	M 9 F 20 P 15	M 9 F 19 P 14	M 9 F 18 P 13
	Diseases of pancreas	M 7 F 8 P 8	M 7 F 8 P 8	M 7 F 9 P 8	M 8 F 10 P 9	M 9 F 12 P 11	M 10 F 12 P 11	M 12 F 12 P 12	M 10 F 13 P 12	M 11 F 13 P 12	M 13 F 16 P 14	M 11 F 15 P 13
	0. Acute pancreatitis	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 6 F 7 P 7	M 6 F 9 P 7	M 6 F 8 P 7	M 7 F 8 P 8	M 6 F 10 P 8	M 8 F 10 P 9	M 8 F 11 P 9	M 7 F 10 P 8
37	X.—DISEASES OF THE GENITO-URINARY SYSTEM	M 561 F 236 P 385	M 521 F 233 P 368	M 464 F 207 P 329	M 467 F 200 P 327	M 455 F 211 P 329	M 439 F 201 P 315	M 410 F 182 P 292	M 393 F 175 P 280	M 398 F 174 P 281	M 374 F 172 P 269	M 365 F 166 P 262
94	Nephritis and nephrosis	M 211 F 183 P 196	M 194 F 175 P 184	M 166 F 153 P 159	M 165 F 147 P 156	M 162 F 152 P 157	M 154 F 144 P 149	M 142 F 126 P 134	M 132 F 115 P 123	M 129 F 110 P 119	M 119 F 102 P 110	M 123 F 95 P 108
	Acute nephritis	M 13 F 9 P 11	M 12 F 9 P 10	M 10 F 8 P 9	M 9 F 7 P 8	M 9 F 7 P 8	M 8 F 6 P 7	M 6 F 4 P 5	M 7 F 4 P 5	M 5 F 4 P 5	M 5 F 2 P 3	M 6 F 3 P 4
	Nephritis with edema, including nephrosis	M 8 F 6 P 7	M 8 F 6 P 7	M 7 F 5 P 6	M 6 F 5 P 6	M 11 F 10 P 11	M 10 F 8 P 9	M 9 F 6 P 8	M 9 F 6 P 7	M 8 F 6 P 7	M 9 F 8 P 8	M 10 F 7 P 8
	Chronic nephritis	M 174 F 155 P 163	M 160 F 149 P 154	M 138 F 129 P 133	M 140 F 125 P 132	M 133 F 128 P 130	M 125 F 121 P 123	M 114 F 105 P 109	M 105 F 96 P 100	M 104 F 91 P 97	M 93 F 84 P 88	M 96 F 77 P 86
	Nephritis not specified as acute or chronic	M 14 F 12 P 13	M 13 F 11 P 12	M 10 F 10 P 10	M 10 F 9 P 10	M 8 F 6 P 7	M 11 F 8 P 10	M 11 F 9 P 10	M 11 F 8 P 9	M 11 F 8 P 10	M 12 F 8 P 9	M 11 F 8 P 9
09	Other diseases of urinary system	M 63 F 39 P 50	M 63 F 42 P 52	M 57 F 39 P 48	M 54 F 40 P 47	M 56 F 45 P 51	M 58 F 45 P 51	M 55 F 45 P 50	M 59 F 47 P 53	M 60 F 53 P 57	M 59 F 60 P 59	M 59 F 62 P 60
	Infections of kidney	M 20 F 21 P 20	M 25 F 23 P 24	M 19 F 23 P 21	M 20 F 23 P 22	M 22 F 26 P 24	M 24 F 25 P 25	M 24 F 25 P 25	M 26 F 28 P 27	M 27 F 32 P 30	M 28 F 38 P 33	M 30 F 39 P 35
	0. Pyelitis, pyelocystitis and pyelonephritis	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 19 F 21 P 20	M 20 F 25 P 23	M 22 F 23 P 23	M 22 F 24 P 23	M 25 F 27 P 26	M 26 F 31 P 28	M 27 F 36 P 32	M 29 F 38 P 34
	Calculi of kidney and ureter	M 10 F 7 P 8	M 7 F 7 P 7	M 8 F 6 P 7	M 7 F 5 P 6	M 7 F 6 P 6	M 8 F 6 P 7	M 7 F 6 P 7	M 7 F 6 P 7	M 8 F 6 P 7	M 7 F 7 P 7	M 6 F 7 P 6
	Cystitis	M 13 F 8 P 10	M 12 F 8 P 10	M 12 F 6 P 9	M 11 F 8 P 9	M 9 F 8 P 9	M 9 F 7 P 8	M 8 F 7 P 7	M 8 F 7 P 8	M 8 F 7 P 8	M 7 F 8 P 7	M 7 F 8 P 7
	Stricture of urethra	M 10 F 0 P 5	M 10 F 0 P 5	M 8 F 4 P 4	M 8 F 0 P 4	M 6 F 3 P 3	M 6 F 0 P 3	M 5 F 0 P 3	M 4 F 2 P 2	M 6 F 0 P 3	M 5 F 2 P 2	M 5 F 0 P 2
17	Diseases of male genital organs	M 288	M 264	M 241	M 247	M 237	M 227	M 213	M 202	M 209	M 196	M 183
	Hyperplasia of prostate	M 277	M 254	M 234	M 240	M 225	M 216	M 206	M 197	M 204	M 191	M 179
	Prostatitis	M ?	M ?	M ?	M 5	M 6	M 6	M 5	M 4	M 3	M 4	M 2
26	Diseases of breast, ovary, Fallopian tube, and parametrium	F 4	F 5	F 4	F 4	F 3	F 3	F 3	F 3	F 2	F 3	F 2
37	Diseases of uterus and other female genital organs	F 10	F 10	F 10	F 9	F 10	F 10	F 9	F 10	F 8	F 7	F 7
	Uterovaginal prolapse	F 5	F 6	F 6	F 5	F 6	F 6	F 6	F 6	F 4	F 4	F 5
0-689	XI.—DELIVERIES & COMPLICATIONS OF PREGNANCY, CHILDBIRTH & THE PUERPERIUM	F 1-43	F 1-17	F 1-02	F 0-97	F 0-87	F 0-82	F 0-72	F 0-75	F 0-70	F 0-64	F 0-56
0-649	Deliveries and complications of pregnancy, childbirth and the puerperium, excl. abortion	F 1-25	F 1-02	F 0-86	F 0-81	F 0-72	F 0-66	F 0-59	F 0-64	F 0-59	F 0-54	F 0-46
0-648	Complications of pregnancy	F 0-50	F 0-36	F 0-33	F 0-26	F 0-32	F 0-30	F 0-26	F 0-30	F 0-24	F 0-23	F 0-23
2	Toxæmias of pregnancy	F 0-37	F 0-28	F 0-26	F 0-16	F 0-21	F 0-22	F 0-19	F 0-22	F 0-17	F 0-15	F 0-14
5	Ectopic pregnancy	F 0-07	F 0-04	F 0-04	F 0-05	F 0-05	F 0-03	F 0-03	F 0-05	F 0-03	F 0-03	F 0-03
0-652	Abortion	F 16	F 15	F 13	F 12	F 11	F 12	F 10	F 8	F 8	F 7	F 8
0	Without mention of sepsis or toxæmia	F 3	F 3	F 3	F 3	F 3	F 4	F 3	F 3	F 4	F 3	F 3
1	With sepsis	F 11	F 9	F 9	F 8	F 7	F 7	F 5	F 4	F 3	F 4	F 4
2	With toxæmia, without mention of sepsis	F 2	F 3	F 1	F 1	F 1	F 0	F 1	F 1	F 1	F 0	F 1

Rates per 1,000 total (live and still) births.

† Rates per million women aged 15-44 years.

TABLE 8—continued

Inter-national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
670-678	Delivery with specified complication	F 0.50	0.41	0.34	0.32	0.22	0.23	0.19	0.22	0.21	0.17	0.1
670	Placenta prævia or ante-partum hæmorrhage	F 0.07	0.05	0.05	0.03	0.03	0.04	0.02	0.05	0.04	0.03	0.0
671, 672	Retained placenta, and other postpartum hæmorrhage	F 0.19	0.17	0.14	0.12	0.05	0.08	0.06	0.07	0.06	0.06	0.0
673-675	Abnormality of bony pelvis, disproportion or malposition of fœtus, and prolonged labour of other origin	F 0.14	0.12	0.08	0.09	0.06	0.06	0.05	0.05	0.05	0.05	0.0
* 680-689	Complications of the puerperium	F 0.24	0.23	0.18	0.23	0.18	0.13	0.13	0.12	0.12	0.14	0.0
681	Sepsis of childbirth and the puerperium	F 0.06	0.04	0.04	0.03	0.03	0.02	0.01	0.02	0.02	0.02	0.0
682	Puerperal phlebitis and thrombosis	F 0.06	0.06	0.04	0.04	0.05	0.04	0.04	0.04	0.06	0.05	0.0
684	Puerperal pulmonary embolism	F 0.07	0.06	0.05	0.03	0.04	0.03	0.04	0.03	0.02	0.03	0.0
685	Puerperal eclampsia	F 0.04	0.05	0.04	0.08	0.04	0.02	0.02	0.01	0.02	0.01	0.0
690-716	XII.—DISEASES OF THE SKIN AND CELLULAR TISSUE	M 21 F 16 P 19	18 16 17	16 13 14	14 13 14	14 14 14	14 16 15	12 16 14	13 16 14	11 14 12	9 14 11	
690-698	Infections of skin and sub-cutaneous tissue	M 12 F 7 P 9	9 6 7	8 5 6	7 5 5	6 5 5	5 6 6	4 5 5	5 5 5	4 4 4	4 4 4	
700-716	Other diseases of skin and subcutaneous tissue	M 9 F 10 P 10	9 11 10	8 8 8	7 8 8	8 10 9	8 10 9	7 11 9	9 10 10	6 10 8	4 7 7	
720-749	XIII.—DISEASES OF THE BONES AND ORGANS OF MOVEMENT	M 41 F 62 P 52	37 58 48	34 57 46	33 61 48	25 42 34	26 46 36	25 42 34	27 43 35	29 50 40	29 59 44	
720-727	Arthritis and rheumatism, except rheumatic fever	M 26 F 53 P 41	24 50 38	21 49 36	22 52 38	14 33 24	14 34 25	12 32 22	14 34 24	17 39 28	16 47 32	
722	Rheumatoid arthritis and allied conditions	M 16 F 39 P 28	15 38 27	13 38 26	13 40 27	8 25 17	9 25 17	7 24 16	9 24 17	10 30 23	10 35 23	
	O. Rheumatoid arthritis	M 16 F 39 P 28	15 38 27	12 38 26	13 40 27	7 25 16	8 25 17	6 24 15	8 24 17	9 30 23	9 35 23	
723	Osteo-arthritis (arthrosis) and allied conditions	M 6 F 9 P 8	5 9 7	5 7 6	6 8 7	4 7 5	4 8 6	3 7 5	4 7 6	5 8 5	5 10 8	
	O. Osteo-arthritis (arthrosis)	M 6 F 9 P 7	5 8 7	5 7 6	5 8 6	4 6 5	3 7 5	2 6 4	3 7 5	4 9 5	4 9 7	
730-738	Osteomyelitis and other diseases of bone and joint	M 10 F 6 P 8	9 5 7	8 6 7	7 6 7	7 6 7	8 6 8	8 6 7	8 6 7	8 8 8	8 8 8	
730	Osteomyelitis & periostitis	M 6 F 3 P 4	5 3 4	5 2 3	3 2 2	3 1 2	2 2 2	2 1 2	3 1 2	2 2 2	2 1 2	
750-759	XIV.—CONGENITAL MALFORMATIONS	M 159 F 109 P 132	152 114 132	124 94 108	117 99 108	119 98 108	115 97 106	110 93 101	104 89 97	110 93 101	114 92 103	
750	Monstrosity	M 3 F 3 P 3	3 3 3	2 2 2	2 2 2	2 2 2	2 2 2	3 3 3	2 3 2	2 3 3	2 3 3	
751	Spina bifida and meningocele	M 30 F 33 P 31	21 29 25	18 23 21	17 24 21	16 19 18	17 21 19	18 24 21	17 22 19	20 26 23	20 26 23	
752	Congenital hydrocephalus	M 8 F 5 P 6	9 6 7	6 5 5	6 5 5	6 6 6	5 3 4	6 5 5	4 5 4	5 4 5	4 5 5	
753	Other congenital malformations of nervous system and sense organs	M 3 F 2 P 3	2 3 2	3 2 3	2 3 3	2 3 2	2 3 3	3 2 2	2 3 2	3 3 3	2 3 3	
754	Congenital malformations of circulatory system	M 62 F 41 P 51	64 47 55	53 39 45	51 41 46	55 43 49	50 42 46	42 35 39	43 34 39	45 33 39	47 37 40	
756	Congenital malformations of digestive system	M 31 F 12 P 21	31 13 22	22 11 16	22 11 16	19 11 14	17 9 13	16 9 12	15 9 12	14 8 11	14 7 10	
757	Congenital malformations of genito-urinary system	M 11 F 7 P 9	12 7 9	11 6 8	10 7 8	12 9 10	12 8 10	13 8 10	12 7 10	12 8 10	13 8 10	

*Rates per 1,000 total (live and still) births.

TABLE 8—continued

International st No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
-776†	XV.—CERTAIN DISEASES OF EARLY INFANCY* {M F P}	23-44 17-27 20-45	21-96 16-45 19-29	19-17 14-10 16-71	18-68 13-49 16-16	17-79 12-73 15-33	18-39 12-94 15-74	17-28 12-58 14-99	16-60 12-22 14-47	16-43 11-58 14-07	15-91 11-52 13-78	15-63 11-21 13-49
-795	XVI.—SYMPTOMS, SEN- ILITY, & ILL-DEFINED CONDITIONS {M F P}	357 448 406	326 426 379	243 341 294	239 352 298	181 271 223	178 262 222	142 208 176	132 211 173	143 230 188	158 249 206	149 239 196
-789	Symptoms referable to systems or organs .. {M F P}	30 18 23	26 15 20	19 13 16	12 9 11	6 5 6	7 4 5	5 3 4	4 4 4	4 3 3	4 3 4	3 3 3
-795	Senility and ill-defined diseases {M F P}	327 430 383	300 411 359	224 328 279	227 343 288	174 266 222	172 258 216	137 205 172	129 207 170	139 227 185	154 246 202	146 236 193
	Senility without mention of psychosis {M F P}	319 426 377	293 407 353	219 324 274	222 340 284	171 264 219	168 256 214	134 202 170	126 206 167	135 225 182	151 245 200	142 234 190
-E999	XVII.—ACCIDENTS, POI- SONINGS, & VIOLENCE (EXTERNAL CAUSE) {M F P}	624 325 463	632 333 473	558 306 426	569 302 430	562 303 431	591 321 451	568 298 428	582 329 450	593 358 471	605 370 483	604 383 490
-E802	Railway accidents .. {M F P}	22 3 11	23 2 12	17 3 10	16 1 8	16 2 8	14 1 8	18 3 10	16 1 8	12 1 6	13 1 7	14 2 7
-E835	Motor vehicle accidents .. {M F P}	153 47 96	147 47 94	128 44 84	141 41 89	151 46 97	161 49 103	149 42 94	158 45 99	161 51 104	171 57 111	174 56 113
-E845	Other road vehicle accidents {M F P}	14 4 8	13 4 8	13 4 8	12 4 8	14 4 9	11 3 7	11 3 7	9 3 6	9 3 6	9 2 6	7 2 4
-E858	Water transport accidents {M F P}	9 0 4	8 0 4	6 0 3	7 0 4	9 0 4	7 0 3	6 0 3	7 0 3	6 0 3	6 0 3	7 0 3
-E866	Aircraft accidents .. {M F P}	1 0 0	3 0 1	4 1 3	4 1 2	11 0 5	13 1 7	14 1 7	9 0 4	10 0 5	6 0 3	6 0 3
-E888	Accidental poisoning by solid and liquid substances .. {M F P}	5 4 4	5 5 5	6 5 5	5 4 5	5 6 6	6 6 6	7 6 7	6 7 7	7 7 7	7 7 7	8 8 8
-E895	Accidental poisoning by gases and vapours .. {M F P}	10 10 10	11 12 11	10 9 9	11 10 11	10 11 11	12 13 13	12 13 12	15 14 15	15 17 16	18 21 19	17 20 18
-E904	Accidental falls .. {M F P}	88 110 100	94 110 103	78 100 89	81 105 93	74 113 94	86 117 102	79 105 93	84 123 104	99 141 121	94 144 120	99 149 125
-E936	Other accidents .. {M F P}	167 68 113	180 72 123	140 58 97	136 53 93	123 50 85	131 53 91	125 50 86	121 53 86	110 50 79	122 50 84	112 50 80
	Blow from falling object .. {M F P}	26 1 12	24 1 12	20 0 10	21 1 11	18 0 9	19 1 9	17 1 9	16 1 8	14 1 7	14 1 7	13 1 7
	Caused by machinery .. {M F P}	11 5 0	11 5 5	12 6 5	10 0 5	8 0 4	9 0 4	9 0 4	8 0 4	8 0 4	11 0 6	11 0 5
	Caused by fire and explosion of combustible material {M F P}	20 27 24	27 27 27	13 20 17	9 16 13	**9 16 12	15 19 17	**13 19 16	10 16 13	10 19 15	12 19 16	11 19 15
-E925	Accidental mechanical obstruction or suffocation {M F P}	30 18 23	34 21 27	26 17 21	25 16 20	23 14 18	23 14 18	22 13 17	19 13 16	23 13 18	22 12 17	21 13 17
	Accidental drowning and submersion .. {M F P}	44 11 26	50 10 29	39 11 24	40 8 23	36 9 22	36 9 20	34 8 20	34 8 21	30 8 19	35 10 22	30 8 18
-E965	Late effects of injury and poisoning {M F P}	?	?	?	4 0 2	8 1 5	9 1 5	8 1 5	7 1 4	9 1 5	7 1 5	9 1 4
-E979	Suicide and self-inflicted injury {M F P}	144 75 106	137 76 105	145 79 110	147 75 110	136 70 102	135 72 102	132 68 99	142 76 108	149 81 114	143 84 113	149 90 118
	Poisoning by analgesic and soporific substances .. {M F P}	3 5 4	5 6 6	7 10 8	7 9 8	8 11 10	7 10 9	11 13 12	9 11 10	10 14 12	11 15 13	15 17 16

† Rates per 1,000 related live births.
For detail of causes 760-776, see Table 11.

** E916 See footnote to this cause in Table 7.

TABLE 8—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
E971	Poisoning by other solid and liquid substances ..	$\begin{cases} M \\ F \\ P \end{cases}$ 7 5 6	$\begin{cases} M \\ F \\ P \end{cases}$ 6 5 6	$\begin{cases} M \\ F \\ P \end{cases}$ 6 5 5	$\begin{cases} M \\ F \\ P \end{cases}$ 6 4 5	$\begin{cases} M \\ F \\ P \end{cases}$ 5 4 4	$\begin{cases} M \\ F \\ P \end{cases}$ 5 3 4	$\begin{cases} M \\ F \\ P \end{cases}$ 5 3 4	$\begin{cases} M \\ F \\ P \end{cases}$ 5 3 4	$\begin{cases} M \\ F \\ P \end{cases}$ 4 2 3	$\begin{cases} M \\ F \\ P \end{cases}$ 4 2 3	$\begin{cases} M \\ F \\ P \end{cases}$ 4 2 3
E972	Poisoning by gases in domestic use ..	$\begin{cases} M \\ F \\ P \end{cases}$ 46 36 40	$\begin{cases} M \\ F \\ P \end{cases}$ 47 39 42	$\begin{cases} M \\ F \\ P \end{cases}$ 54 40 47	$\begin{cases} M \\ F \\ P \end{cases}$ 53 38 45	$\begin{cases} M \\ F \\ P \end{cases}$ 49 33 41	$\begin{cases} M \\ F \\ P \end{cases}$ 51 38 45	$\begin{cases} M \\ F \\ P \end{cases}$ 52 34 43	$\begin{cases} M \\ F \\ P \end{cases}$ 60 41 50	$\begin{cases} M \\ F \\ P \end{cases}$ 64 47 55	$\begin{cases} M \\ F \\ P \end{cases}$ 59 47 53	$\begin{cases} M \\ F \\ P \end{cases}$ 59 47 53
E974	Hanging and strangulation ..	$\begin{cases} M \\ F \\ P \end{cases}$ 32 8 19	$\begin{cases} M \\ F \\ P \end{cases}$ 30 7 18	$\begin{cases} M \\ F \\ P \end{cases}$ 29 6 17	$\begin{cases} M \\ F \\ P \end{cases}$ 31 6 18	$\begin{cases} M \\ F \\ P \end{cases}$ 27 6 16	$\begin{cases} M \\ F \\ P \end{cases}$ 25 6 15	$\begin{cases} M \\ F \\ P \end{cases}$ 25 6 15	$\begin{cases} M \\ F \\ P \end{cases}$ 25 6 15	$\begin{cases} M \\ F \\ P \end{cases}$ 29 6 17	$\begin{cases} M \\ F \\ P \end{cases}$ 27 5 16	$\begin{cases} M \\ F \\ P \end{cases}$ 27 5 16
E975	Submersion (drowning)	$\begin{cases} M \\ F \\ P \end{cases}$ 18 12 15	$\begin{cases} M \\ F \\ P \end{cases}$ 15 11 13	$\begin{cases} M \\ F \\ P \end{cases}$ 17 11 14	$\begin{cases} M \\ F \\ P \end{cases}$ 17 10 14	$\begin{cases} M \\ F \\ P \end{cases}$ 16 10 13	$\begin{cases} M \\ F \\ P \end{cases}$ 15 10 12	$\begin{cases} M \\ F \\ P \end{cases}$ 13 8 10	$\begin{cases} M \\ F \\ P \end{cases}$ 12 9 11	$\begin{cases} M \\ F \\ P \end{cases}$ 14 8 11	$\begin{cases} M \\ F \\ P \end{cases}$ 13 9 11	$\begin{cases} M \\ F \\ P \end{cases}$ 13 9 11
E976	Firearms and explosives ..	$\begin{cases} M \\ F \\ P \end{cases}$ 11 0 5	$\begin{cases} M \\ F \\ P \end{cases}$ 12 1 6	$\begin{cases} M \\ F \\ P \end{cases}$ 10 1 5	$\begin{cases} M \\ F \\ P \end{cases}$ 11 0 5	$\begin{cases} M \\ F \\ P \end{cases}$ 9 0 5	$\begin{cases} M \\ F \\ P \end{cases}$ 9 1 5	$\begin{cases} M \\ F \\ P \end{cases}$ 8 0 4	$\begin{cases} M \\ F \\ P \end{cases}$ 10 0 5	$\begin{cases} M \\ F \\ P \end{cases}$ 9 0 5	$\begin{cases} M \\ F \\ P \end{cases}$ 10 0 5	$\begin{cases} M \\ F \\ P \end{cases}$ 10 0 5
E977	Cutting and piercing instruments ..	$\begin{cases} M \\ F \\ P \end{cases}$ 15 3 8	$\begin{cases} M \\ F \\ P \end{cases}$ 11 2 6	$\begin{cases} M \\ F \\ P \end{cases}$ 9 2 5	$\begin{cases} M \\ F \\ P \end{cases}$ 11 2 6	$\begin{cases} M \\ F \\ P \end{cases}$ 9 2 5	$\begin{cases} M \\ F \\ P \end{cases}$ 8 1 4	$\begin{cases} M \\ F \\ P \end{cases}$ 7 1 4	$\begin{cases} M \\ F \\ P \end{cases}$ 9 1 5	$\begin{cases} M \\ F \\ P \end{cases}$ 8 1 4	$\begin{cases} M \\ F \\ P \end{cases}$ 8 1 4	$\begin{cases} M \\ F \\ P \end{cases}$ 8 1 4
E978	Jumping from high place	$\begin{cases} M \\ F \\ P \end{cases}$ 4 3 3	$\begin{cases} M \\ F \\ P \end{cases}$ 4 3 3	$\begin{cases} M \\ F \\ P \end{cases}$ 5 3 4	$\begin{cases} M \\ F \\ P \end{cases}$ 4 3 3	$\begin{cases} M \\ F \\ P \end{cases}$ 4 2 3	$\begin{cases} M \\ F \\ P \end{cases}$ 4 2 3	$\begin{cases} M \\ F \\ P \end{cases}$ 3 2 2	$\begin{cases} M \\ F \\ P \end{cases}$ 3 2 3	$\begin{cases} M \\ F \\ P \end{cases}$ 4 2 3	$\begin{cases} M \\ F \\ P \end{cases}$ 3 2 3	$\begin{cases} M \\ F \\ P \end{cases}$ 3 2 3
E979	Other and unspecified means ..	$\begin{cases} M \\ F \\ P \end{cases}$ 7 3 5	$\begin{cases} M \\ F \\ P \end{cases}$ 7 2 4	$\begin{cases} M \\ F \\ P \end{cases}$ 7 3 5	$\begin{cases} M \\ F \\ P \end{cases}$ 6 2 4	$\begin{cases} M \\ F \\ P \end{cases}$ 8 2 5	$\begin{cases} M \\ F \\ P \end{cases}$ 7 2 4	$\begin{cases} M \\ F \\ P \end{cases}$ 7 1 4	$\begin{cases} M \\ F \\ P \end{cases}$ 7 1 4	$\begin{cases} M \\ F \\ P \end{cases}$ 7 2 4	$\begin{cases} M \\ F \\ P \end{cases}$ 6 2 4	$\begin{cases} M \\ F \\ P \end{cases}$ 6 2 4
E980-E985	Homicide and injury purposely inflicted by other persons (not in war) ..	$\begin{cases} M \\ F \\ P \end{cases}$ 5 5 5	$\begin{cases} M \\ F \\ P \end{cases}$ 5 6 5	$\begin{cases} M \\ F \\ P \end{cases}$ 6 5 5	$\begin{cases} M \\ F \\ P \end{cases}$ 4 5 5	$\begin{cases} M \\ F \\ P \end{cases}$ 5 5 5	$\begin{cases} M \\ F \\ P \end{cases}$ 5 4 4	$\begin{cases} M \\ F \\ P \end{cases}$ 5 4 4	$\begin{cases} M \\ F \\ P \end{cases}$ 4 4 4	$\begin{cases} M \\ F \\ P \end{cases}$ 5 5 5	$\begin{cases} M \\ F \\ P \end{cases}$ 5 4 4	$\begin{cases} M \\ F \\ P \end{cases}$ 5 4 4
N800-N999	NXVII.—ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, & VIOLENCE (NATURE OF INJURY)	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	569 302 430	562 308 431	591 321 451	568 298 428	582 329 450	593 358 471	605 370 483	605 370 483
N800-N804	Fracture of skull ..	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	145 40 90	153 42 96	165 42 101	151 37 92	148 37 91	144 38 89	148 39 92	148 39 92
N805-N809	Fracture of spine and trunk	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	37 9 22	33 11 22	32 11 22	32 12 22	34 13 23	36 16 26	36 17 26	36 17 26
N810-N829	Fracture of limbs ..	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	41 80 61	40 88 65	46 91 69	38 78 59	45 95 71	56 109 84	53 113 84	53 113 84
N830-N839	Dislocation without fracture	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	0 0 0	1 0 1	2 1 2	2 1 1	2 1 1	2 1 1	3 1 2	3 1 2
N840-N848	Sprains and strains of joints and adjacent muscles ..	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
N850-N856	Head injury (excluding fracture) ..	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	40 17 28	43 17 29	46 18 31	40 16 27	41 16 28	44 19 31	45 19 32	45 19 32
N860-N869	Internal injury of chest, abdomen and pelvis ..	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	28 6 16	35 7 20	40 7 23	45 8 26	40 9 24	42 8 24	44 8 25	44 8 25
N870-N908	Laceration and open wounds ..	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	24 4 13	19 4 11	17 3 10	22 5 13	24 4 13	20 5 12	21 5 13	21 5 13
N910-N929	Superficial injury, contusion and crushing with intact skin surface ..	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	3 3 3	2 3 2	2 3 3	2 3 2	2 3 3	2 4 3	3 4 3	3 4 3
N930-N936	Effects of foreign body entering through orifice	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	14 9 11	13 9 11	13 9 11	13 9 11	12 8 10	14 9 11	14 8 11	14 8 11
N940-N949	Burns ..	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	13 20 17	12 19 16	15 21 18	12 22 17	14 17 15	12 21 17	14 21 17	14 21 17
N960-N979	Effects of poisons ..	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	85 68 77	83 67 75	90 73 81	97 71 83	102 79 90	107 89 98	107 94 100	107 94 100
N950-N959	} All other and unspecified effects of external causes.	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	140 47 91	129 41 83	123 41 81	114 38 75	119 48 82	117 40 77	118 42 78	118 42 78
N980-N999		$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	$\begin{cases} M \\ F \\ P \end{cases}$? ? ?	?	?	?	?	?	?	?	?

TABLE 9—Comparative Mortality Indices (Base Year 1938) by Sex for Certain Causes of Death, 1946-1956 } England and Wales

Notes: (1) The C.M.I. expresses each cause mortality (all ages) of each year as a ratio to that of 1938 adopted as a base, after adjustment for age differences in the populations exposed to risk. For years prior to 1950, including the base year 1938, mortality has been adjusted to the new (1948) method of classification to eliminate the effects of changing methods of cause assignment through those years. Owing to the degree of estimation thus involved, C.M.I.'s are shown to two decimal places only instead of three as in past years.

(2) For years up to 1949, C.M.I.'s are based on civilian death rates and age distribution.

(3) Footnotes to Table 7 for individual causes apply also to this table.

(4) See Explanatory notes on page v.

Inter- national List No.	Causes of Death			1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
	ALL CAUSES	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.89 0.88 0.88	0.92 0.89 0.91	0.82 0.79 0.80	0.86 0.85 0.86	0.85 0.83 0.84	0.92 0.88 0.90	0.84 0.78 0.81	0.84 0.78 0.81	0.83 0.76 0.79	0.84 0.77 0.81	0.94 0.76 0.80
01-019	Tuberculosis (all forms)	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.94 0.85	0.90 0.89	0.83 0.82	0.76 0.72	0.62 0.55	0.55 0.45	0.44 0.31	0.37 0.26	0.33 0.22	0.27 0.17	0.23 0.14
01-008	Respiratory system	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.97 0.86	0.93 0.92	0.87 0.85	0.80 0.77	0.66 0.58	0.58 0.46	0.47 0.32	0.39 0.27	0.36 0.23	0.30 0.18	0.25 0.14
0-019	Other forms	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.80 0.81	0.74 0.77	0.61 0.65	0.52 0.50	0.40 0.41	0.37 0.39	0.28 0.26	0.21 0.21	0.18 0.17	0.14 0.13	0.11 0.11
0	Meninges and central nervous system	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.87 0.89	0.81 0.81	0.64 0.70	0.55 0.56	0.42 0.48	0.43 0.46	0.26 0.26	0.18 0.18	0.10 0.10	0.07 0.07	0.04 0.06
1	Intestines, peritoneum, mesenteric glands	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.69 0.53	0.56 0.62	0.45 0.51	0.39 0.37	0.23 0.25	0.21 0.24	0.17 0.16	0.15 0.14	0.10 0.14	0.11 0.10	0.08 0.08
00-029	Syphilis and its sequelæ	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.62 0.63	0.56 0.58	0.49 0.50	0.48 0.48	0.44 0.50	0.47 0.48	0.40 0.49	0.36 0.41	0.34 0.42	0.34 0.39	0.32 0.40
00, 041	Typhoid and paratyphoid fevers	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.25 0.40	0.22 0.14	0.25 0.35	0.16 0.23	0.08 0.11	0.06 0.20	0.10 0.15	0.01 0.05	0.02 0.08	0.08 0.09	0.02 0.07
0	Scarlet fever	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.12 0.14	0.11 0.15	0.10 0.12	0.06 0.05	0.09 0.10	0.08 0.13	0.05 0.08	0.05 0.11	0.06 0.09	0.05 0.07	0.05 0.04
02	Erysipelas	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.20 0.21	0.13 0.18	0.12 0.12	0.12 0.13	0.09 0.10	0.04 0.04	0.03 0.05	0.04 0.06	0.04 0.02	0.03 0.03	0.01 0.02
05	Diphtheria	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.14 0.17	0.08 0.08	0.05 0.05	0.03 0.02	0.01 0.01	0.01 0.01	0.01 0.01	0.01 0.01	0.00 0.00	0.00 0.00	0.00 0.00
06	Whooping cough	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.65 0.66	0.63 0.67	0.54 0.52	0.41 0.38	0.29 0.32	0.38 0.35	0.16 0.15	0.20 0.21	0.13 0.11	0.09 0.06	0.03 0.08
07	Meningococcal infections	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.64 0.80	0.65 0.77	0.35 0.44	0.34 0.43	0.34 0.42	0.35 0.47	0.37 0.44	0.38 0.42	0.32 0.40	0.24 0.34	0.25 0.27
00, 081	Acute poliomyelitis incl. late effects	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.45 0.51	3.19 2.35	1.07 0.81	2.61 2.39	2.95 2.73	0.83 0.79	1.24 0.98	1.45 1.06	0.58 0.40	1.12 0.89	0.54 0.49
02, 083	Acute infectious encephalitis incl. late effects	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.81 0.85	0.80 0.77	0.69 0.68	0.57 0.66	0.59 0.61	0.48 0.62	0.41 0.51	0.53 0.52	0.41 0.46	0.40 0.39	0.43 0.39
05	Measles	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.12 0.12	0.33 0.35	0.15 0.18	0.15 0.17	0.13 0.10	0.17 0.17	0.07 0.08	0.15 0.12	0.03 0.03	0.09 0.11	0.02 0.02
00-205	Neoplasms, malignant, & of lymphatic and hæmato-poietic tissues	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	1.03 0.95	1.05 0.96	1.06 0.95	1.07 0.95	1.09 0.95	1.12 0.93	1.13 0.94	1.13 0.92	1.16 0.92	1.16 0.91	1.17 0.91
00-200, 02, 203, 05	Neoplasms, malignant excl. Hodgkin's disease & leukaemia and aleukæmia	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	1.02 0.95	1.05 0.95	1.06 0.94	1.06 0.94	1.08 0.94	1.11 0.92	1.12 0.92	1.12 0.90	1.14 0.90	1.15 0.90	1.16 0.90
00-148	Buccal cavity and pharynx	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.65 0.83	0.62 0.84	0.58 0.79	0.54 0.85	0.54 0.89	0.54 0.90	0.50 0.78	0.47 0.78	0.50 0.86	0.47 0.86	0.40 0.86
00-159	Digestive organs and peritoneum	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	0.95 0.92	0.95 0.91	0.94 0.89	0.91 0.88	0.89 0.87	0.89 0.84	0.87 0.83	0.85 0.81	0.83 0.79	0.82 0.78	0.79 0.76
00-165	Respiratory system	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	1.60 1.23	1.76 1.39	1.90 1.47	2.02 1.51	2.22 1.59	2.39 1.62	2.51 1.61	2.65 1.68	2.83 1.72	2.96 1.77	3.07 1.80
070	Breast	..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$	1.12 1.00	1.11 0.99	0.98 0.98	1.19 0.97	0.97 0.96	0.96 0.96	0.88 0.98	1.22 0.96	1.17 0.96	1.12 0.96	0.99 0.96

TABLE 9—continued

Inter- national List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
171-174	Uterus F	0·87	0·85	0·85	0·82	0·79	0·77	0·75	0·73	0·70	0·70	0·70
175, 176	Other female genital organs F	0·99	1·03	1·03	1·05	1·11	1·10	1·08	1·09	1·10	1·14	1·14
177-179	Male genital organs .. M	1·08	1·14	1·10	1·14	1·18	1·15	1·13	1·16	1·21	1·19	1·25
180, 181	Kidney, bladder and other urinary organs .. {M F	1·10 1·21	1·38 1·18	1·21 1·26	1·26 1·22	1·29 1·26	1·36 1·28	1·42 1·31	1·38 1·33	1·40 1·35	1·45 1·31	1·47 1·33
190, 191	Skin {M F	0·73 0·75	0·74 0·72	0·70 0·72	0·64 0·74	0·67 0·76	0·59 0·66	0·58 0·74	0·56 0·70	0·55 0·67	0·55 0·70	0·56 0·62
193	Brain and other parts of nervous system .. {M F	1·02 1·09	1·20 1·11	1·30 1·12	1·37 1·33	1·39 1·48	1·51 1·40	1·69 1·48	1·64 1·65	1·67 1·74	1·80 1·70	1·76 1·82
201	Hodgkin's disease .. {M F	1·23 0·95	1·15 0·93	1·20 0·96	1·22 1·00	1·09 0·99	1·25 1·10	1·27 1·10	1·28 1·13	1·29 1·12	1·29 1·10	1·31 1·19
204	Leukæmia & aleukæmia {M F	1·36 1·30	1·28 1·37	1·34 1·30	1·49 1·51	1·61 1·57	1·60 1·75	1·77 1·72	1·78 1·83	1·82 1·84	1·93 1·79	1·92 1·92
240, 241	Hay fever, asthma .. {M F	1·10 1·11	1·11 1·08	0·92 0·94	1·07 1·04	1·02 1·05	1·16 1·22	0·88 0·87	0·85 0·95	0·77 0·86	0·76 0·80	0·68 0·81
252	Thyrototoxicosis .. {M F	0·44 0·45	0·43 0·46	0·36 0·41	0·42 0·37	0·33 0·36	0·44 0·34	0·33 0·28	0·34 0·22	0·28 0·23	0·26 0·21	0·26 0·20
260	Diabetes mellitus .. {M F	0·63 0·70	0·57 0·66	0·50 0·60	0·52 0·63	0·56 0·65	0·57 0·65	0·58 0·57	0·49 0·53	0·47 0·49	0·48 0·53	0·45 0·51
290·0 290·1	Pernicious anæmias and sub-acute combined degener- ation of spinal cord .. {M F	0·64 0·75	0·68 0·72	0·54 0·57	0·50 0·58	0·44 0·56	0·42 0·51	0·36 0·42	0·31 0·36	0·29 0·38	0·29 0·36	0·26 0·37
330-334	Vascular lesions affecting central nervous system .. {M F	0·97 1·05	1·03 1·10	0·92 1·00	0·99 1·08	1·05 1·14	1·13 1·18	1·12 1·18	1·09 1·13	1·14 1·16	1·15 1·18	1·14 1·16
345	Multiple sclerosis .. {M F	0·90 1·11	0·80 1·19	0·65 1·04	0·74 0·98	0·74 1·10	0·81 1·33	0·71 1·12	0·63 1·22	0·70 1·16	0·76 1·55	0·65 1·51
350	Paralysis agitans .. {M F	1·02 1·04	1·01 1·09	0·80 0·99	0·95 1·13	0·97 1·13	1·10 1·22	1·01 1·15	0·99 1·09	0·89 1·04	1·15 1·16	0·99 1·10
353	Epilepsy {M F	0·86 0·80	0·79 0·80	0·60 0·63	0·55 0·59	0·53 0·59	0·52 0·58	0·51 0·54	0·45 0·56	0·37 0·46	0·44 0·49	0·42 0·44
400-468	Diseases of the circulatory system {M F	0·98 0·93	1·06 0·97	0·97 0·89	1·07 1·01	1·09 1·01	1·16 1·06	1·08 0·94	1·06 0·93	1·08 0·90	1·09 0·92	1·11 0·91
430	Acute and subacute endo- carditis {M F	0·54 0·47	0·54 0·43	0·48 0·38	0·42 0·36	0·37 0·28	0·34 0·26	0·29 0·22	0·32 0·23	0·32 0·19	0·33 0·20	0·31 0·21
480-483	Influenza {M F	0·91 1·19	0·61 0·67	0·24 0·23	0·90 1·17	0·63 0·79	2·51 3·24	0·29 0·33	0·96 1·32	0·29 0·34	0·47 0·54	0·41 0·47
490-493, 763	Pneumonia {M F	0·60 0·71	0·66 0·76	0·50 0·56	0·55 0·69	0·47 0·60	0·60 0·76	0·51 0·62	0·56 0·69	0·48 0·59	0·54 0·68	0·51 0·71
490	Lobar pneumonia .. {M F	0·42 0·50	0·41 0·49	0·34 0·37	0·33 0·42	0·30 0·37	0·32 0·39	0·29 0·33	0·29 0·34	0·25 0·32	0·26 0·32	0·21 0·31
491	Bronchopneumonia .. {M F	0·71 0·78	0·82 0·87	0·61 0·65	0·71 0·82	0·59 0·72	0·81 0·95	0·67 0·75	0·75 0·87	0·64 0·73	0·75 0·87	0·77 0·91
500-502	Bronchitis {M F	0·98 0·80	1·09 0·85	0·88 0·60	1·00 0·78	0·99 0·71	1·29 0·94	0·99 0·61	1·08 0·68	0·94 0·51	1·05 0·57	1·07 0·57
500	Acute bronchitis .. {M F	0·98 0·87	1·09 0·95	0·70 0·55	0·81 0·77	0·60 0·62	0·87 0·87	0·57 0·49	0·65 0·58	0·45 0·38	0·50 0·41	0·46 0·44
501, 502	Chronic and unqualified {M F	1·07 0·84	1·20 0·89	1·04 0·72	1·18 0·90	1·22 0·86	1·56 1·11	1·22 0·76	1·33 0·84	1·19 0·65	1·32 0·72	1·31 0·77
530-587	Diseases of the digestive system {M F	0·78 0·74	0·78 0·74	0·65 0·60	0·63 0·59	0·60 0·58	0·61 0·58	0·59 0·55	0·56 0·54	0·57 0·54	0·56 0·55	0·57 0·57
540	Ulcer of stomach .. {M F	0·87 0·81	0·81 0·88	0·77 0·80	0·76 0·80	0·73 0·82	0·74 0·88	0·69 0·85	0·63 0·82	0·64 0·82	0·63 0·86	0·64 0·87
541	Ulcer of duodenum .. {M F	1·12 0·85	1·12 0·95	1·08 1·03	1·16 1·12	1·21 1·33	1·43 1·52	1·35 1·45	1·26 1·51	1·35 1·84	1·31 1·87	1·21 1·81
550-553	Appendicitis {M F	0·49 0·50	0·47 0·47	0·38 0·39	0·38 0·36	0·37 0·39	0·34 0·34	0·30 0·30	0·27 0·24	0·27 0·28	0·24 0·24	0·27 0·27

TABLE 9—continued

International List No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
561	Hernia of abdominal cavity	$\begin{cases} M & 1.01 \\ F & 1.03 \end{cases}$	$\begin{cases} 0.88 \\ 1.00 \end{cases}$	$\begin{cases} 0.78 \\ 0.76 \end{cases}$	$\begin{cases} 0.69 \\ 0.71 \end{cases}$	$\begin{cases} 0.67 \\ 0.68 \end{cases}$	$\begin{cases} 0.67 \\ 0.69 \end{cases}$	$\begin{cases} 0.66 \\ 0.65 \end{cases}$	$\begin{cases} 0.61 \\ 0.62 \end{cases}$	$\begin{cases} 0.60 \\ 0.59 \end{cases}$	$\begin{cases} 0.65 \\ 0.58 \end{cases}$	$\begin{cases} 0.60 \\ 0.62 \end{cases}$
	Intestinal obstruction, with- out mention of hernia	$\begin{cases} M & 0.98 \\ F & 1.01 \end{cases}$	$\begin{cases} 1.13 \\ 1.06 \end{cases}$	$\begin{cases} 0.83 \\ 0.88 \end{cases}$	$\begin{cases} 0.74 \\ 0.84 \end{cases}$	$\begin{cases} 0.64 \\ 0.67 \end{cases}$	$\begin{cases} 0.64 \\ 0.71 \end{cases}$	$\begin{cases} 0.67 \\ 0.71 \end{cases}$	$\begin{cases} 0.64 \\ 0.67 \end{cases}$	$\begin{cases} 0.61 \\ 0.61 \end{cases}$	$\begin{cases} 0.57 \\ 0.67 \end{cases}$	$\begin{cases} 0.61 \\ 0.67 \end{cases}$
	Cirrhosis of liver	$\begin{cases} M & 0.55 \\ F & 0.60 \end{cases}$	$\begin{cases} 0.59 \\ 0.63 \end{cases}$	$\begin{cases} 0.55 \\ 0.59 \end{cases}$	$\begin{cases} 0.59 \\ 0.68 \end{cases}$	$\begin{cases} 0.60 \\ 0.81 \end{cases}$	$\begin{cases} 0.65 \\ 0.92 \end{cases}$	$\begin{cases} 0.67 \\ 0.86 \end{cases}$	$\begin{cases} 0.67 \\ 0.90 \end{cases}$	$\begin{cases} 0.65 \\ 0.94 \end{cases}$	$\begin{cases} 0.63 \\ 0.94 \end{cases}$	$\begin{cases} 0.62 \\ 0.92 \end{cases}$
	Cholelithiasis	$\begin{cases} M & 0.58 \\ F & 0.57 \end{cases}$	$\begin{cases} 0.54 \\ 0.53 \end{cases}$	$\begin{cases} 0.55 \\ 0.51 \end{cases}$	$\begin{cases} 0.55 \\ 0.51 \end{cases}$	$\begin{cases} 0.63 \\ 0.59 \end{cases}$	$\begin{cases} 0.55 \\ 0.55 \end{cases}$	$\begin{cases} 0.61 \\ 0.53 \end{cases}$	$\begin{cases} 0.60 \\ 0.56 \end{cases}$	$\begin{cases} 0.68 \\ 0.53 \end{cases}$	$\begin{cases} 0.69 \\ 0.53 \end{cases}$	$\begin{cases} 0.67 \\ 0.49 \end{cases}$
	Cholecystitis without mention of calculi	$\begin{cases} M & 0.42 \\ F & 0.53 \end{cases}$	$\begin{cases} 0.46 \\ 0.45 \end{cases}$	$\begin{cases} 0.42 \\ 0.44 \end{cases}$	$\begin{cases} 0.43 \\ 0.45 \end{cases}$	$\begin{cases} 0.44 \\ 0.43 \end{cases}$	$\begin{cases} 0.40 \\ 0.42 \end{cases}$	$\begin{cases} 0.47 \\ 0.40 \end{cases}$	$\begin{cases} 0.50 \\ 0.38 \end{cases}$	$\begin{cases} 0.46 \\ 0.39 \end{cases}$	$\begin{cases} 0.45 \\ 0.37 \end{cases}$	$\begin{cases} 0.45 \\ 0.34 \end{cases}$
	Diseases of pancreas	$\begin{cases} M & 0.62 \\ F & 0.72 \end{cases}$	$\begin{cases} 0.65 \\ 0.70 \end{cases}$	$\begin{cases} 0.62 \\ 0.76 \end{cases}$	$\begin{cases} 0.76 \\ 0.87 \end{cases}$	$\begin{cases} 0.80 \\ 0.97 \end{cases}$	$\begin{cases} 0.86 \\ 0.95 \end{cases}$	$\begin{cases} 1.07 \\ 0.98 \end{cases}$	$\begin{cases} 0.86 \\ 1.09 \end{cases}$	$\begin{cases} 1.01 \\ 1.08 \end{cases}$	$\begin{cases} 1.14 \\ 1.27 \end{cases}$	$\begin{cases} 0.98 \\ 0.16 \end{cases}$
	Cystitis	$\begin{cases} M & 0.39 \\ F & 0.38 \end{cases}$	$\begin{cases} 0.37 \\ 0.40 \end{cases}$	$\begin{cases} 0.38 \\ 0.31 \end{cases}$	$\begin{cases} 0.34 \\ 0.37 \end{cases}$	$\begin{cases} 0.30 \\ 0.39 \end{cases}$	$\begin{cases} 0.28 \\ 0.34 \end{cases}$	$\begin{cases} 0.25 \\ 0.31 \end{cases}$	$\begin{cases} 0.27 \\ 0.31 \end{cases}$	$\begin{cases} 0.24 \\ 0.35 \end{cases}$	$\begin{cases} 0.21 \\ 0.33 \end{cases}$	$\begin{cases} 0.21 \\ 0.33 \end{cases}$
	Stricture of urethra	M	0.51	0.50	0.44	0.42	0.33	0.29	0.28	0.23	0.29	0.24
562	Diseases of prostate	M	0.91	0.86	0.79	0.81	0.78	0.75	0.69	0.65	0.66	0.57
579	Congenital malformations	$\begin{cases} M & 1.06 \\ F & 1.02 \end{cases}$	$\begin{cases} 1.00 \\ 1.02 \end{cases}$	$\begin{cases} 0.82 \\ 0.82 \end{cases}$	$\begin{cases} 0.77 \\ 0.86 \end{cases}$	$\begin{cases} 0.80 \\ 0.85 \end{cases}$	$\begin{cases} 0.77 \\ 0.84 \end{cases}$	$\begin{cases} 0.77 \\ 0.85 \end{cases}$	$\begin{cases} 0.75 \\ 0.84 \end{cases}$	$\begin{cases} 0.81 \\ 0.89 \end{cases}$	$\begin{cases} 0.84 \\ 0.89 \end{cases}$	$\begin{cases} 0.84 \\ 0.89 \end{cases}$
0-E999	Accidents, poisonings and violence	$\begin{cases} M & 0.77 \\ F & 0.82 \end{cases}$	$\begin{cases} 0.79 \\ 0.82 \end{cases}$	$\begin{cases} 0.70 \\ 0.75 \end{cases}$	$\begin{cases} 0.71 \\ 0.73 \end{cases}$	$\begin{cases} 0.71 \\ 0.74 \end{cases}$	$\begin{cases} 0.74 \\ 0.77 \end{cases}$	$\begin{cases} 0.71 \\ 0.71 \end{cases}$	$\begin{cases} 0.73 \\ 0.77 \end{cases}$	$\begin{cases} 0.74 \\ 0.82 \end{cases}$	$\begin{cases} 0.76 \\ 0.84 \end{cases}$	$\begin{cases} 0.75 \\ 0.86 \end{cases}$
0-E825 0-E835	Motor vehicle accidents	$\begin{cases} M & 0.74 \\ F & 0.70 \end{cases}$	$\begin{cases} 0.70 \\ 0.70 \end{cases}$	$\begin{cases} 0.61 \\ 0.64 \end{cases}$	$\begin{cases} 0.68 \\ 0.61 \end{cases}$	$\begin{cases} 0.72 \\ 0.67 \end{cases}$	$\begin{cases} 0.77 \\ 0.71 \end{cases}$	$\begin{cases} 0.71 \\ 0.62 \end{cases}$	$\begin{cases} 0.75 \\ 0.65 \end{cases}$	$\begin{cases} 0.76 \\ 0.72 \end{cases}$	$\begin{cases} 0.81 \\ 0.78 \end{cases}$	$\begin{cases} 0.83 \\ 0.79 \end{cases}$
0-E888	Accidental poisoning by solid or liquid substances	$\begin{cases} M & 0.84 \\ F & 0.92 \end{cases}$	$\begin{cases} 0.87 \\ 1.22 \end{cases}$	$\begin{cases} 1.07 \\ 1.13 \end{cases}$	$\begin{cases} 0.85 \\ 1.13 \end{cases}$	$\begin{cases} 1.02 \\ 1.58 \end{cases}$	$\begin{cases} 1.09 \\ 1.58 \end{cases}$	$\begin{cases} 1.40 \\ 1.55 \end{cases}$	$\begin{cases} 1.23 \\ 1.67 \end{cases}$	$\begin{cases} 1.35 \\ 1.80 \end{cases}$	$\begin{cases} 1.36 \\ 1.83 \end{cases}$	$\begin{cases} 1.46 \\ 2.05 \end{cases}$
0-E895	Accidental poisoning by gases and vapours	$\begin{cases} M & 1.22 \\ F & 1.78 \end{cases}$	$\begin{cases} 1.34 \\ 2.21 \end{cases}$	$\begin{cases} 1.19 \\ 1.66 \end{cases}$	$\begin{cases} 1.38 \\ 1.84 \end{cases}$	$\begin{cases} 1.23 \\ 1.96 \end{cases}$	$\begin{cases} 1.50 \\ 2.32 \end{cases}$	$\begin{cases} 1.46 \\ 2.26 \end{cases}$	$\begin{cases} 1.89 \\ 2.37 \end{cases}$	$\begin{cases} 1.90 \\ 2.79 \end{cases}$	$\begin{cases} 2.17 \\ 3.34 \end{cases}$	$\begin{cases} 2.06 \\ 3.11 \end{cases}$
0-E904	Accidental falls	$\begin{cases} M & 0.71 \\ F & 0.76 \end{cases}$	$\begin{cases} 0.77 \\ 0.75 \end{cases}$	$\begin{cases} 0.64 \\ 0.66 \end{cases}$	$\begin{cases} 0.66 \\ 0.69 \end{cases}$	$\begin{cases} 0.61 \\ 0.73 \end{cases}$	$\begin{cases} 0.71 \\ 0.75 \end{cases}$	$\begin{cases} 0.64 \\ 0.66 \end{cases}$	$\begin{cases} 0.68 \\ 0.75 \end{cases}$	$\begin{cases} 0.80 \\ 0.83 \end{cases}$	$\begin{cases} 0.75 \\ 0.83 \end{cases}$	$\begin{cases} 0.78 \\ 0.85 \end{cases}$
0-E979	Suicide and self-inflicted injury	$\begin{cases} M & 0.72 \\ F & 0.89 \end{cases}$	$\begin{cases} 0.71 \\ 0.90 \end{cases}$	$\begin{cases} 0.76 \\ 0.93 \end{cases}$	$\begin{cases} 0.76 \\ 0.89 \end{cases}$	$\begin{cases} 0.71 \\ 0.82 \end{cases}$	$\begin{cases} 0.70 \\ 0.84 \end{cases}$	$\begin{cases} 0.69 \\ 0.79 \end{cases}$	$\begin{cases} 0.74 \\ 0.89 \end{cases}$	$\begin{cases} 0.78 \\ 0.95 \end{cases}$	$\begin{cases} 0.74 \\ 0.97 \end{cases}$	$\begin{cases} 0.77 \\ 1.04 \end{cases}$

TABLE 10—Deaths of Infants under One Year from } England and Wales
Certain Causes, 1946-1956

Note: For years 1946-48 inclusive, deaths and rates classified in this table and in Table 11 according to the 1948 International Statistical Classification have been estimated from available material based on the 1938 International List in the light of experience gained in 1949, when both lists were employed. For those years, therefore, figures must be regarded as approximate.

See Explanatory notes on page v.

Inter- national Classifica- tion No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
	ALL CAUSES	33,541	36,849	26,766	23,882	20,817	20,223	18,555	18,324	17,160	16,613	16,511
010	Tuberculosis of meninges and central nervous system . .	149	153	113	85	52	56	38	16	10	11	
001-008, 011-019	Other tuberculosis	140	191	138	81	74	43	30	47	26	17	
020	Congenital syphilis	124	84	76	62	31	19	20	8	2	—	
055	Diphtheria	23	16	6	2	—	1	—	—	1	—	
056	Whooping cough	512	564	484	357	277	273	111	167	95	60	
057	Meningococcal infections . .	142	182	98	112	103	104	115	123	105	77	
080, 081	Acute poliomyelitis	7	39	5	25	48	6	12	6	4	6	
085	Measles	88	252	107	86	70	98	37	57	14	38	
Rem. of 001-138	Other infective and parasitic diseases	152	192	125	106	86	81	80	100	86	60	
295,296,771	Hæmorrhagic conditions . .	301	399	234	192	198	239	190	207	233	222	
340-343	Inflammatory diseases of central nervous system . .	225	290	223	197	203	171	141	180	142	149	
365	Pink disease	35	75	49	47	33	39	18	27	9	4	
390-396	Diseases of ear and mastoid process	329	335	231	151	146	114	68	100	73	68	
480-483	Influenza	174	135	76	115	77	161	37	77	31	48	
490-493,763	Pneumonia	5,439	6,462	4,615	4,012	3,276	3,469	3,009	2,940	2,390	2,315	2,315
500-502	Bronchitis	833	807	621	484	477	455	375	430	335	357	357
470-475, 510-527	Other respiratory diseases	*	*	*	91	119	114	91	95	99	94	
543	Gastritis and duodenitis . .	61	79	37	25	17	16	21	14	6	6	
571, 764	Gastro-enteritis	3,317	4,571	2,289	1,945	1,160	831	676	665	461	439	3,317
690-716	Diseases of the skin and sub-cutaneous tissue	97	117	63	45	51	43	46	34	21	23	
751	Spina bifida & meningocele	1,224	1,006	833	843	727	797	855	801	967	965	965
752	Congenital hydrocephalus . .	187	230	162	164	198	117	152	122	134	135	135
754-0- 754-4	Congenital malformations of heart	1,331	1,462	1,108	1,049	1,085	981	1,009	1,045	1,069	984	984
757	Congenital malformations of genito-urinary system . .	109	106	91	105	106	92	104	97	107	128	128
Rem. of 750-759	Other congenital malformations	1,151	1,260	1,066	993	920	877	946	869	889	881	1,151
760, 761	Injury at birth	2,204	2,433	2,028	1,915	1,820	1,953	1,869	1,836	1,857	1,824	1,824
762	Postnatal asphyxia and atelectasis	2,367	2,567	2,138	2,401	2,340	2,441	2,452	2,490	2,494	2,405	2,405
766-768	Pemphigus and sepsis of newborn	100	154	94	58	64	61	66	74	75	53	
770	Hæmolytic disease of newborn	593	704	591	552	502	505	435	408	461	363	363
774, 776	Immaturity	7,883	7,533	5,817	4,975	4,185	3,886	3,602	3,546	3,208	3,171	3,171
780-2	Convulsions	297	270	185	118	59	42	20	16	16	15	
E900-E904	Accidental falls	14	32	15	16	13	14	16	9	8	14	
E916, E917	Accident by fire or hot substance	45	46	33	34	19	18	23	14	23	17	
E921, E922	Obstruction by inhalation or ingestion	273	389	315	309	306	281	263	219	251	238	
E924, E925	Accidental mechanical suffocation	446	515	376	343	286	294	243	202	183	179	
E926	Lack of care of newborn . .	147	154	131	130	92	104	96	83	56	61	
Rem. of E900-E965	Other accidents	38	56	41	28	24	34	37	44	28	39	
	All other causes	*	*	*	1,629	1,573	1,393	1,252	1,156	1,191	1,147	1,147

* Not available.

TABLE 11—Infant Mortality (Deaths under 1 Year per 1,000 Related Live Births) from Certain Causes, 1946-1956 } England and Wales
See Note at head of Table 10.

Personal Classification No.	Causes of Death	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
	ALL CAUSES	42·85	41·37	33·93	32·37	29·63	29·66	27·59	26·82	25·42	24·91	23·75
08, 19	Tuberculosis of meninges and central nervous system . .	0·21	0·18	0·13	0·11	0·06	0·08	0·06	0·02	0·01	0·02	0·01
	Other tuberculosis	0·20	0·21	0·17	0·10	0·11	0·06	0·04	0·07	0·04	0·02	0·01
	Congenital syphilis	0·15	0·09	0·09	0·08	0·04	0·03	0·03	0·01	0·00	—	0·00
	Diphtheria	0·03	0·01	0·00	0·00	—	0·00	—	—	0·00	—	—
	Whooping cough	0·69	0·63	0·59	0·48	0·38	0·40	0·17	0·24	0·14	0·09	0·09
	Meningococcal infections . .	0·20	0·21	0·11	0·15	0·14	0·15	0·17	0·18	0·15	0·11	0·10
81	Acute poliomyelitis	0·01	0·04	0·01	0·03	0·08	0·01	0·02	0·01	0·00	0·01	0·01
	Measles	0·12	0·27	0·13	0·11	0·10	0·14	0·05	0·08	0·02	0·06	0·00
of 38	Other infective and parasitic diseases	0·19	0·22	0·16	0·14	0·12	0·12	0·12	0·14	0·13	0·09	0·11
96,771	Hæmorrhagic conditions . .	0·37	0·45	0·32	0·27	0·29	0·35	0·28	0·30	0·34	0·33	0·33
43	Inflammatory diseases of central nervous system . .	0·29	0·33	0·28	0·26	0·28	0·25	0·21	0·26	0·21	0·22	0·21
	Pink disease	0·05	0·08	0·06	0·06	0·05	0·06	0·03	0·04	0·01	0·00	0·00
96	Diseases of ear and mastoid process	0·44	0·38	0·29	0·21	0·20	0·17	0·10	0·14	0·10	0·10	0·09
83	Influenza	0·24	0·14	0·10	0·16	0·11	0·24	0·05	0·11	0·04	0·07	0·04
93, 02	Pneumonia	7·20	7·22	5·77	5·40	4·63	5·09	4·48	4·31	3·53	3·47	3·31
	Bronchitis	1·11	0·89	0·76	0·65	0·67	0·67	0·56	0·63	0·49	0·53	0·45
75, 27	Other respiratory diseases	*	*	*	0·13	0·17	0·17	0·13	0·14	0·14	0·14	0·13
	Gastritis and duodenitis . .	0·08	0·09	0·04	0·03	0·02	0·02	0·03	0·02	0·01	0·01	0·00
764	Gastro-enteritis	4·24	5·13	2·90	2·59	1·63	1·22	1·01	0·97	0·68	0·66	0·46
16	Diseases of the skin and subcutaneous tissue	0·12	0·13	0·08	0·06	0·07	0·06	0·07	0·05	0·03	0·03	0·03
	Spina bifida & meningocele	1·56	1·13	1·06	1·15	1·03	1·17	1·27	1·17	1·43	1·45	1·38
	Congenital hydrocephalus . .	0·24	0·26	0·21	0·22	0·29	0·17	0·23	0·18	0·20	0·20	0·20
0- 1	Congenital malformations of heart	1·70	1·64	1·40	1·43	1·55	1·44	1·50	1·53	1·58	1·47	1·59
7	Congenital malformations of genito-urinary system . .	0·14	0·12	0·12	0·14	0·16	0·13	0·15	0·14	0·16	0·19	0·16
of 59	Other congenital malformations	1·47	1·41	1·35	1·34	1·31	1·29	1·41	1·27	1·32	1·32	1·26
761	Injury at birth	2·72	2·74	2·60	2·61	2·61	2·87	2·78	2·68	2·75	2·73	2·69
2	Postnatal asphyxia and atelectasis	2·92	2·90	2·75	3·28	3·34	3·58	3·64	3·64	3·70	3·60	3·55
68	Pemphigus and sepsis of newborn	0·13	0·17	0·12	0·08	0·08	0·09	0·10	0·11	0·11	0·08	0·08
0	Hæmolytic disease of newborn	0·76	0·79	0·75	0·75	0·71	0·74	0·65	0·59	0·68	0·54	0·50
776	Immaturity	10·07	8·46	7·38	6·79	5·99	5·70	5·35	5·18	4·76	4·75	4·55
0-2	Convulsions	0·38	0·30	0·23	0·15	0·08	0·06	0·03	0·02	0·02	0·02	0·02
0-E904	Accidental falls	0·02	0·04	0·02	0·02	0·01	0·02	0·02	0·01	0·01	0·02	0·01
5, E917	Accident by fire or hot substance	0·06	0·05	0·04	0·04	0·02	0·03	0·03	0·02	0·03	0·02	0·01
1, E922	Obstruction by inhalation or ingestion	0·35	0·44	0·40	0·41	0·44	0·41	0·39	0·32	0·37	0·36	0·36
4, E925	Accidental mechanical suffocation	0·57	0·58	0·48	0·47	0·40	0·43	0·36	0·29	0·27	0·27	0·27
926	Lack of care of newborn . .	0·18	0·17	0·16	0·18	0·12	0·15	0·14	0·12	0·08	0·09	0·06
1. of 0-E965	Other accidents	0·05	0·06	0·05	0·03	0·03	0·05	0·05	0·06	0·04	0·06	0·05
	All other causes	*	*	*	2·26	2·23	2·04	1·86	1·69	1·76	1·72	1·54

* Not available.

TABLE 12.—Home Population, Births, Deaths and Infant Mortality, 1956. { England and Wales, Standard Regions, Wales, Conurbations, Counties, Boroughs, Urban and Rural Districts

See Explanatory notes on page v. For explanation of symbols, *, †, ‡, used in this table see Note 1(g).

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths		
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate			Number	Rate per 1,000 Live Births
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
ENGLAND AND WALES	44,667,000	342,662	324,139	17,219	16,315	700,335	15.7	1.00	1.00	267,904	253,427	521,331	11.7	1.00	1.00	16,554	24	11,779	16,405
Regions and Conurbations:																			
Northern	3,175,000	27,633	26,036	1,031	1,082	55,782	17.6	0.98	1.10	19,642	17,020	36,662	11.5	1.14	1.12	1,507	27	1,055	1,418
Tyneside Conurbation	841,670	7,538	6,955	265	321	15,079	17.9	0.95	1.08	5,108	4,521	9,629	11.4	1.17	1.14	364	24	264	424
Remainder of Northern	2,333,330	20,095	19,081	766	761	40,703	17.4	0.99	1.10	14,534	12,499	27,033	11.6	1.13	1.12	1,143	28	791	994
East and West Ridings	4,114,000	32,431	30,794	1,513	1,436	66,174	16.1	1.00	1.03	25,897	23,581	49,478	12.0	1.08	1.11	1,729	26	1,224	1,538
West Yorkshire Conurbation	1,682,800	12,801	12,008	699	676	26,184	15.6	1.01	1.00	11,232	10,846	22,078	13.1	1.03	1.15	659	25	461	578
Remainder of East and West Ridings	2,431,200	19,630	18,786	814	760	39,990	16.4	1.00	1.04	14,665	12,735	27,400	11.3	1.13	1.09	1,070	27	763	960
North Western	6,462,000	51,328	48,974	2,559	2,417	105,278	16.3	1.00	1.04	41,535	40,142	81,677	12.6	1.09	1.17	2,831	27	1,955	2,793
South East Lancashire Conurbation	2,412,090	18,757	17,794	1,102	1,005	38,658	16.0	1.00	1.02	15,596	15,285	30,881	12.8	1.12	1.23	1,061	28	731	998
*Merseyside Conurbation	1,386,280	13,231	12,733	617	572	27,153	19.6	0.96	1.20	7,969	7,564	15,533	11.2	1.20	1.15	715	26	491	717
*Remainder of North Western	2,663,630	19,340	18,447	840	840	39,467	14.8	1.04	0.98	17,970	17,293	35,263	13.2	1.02	1.15	1,055	27	733	1,078
North Midland	3,477,000	27,442	25,636	1,344	1,265	55,687	16.0	1.00	1.02	19,915	18,303	38,218	11.0	1.08	1.02	1,346	24	939	1,416
Midland	4,547,000	36,161	34,247	1,810	1,671	73,889	16.3	0.97	1.00	25,462	22,849	48,311	10.6	1.12	1.01	1,823	25	1,299	1,824
West Midlands Conurbation	2,267,970	18,007	16,944	1,018	902	36,871	16.3	0.94	0.98	12,642	11,107	23,749	10.5	1.17	1.05	896	24	627	911
Remainder of Midland	2,279,030	18,154	17,303	792	769	37,018	16.2	1.00	1.03	12,820	11,742	24,562	10.8	1.10	1.02	927	25	672	913
Eastern	3,378,000	26,810	25,116	1,250	1,225	54,401	16.1	1.01	1.04	19,374	18,561	37,935	11.2	0.95	0.91	1,114	21	805	1,132
London and South Eastern	10,982,000	76,004	72,045	4,716	4,373	157,138	14.3	0.97	0.88	63,031	63,019	126,050	11.5	0.97	0.95	3,178	20	2,296	3,094
Greater London	8,270,430	57,353	54,568	3,770	3,495	119,186	14.4	0.94	0.86	45,735	44,535	90,270	10.9	1.03	0.96	2,356	20	1,729	2,340
Remainder of South Eastern	2,711,570	18,651	17,477	946	878	37,952	14.0	1.07	0.95	17,296	18,484	35,780	13.2	0.81	0.91	822	22	567	754
Southern	2,840,500	21,952	20,739	1,196	1,174	45,061	15.9	1.04	1.05	16,194	15,783	31,977	11.3	0.95	0.92	925	21	676	966

Wales (including Monmouthshire)	2,807,500	19,100	758	709	40,915	7	1-02	1-02	17,548	32,438	12.4	1-05	1-11	1,174	29	841	1,126	
Wales I (South East)	1,864,000	14,875	498	477	29,845	16.0	0-99	1-01	12,462	10,192	12.2	1-11	1-16	878	30	619	854	
Wales II (Remainder)	743,500	5,475	260	232	11,070	14.9	1-08	1-02	5,086	4,698	9.784	13.2	0-94	296	27	222	274	
Urban/Rural Aggregates:																		
*Conurbation areas	16,861,240	127,687	121,002	7,471	6,971	263,131	15.6	0-96	0-95	98,282	93,858	192,140	11.4	1-08	1-05	23	4,303	5,968
*Urban areas with populations of 100,000 and over	5,843,500	44,953	42,529	2,546	2,403	92,431	15.8	0-99	1-00	35,638	33,245	68,883	11.8	1-05	1-06	24	1,586	2,280
*Urban areas with populations of 50,000 and under 100,000	3,417,330	25,901	24,406	1,335	1,276	52,918	15.5	1-00	0-99	20,597	20,479	41,076	12.0	1-00	1-03	26	976	1,303
*Urban areas with populations under 50,000	9,771,770	76,287	72,016	3,198	3,134	154,635	15.8	1-01	1-02	61,149	57,844	118,993	12.2	0-98	1-02	25	3,832	5,715
*Rural Districts	8,773,160	67,834	64,186	2,669	2,531	137,220	15.6	1-07	1-06	52,238	48,001	100,239	11.4	0-96	0-94	22	2,199	3,103
ENGLAND (excluding Monmouthshire)																		
BEDFORDSHIRE:	329,900	2,692	2,440	162	140	5,434	16.5	1-01	1-06	1,771	1,702	3,473	10.5	1-04	0.93	22	94	126
Municipal Boroughs and Urban Districts	223,500	1,851	1,710	119	106	3,786	16.9	0-99	1-07	1,170	1,131	2,301	10.3	1-09	0.96	22	65	81
Amphill	3,120	26	16	1	1	45	14.4	1-06	0-97	271	261	40	12.8	0-67	0.73	—	—	22
Bedford M.B.	56,450	556	487	34	32	1,109	19.6	0-99	1-21	289	289	560	9.9	0-98	0.83	16	—	22
Biggleswade	7,740	57	61	5	5	128	16.6	0-99	1-12	81	66	147	19.0	0-55	0.89	2	16	2
Dunstable M.B.	19,020	182	156	5	4	349	18.3	0-96	1-12	88	90	178	9.4	1-19	0.96	9	26	7
Kempston	9,400	75	56	2	2	135	14.4	1-07	0-98	36	55	55	9.7	1-05	0.87	5	37	4
Leighton Buzzard	9,400	84	80	6	7	177	18.8	0-97	1-16	65	44	109	11.6	1-06	1.05	5	28	3
Luton M.B.	114,500	836	827	60	51	1,774	15.5	1-00	0-99	582	559	1,141	10.0	1-21	1-03	44	25	34
Sandy	3,870	35	27	5	5	69	17.8	1-03	1-17	21	14	35	9.0	0-99	0.76	1	15	2
Rural Districts	106,400	841	730	43	34	1,648	15.5	1-07	1-06	601	571	1,172	11.0	0.92	0.93	29	23	45
Amphill	23,960	163	161	8	5	337	14.1	1-02	0-92	118	150	268	11.2	0.97	0.86	7	21	6
Bedford	33,280	232	219	17	15	483	14.5	1-19	1-10	173	180	330	9.9	0.93	0.79	13	27	11
Biggleswade	26,630	217	176	11	10	414	15.5	1-06	1-05	202	170	385	14.5	0.79	0.98	7	17	9
Luton	22,530	229	174	7	4	414	18.4	0-98	1-15	104	85	189	8.4	1-09	0.78	10	24	8
BERSKSHIRE:	454,900	3,837	3,525	214	215	7,791	17.1	1-01	1-10	2,530	2,382	4,912	10.8	0.96	0.89	141	18	166
Reading C.B.	117,900	857	794	59	56	1,766	15.0	1-01	0-96	668	680	1,348	11.4	0.97	0.95	32	18	34
Administrative County	337,000	2,980	2,731	155	159	6,025	17.9	1-01	1-15	1,862	1,702	3,564	10.6	0.95	0.86	109	18	132
Municipal Boroughs and Urban Districts	106,000	948	840	47	62	1,897	17.9	0-97	1-11	688	658	1,346	12.7	0.83	0.90	44	23	31
Abingdon	12,570	137	128	4	6	275	21.9	0-93	1-30	59	52	111	8.8	1.20	0.91	6	23	47
Madingley M.B.	29,520	273	235	13	16	537	18.2	0-98	1-14	165	177	342	11.6	0.80	0.88	7	23	5
Newbury M.B.	19,280	187	164	9	12	372	19.3	1-03	1-27	137	136	273	14.2	0.85	1.03	14	38	10
New Windsor M.B.	25,580	213	180	13	19	425	16.6	0-92	0.97	135	120	255	10.6	1-03	0.88	12	10	13
Wallingford M.B.	3,750	24	34	2	2	62	16.5	0-99	1-04	90	75	165	44.0	0.20	0.75	—	—	2
Wantage	5,600	41	43	1	3	88	15.7	0-92	1-02	32	35	67	12.0	0.76	0.70	—	46	3
Wokingham M.B.	9,700	73	56	5	4	138	14.2	1-07	0.97	70	63	133	13.7	0.70	0.92	1	7	1

TABLE 12 —continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS				DEATHS						Deaths under 1 year		Stillbirths					
		Legitimate		Illegitimate		Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor		Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Related Live Births		
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
BERKSHIRE—contd.																			
Rural Districts	231,000	2,032	1,891	108	97	4,128	17.9	1.03	1.17	1,174	1,044	2,218	9.6	1.03	0.85	65	16	49	85
Abingdon	26,950	270	256	12	9	547	20.3	1.01	1.31	107	109	216	8.0	1.28	0.88	7	13	5	8
Bradfield	22,730	215	193	12	11	431	19.0	0.95	1.15	118	105	223	9.8	1.04	0.79	10	23	8	12
Cookham	15,260	128	117	6	10	261	17.1	1.00	1.09	71	68	139	9.4	1.06	0.82	4	15	4	10
Easthampstead	32,390	321	273	11	10	615	19.0	0.97	1.17	170	133	303	9.4	1.03	0.83	14	23	11	12
Faringdon	13,710	127	106	10	9	252	18.4	1.04	1.22	60	50	110	8.0	1.15	0.79	3	12	1	5
Hungerford	9,860	82	66	5	6	159	16.1	1.11	1.14	59	41	100	10.1	0.85	0.73	1	6	1	2
Newbury	21,400	163	144	12	8	327	15.3	1.22	1.19	104	74	178	8.3	1.17	0.83	6	18	4	5
Wallingford	16,790	138	148	9	8	303	18.0	1.02	1.19	119	96	215	12.8	0.71	0.78	6	20	5	3
Wantage	15,380	142	154	15	6	317	20.6	0.99	1.30	70	62	132	8.6	1.08	0.79	5	16	5	6
Windsor	13,760	126	124	5	8	263	19.1	0.93	1.13	80	100	180	13.1	0.74	0.83	3	11	—	7
Wokingham	42,770	320	310	11	12	653	15.3	1.07	1.04	216	206	422	9.9	1.04	0.88	6	9	5	15
	419,100	3,326	3,201	169	152	6,848	16.3	0.99	1.03	2,209	1,938	4,147	9.9	1.04	0.88	117	17	90	142
BUCKINGHAMSHIRE:																			
Municipal Boroughs and Urban Districts																			
Aylesbury M.B.	205,400	1,584	1,486	85	85	3,240	15.8	0.96	0.97	1,044	907	1,951	9.5	1.11	0.90	54	17	43	79
Beaconsfield	21,800	174	175	13	17	379	17.4	0.87	0.96	101	106	207	9.5	0.97	0.79	5	13	4	3
Blelchley	8,600	116	47	7	1	120	14.0	1.01	0.90	43	29	72	8.4	1.01	0.73	2	17	2	3
Buckingham M.B.	13,070	114	131	7	1	253	19.4	0.94	1.16	69	38	107	8.2	1.34	0.94	4	16	1	2
Chesham	4,130	27	34	4	1	66	16.0	1.07	1.09	18	24	42	10.2	0.98	0.85	—	3	3	3
	12,170	110	109	1	6	226	18.6	1.01	1.20	67	59	126	10.4	0.94	0.84	—	13	3	3
Eton	4,910	27	33	4	1	65	13.2	1.15	0.97	27	21	48	9.8	1.42	1.19	2	31	1	3
High Wycombe M.B.	43,360	325	320	15	29	689	15.9	0.97	0.98	228	185	413	9.5	1.14	0.93	10	15	8	17
Linslade	3,520	40	27	1	—	68	19.3	1.02	1.25	22	22	44	12.5	0.90	0.96	2	30	2	—
Marlow	4,880	63	54	1	2	120	17.4	0.98	1.09	37	42	79	11.5	0.99	0.97	4	34	—	1
Newport Pagnell	4,320	29	21	—	1	51	11.8	1.06	0.80	30	36	66	15.3	0.60	0.78	—	21	—	29
Slough M.B.	69,190	516	463	29	18	1,026	14.8	0.92	0.87	322	264	586	8.5	1.31	0.95	21	21	18	29
Wolverton	13,450	93	72	4	8	177	13.2	1.14	0.96	80	81	161	12.0	0.81	0.83	1	6	—	63
	213,700	1,742	1,715	84	67	3,608	16.9	1.02	1.10	1,165	1,031	2,196	10.3	0.99	0.87	63	18	47	63
Rural Districts	46,680	357	349	23	13	742	15.9	1.01	1.01	245	230	475	10.2	0.99	0.86	13	20	13	4
Amersham	32,080	222	241	17	18	498	15.5	1.11	1.10	191	167	358	11.2	0.88	0.84	6	12	4	4
Aylesbury	10,350	85	74	4	3	166	16.0	1.25	1.27	62	28	90	8.7	1.00	0.84	2	12	1	19
Buckingham	50,460	460	449	17	13	939	18.6	0.91	1.08	241	194	435	8.6	1.13	0.83	21	22	14	3

Winslow	7,670	47	1	107	14.0	1.13	1.01	54	66	120	15.6	0.63	0.84	1	9	1	5
Wycombe	43,620	368	13	759	17.4	1.02	1.13	221	214	435	10.0	1.01	0.86	12	16	9	17
CAMBRIDGESHIRE:	181,100	1,232	56	2,617	14.5	1.06	0.98	1,077	997	2,074	11.5	0.88	0.86	53	20	38	47
Cambridge M.B.	91,780	565	31	1,202	13.1	1.04	0.87	514	504	1,018	11.1	0.94	0.89	30	25	22	17
Rural Districts	89,320	667	25	1,415	15.8	1.10	1.11	563	493	1,056	11.8	0.82	0.83	23	16	16	30
Chesterton	41,150	313	14	685	15.9	1.08	1.08	261	229	490	11.0	0.81	0.82	12	18	7	13
Newmarket	20,190	139	2	283	14.0	1.10	0.98	97	113	210	10.4	0.92	0.82	5	18	3	4
South Cambridgeshire	27,980	254	6	476	17.0	1.12	1.21	205	151	356	12.7	0.77	0.84	6	13	6	13
CHEESHIRE:	1,294,000	9,865	413	20,323	15.7	1.03	1.03	8,120	7,861	15,981	12.4	1.04	1.10	513	25	366	533
County Boroughs	443,600	3,623	200	7,572	17.1	0.99	1.08	2,801	2,728	5,529	12.5	1.07	1.14	227	30	165	219
Birkenhead	141,600	1,187	64	2,492	17.6	0.97	1.09	885	852	1,753	12.4	1.04	1.10	83	33	59	71
Chester	58,800	496	26	1,004	17.1	0.94	1.02	350	368	702	11.9	1.12	1.12	36	36	33	27
Stockport	140,900	1,066	67	2,305	16.4	1.03	1.08	949	944	1,893	13.4	1.04	1.24	66	29	42	52
Wallasey	102,300	872	43	1,771	17.3	1.01	1.11	617	564	1,181	11.5	1.03	1.01	42	24	31	69
Administrative County	850,400	6,242	213	12,751	15.0	1.04	0.99	5,319	5,133	10,452	12.3	1.02	1.07	286	23	201	314
Municipal Boroughs and Urban Districts	652,400	4,716	169	9,690	14.9	1.04	0.99	4,013	3,885	7,898	12.1	1.04	1.08	217	23	153	251
Adwick	3,730	26	1	49	13.1	0.94	0.78	22	31	53	14.2	0.91	1.10	—	—	—	2
Alderley Edge	6,210	46	2	95	15.3	0.91	0.89	29	24	53	8.5	1.17	0.85	—	—	—	3
Alsager	40,430	297	12	617	15.3	1.04	1.01	261	242	503	12.4	1.08	1.14	20	33	16	18
Altrincham M.B.	49,950	365	11	757	15.2	1.05	1.02	268	241	509	10.2	1.12	0.98	16	27	13	17
Birmingham M.B.	5,420	35	3	71	13.1	1.09	0.91	53	31	84	15.5	0.98	1.30	2	28	2	—
Bollington	3,930	27	1	47	12.0	0.91	0.70	23	26	49	12.5	0.79	0.84	2	43	1	5
Bowdon	18,310	106	127	236	12.9	1.07	0.88	91	110	201	11.0	1.13	1.06	5	21	31	8
Bredbury and Romiley	33,640	241	8	465	13.8	1.08	0.95	223	214	437	13.0	0.97	1.08	7	15	4	5
Cheadle and Gatley	15,870	98	5	197	12.4	0.99	0.78	120	82	202	12.7	1.02	1.11	5	26	5	8
Congleton M.B.	51,510	369	14	757	14.7	1.00	0.94	290	235	525	10.2	1.14	0.99	19	25	14	24
Crewe M.B.	18,230	126	3	264	14.5	1.01	0.93	122	133	255	14.0	1.17	1.40	8	30	5	8
Dukinfield M.B.	36,830	374	12	776	21.1	0.95	1.28	180	176	354	8.5	1.52	1.10	17	22	13	23
Ellesmere Port M.B.	12,220	83	2	166	13.6	1.06	1.01	182	183	365	10.3	0.83	0.96	3	18	2	6
Hale	32,180	159	1	329	14.8	1.08	1.02	128	133	261	11.8	1.06	1.07	5	15	5	6
Hazel Grove and Bramhall	31,560	186	3	404	12.8	1.25	1.02	164	239	403	12.8	0.90	0.98	10	25	7	10
Hoylake	52,180	211	10	431	13.4	1.08	0.92	222	226	448	13.9	1.00	1.19	10	23	5	11
Hyde M.B.	4,470	47	3	99	13.3	1.00	0.85	90	121	211	28.2	0.40	0.96	2	20	2	5
Knutsford	4,520	35	1	51	11.5	1.13	0.83	34	31	65	14.7	0.93	1.04	1	8	—	4
Longdendale	6,770	54	4	124	18.3	0.98	1.14	46	33	79	11.7	0.99	0.99	1	8	—	—
Lymm	36,330	241	14	514	14.1	1.04	0.93	274	253	527	14.5	0.82	1.02	8	16	6	12
Macclesfield M.B.	13,950	114	8	234	16.8	1.09	1.17	96	110	206	14.8	0.89	1.13	3	13	3	3
Marple	6,880	43	2	100	14.5	0.99	0.91	36	41	77	11.2	1.19	1.14	1	10	1	3
Middlewich	9,250	60	5	123	13.3	1.02	0.86	59	53	112	12.1	0.98	1.01	2	16	1	4
Nantwich	10,400	86	7	170	16.3	1.05	1.09	56	58	114	11.0	0.98	0.92	1	4	1	4
Neston	19,520	106	4	224	11.5	1.02	0.75	118	111	229	11.7	1.00	1.00	1	27	4	4
Northwich	25,460	223	3	452	17.8	0.98	1.11	156	129	285	11.2	1.27	1.22	17	38	10	12
Runcorn																	

TABLE 12—continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths		
		Legitimate		Illegitimate		Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate			Number	Rate per 1,000 Live Births Related
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
CHESHIRE—contd.																			
Municipal Boroughs and Urban Districts—contd.																			
Sale M.B.	46,200	351	372	7	14	744	16.1	1.07	1.10	252	250	502	10.9	1.08	1.01	12	16	7	23
Sandbach	9,720	59	63	2	6	130	13.4	1.00	0.85	47	35	82	8.4	1.09	0.78	3	23	2	8
Stalybridge M.B.	22,510	152	140	11	7	310	13.8	1.02	0.90	160	150	310	13.8	1.08	1.27	11	36	7	7
Widnes	20,210	141	143	9	4	297	14.7	1.02	0.96	111	121	232	11.5	1.16	1.14	9	30	7	6
Winsford	12,980	101	103	3	5	212	16.3	0.95	0.99	92	86	178	13.7	1.16	1.36	7	33	6	8
Wirral	18,130	135	104	2	4	245	13.5	1.09	0.94	108	119	227	12.5	0.95	1.01	2	8	1	8
Rural Districts	198,000	1,526	1,448	44	43	3,061	15.5	1.05	1.04	1,306	1,248	2,554	12.9	0.94	1.04	69	23	48	63
Bucklow	11,400	107	79	5	2	193	16.9	1.06	1.14	67	57	124	10.9	1.08	1.01	2	10	2	8
Chester	27,680	215	195	8	7	425	15.4	1.18	1.16	196	265	461	16.7	0.70	1.00	2	12	4	5
Congleton	13,600	93	70	2	1	166	12.2	1.02	0.79	147	160	307	22.6	0.51	0.99	5	30	4	2
Disley	3,030	26	13	—	—	40	13.2	1.20	1.01	22	20	42	13.9	0.88	1.05	1	25	—	4
Macclesfield	20,220	117	157	3	5	282	13.9	1.07	0.95	154	116	270	13.4	0.94	1.08	6	21	4	4
Nantwich	28,690	195	191	1	6	393	13.7	1.07	0.93	161	129	290	10.1	1.02	0.88	9	23	8	7
Northwich	40,100	394	387	9	9	799	19.9	0.95	1.18	232	177	409	10.2	1.18	1.03	21	26	11	24
Runcorn	37,080	271	238	10	10	529	14.3	1.05	0.96	232	207	439	11.8	0.99	1.00	13	25	11	5
Tarvin	14,730	98	111	5	3	217	14.7	1.07	1.00	86	110	196	13.3	0.99	1.13	7	32	4	6
Tintwistle	1,470	10	7	—	—	17	11.6	1.05	0.78	9	7	16	10.9	0.91	0.85	—	—	—	1
CORNWALL:	340,600	2,310	2,246	115	108	4,779	14.0	1.08	0.96	2,300	2,344	4,644	13.6	0.85	0.99	111	23	89	134
Municipal Boroughs and Urban Districts																			
Bodmin M.B.	185,700	1,270	1,244	71	63	2,648	14.3	1.06	0.97	1,340	1,385	2,725	14.7	0.80	1.01	62	24	47	78
Bude-Stratton	5,970	21	30	2	1	54	9.0	1.16	0.66	91	117	208	34.8	0.26	0.77	2	37	2	4
Cadborne-Redruth	5,180	31	34	2	1	68	13.1	1.12	0.93	34	29	63	12.2	0.72	0.75	1	15	1	4
Falmouth M.B.	35,270	254	221	14	15	504	14.3	1.01	0.92	257	265	522	14.8	0.94	1.19	11	22	10	18
Fowey M.B.	16,500	121	122	11	7	261	15.8	1.08	1.09	111	95	206	12.5	0.87	0.93	4	15	3	3
Fowey M.B.	2,300	8	13	—	—	21	9.1	1.07	0.62	10	12	22	9.6	0.86	0.71	—	—	—	—
Helston M.B.	6,100	67	62	2	1	132	21.6	0.94	1.29	57	63	120	19.7	0.58	0.98	2	15	2	3
Launceston M.B.	4,660	28	25	1	1	55	11.8	1.07	0.80	45	46	91	19.5	0.51	0.85	1	18	1	3

TABLE 12 — continued

AREA	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths			
	Estimated Home Population (Mid-1956)	Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor			Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
DERBYSHIRE:	848,100	6,546	251	234	13,159	15.5	0.99	0.98	5,041	4,493	9,534	11.2	1.12	1.07	326	25	236	319	
Derby C.B.	137,500	1,062	55	58	2,146	15.6	0.98	0.97	895	839	1,734	12.6	1.05	1.13	60	28	45	52	
Administrative County	710,600	5,484	196	176	11,013	15.5	0.99	0.98	4,146	3,654	7,800	11.0	1.12	1.05	266	24	191	267	
Municipal Boroughs and Urban Districts	361,100	2,653	100	94	5,378	14.9	0.99	0.94	2,221	1,971	4,192	11.6	1.10	1.09	131	24	95	126	
Alfreton	23,480	182	3	3	368	15.7	0.97	0.97	134	107	241	10.3	1.18	1.04	9	25	5	7	
Ashbourne	5,480	25	37	3	66	12.0	1.04	0.79	38	52	90	16.4	0.63	0.88	—	—	—	4	
Bakewell	3,530	20	30	1	53	15.0	1.06	1.01	29	32	61	17.3	0.69	1.02	—	—	—	2	
Belper	15,660	96	80	4	182	11.6	0.99	0.73	99	83	182	11.6	1.01	1.00	6	33	4	3	
Bolsover	11,040	113	95	3	213	19.3	1.00	1.23	74	49	123	11.1	1.31	1.24	6	28	5	2	
Buxton M.B.	19,120	160	147	8	322	16.8	1.05	1.12	115	141	256	13.4	0.88	1.01	3	9	2	6	
Chesterfield M.B.	67,240	445	21	23	914	13.6	0.96	0.83	434	377	811	12.1	1.09	1.13	20	22	11	22	
Clay Cross	8,950	77	76	2	157	17.5	0.95	1.06	58	40	98	10.9	1.20	1.12	4	26	3	3	
Dronfield	8,420	65	65	1	131	15.6	0.92	0.91	49	31	80	9.5	1.21	0.98	5	23	3	3	
Glossop M.B.	17,590	115	119	8	247	14.0	1.04	0.93	189	135	324	18.4	0.79	1.24	7	28	7	6	
Heanor	24,080	173	4	3	378	15.7	0.98	0.98	145	130	275	11.4	1.24	1.21	12	32	9	11	
Ilkeston M.B.	34,610	281	13	7	595	17.2	0.99	1.08	176	144	320	9.2	1.30	1.02	13	22	10	21	
Long Eaton	29,670	215	8	11	416	14.0	0.99	0.88	173	154	327	11.3	1.13	1.08	14	34	8	12	
Matlock	18,270	118	5	4	246	13.5	1.03	0.89	96	111	207	11.3	0.98	0.95	6	25	5	3	
New Mills	8,330	56	57	2	118	14.2	1.06	0.96	56	62	118	14.2	0.95	1.15	3	26	3	1	
Ripley	18,030	147	5	3	292	16.2	1.01	1.04	96	94	190	10.5	1.15	1.03	8	28	5	8	
Staveley	17,510	117	137	4	260	14.8	0.98	0.92	100	71	171	9.8	1.35	1.13	6	23	5	7	
Swadincote	19,820	132	122	2	260	13.1	0.98	0.82	102	99	201	10.1	1.21	1.04	9	35	8	6	
Whaley Bridge	5,290	41	40	—	82	15.5	1.04	1.03	25	35	60	11.3	1.04	1.00	—	—	—	1	
Wirksworth	4,980	37	35	3	78	15.7	1.04	1.04	33	24	57	11.4	1.02	0.99	2	26	2	—	
Rural Districts	349,500	2,831	96	82	5,635	16.1	0.99	1.02	1,925	1,683	3,608	10.3	1.16	1.02	135	24	96	141	
Ashbourne	11,710	85	70	5	163	13.9	1.12	0.99	53	47	100	8.5	1.08	0.78	4	25	2	4	
Bakewell	18,930	129	100	3	233	12.3	1.11	0.87	118	118	236	12.5	0.92	0.98	7	30	4	10	
Buxton	28,130	183	179	1	370	12.7	1.06	0.86	177	155	332	11.4	1.02	0.99	8	21	12	18	

69

TABLE 12—continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths		
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local to National Rate			Number	Rate per 1,000 Related Live Births
		M.		F.															
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
DEVON—contd.																			
Rural Districts—contd.																			
Holworthy ..	5,930	44	42	1	—	87	14.7	1.13	1.06	39	34	73	12.3	0.88	0.93	1	12	—	3
Honiton ..	6,920	40	42	1	2	85	12.3	1.13	0.89	28	41	69	10.0	0.94	0.80	—	—	3	3
Kingsbridge ..	11,990	92	81	6	2	181	15.1	1.16	1.12	78	75	153	12.8	0.84	0.92	4	22	—	6
Newton Abbot ..	25,620	142	140	9	15	306	11.9	1.17	0.89	189	184	373	14.6	0.83	1.04	7	23	4	4
Okehampton ..	12,060	75	93	5	3	176	14.6	1.19	1.11	87	79	166	13.8	0.82	0.97	2	11	2	—
Plymouth St. Mary ..	33,610	224	234	6	5	469	14.0	1.15	1.03	199	214	413	12.3	0.89	0.94	6	13	4	22
St. Thomas ..	33,110	208	214	11	9	442	13.3	1.14	0.97	249	265	514	15.5	0.66	0.87	7	16	6	14
St. David's ..	8,920	61	58	1	1	121	13.6	1.16	1.00	48	56	104	11.7	0.93	0.93	2	17	2	2
Taibolton ..	15,640	118	97	4	2	221	14.1	1.23	1.10	101	108	191	12.2	0.90	0.94	4	18	3	6
Tavistock ..	20,600	164	161	2	3	330	16.0	1.10	1.12	128	108	236	11.5	0.91	0.89	3	9	3	4
Tiverton ..	7,190	56	36	4	1	97	13.5	1.19	1.02	54	34	88	12.2	0.90	0.94	1	10	1	3
Torrington ..	13,950	102	91	2	2	197	14.1	1.16	1.04	118	119	237	17.0	0.57	0.83	5	26	4	1
Totnes ..	304,100	2,063	1,946	105	105	4,219	13.9	1.14	1.01	1,908	1,882	3,790	12.5	0.89	0.95	103	25	83	93
DORSET: ..																			
Municipal Boroughs and Urban Districts																			
Blandford ..	188,400	1,245	1,169	64	64	2,542	13.5	1.12	0.96	1,211	1,177	2,388	12.7	0.89	0.97	68	27	55	53
Blandford Forum M.B. ..	3,400	32	24	4	2	62	18.2	1.00	1.16	21	33	54	15.9	0.78	1.06	3	32	1	1
Bridport M.B. ..	6,730	38	41	5	1	85	12.6	1.07	0.86	45	68	113	16.8	0.64	0.92	2	14	1	1
Dorchester M.B. ..	11,380	71	85	2	2	160	14.1	1.08	0.97	84	72	156	13.7	1.01	1.18	4	19	2	2
Lyme Regis M.B. ..	3,060	24	19	—	—	43	14.1	1.15	1.03	16	14	30	9.8	0.77	0.64	4	93	4	1
Poole M.B. ..	86,010	591	521	29	33	1,174	13.6	1.08	0.94	540	528	1,068	12.4	0.87	0.92	36	31	31	22
Portland ..	14,970	72	71	3	1	147	9.8	1.79	1.12	61	30	91	6.1	1.64	0.86	5	34	4	6
Shaftesbury M.B. ..	3,420	23	19	—	1	43	12.6	1.05	0.84	23	20	43	12.6	0.76	0.82	—	—	—	4
Sherborne ..	7,280	36	31	1	2	70	9.6	1.27	0.78	43	45	88	12.1	0.96	0.99	—	—	—	3
Swanage ..	7,180	37	35	2	4	78	10.9	1.16	0.81	56	49	105	14.6	0.74	0.92	3	39	3	4
Wareham M.B. ..	2,750	17	15	2	1	35	12.7	1.11	0.90	37	33	70	25.5	0.46	1.00	1	29	1	1
Weymouth and Regis M.B. ..	37,850	281	282	14	16	593	15.7	1.04	1.04	258	255	513	13.6	0.91	1.06	11	19	7	11
Melcombe Regis M.B. ..	37,850	281	282	14	16	593	15.7	1.04	1.04	258	255	513	13.6	0.91	1.06	11	19	7	11

71

TABLE 12 —continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths			
		Legitimate			Illegitimate			Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor			Ratio of local to National Rate	Number	Rate per 1,000 Live Births Related
		M.		F.	M.		F.													
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
DURHAM—contd.																				
Rural Districts—contd.																				
Darlington ..	19,310	234	213	6	9	462	23.9	0.79	1.20	87	82	169	8.8	1.36	1.02	11	24	9	10	
Durham ..	34,020	310	269	4	6	589	17.3	0.98	1.08	200	152	352	10.3	1.26	1.11	13	22	9	16	
Easington ..	83,820	785	753	19	16	1,573	18.8	0.99	1.19	423	364	787	9.4	1.39	1.12	48	31	32	41	
Lanchester ..	15,040	124	116	2	6	248	16.5	1.03	1.08	96	68	164	10.9	1.12	1.04	2	8	1	7	
Sedgefield ..	35,960	283	272	6	7	568	15.8	1.00	1.01	288	223	511	14.2	0.95	1.15	14	25	8	15	
Stockton ..	9,030	64	65	1	3	133	14.7	0.98	0.92	42	37	79	8.7	1.09	0.81	2	15	2	2	
Sunderland ..	26,280	270	254	4	5	533	20.3	0.95	1.23	222	222	444	16.9	0.80	1.16	9	17	5	11	
Weardale ..	8,990	49	57	2	2	110	12.2	1.18	0.92	68	56	124	13.8	0.93	1.10	1	9	1	4	
ELX, ISLE OF: ..	88,900	698	645	38	27	1,408	15.8	1.01	1.02	511	487	998	11.2	0.82	0.78	26	19	14	37	
Municipal Boroughs and Urban Districts																				
Chatteris ..	54,680	429	404	23	19	875	16.0	1.01	1.03	357	353	710	13.0	0.73	0.81	15	17	7	28	
Ely ..	5,600	42	36	2	2	82	14.6	1.00	0.93	31	23	54	9.6	0.98	0.80	2	25	1	3	
March ..	9,910	55	83	2	2	142	14.3	0.99	0.90	84	79	163	16.4	0.50	0.70	2	14	1	4	
Whitsey ..	13,190	83	89	2	2	176	13.3	1.03	0.87	56	66	122	9.2	1.08	0.85	4	25	—	9	
Whitsey M.B. ..	8,750	82	75	2	2	161	18.4	1.01	1.18	41	32	73	8.3	1.10	0.78	4	25	3	7	
Wisbech ..	17,230	167	121	15	11	314	18.2	0.99	1.15	145	153	298	17.3	0.54	0.80	5	16	2	7	
Rural Districts ..	34,320	269	241	15	8	533	15.6	1.03	1.02	154	134	288	8.4	1.03	0.74	11	21	7	9	
Ely ..	14,520	104	108	6	4	222	15.3	1.04	1.01	75	55	130	9.0	0.97	0.75	6	27	4	7	
North Witchford ..	4,760	39	24	4	—	67	14.0	1.04	0.93	17	22	39	8.1	1.01	0.70	—	—	1	1	
Thorney ..	2,480	27	16	1	—	44	17.7	1.04	1.17	9	11	20	8.1	1.28	0.89	2	46	—	6	
Wisbech ..	12,430	99	93	4	4	200	16.1	1.00	1.03	53	46	99	8.0	1.08	0.74	3	15	2	—	
ESSEX: ..	2,165,000	15,693	14,695	624	627	31,639	14.6	0.97	0.90	11,835	11,275	23,110	10.7	1.06	0.97	649	21	463	639	
County Boroughs																				
East Ham ..	437,200	2,919	2,775	132	141	5,967	13.6	0.98	0.85	2,568	2,520	5,088	11.6	1.04	1.03	127	21	83	126	
East Ham ..	114,400	709	635	19	28	1,391	12.2	0.97	0.75	634	546	1,180	10.3	0.92	0.69	32	23	15	39	
East Ham ..	155,800	983	911	51	46	1,991	12.8	1.07	0.87	995	1,144	2,139	13.7	0.92	0.74	63	26	28	56	

Administrative County		1,727,800	12,774	11,920	492	486	5,672	14.9	0.97	0.92	9,267	8,755	18,022	10.4	1.06	0.94	522	20	380	513
Municipal Boroughs and Urban Districts																				
(a)	Barking M.B.	1,495,000	10,991	10,278	397	402	22,068	14.8	0.95	0.90	7,772	7,341	15,113	10.1	1.11	0.96	452	21	322	447
	Barnet	75,560	474	411	12	10	907	12.0	0.93	0.87	385	263	648	8.6	1.42	1.04	18	20	14	24
	Basildon	59,560	657	648	19	18	1,342	22.5	0.92	1.32	309	307	616	10.1	1.04	0.92	25	19	19	23
	Beckenham	23,250	190	141	10	4	345	14.8	1.04	0.98	171	128	299	12.9	0.88	0.97	11	32	9	11
	Beckenham and Becking	18,250	136	145	5	16	302	16.5	1.01	1.06	93	89	182	10.0	0.97	0.82	5	17	5	9
	Brentwood	41,030	319	302	6	11	638	15.5	0.92	0.91	213	269	482	11.7	0.82	0.82	12	19	10	12
	Brightlingsea	4,600	22	31	1	2	56	12.2	1.19	0.92	41	36	77	16.7	0.70	1.00	2	36	1	2
	Burnham-on-Crouch	3,840	24	26	6	—	51	13.3	1.19	1.01	25	22	42	12.2	0.79	0.82	—	—	—	—
	Canvey Island	12,150	97	298	6	6	187	15.3	1.08	1.05	86	64	150	12.3	0.93	0.98	6	32	5	2
	Chelmsford M.B.	41,420	342	298	14	22	676	16.5	0.96	1.00	220	209	439	10.4	1.12	1.00	17	25	8	1
	Chigwell	59,740	407	352	17	15	791	13.2	0.93	0.70	203	178	381	6.4	1.50	0.82	10	17	10	17
	Clingford M.B.	46,840	227	251	7	9	494	10.5	1.04	0.88	214	178	392	15.1	1.30	0.93	5	10	3	6
	Cobham	61,880	122	109	7	16	254	10.3	1.23	0.81	162	210	297	15.1	0.72	0.93	5	20	4	4
	Cochester M.B.	61,670	456	465	21	25	967	15.6	1.00	0.99	375	422	797	12.9	0.83	0.92	16	17	11	20
	Dagenham M.B.	115,100	753	781	22	29	1,385	13.8	0.93	0.82	477	358	835	17.3	1.08	0.91	33	21	23	36
	Epping	7,940	64	61	4	3	132	16.6	0.93	0.98	47	35	82	10.3	0.98	0.86	2	15	2	6
	Frinton and Walton	8,580	34	34	1	3	72	8.4	1.29	0.69	56	59	115	13.4	0.69	0.79	1	14	1	1
	Halstead	6,340	38	39	—	3	80	12.6	1.11	0.89	48	50	98	15.5	0.78	1.03	1	13	—	3
	Harlow	29,830	513	452	16	7	988	33.1	0.66	1.39	76	71	147	4.9	2.36	0.99	23	23	15	21
	Harwich M.B.	15,090	135	114	4	5	258	17.1	1.09	1.19	83	62	145	9.6	1.16	0.95	6	23	3	6
	Hornchurch	113,600	1,027	906	27	22	1,982	17.4	0.97	1.08	667	627	1,294	11.4	0.93	0.91	43	22	31	33
	Ilford M.B.	180,600	1,046	1,024	30	30	2,130	11.8	0.98	0.74	1,032	1,054	2,086	11.6	0.95	0.94	33	16	25	43
	Leyton M.B.	100,900	589	534	22	29	1,174	11.6	0.98	0.72	624	672	1,296	12.8	0.88	0.96	27	23	21	25
	Maldon M.B.	9,820	79	72	6	4	161	16.4	1.07	1.12	55	50	105	10.7	0.79	0.72	3	19	3	2
	Rayleigh	13,220	102	87	6	2	197	14.9	0.95	0.90	90	56	146	11.0	1.03	0.97	6	31	4	2
	Romford M.B.	110,100	949	886	38	28	1,901	17.3	0.84	0.93	385	337	722	6.6	1.56	0.88	42	22	32	50
	Safron Walden M.B.	7,340	50	58	4	2	114	15.5	1.06	1.05	79	79	158	21.5	0.44	0.81	4	35	2	3
	Thurrock	101,400	901	848	41	41	1,831	18.1	0.88	1.01	457	377	834	8.2	1.45	1.02	48	26	30	34
	Waltham Holy Cross	10,030	117	70	2	—	189	18.8	0.89	1.07	42	33	75	7.5	1.24	0.79	1	5	1	6
	Walthamstow M.B.	116,700	688	638	29	25	1,380	11.8	1.00	0.71	614	581	1,195	10.2	1.09	0.95	26	19	18	25
	Wanstead and Woodford M.B.	61,130	323	325	13	10	671	11.0	1.01	0.71	338	387	725	11.9	0.96	0.98	18	27	10	10
	West Mersea	3,060	21	14	1	3	39	12.7	1.25	1.01	22	19	41	13.4	0.70	0.80	—	—	—	2
	Westminster	8,840	66	64	5	2	137	15.5	1.09	1.08	60	42	102	11.5	1.05	1.03	2	15	2	—
	Wivenhoe	2,550	23	14	—	—	37	14.5	1.12	1.03	23	17	40	15.7	0.83	1.11	1	27	—	—
	Rural Districts	232,800	1,783	1,642	95	84	3,604	15.5	1.08	1.07	1,495	1,414	2,909	12.5	0.83	0.89	70	20	58	66
	Chantree	20,500	138	161	10	10	336	16.7	1.00	1.06	119	111	230	11.4	0.86	0.84	4	12	4	4
	Chelmsford	24,090	354	300	18	18	990	16.8	1.03	1.10	248	251	499	12.1	0.82	0.85	15	22	11	16
	Downing	19,610	157	157	13	3	536	17.1	1.05	1.14	177	92	309	10.7	0.89	0.81	9	27	6	5
	Epping and Ongar	32,280	317	230	13	16	776	17.8	1.05	1.19	163	150	313	9.7	1.02	0.85	4	14	4	14
	Halstead	16,550	96	114	7	4	221	13.3	1.17	0.99	121	106	227	13.7	0.83	0.97	3	14	3	4
	Lexden and Winthorpe	22,320	147	106	8	3	264	11.8	1.15	1.06	170	140	310	13.9	0.76	0.90	5	19	3	6
	Maldon	15,050	109	103	13	8	233	15.5	1.14	1.13	111	110	221	13.7	0.81	1.02	6	26	4	7
	Roehampton	22,650	148	179	5	3	335	14.8	1.02	0.96	150	159	309	13.6	0.89	0.92	4	26	5	6
	Safron Walden	18,540	133	132	6	11	282	15.2	1.13	1.09	105	95	209	10.8	0.88	0.81	13	42	11	7
	Tendring	24,560	158	160	5	8	331	13.5	1.13	0.97	191	200	391	15.9	0.66	0.90	7	21	7	2

TABLE 12—continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths		
		Legitimate			Illegitimate			Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor			Ratio of local adjusted death rate to National Rate	
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
GLOUCESTERSHIRE:																			
County Boroughs	963,300	7,511	7,065	361	321	15,258	15.8	1.01	1.02	5,793	5,699	11,492	11.9	0.92	0.94	307	20	220	365
Bristol	507,800	3,879	3,624	188	174	7,865	15.5	0.99	0.98	3,103	3,022	6,125	12.1	0.90	0.93	161	21	117	198
Gloucester	440,500	3,301	3,105	154	144	6,704	15.2	0.99	0.96	2,727	2,668	5,395	12.2	0.88	0.92	129	19	97	172
.. .. .	67,300	578	519	34	30	1,161	17.3	0.99	1.09	376	354	730	10.8	1.03	0.95	32	28	20	26
Administrative County	455,500	3,632	3,441	173	147	7,393	16.2	1.03	1.06	2,690	2,677	5,367	11.8	0.94	0.95	146	20	103	167
Municipal Boroughs and Urban Districts																			
Charlton Kings	151,900	1,177	1,145	69	45	2,436	16.0	1.00	1.02	885	988	1,873	12.3	0.91	0.96	52	21	34	59
Cheltenham M.B.	68,010	574	531	44	31	1,180	17.4	0.97	1.08	393	470	863	12.7	0.88	0.96	34	29	21	27
Girencester	11,760	84	90	4	7	185	15.7	1.03	1.03	91	106	197	16.8	0.73	1.08	4	16	3	7
Kingswood	20,270	132	119	5	2	258	12.7	1.05	0.85	122	106	228	11.2	1.13	1.08	4	16	3	4
Mangotsfield	20,260	183	176	2	2	363	17.9	0.98	1.12	106	103	209	10.3	1.14	1.00	5	14	4	9
Nailsworth	3,690	18	22	—	—	42	11.4	1.10	0.80	15	13	28	7.6	0.83	0.54	1	24	—	—
Stroud	16,100	103	109	7	2	221	13.7	1.03	0.90	91	103	194	12.0	0.93	0.95	2	9	2	5
Tewkesbury M.B.	5,400	46	52	2	1	101	18.7	0.93	1.11	32	35	67	12.4	0.73	0.77	3	30	1	5
Rural Districts																			
Cheltenham	303,600	2,455	2,296	104	102	4,957	16.3	1.04	1.08	1,805	1,689	3,494	11.5	0.95	0.93	94	19	69	108
Girencester	27,380	229	206	10	7	452	16.5	1.02	1.08	130	172	302	11.0	1.06	1.00	7	16	4	8
Dursley	16,320	145	131	5	7	288	17.6	1.00	1.12	66	54	120	7.4	1.05	0.66	6	21	5	7
East Dean	17,240	123	129	6	4	262	15.2	1.07	1.04	103	83	186	10.8	1.03	0.95	2	8	2	8
Gloucester	20,760	192	176	5	7	380	18.3	1.04	1.21	121	110	231	11.1	1.09	1.03	7	19	4	10
Lydney	41,770	348	293	16	24	681	16.3	1.02	1.06	287	281	568	13.6	0.74	0.86	14	21	9	15
North Cotswold	12,100	76	79	4	4	163	13.5	1.12	0.96	67	56	123	10.2	1.12	0.98	6	37	6	1
Northleach	8,300	67	72	3	6	148	17.8	1.15	1.30	50	65	115	13.9	0.94	1.12	2	14	1	1
Sodbury	20,300	150	172	2	2	328	16.2	1.09	1.12	109	113	222	10.9	0.96	0.89	7	21	5	11
Stroud	40,320	364	320	9	12	705	17.5	0.99	1.10	197	172	369	9.2	1.18	0.93	11	16	9	17
Thornbury	27,190	188	180	12	5	385	14.2	1.07	0.97	161	163	324	11.9	0.90	0.92	11	29	8	5
West Dean	6,890	43	46	4	3	96	13.9	1.11	0.98	30	43	73	10.6	0.73	0.66	1	10	1	10
West Dean	26,150	223	192	16	8	439	16.8	1.10	1.18	242	161	403	15.4	0.66	0.87	7	16	6	2
West Dean	12,870	126	106	3	1	236	18.3	0.96	1.12	65	57	122	9.5	1.19	0.97	4	17	2	7
West Dean	17,880	135	137	6	7	285	15.9	1.06	1.07	120	101	221	12.4	1.06	1.12	8	28	1	1

Municipal Boroughs and Urban Districts

Bromyard	51,890	377	411	19	20	827	15.9	0.97	0.98	340	343	483	13.2	0.89	1.00	0.89	25	30	18	23
Bromyard	1,670	8	17	—	11	26	15.6	1.07	1.06	13	4	17	10.2	0.91	0.79	0.91	39	39	1	17
Hereford M.B.	33,190	246	261	—	11	535	16.1	0.95	0.97	191	193	384	13.0	1.00	0.89	0.87	19	36	14	—
Kington	1,840	17	17	—	—	34	18.5	1.09	1.28	16	8	24	13.0	0.78	0.80	0.78	—	—	—	—
Ledbury	3,730	27	21	—	1	49	13.1	0.99	0.93	25	32	57	10.1	0.82	1.07	0.82	3	21	—	—
Leominster M.B.	6,160	47	48	—	1	96	15.6	0.98	0.87	46	55	101	16.4	0.68	0.95	0.68	3	31	2	5
Ross-on-Wye	5,300	32	47	2	6	87	16.4	1.02	1.07	49	51	100	18.9	0.63	1.02	0.63	1	12	1	—
Rural Districts	75,510	581	570	34	37	1,222	16.2	1.14	1.18	446	400	846	11.2	0.90	0.86	0.90	30	25	23	31
Bromyard	8,330	53	53	5	1	112	15.7	1.13	1.13	44	48	92	12.9	0.75	0.83	0.75	2	18	—	5
Dore and Brewardine	8,320	67	67	3	16	142	17.1	1.08	1.18	43	27	201	11.1	0.81	0.73	0.81	2	14	1	4
Hereford	17,720	199	120	10	14	283	16.0	1.17	1.19	105	96	201	11.3	0.82	0.79	0.82	7	25	7	8
Kington	4,800	21	27	—	—	49	10.2	1.16	0.75	34	25	59	12.9	0.87	0.91	0.87	1	21	1	1
Ledbury	8,660	69	65	9	3	146	16.9	1.13	1.22	44	50	94	10.9	0.92	0.86	0.92	6	41	5	—
Leominster and Wigmore	10,130	76	75	2	3	188	15.6	1.18	1.17	60	52	112	11.1	0.86	0.82	0.86	3	19	3	—
Ross and Whitchurch	11,820	93	81	3	5	180	15.2	1.13	1.11	75	62	137	11.6	0.88	0.87	0.88	5	28	4	4
Weobley	6,930	64	82	2	4	152	21.9	1.06	1.48	41	40	81	11.7	0.95	0.95	0.95	4	26	2	7
HERTFORDSHIRE:	715,000	5,891	5,483	228	217	11,819	16.5	0.94	0.99	3,590	3,699	7,289	10.2	1.02	0.89	1.02	214	18	143	240
Municipal Boroughs and Urban Districts	496,200	4,141	3,828	161	154	8,284	16.7	0.95	1.01	2,394	2,372	4,766	9.6	1.08	0.89	1.08	148	18	105	174
Baldock	6,900	57	47	1	1	106	15.4	0.89	0.87	29	17	46	9.7	0.92	0.76	0.92	2	19	2	3
Barnet	25,630	184	163	6	7	360	14.0	1.02	0.91	119	130	246	9.7	0.82	0.82	0.82	5	14	4	6
Berkhamsted	11,820	86	89	2	4	181	15.3	1.04	1.01	73	69	142	12.0	0.97	0.79	0.97	8	44	6	7
Bishop's Stortford	14,550	129	108	7	6	250	17.2	1.01	1.11	68	84	152	10.4	0.82	0.73	0.82	3	12	3	2
Bushey	18,260	129	122	14	10	270	14.8	0.94	0.89	90	71	161	8.8	1.06	0.80	1.06	1	4	1	—
Cheshunt	27,000	232	210	4	8	454	16.8	0.92	0.98	84	83	167	6.2	1.30	0.69	1.30	8	18	6	13
Chorleywood	5,820	39	52	—	1	92	15.8	0.99	1.00	24	34	58	10.0	1.00	0.85	1.00	3	33	2	5
East Barnet	40,660	255	238	19	17	529	13.0	1.06	0.88	201	192	393	9.7	1.03	0.85	1.03	7	13	5	10
Harpenden	15,640	137	117	1	4	259	16.6	0.77	1.13	77	87	164	10.5	0.98	0.88	0.98	2	18	1	—
Hemel Hempstead M.B.	39,520	417	410	16	10	833	21.6	0.78	1.07	156	166	322	8.1	1.51	1.03	1.51	16	19	8	15
Hertford M.B.	14,830	101	100	5	4	210	14.2	0.99	0.90	55	71	126	8.5	1.04	0.76	1.04	3	14	2	4
Hitchin	20,640	149	145	5	12	311	15.1	0.97	0.93	123	100	223	10.8	0.91	0.84	0.91	6	19	6	9
Hoddesdon	15,600	134	112	6	7	259	16.6	1.00	1.06	88	70	158	10.1	1.11	0.96	1.11	6	23	3	5
Leigh-on-Sea	22,200	155	137	3	6	301	13.6	1.00	0.87	114	104	218	9.8	1.07	0.90	1.07	11	37	8	9
Rickmansworth	26,640	184	158	4	6	352	13.2	1.03	0.87	120	88	208	7.8	1.20	0.80	1.20	7	20	5	11
Roydon	4,800	40	40	2	1	83	17.3	1.10	1.21	32	43	75	15.6	0.76	1.01	0.76	5	67	3	—
St. Albans M.B.	46,660	381	346	15	14	756	16.2	0.98	1.01	241	272	513	11.0	0.97	0.91	0.97	12	16	11	13
Sawbridgeworth	3,400	25	21	—	—	47	11.4	1.04	0.76	23	24	47	11.4	0.94	0.92	0.94	—	—	—	—
Stevenage	2,040	33	33	8	5	704	31.9	0.70	1.42	64	54	118	5.4	1.91	0.88	1.91	12	17	10	12
Tring	5,310	39	35	1	1	74	13.9	1.06	0.94	40	47	87	16.4	0.83	1.16	0.83	3	41	2	1
Ware	8,870	66	56	4	3	129	15.1	1.07	1.03	76	73	149	16.8	0.45	0.65	0.45	1	8	—	3
Watford M.B.	72,520	528	505	32	25	1,092	14.5	1.01	0.93	401	406	807	11.1	0.99	0.94	0.99	15	14	9	29
Welwyn Garden City	26,150	321	281	5	5	612	23.4	0.80	1.19	96	87	183	7.0	1.76	1.05	1.76	12	20	8	14

TABLE 12—continued

AREA	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths					
	Estimated Home Population (Mid-1956)		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate			Number	Rate per 1,000 Related Live Births			
	Legitimate		Illegitimate																		
	M.	F.	M.	F.	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)			(13)	(14)	(15)	(16)	(17)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)		
HERTFORDSHIRE—contd.																					
Rural Districts ..	218,800	1,750	1,655	67	63	3,535	16.2	0.93	0.96	1,196	1,327	2,523	11.5	0.88	0.86	66	19	38	66		
Berkhamsted ..	6,080	46	42	3	2	93	15.3	1.02	0.99	32	30	62	10.2	0.91	0.79	2	22	1	1		
Braughing ..	10,440	67	68	3	4	142	13.6	1.03	0.89	65	54	119	11.4	0.91	0.89	3	21	2	6		
Elstree ..	25,650	237	210	15	6	468	18.2	0.82	0.95	162	218	380	14.8	0.79	1.00	10	21	6	3		
Hatfield ..	30,920	282	239	9	8	538	17.4	0.90	1.00	159	140	299	9.7	1.09	0.90	8	15	3	8		
Hemel Hempstead ..	12,720	88	105	3	7	203	16.0	1.04	1.06	56	66	122	9.6	1.08	0.89	5	25	4	3		
Hertford ..	8,910	80	73	3	4	160	18.0	1.01	1.16	43	40	83	9.3	1.04	0.83	2	13	1	3		
Hitchin ..	22,220	173	163	6	8	350	15.8	1.04	1.05	115	114	229	10.3	0.95	0.84	1	3	1	10		
St. Albans ..	31,540	218	217	6	9	450	14.3	0.96	0.87	249	360	609	19.3	0.52	0.86	9	20	4	1		
Ware ..	11,670	90	78	1	2	171	14.6	1.03	0.96	71	46	117	10.0	0.89	0.76	—	—	—	1		
Watford ..	52,930	430	413	16	12	871	16.5	0.87	0.91	221	232	453	8.6	1.15	0.85	25	29	15	1		
Welwyn ..	5,720	39	47	2	1	89	15.6	0.88	0.87	23	27	50	8.7	1.05	0.78	1	11	1	1		
	75,300	595	604	23	28	1,250	16.6	1.11	1.17	414	365	779	10.3	0.99	0.87	27	22	16	30		
HUNTINGDONSHIRE...																					
Municipal Boroughs and Urban Districts ..	32,300	284	257	13	17	571	17.7	1.02	1.15	231	196	427	13.2	0.82	0.93	16	28	11	17		
Godmanchester M.B. ..	2,450	23	32	4	3	60	24.5	1.03	1.61	19	9	28	11.4	0.95	0.93	1	17	5	4		
Huntingdon M.B. ..	5,590	49	32	4	3	88	15.7	1.03	1.03	76	71	147	26.3	0.34	0.76	5	37	3	5		
Old Fletton ..	10,090	89	91	3	6	189	18.7	1.01	1.20	64	43	107	10.6	1.25	1.13	4	21	—	3		
Ramsey ..	5,670	52	57	1	1	113	19.9	1.01	1.28	27	28	55	9.7	1.11	0.92	3	27	—	—		
St. Ives M.B. ..	3,360	33	21	—	2	56	16.7	1.02	1.08	17	23	40	11.9	0.88	0.90	1	18	1	—		
St. Neots ..	5,140	38	24	1	2	65	12.6	1.05	0.84	28	22	50	9.7	0.89	0.74	2	31	1	—		
Rural Districts ..	43,000	311	347	10	11	679	15.8	1.18	1.19	183	169	352	8.2	1.15	0.81	11	16	5	13		
Huntingdon ..	12,100	96	110	2	3	209	17.3	1.39	1.53	49	33	82	6.8	1.36	0.79	5	24	2	5		
Norman Cross ..	8,630	52	54	4	4	113	13.1	1.07	0.89	33	47	80	9.3	1.21	0.96	2	18	2	4		
St. Ives ..	14,990	100	120	4	4	228	15.2	1.12	1.08	70	53	123	8.2	1.13	0.79	1	23	—	—		
St. Neots ..	7,280	63	63	—	3	129	17.7	1.13	1.27	31	36	67	9.2	0.91	0.72	3	—	1	—		
						23,780	14.6	1.03	0.96	9,701	9,409	19,110	11.7	0.92	0.82	522	22	360	482		

Administrative County		1,601,000	11,441	10,824	558	501	23,324	14.6	1.03	0.96	9,535	9,243	18,778	1.7	0.92	0.92	0.92	511	22	353	46
*Municipal Boroughs and Urban Districts		1,258,990	8,914	8,497	451	393	18,255	14.5	1.03	0.95	7,257	7,120	14,377	11.4	0.95	0.93	0.93	393	22	267	369
Ashford	..	26,000	170	189	9	16	373	14.3	1.03	0.94	132	121	253	9.7	0.94	0.78	0.78	16	16	4	4
Beckenham M.B.	..	75,340	451	406	14	15	887	11.8	1.07	0.80	410	398	838	9.2	1.21	1.00	1.00	29	18	8	8
Bexley M.B.	..	89,300	576	567	19	13	1,177	13.2	1.03	0.85	498	480	1,081	12.7	0.94	0.76	0.76	22	22	25	25
Broadstairs and St. Peter's	..	16,240	89	80	3	3	178	11.0	1.21	0.85	98	108	206	12.7	0.70	0.94	0.94	4	23	4	9
Bromley M.B.	..	65,100	400	360	18	18	799	12.3	1.02	0.80	381	384	765	11.8	0.93	0.94	0.94	13	16	7	7
Chatham M.B.	..	49,900	382	384	21	25	812	16.3	0.97	1.01	281	227	508	10.2	1.07	0.93	0.93	23	28	14	25
Chislehurst and Sidcup	..	57,300	525	520	19	28	1,242	14.2	0.97	0.88	362	313	675	7.7	1.32	0.84	0.84	30	24	17	30
Crayford	..	29,350	217	217	8	8	477	16.2	0.95	0.98	135	112	247	8.4	1.31	0.94	0.94	11	23	5	6
Dartford M.B.	..	40,850	304	303	15	9	631	15.4	0.96	0.94	264	299	563	13.5	0.86	1.14	0.86	14	22	10	18
Deal M.B.	..	23,400	202	183	12	12	403	13.9	1.06	1.07	162	129	291	11.5	0.97	0.95	0.95	11	27	7	8
Dover M.B.	..	35,370	302	270	13	20	605	17.1	1.00	1.09	195	187	382	10.8	0.99	0.91	0.91	10	17	6	12
Erith M.B.	..	46,010	307	327	12	8	654	14.2	1.00	0.90	261	203	464	10.1	1.17	1.01	1.01	8	12	5	10
Faversham M.B.	..	12,310	87	90	2	4	183	14.9	1.05	1.00	132	134	266	21.6	0.48	0.89	0.89	11	60	6	3
Folkestone M.B.	..	44,900	257	255	20	22	554	12.3	1.06	0.83	257	278	535	11.9	0.87	0.88	0.88	7	13	5	7
Gillingham M.B.	..	77,630	571	576	35	28	1,216	15.7	1.06	1.06	446	367	813	10.5	1.08	0.97	0.97	23	15	23	23
Gravesend M.B.	..	47,670	382	376	22	12	792	16.6	0.97	1.03	264	231	495	10.4	1.14	1.01	1.01	21	27	15	20
Herne Bay	..	17,900	95	104	4	8	211	11.8	1.27	0.95	147	202	349	19.5	0.52	0.87	0.87	3	14	3	1
Hythe M.B.	..	9,600	62	143	1	1	107	11.1	1.22	0.86	75	73	148	15.4	0.70	0.92	0.92	4	38	3	1
Lydd M.B.	..	3,120	21	17	1	1	4	12.8	1.25	1.02	10	13	23	7.4	1.22	0.77	0.77	2	50	1	1
Maidstone M.B.	..	55,500	382	355	22	15	774	13.9	1.01	0.89	306	364	670	12.1	0.81	0.84	0.84	17	22	11	20
Margate M.B.	..	43,060	291	307	37	35	670	15.6	1.09	1.08	264	295	559	13.0	0.78	0.87	0.87	22	33	19	12
New Romney M.B.	..	2,350	16	15	1	—	32	13.6	1.04	0.90	14	15	29	12.3	0.87	0.91	0.91	1	31	1	—
Northfleet	..	19,850	155	136	3	4	298	15.0	0.97	0.93	104	111	215	10.8	1.15	1.06	1.06	5	17	2	6
Orpington	..	70,410	597	580	24	20	1,221	17.3	0.99	1.09	344	304	648	9.2	1.08	0.85	0.85	25	21	18	20
Penge	..	25,540	254	214	16	11	495	19.4	0.90	1.11	157	140	297	11.6	0.98	0.97	0.97	9	18	8	10
Queenborough M.B.	..	3,230	24	25	3	2	54	16.7	1.03	1.10	29	18	47	14.6	1.12	1.40	1.40	1	19	1	2
Ramsgate M.B.	..	36,030	274	232	33	27	566	15.7	1.07	1.07	237	219	456	12.7	0.87	0.94	0.94	14	25	5	2
Rochester M.B.	..	46,220	339	335	14	11	699	15.1	0.98	0.94	272	220	492	10.6	1.10	1.00	1.00	8	12	16	13
Royal Tunbridge Wells M.B.	..	38,900	232	186	10	5	433	11.1	1.10	0.78	287	380	667	17.1	0.65	0.90	0.90	15	14	15	14
Sandwich M.B.	..	4,600	33	22	1	—	58	12.6	1.16	0.93	22	20	42	9.0	0.95	0.70	0.70	2	35	1	2
Sevenoaks	..	16,380	112	94	3	2	211	12.9	1.06	0.87	99	117	216	13.2	0.82	0.93	0.93	2	10	2	9
Sheerness	..	15,450	119	123	9	5	356	16.6	1.09	1.15	104	89	193	12.2	1.06	1.13	1.13	3	12	9	4
*Sittingbourne and Milton	..	22,050	181	137	10	7	335	15.2	1.03	0.80	287	190	393	12.0	0.65	0.93	0.93	9	27	7	7
Southborough	..	8,880	54	52	1	1	108	12.2	1.03	0.89	38	53	111	12.5	0.78	1.03	1.03	—	3	—	—
Swanscombe	..	8,900	67	72	3	—	142	16.0	0.93	0.95	35	46	81	9.1	1.23	0.96	0.96	3	21	3	2
Tenterden M.B.	..	4,540	29	27	2	2	60	13.2	1.00	0.92	41	50	91	20.0	0.42	0.72	0.72	2	34	2	1
Tonbridge	..	20,270	137	150	7	1	295	14.6	1.04	0.97	118	126	244	12.0	0.91	0.93	0.93	8	27	5	6
Whitstable	..	17,560	100	98	6	3	207	11.9	1.28	0.97	107	151	258	14.9	0.63	0.80	0.80	3	15	2	6
*Rural Districts	..	342,010	2,527	2,327	107	108	5,069	14.8	1.05	0.99	2,278	2,123	4,401	12.9	0.81	0.89	0.89	118	73	86	100
Bridge-Blean	..	19,050	91	117	3	3	218	11.4	1.18	0.86	180	175	355	18.6	0.49	0.78	0.78	7	32	5	4
Cranbrook	..	15,070	93	99	6	5	203	13.5	1.04	0.89	82	107	189	12.5	0.83	0.89	0.89	2	10	1	1
Dartford	..	43,940	361	336	14	12	723	16.5	0.96	1.01	257	200	457	10.4	1.08	0.96	0.96	12	17	11	11
Dover	..	12,940	91	95	2	2	190	14.7	1.17	1.10	59	60	119	9.2	0.88	0.69	0.69	6	32	2	2
East Ashford	..	10,550	71	67	4	6	148	14.0	1.12	1.00	66	59	125	11.8	0.83	0.84	0.84	3	20	2	4

TABLE 12—continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks		Stillbirths
		Legitimate		Illegitimate		Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Related Live Births	
		M.	F.	M.	F.													

KENT—contd.

Rural Districts—contd.

East	24,400	182	153	5	9	349	14.3	1.18	1.07	207	216	423	17.3	0.68	1.01	7	20	6	5
East	9,450	51	54	3	4	112	11.9	1.07	0.81	129	128	257	27.2	0.37	0.86	2	18	2	1
East	16,660	128	111	3	5	247	14.8	1.05	0.99	88	100	188	11.3	0.93	0.90	5	20	4	7
Hollingbourne	18,720	165	140	4	4	313	16.7	1.06	1.03	192	168	360	19.2	0.56	0.92	9	29	6	3
Maidstone	37,700	312	245	15	14	586	15.5	1.03	1.02	222	189	411	10.9	1.03	0.96	19	33	11	10
Malling	4,510	35	38	4	3	80	17.7	1.16	1.31	29	22	51	11.3	0.92	0.89	2	25	2	2
Romney Marsh	35,170	251	235	9	7	502	14.3	1.08	0.98	173	193	366	10.4	0.90	0.80	9	18	7	7
Sevenoaks	9,430	58	65	3	5	131	13.9	1.14	1.01	63	46	109	11.6	0.98	0.97	1	8	—	5
Sheppey	23,420	195	190	3	7	395	16.9	1.00	1.08	116	103	219	9.4	1.07	0.86	7	18	5	14
Stroud	20,300	159	116	11	9	295	14.5	1.04	0.96	107	96	203	10.0	0.99	0.85	7	31	7	6
*Swale	7,260	51	55	2	2	110	15.2	1.09	1.06	55	42	97	13.4	0.89	1.02	3	37	3	9
Tenterden	23,110	147	143	10	8	308	13.5	0.99	0.84	136	117	253	10.9	0.91	0.85	10	33	8	9
Tonbridge	10,330	86	68	2	3	159	15.4	1.06	1.04	117	102	219	21.2	0.48	0.87	5	32	4	2
West Ashford	5,099,000	40,980	38,836	2,118	2,005	83,939	16.5	1.00	1.05	32,898	31,792	64,690	12.7	1.12	1.22	2,298	28	1,573	2,242
LANCASHIRE:	3,007,800	25,165	23,844	1,517	1,436	51,962	17.3	0.98	1.08	19,330	18,762	38,092	12.7	1.13	1.23	1,431	28	960	1,385

*County Boroughs

Barrow-in-Furness	64,870	463	482	14	22	981	15.1	1.02	0.98	476	361	837	12.9	1.12	1.23	28	29	21	22
Blackburn	107,900	741	690	31	40	1,502	13.9	1.07	0.95	796	781	1,577	14.6	0.97	1.21	31	21	20	33
Blackpool	146,500	798	778	68	75	1,719	11.7	1.12	0.83	1,165	1,244	2,409	16.4	0.85	1.19	43	25	30	31
Bolton	163,800	1,233	1,144	58	73	2,508	15.3	1.01	0.98	1,109	1,111	2,220	13.6	1.09	1.27	60	24	40	69
Booth	79,360	942	916	30	21	1,909	21.1	0.93	1.43	367	336	703	8.9	1.52	1.16	54	28	34	45
Burnley	82,350	606	561	42	37	1,246	15.1	1.05	1.01	658	689	1,347	16.4	0.99	1.39	36	29	22	29
Bury	58,210	451	393	21	30	895	15.4	1.04	1.02	384	416	800	13.7	1.02	1.19	15	17	13	14
Liverpool	773,700	7,794	7,406	409	397	16,006	20.7	0.93	1.23	4,583	4,778	9,361	11.5	1.23	1.21	412	26	277	395
Manchester	686,200	5,739	5,311	483	431	11,964	17.4	0.96	1.06	4,232	4,243	8,475	12.4	1.18	1.25	357	30	241	329
Oldham	119,500	873	850	59	46	1,828	15.3	0.99	0.96	836	873	1,709	14.3	1.09	1.33	49	27	36	58
*Preston	117,000	904	823	55	53	1,835	15.7	1.00	1.00	729	720	1,449	12.4	1.17	1.24	55	30	31	40
Rochdale	86,260	582	638	44	40	1,304	15.1	1.00	0.96	626	645	1,271	14.7	1.06	1.33	36	28	23	28
S. Walsley	110,900	899	925	30	26	1,880	16.9	0.94	1.01	685	498	1,183	10.7	1.32	1.31	51	27	33	70

Southport	82,100	429	32	19	933	11.4	1.14	0.83	1.387	16.9	12.7	1.08	1.17	867	27	613	837
Warrington	79,620	634	33	40	1,311	16.5	0.95	0.98	416	894	11.2	1.18	1.13	49	38	16	25
Wigan	82,130	663	17	7	1,301	15.8	0.98	0.99	435	905	11.0	1.22	1.15	46	36	31	53
Administrative County	2,091,200	15,815	601	569	31,977	15.3	1.03	1.00	13,568	26,598	12.7	1.08	1.17	867	27	613	837
*Municipal Boroughs and Urban Districts																	
Abchurch	1,767,740	13,294	516	508	26,978	15.3	1.02	0.99	11,456	22,906	13.0	1.07	1.19	734	27	518	714
Adams	6,210	97	—	17	57	15.6	0.95	0.94	33	34	11.0	1.35	1.27	4	1	3	1
Accrington M.B.	39,790	267	15	—	57	14.0	1.06	0.95	287	588	14.8	1.00	1.26	21	38	14	16
Adlington	4,150	34	2	—	66	16.0	1.08	1.10	26	49	11.8	1.11	1.14	1	1	2	1
Ashton-in-Makerfield	19,210	161	2	1	305	15.9	0.97	0.98	117	96	213	11.1	1.18	6	20	6	14
Ashton-under-Lyne M.B.	51,610	414	14	22	794	15.4	1.01	0.99	382	356	738	14.3	1.05	22	28	16	27
Aspull	6,590	61	48	3	114	17.3	0.98	1.08	33	31	64	9.7	1.29	22	18	2	7
Atherton	20,030	145	6	7	358	15.4	1.00	0.98	117	139	256	12.8	1.12	7	23	4	7
Audenshaw	12,530	78	72	—	152	12.1	1.04	0.80	83	75	158	12.6	1.11	6	40	5	4
Bacup M.B.	18,190	142	14	14	295	16.2	1.02	1.05	149	129	278	15.3	1.11	12	41	7	11
Barrowford	4,740	34	35	1	72	15.2	1.13	1.09	34	53	87	18.4	0.89	—	—	—	—
Billingdale and Winstanley	6,000	44	33	1	79	13.2	1.06	0.89	117	104	221	36.8	0.35	4	51	2	2
Blackrod	3,190	25	2	2	53	16.6	0.98	1.04	21	17	38	11.9	1.10	—	—	—	1
Brierfield	6,830	53	2	2	82	12.0	1.11	0.85	60	52	112	16.4	0.96	4	49	2	1
Carnforth	3,850	38	29	—	67	17.4	1.01	1.12	18	14	32	8.3	1.11	4	60	2	1
Chadderton	31,920	224	9	9	473	14.8	1.05	0.99	216	202	418	13.1	1.19	10	21	7	11
Chorley M.B.	31,640	226	7	6	487	15.4	1.01	0.99	211	191	402	12.7	1.14	10	21	10	12
Church	5,710	39	5	1	84	14.7	1.01	0.95	36	43	79	13.8	1.06	2	12	3	3
Clayton-le-Moors	6,980	45	1	2	99	14.2	1.06	0.96	50	65	115	16.5	1.09	24	26	20	25
Culthorpe M.B.	11,960	75	63	1	145	12.1	1.13	0.87	106	146	252	21.1	0.76	6	61	3	—
Colne M.B.	20,010	121	139	10	283	14.1	1.08	0.97	152	144	296	14.8	0.97	1	7	—	4
Crompton	12,560	85	5	2	171	13.6	1.05	0.91	85	91	176	14.0	1.08	2	12	1	3
*Crosby M.B.	58,560	433	15	19	930	15.9	1.01	1.02	377	404	781	13.3	0.99	2	26	20	25
Dalton-in-Furness	10,350	178	5	2	152	14.7	1.03	0.96	68	79	147	14.2	1.04	11	40	4	5
Darwen M.B.	29,990	193	13	10	410	13.7	1.09	0.95	248	214	462	15.4	0.99	11	27	7	8
Denton	26,080	199	17	2	583	14.7	1.07	1.00	155	166	321	12.3	1.19	9	24	7	13
Droyden	26,390	214	3	6	414	15.7	1.02	1.02	138	135	273	10.3	1.41	7	17	6	13
Ecches M.B.	43,420	331	11	12	702	15.2	1.02	1.03	376	370	740	17.0	0.81	7	10	3	12
Farnworth	18,760	139	15	4	234	15.1	0.98	0.94	98	123	213	11.4	1.23	11	39	7	8
Farnworth M.B.	27,720	200	8	4	421	15.2	0.99	0.98	185	163	345	12.4	1.06	11	50	13	14
Fleetwood M.B.	28,000	235	13	8	502	18.0	1.03	1.18	202	153	357	12.8	1.01	12	24	9	9
Formby	10,340	75	1	—	151	14.6	1.22	1.13	65	56	121	11.7	1.02	1	7	—	1
Fulwood	13,840	93	81	2	178	12.9	1.15	0.94	115	124	238	17.2	0.84	5	28	3	4
Golborne	18,310	158	14	5	316	17.3	0.91	1.00	98	74	172	10.4	1.33	7	22	4	17
Grange	2,840	16	1	—	28	9.9	1.47	0.93	26	29	52	19.4	0.88	—	—	—	—
Great Harwood	10,700	69	1	—	137	12.8	1.12	0.91	76	89	165	13.4	0.97	—	—	—	8
Haslingden M.B.	14,210	109	8	8	230	16.2	1.08	1.11	115	104	219	15.4	0.99	7	31	4	7
Haydock	11,800	98	—	—	184	15.6	0.96	0.95	73	61	134	11.4	1.29	5	27	3	7
Heywood M.B.	25,030	185	147	6	349	13.9	1.02	0.90	183	160	343	13.7	1.11	10	20	7	10
Hindley	19,150	134	3	1	266	13.9	1.00	0.89	131	108	239	12.5	1.22	1	30	7	8
Horwich	15,830	111	108	2	222	14.0	1.00	0.89	110	97	207	13.1	1.11	5	23	4	4
Huyton-with-Roby	59,500	626	23	14	1,287	21.6	0.99	1.36	241	213	454	7.6	1.78	44	34	29	39

TABLE 12.—continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS					DEATHS										Deaths under 1 year		Stillbirths	
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local to National Rate	Number	Rate per 1,000 Live Births	Deaths under 4 weeks		
		M.	F.	M.	F.															
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
LANCASHIRE—contd.																				
Municipal Boroughs and Urban Districts—contd.																				
Ince-in-Makerfield	20,110	159	129	2	3	293	14.6	0.96	0.89	94	102	196	9.7	1.41	1.17	6	21	3	12	
Irlam	14,880	122	96	4	—	222	14.9	1.04	0.99	83	56	139	9.3	1.27	1.01	9	41	7	7	
Kearsley	10,440	79	81	2	2	166	15.9	1.00	1.01	66	48	114	10.9	1.17	1.09	5	30	4	4	
Kirkham	7,130	40	34	2	2	78	10.9	1.51	1.05	21	27	48	6.7	1.64	0.94	—	—	—	2	
Lancaster M.B.	49,530	314	308	18	22	662	13.4	1.03	0.88	331	419	750	15.1	0.79	1.02	18	27	10	7	
Lees	4,040	23	21	1	2	47	11.6	1.11	0.82	21	28	49	12.1	1.04	1.08	1	21	—	23	
Leigh M.B.	47,740	346	354	19	12	731	15.3	0.99	0.96	300	291	591	12.4	1.24	1.31	21	29	15	2	
Leyland	17,400	177	178	8	5	368	21.1	0.98	1.32	106	86	192	11.0	1.30	1.22	8	22	6	9	
Litherland	24,390	207	186	4	9	406	16.6	0.93	0.98	123	110	233	9.6	1.46	1.20	8	20	6	11	
Littleborough	10,620	61	74	1	—	136	12.8	1.00	0.82	81	72	153	14.4	1.10	1.35	1	7	1	6	
Little Lever	4,750	41	32	—	2	75	15.8	1.06	1.07	26	34	60	12.6	1.17	1.26	4	54	3	1	
Longridge	4,520	36	40	—	—	76	16.8	1.10	1.18	25	18	43	9.5	1.14	0.93	1	13	—	13	
Lytham St. Anne's M.B.	30,890	159	168	7	12	346	11.2	1.16	0.83	233	318	551	17.8	0.69	1.05	8	23	6	18	
Middleton M.B.	46,880	511	466	28	16	1,021	21.8	0.90	1.25	245	215	460	9.8	1.39	1.16	29	29	18	2	
Milnrow	8,460	49	37	3	—	89	10.5	1.02	0.68	61	68	129	15.2	1.03	1.34	3	34	2	2	
Morecambe and Heysham M.B.	36,740	219	180	7	14	420	11.4	1.23	0.89	303	335	638	17.4	0.77	1.15	10	24	9	5	
Mossley M.B.	10,200	74	74	4	6	158	15.5	1.04	1.03	77	80	157	15.4	1.09	1.43	6	38	7	3	
Nelson M.B.	32,700	222	206	5	14	447	13.7	1.09	0.95	265	256	521	15.9	0.96	1.30	8	38	7	10	
Newton-le-Willows	21,880	140	151	3	7	301	13.8	0.98	0.86	119	104	223	10.2	1.16	1.01	10	33	5	5	
Ormskirk	21,350	120	152	4	6	282	13.2	1.04	0.87	136	129	265	12.4	0.98	1.04	7	25	5	5	
Orrell	9,640	54	54	—	1	109	11.3	1.01	0.73	70	47	117	12.1	1.17	1.21	3	28	3	6	
Oswaldtwistle	11,900	74	63	—	3	147	12.3	1.07	0.84	75	84	159	13.3	1.01	1.15	8	55	8	8	
Padiham	9,900	66	78	3	7	150	15.0	1.04	0.99	87	67	154	15.4	1.02	1.34	7	47	4	6	
Poulton-le-Fylde	9,320	56	69	2	1	128	13.7	1.04	0.91	59	54	113	12.1	1.16	1.05	1	31	1	—	
Presall	2,240	19	12	—	1	32	14.3	1.28	1.17	32	19	51	22.8	0.67	1.31	—	—	—	—	
Prescot	12,580	110	105	2	2	219	17.4	0.91	1.01	67	81	148	11.8	1.20	1.21	4	18	3	6	
Prestwich M.B.	33,750	189	212	5	8	414	12.3	1.06	0.83	253	304	557	16.5	0.76	1.07	1	19	5	13	
Radclyffe M.B.	27,530	194	187	7	10	398	14.5	1.06	0.98	211	168	379	13.8	1.10	1.30	2	23	6	5	
Ramford	4,350	41	39	—	—	80	18.4	0.97	1.14	30	20	50	11.6	1.18	1.16	1	25	3	—	
	1,600	80	76	—	2	173	12.4	1.09	0.86	110	94	204	14.6	0.95	1.19	4	23	3	—	

81

TABLE 12—continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS				DEATHS										Deaths under 1 year		Deaths under 4 weeks	Stillbirths
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000		
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
LEICESTERSHIRE—contd.																			
Municipal Boroughs and Urban Districts—contd.																			
Asby Wouds	3,370	27	25	—	—	52	15.4	0.98	0.96	24	13	37	11.0	1.23	1.16	1	19	1	1
Coalville	26,000	193	190	5	3	391	15.0	0.97	0.93	142	118	260	10.0	1.17	1.00	10	26	9	1
Hinckley	40,020	289	281	16	13	599	15.0	0.98	0.94	175	181	356	8.9	1.26	0.96	15	25	12	16
Loughborough M.B.	36,010	264	233	10	5	512	14.2	1.02	0.92	210	163	373	10.4	0.98	0.87	15	29	14	17
Market Harborough	10,470	73	73	3	2	151	14.4	1.08	0.99	56	72	128	12.2	0.86	0.90	3	20	3	5
Melton Mowbray	14,520	124	107	6	8	245	16.9	0.98	1.05	70	74	144	9.9	1.13	0.96	9	37	5	3
Oadby	7,520	64	45	1	3	113	15.0	0.96	0.92	44	36	80	10.6	1.10	1.00	3	27	2	3
Shepshed	6,610	51	63	—	1	115	17.4	0.98	1.09	39	39	78	11.8	1.12	1.13	1	20	—	2
Wigston	17,080	174	143	5	1	323	18.9	0.98	1.18	73	71	144	8.4	1.28	0.92	7	22	6	7
Rural Districts	196,300	1,518	1,421	38	47	3,024	15.4	1.03	1.01	1,092	1,004	2,096	10.7	1.04	0.95	65	22	40	82
Asby de la Zouch	13,850	94	94	1	3	192	13.9	1.00	0.89	81	72	153	11.0	1.11	1.04	13	16	2	4
Barrow upon Soar	50,780	441	359	10	14	824	16.2	1.04	1.07	287	238	525	10.3	1.11	0.98	16	20	9	17
Billesdon	12,530	158	128	5	5	296	23.6	0.89	1.34	46	38	84	6.7	1.38	0.79	16	20	1	3
Blaby	41,200	290	304	4	4	602	14.6	1.05	0.98	243	244	487	11.8	0.87	0.88	15	25	13	17
Castle Donington	9,970	68	70	5	3	146	14.6	1.06	0.99	45	47	92	9.2	1.08	0.85	2	14	1	4
Lutterworth	11,970	83	81	1	3	168	14.0	1.06	0.95	73	75	148	12.4	0.90	0.95	2	12	2	7
Market Bosworth	27,230	192	193	5	10	399	14.7	0.99	0.93	157	137	294	10.8	1.12	1.03	14	35	7	10
Market Harborough	9,940	73	75	—	7	150	15.1	1.06	1.02	64	58	122	12.3	0.92	0.97	4	27	3	4
Melton and Belvoir	18,830	119	118	—	3	247	13.1	1.07	0.89	96	93	191	10.1	0.98	0.85	3	12	2	11
LINCOLNSHIRE: (Parts of Holland):	102,700	797	762	42	26	1,627	15.8	1.00	1.01	637	495	1,132	11.0	0.95	0.89	47	29	33	31

TABLE 12—continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths				
		Legitimate			Illegitimate			TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population			Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births
		M.		F.	M.		F.														
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)			(17)	(18)	(19)	(20)
(1)		(2)																			
LONDON A.C.: ..	3,273,000	24,342	23,395	2,321	2,113	52,171	15.9	0.88	0.89	19,557	18,760	38,317	11.7	1.00	1.00	1,106	21	830	1,070	—	
City of London	5,180	21		3	1	46	8.9	0.89	0.50	50	17	67	12.9	1.02	1.12	3	66	3			
Metropolitan Boroughs:																					
Battersea ..	112,900	856	817	83	53	1,809	16.0	0.93	0.95	659	564	1,223	10.8	1.02	0.94	42	23	35	47		
Barnet ..	56,200	451	432	21	15	919	16.4	0.93	0.97	315	254	569	10.1	1.13	0.98	20	22	15	20		
Barnetsey ..	52,280	461	387	28	21	897	17.2	0.91	1.00	286	272	558	10.7	1.04	0.95	22	25	16	21		
Bethnal Green ..	177,800	1,314	1,239	84	104	2,741	15.4	0.92	0.90	991	929	1,920	10.8	1.04	0.96	65	24	48	52		
Camden ..	51,070	359	372	46	44	821	16.1	0.76	0.78	361	454	815	16.0	0.70	0.96	21	26	15	14		
Chelsea ..	71,840	532	463	33	33	1,061	14.8	0.95	0.90	525	427	952	13.3	0.95	1.08	27	26	17	21		
Deptford ..	34,870	330	317	27	26	700	20.1	0.88	1.13	179	178	357	10.2	1.04	0.91	21	30	18	10		
Finsbury ..	117,100	847	771	67	67	1,752	15.0	0.95	0.91	679	645	1,324	11.3	1.01	0.98	45	26	32	39		
Fulham ..	88,780	633	627	33	27	1,320	14.9	0.94	0.89	494	380	874	9.8	1.15	0.96	20	15	13	32		
Greenwich ..	165,800	1,195	1,132	89	84	2,500	15.1	0.92	0.88	917	928	1,845	11.1	1.11	1.05	44	18	33	44		
Hackney ..	113,300	817	828	95	86	1,826	16.1	0.92	0.94	672	610	1,282	11.3	1.09	1.05	39	21	31	44		
Hammersmith ..	97,580	697	638	79	74	1,488	15.2	0.75	0.73	438	591	1,029	10.5	1.02	0.92	34	23	27	24		
Hampstead ..	22,640	114	112	14	16	256	11.3	0.71	0.51	151	110	261	11.5	1.10	1.08	13	57	8	5		
Holborn ..	228,300	1,988	1,926	225	178	4,317	18.9	0.89	1.07	1,335	1,231	2,566	11.2	1.00	0.96	91	21	73	94		
Islington ..	168,800	1,196	1,223	204	178	2,801	16.6	0.72	0.76	766	1,006	1,772	10.5	1.03	0.92	59	21	44	52		
Kensington ..	223,900	1,816	1,746	199	214	3,975	17.8	0.90	1.02	1,233	1,156	2,389	10.7	1.04	0.95	83	21	58	83		
Lambeth ..	222,100	1,553	1,506	70	71	3,200	14.4	0.95	0.87	1,364	1,149	2,513	11.3	0.96	0.93	61	19	52	63		
Lewisham ..	121,200	1,007	935	180	171	2,293	18.9	0.79	0.95	613	649	1,262	10.4	1.08	0.96	35	24	43	34		
Paddington ..	68,620	568	559	31	31	1,189	17.3	0.92	1.01	387	350	737	10.7	1.18	1.06	30	25	24	23		
Poplar ..	73,040	370	360	37	42	809	11.1	0.78	0.55	581	556	1,137	15.6	0.71	0.95	12	75	11	22		
St. Marylebone ..	133,100	1,066	1,066	141	122	2,359	17.7	0.86	0.97	824	704	1,528	11.5	1.06	1.04	53	23	38	38		
St. Pancras ..	44,520	357	312	24	24	717	16.1	0.89	0.91	351	337	688	15.0	0.73	0.97	12	17	7	13		
Shoreditch ..	92,300	740	770	69	59	1,638	17.7	0.89	0.99	642	554	1,196	13.3	0.90	1.00	26	16	18	30		
Southwark ..	98,160	940	784	89	87	1,900	19.4	0.87	1.08	678	508	1,186	12.1	1.13	1.17	43	23	34	41		
Stepney ..	50,420	384	402	39	33	858	17.0	0.89	0.96	252	281	533	10.6	1.15	1.04	18	27	10	22		
Stoke Newington ..	337,600	2,306	2,201	203	156	4,866	14.4	0.95	0.87	2,474	2,785	5,259	15.6	0.70	0.93	84	17	65	99		
Wandsworth ..	96,100	510	520	59	54	1,143	11.9	0.82	0.82	536	470	1,006	10.3	1.07	0.94	26	23	19	24		
Wandsworth	337,600	2,306	2,201	203	156	4,866	14.4	0.95	0.87	2,474	2,785	5,259	15.6	0.70	0.93	84	17	65	99		
Wandsworth	96,100	510	520	59	54	1,143	11.9	0.82	0.82	536	470	1,006	10.3	1.07	0.94	26	23	19	24		
Wandsworth	337,600	2,306	2,201	203	156	4,866	14.4	0.95	0.87	2,474	2,785	5,259	15.6	0.70	0.93	84	17	65	99		

MIDDLESEX;	2,251,000	15,067	14,386	725	696	0,874	13.7	0.97	0.85	11,500	11,116	22,616	10.0	1.08	0.92	586	19	448	570
Municipal Boroughs and Urban Districts:																			
Acton M.B.	66,240	459	401	37	27	924	13.9	0.93	0.82	364	364	728	11.0	1.04	0.98	21	23	12	23
Brentford and Chiswick M.B. ..	58,330	404	373	23	32	832	14.3	0.93	0.85	306	327	633	10.9	1.02	0.95	15	18	12	20
Ealing M.B.	184,200	1,198	1,202	73	65	2,538	13.8	0.96	0.84	973	949	1,922	10.4	1.10	0.98	35	14	27	37
Edmonton M.B.	98,110	648	582	22	27	1,279	13.0	0.98	0.81	515	444	959	9.8	1.14	0.95	29	23	20	28
Enfield M.B.	109,000	688	639	24	26	1,377	12.6	1.00	0.80	584	610	1,194	11.1	0.85	0.80	33	24	24	24
Feltham	49,230	418	376	17	10	821	16.7	0.97	1.03	193	134	327	6.6	1.60	0.90	18	22	15	10
Finchley M.B.	69,800	443	427	13	15	898	12.9	0.95	0.78	401	430	831	11.9	0.92	0.94	12	13	8	15
Friern Barnet	28,570	161	156	11	8	336	11.8	1.05	0.84	210	295	505	17.7	0.55	0.83	17	21	18	15
Harrow M.B.	216,200	1,368	1,320	54	64	2,806	13.0	1.02	0.84	938	945	1,903	10.8	1.20	0.90	52	21	47	58
Hayes and Harlington	66,460	508	468	22	14	1,012	15.2	0.94	0.91	282	217	499	7.5	1.62	1.04	15	12	19	19
Hendon M.B.	153,200	991	931	40	44	2,006	13.1	0.95	0.79	773	785	1,558	10.2	1.05	0.92	36	18	31	38
Hendon and Isleworth M.B. ..	105,100	628	571	17	18	1,234	11.7	0.99	0.74	640	495	1,135	11.8	1.06	0.98	22	18	24	24
Hornsey M.B.	97,220	683	590	47	46	1,598	15.1	0.93	0.89	501	624	1,115	10.5	0.90	0.88	34	23	23	28
Porters Bar	18,100	143	146	7	1	1,297	13.7	0.94	0.94	89	85	174	9.2	1.27	1.00	8	27	6	3
Ruislip-Northwood	73,930	523	466	18	9	1,016	13.7	1.01	0.88	274	266	540	7.3	1.27	0.79	16	12	10	10
Southern M.B.	53,220	338	337	18	18	711	13.4	1.00	0.85	324	328	652	12.3	0.85	0.89	13	18	10	8
Southeale M.B.	71,670	407	385	12	9	813	11.3	0.99	0.78	392	452	844	11.1	0.84	0.85	11	14	6	11
Staines	44,200	377	377	19	9	772	17.5	0.94	1.05	184	207	391	8.8	1.22	0.92	18	23	17	10
Sunbury-on-Thames	26,700	254	252	11	9	526	19.7	0.91	1.14	104	100	204	7.6	1.26	0.82	10	19	6	13
Tottenham M.B.	120,700	748	757	37	41	1,583	13.1	0.97	0.81	687	565	1,252	10.4	1.09	0.97	38	24	34	36
Twickenham M.B.	104,000	657	618	32	20	1,327	12.8	1.03	0.84	628	554	1,182	11.4	0.96	0.94	14	11	9	25
Uxbridge M.B.	59,640	522	495	21	12	1,050	17.6	0.92	1.03	267	222	489	8.2	1.29	0.90	19	12	12	12
Wembley M.B.	128,300	754	700	26	23	1,503	11.7	1.01	0.75	613	547	1,160	9.0	1.18	0.91	25	17	19	29
Willesden M.B.	174,900	1,259	1,240	109	126	2,734	15.6	0.91	0.90	862	870	1,732	9.9	1.15	0.97	61	22	48	57
Wood Green M.B.	50,100	275	286	15	7	583	11.6	1.00	0.74	282	255	537	10.7	0.98	0.90	10	17	9	20
Yewley and West Drayton	23,070	213	191	8	16	428	18.6	0.92	1.09	94	56	150	6.5	1.40	0.78	7	16	6	6
NORFOLK:																			
County Boroughs	551,700	4,088	3,886	213	250	8,437	15.3	1.08	1.05	3,440	3,185	6,625	12.0	0.86	0.88	150	18	109	192
Great Yarmouth	171,800	1,220	1,172	89	91	2,572	15.0	1.01	0.96	1,038	1,000	2,038	11.9	0.95	0.97	45	18	36	61
Norwich	120,300	863	847	58	65	1,833	15.2	1.00	0.97	693	689	1,382	11.5	0.95	0.93	28	15	22	40
Administrative County																			
.. ..	379,900	2,868	2,714	124	159	5,865	15.4	1.12	1.10	2,402	2,185	4,587	12.1	0.81	0.84	105	18	73	131
Municipal Boroughs and Urban Districts:																			
Great Yarmouth	73,700	630	562	23	28	1,243	16.9	1.04	1.12	447	434	881	12.0	0.83	0.85	24	19	18	18
King's Lynn M.B.	4,860	23	30	3	3	59	12.1	1.10	0.85	39	17	56	11.5	0.70	0.69	1	17	1	2
North Walsham	3,590	23	33	—	—	56	15.6	1.05	1.04	24	28	44	12.3	0.85	0.89	1	18	—	—
Downham Market	2,610	12	8	—	2	22	8.4	1.03	0.56	30	24	62	23.8	0.41	0.83	—	—	—	3
East Dereham	6,710	55	48	5	3	111	16.5	1.01	1.06	34	27	61	9.1	0.86	0.67	3	27	2	1
Hunstanton	4,130	59	65	3	2	129	31.2	0.93	1.05	10	20	50	7.3	0.88	0.55	2	16	—	—
.. ..	26,240	264	200	9	11	484	18.4	1.00	1.17	141	147	288	11.0	1.01	0.95	8	17	6	6
North Walsham	4,790	24	27	1	2	54	11.3	1.14	0.82	34	29	53	11.1	0.76	0.72	—	17	—	2
Sharnham	4,630	34	30	—	1	78	11.0	1.23	1.04	29	48	77	16.6	0.68	0.92	1	14	1	1
Swarfield	3,070	39	40	—	1	69	16.5	1.04	1.29	23	24	47	15.3	0.78	1.02	2	34	2	—
Thetford M.B.	4,650	31	46	—	—	77	16.6	1.07	1.13	53	34	87	18.7	0.65	1.04	5	65	4	1

TABLE 12.—continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS						DEATHS						Deaths under 1 year			Stillbirths				
		Legitimate		Illegitimate		Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate	Deaths under 1 year					
		M.	F.	M.	F.											Number		Rate per 1,000 Related Live Births			
																			M.	F.	Deaths under 4 weeks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)			
NORFOLK—contd.																					
Municipal Boroughs and Urban Districts—contd.																					
Wells-next-the-Sea	2,590	27	18	—	1	2	48	18.5	1.11	1.31	15	11	26	10.0	0.84	0.72	—	—	—	—	2
Wymondham	5,830	39	29				69	11.8	1.07	0.80	25	25	50	8.6	0.91	0.67		15			
Rural Districts	306,200	2,238	2,152	101	131	4,622	15.1	1.14	1.10	1,955	1,751	3,706	12.1	0.81	0.84	81	18	55	113		
Blofield and Flegg	32,770	211	177	8	10	406	12.4	1.11	0.88	241	221	462	14.1	0.68	0.82	5	12	3	13		
Depwade	18,040	135	116	5	6	262	14.5	1.16	1.07	115	111	226	12.5	0.78	0.83	8	31	6	3		
Docking	17,400	154	160	8	11	333	19.1	1.11	1.35	104	116	220	12.6	0.82	0.88	4	12	4	6		
Downham	24,190	199	200	9	14	422	17.4	1.14	1.26	111	104	215	8.9	1.16	0.88	7	17	4	2		
Erpingham	19,630	129	123	3	7	262	13.3	1.21	1.03	154	108	262	13.3	0.64	0.73	8	31	5	2		
Forchae and Henstead	24,900	203	183	10	13	409	16.4	1.08	1.13	255	253	508	20.4	0.52	0.91	7	17	5	3		
Freebridge Lynn	11,190	94	83	6	9	192	17.2	1.10	1.21	74	74	148	13.2	0.87	0.98	7	37	5	6		
Loddon	12,790	83	93	5	6	187	14.6	1.08	1.00	74	69	143	11.2	0.90	0.86	2	11	1	7		
Marshland	16,470	146	129	6	8	289	17.5	1.03	1.15	79	52	131	8.0	1.12	0.77	3	10	2	5		
Mittord and Landitch	18,300	136	125	10	8	279	15.2	1.17	1.13	114	98	212	11.6	0.83	0.82	6	22	5	6		
St Faith's and Aylsham	39,610	278	273	11	12	574	14.5	1.08	1.00	260	251	511	12.9	0.67	0.74	8	14	7	15		
Smallburgh	17,980	102	97	7	5	211	11.7	1.16	0.86	96	77	173	9.6	0.90	0.74	3	14	1	7		
Swaffham	3,000	68	73	1	12	154	17.1	1.07	1.10	38	36	74	8.2	1.00	0.70	4	26	3	3		
Walsingham	24,190	155	158	6	6	325	13.4	1.29	1.10	129	73	202	8.4	1.10	0.79	7	22	3	8		
Wayland	19,740	145	162	6	4	317	16.1	1.29	1.32	111	108	219	11.1	1.02	0.97	2	6	1	15		
NORTHAMPTONSHIRE:	376,000	2,936	2,752	149	142	5,979	15.9	1.04	1.05	2,297	2,063	4,360	11.6	0.96	0.95	124	21	90	121		
Northampton C.B.	101,800	706	625	41	45	1,417	13.9	1.02	0.90	696	593	1,289	12.7	0.94	1.02	34	24	24	32		
Administrative County	274,200	2,230	2,127	108	97	4,562	16.6	1.05	1.11	1,601	1,470	3,071	11.2	0.97	0.93	90	20	66	89		
Municipal Boroughs and Urban Districts	146,800	1,232	1,147	59	48	2,486	16.9	1.03	1.11	802	743	1,545	10.5	1.05	0.94	51	21	35	51		
Brackley M.B.	3,090	35	25	—	2	61	19.7	0.99	1.24	15	16	31	10.0	0.95	0.81	—	16	—	2		
Burton Latimer	4,310	37	38	1	2	78	18.1	1.02	1.18	21	27	48	11.1	1.04	0.90	1	13	1	2		
Corby	26,240	357	328	21	14	720	27.4	0.84	1.16	72	37	109	4.2	2.43	0.87	15	22	13	15		
Desborough M.B.	6,580	54	52	—	—	83	17.6	1.07	1.16	31	36	67	14.2	0.69	0.86	1	37	2	1		

Higham Ferrers M.B.	34	28	34	2	5	69	13.5	1.09	0.94	36	35	71	13.9	1.05	1.25	3	44
Irlingtonborough	239	247	239	8	10	504	13.5	1.08	0.94	239	204	443	12.9	0.95	0.97	9	18
Kettering M.B.	14	30	39	—	3	39	12.5	1.46	1.16	18	15	33	10.6	0.89	0.81	6	—
Quindle	41	41	76	4	1	76	16.2	1.17	1.21	30	26	56	12.0	0.84	0.86	1	13
Raunds	34	47	34	3	2	86	18.2	1.14	1.32	19	27	46	9.7	0.92	0.76	2	1
Rothwell	125	125	205	4	6	226	13.6	1.13	0.97	109	100	209	12.6	0.96	1.03	9	1
Rushden	199	205	12	12	6	422	14.6	1.06	0.99	163	183	346	12.0	0.95	0.97	7	7
Wellingtonborough	980	998	980	49	49	2,076	16.3	1.06	1.10	799	727	1,526	12.0	0.88	0.90	39	19
*Rural Districts	127,400	130,103	130	4	1	195	18.4	1.05	1.23	73	48	121	11.4	0.94	0.92	5	26
Brackley	18,620	139	113	4	8	264	14.2	1.04	0.94	104	116	220	11.8	0.66	0.67	6	23
Brixworth	16,490	133	117	5	12	267	16.2	1.09	1.12	86	99	185	11.2	0.93	0.89	5	5
Daventry	12,020	82	81	6	6	174	14.5	1.12	1.03	83	61	144	12.0	1.02	1.05	3	17
*Kettering	23,290	206	213	8	6	433	18.6	0.99	1.17	144	149	293	12.6	0.76	0.82	8	19
Northampton	14,320	142	141	17	7	307	16.8	1.09	1.17	111	83	194	10.6	0.98	0.89	2	7
Uundle and Thrapston	18,450	106	127	8	4	245	17.0	1.09	1.18	105	88	193	13.4	0.91	1.04	6	25
Towcester	13,600	87	98	1	5	191	14.0	1.09	0.97	93	83	176	12.9	0.89	0.98	4	21
Wellingtonborough	804,600	6,854	6,280	273	281	13,688	17.0	0.98	1.06	5,038	4,502	9,540	11.9	1.10	1.12	342	25
NORTHUMBRELAND:..	344,800	2,996	2,807	139	169	6,111	17.7	0.96	1.08	2,162	1,919	4,081	11.8	1.13	1.14	146	24
County Boroughs	277,100	2,403	2,268	118	139	4,928	17.8	0.96	1.09	1,744	1,534	3,279	11.8	1.14	1.15	121	104
Newcastle upon Tyne	67,700	593	539	21	30	1,183	17.5	0.95	1.06	418	384	802	11.8	1.07	1.08	25	23
Tynemouth	459,800	3,473	3,473	134	112	7,577	16.5	0.99	1.04	2,876	2,583	5,459	11.9	1.09	1.11	196	26
Administrative County	356,500	3,091	2,794	102	90	6,077	17.0	0.97	1.05	2,164	1,941	4,105	11.5	1.14	1.12	160	26
Municipal Boroughs and Urban Districts	7,310	79	53	4	1	137	18.7	0.99	1.18	28	17	45	9.4	1.05	0.84	2	22
Alnwick	4,810	45	33	—	7	79	16.4	1.08	1.13	175	154	329	11.6	1.29	1.28	17	37
Amble	28,360	243	210	7	6	466	16.4	0.98	1.02	198	130	328	11.3	1.27	1.23	10	22
Ashtington	29,130	233	195	7	12	447	15.3	0.97	0.95	90	84	174	13.7	0.83	0.97	11	47
Bedlingtonshire	12,670	137	126	4	5	272	21.5	1.02	1.40	215	161	376	10.9	1.28	1.19	11	18
Berwick-upon-Tweed M.B.	34,470	310	279	22	13	624	18.1	1.00	1.15	165	191	356	14.3	0.79	0.97	6	15
Blyth M.B.	24,810	229	181	3	3	415	16.7	1.02	1.08	66	66	132	14.0	0.93	1.11	2	15
Gosforth	9,400	65	64	3	3	135	14.4	0.99	0.91	179	132	311	7.5	1.53	0.98	15	20
Hexham	41,550	384	344	4	7	739	17.8	0.88	1.00	128	100	228	21.1	0.63	1.14	7	35
Longbenton	10,800	91	96	8	6	201	18.6	0.96	1.14	49	50	99	9.9	1.26	1.07	4	22
Morpeth M.B.	10,010	91	80	4	4	179	17.9	0.99	1.13	127	144	271	10.8	1.19	1.10	17	40
Newbiggin-by-the-Sea	25,020	195	225	5	4	429	17.1	0.93	1.01	69	58	127	12.8	1.12	1.23	9	68
Newburn	9,950	75	58	—	1	134	13.5	0.93	0.80	172	124	296	11.3	1.14	1.10	7	19
Prudhoe	26,270	176	182	3	5	366	13.9	1.00	0.89	262	222	484	9.8	1.36	1.14	27	33
Seaton Valley	49,560	535	471	21	14	1,041	21.0	0.92	1.23	194	255	449	13.9	0.92	1.09	12	29
Walsend M.B.	32,380	203	197	8	5	413	12.8	1.08	0.88	712	642	1,354	13.1	0.91	1.02	36	24
Whitley Bay M.B.	103,300	767	679	32	22	1,500	14.5	1.06	0.98	62	73	135	10.8	0.97	0.90	2	29
Rural Districts	12,510	95	77	2	3	177	14.1	1.09	0.98	62	73	135	10.8	0.97	0.90	2	29
Alnwick	5,030	26	29	—	—	55	10.9	1.17	0.91	36	42	78	15.5	0.85	1.13	2	37
Belford	5,770	49	47	—	—	96	16.6	1.13	1.19	36	24	60	10.4	1.00	0.89	—	4
Bellingham	17,470	138	117	5	1	261	14.9	1.02	0.97	171	171	342	19.6	0.63	1.06	4	15
Castle Ward	7,520	46	38	3	2	89	11.8	1.11	0.83	40	48	88	11.7	0.99	0.99	3	34
Glendale																	

TABLE 12—continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS				DEATHS							Deaths under 1 year		Stillbirths					
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor		Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births	(19)	(20)
		M.	F.	M.	F.															
(1) NORTHUMBERLAND—contd.																				
Rural Districts—contd.		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)			
Haltwhistle	7,350	52	44	—	3	99	13.5	1.07	0.92	57	42	99	13.5	0.98	1.13	3	30	2	2	
Hexham	19,970	167	132	12	8	314	15.7	1.02	1.02	128	111	239	12.0	0.90	0.92	5	16	3	3	
Morpeth	17,860	131	133	7	5	279	15.6	1.05	1.04	114	76	190	10.6	1.22	1.11	8	29	6	5	
Northam and Islands	4,260	22	20	1	2	45	10.6	1.10	0.74	28	24	52	12.2	0.88	0.92	5	112	4	—	
Rothbury	5,560	41	42	2	—	85	15.3	1.13	1.10	40	31	71	12.8	0.86	0.94	1	12	1	—	
NOTTINGHAMSHIRE:	867,300	6,871	6,494	358	364	14,087	16.2	0.99	1.02	4,787	4,433	9,220	10.6	1.14	1.03	332	24	226	356	
Nottingham C.B. ..	312,500	2,458	2,320	195	199	5,172	16.6	0.95	1.00	1,791	1,694	3,485	11.2	1.13	1.08	113	22	78	127	
Administrative County ..	554,800	4,413	4,174	163	165	8,915	16.1	1.00	1.03	2,996	2,739	5,735	10.3	1.16	1.02	219	25	148	229	
Municipal Boroughs and Urban Districts	386,500	3,056	2,907	134	128	6,225	16.1	0.99	1.02	2,100	1,877	3,977	10.3	1.18	1.04	166	27	113	163	
Arnold	22,970	183	170	9	5	367	16.0	1.01	1.03	109	114	223	9.7	1.20	0.99	5	14	3	8	
Beeston and Stapleford ..	51,570	362	369	17	15	763	14.8	0.99	0.93	227	213	440	8.5	1.32	0.96	22	29	17	13	
Carlton	36,650	278	255	9	14	556	15.2	0.98	0.95	186	184	370	10.1	1.15	0.99	14	25	7	10	
East Retford M.B.	16,900	123	133	5	5	266	15.7	0.99	0.99	121	94	215	12.7	0.96	1.04	5	19	4	7	
Eastwood	10,310	78	76	3	3	160	15.5	1.02	1.01	45	51	96	9.3	1.30	1.03	2	13	—	4	
Hucknall	23,400	208	175	4	3	390	16.7	1.00	1.06	127	89	216	9.2	1.35	1.06	7	18	6	15	
Kirkby in Ashfield	20,600	174	146	4	5	329	16.0	0.98	1.00	111	99	210	10.2	1.28	1.12	8	24	4	10	
Mansfield M.B.	51,870	413	372	27	21	833	16.1	0.97	0.99	290	244	534	10.3	1.16	1.02	18	22	14	21	
Mansfield Woodhouse ..	18,060	164	180	8	5	357	19.8	0.98	1.24	99	87	186	10.3	1.42	1.25	14	39	10	5	
Newark M.B.	23,600	176	211	13	15	415	17.6	1.00	1.12	175	153	328	13.9	0.83	0.99	9	22	5	17	
Sutton in Ashfield	40,340	269	270	8	11	558	13.8	1.01	0.89	219	206	425	10.5	1.29	1.16	25	45	19	17	
Warsop	11,910	104	104	1	6	215	18.1	0.96	1.11	60	48	108	9.1	1.37	1.07	9	42	6	9	
West Bridgford	24,520	205	161	8	2	376	15.3	1.04	1.01	144	151	295	12.0	0.87	0.89	9	24	8	13	
Worksop M.B.	33,800	319	285	18	18	640	18.9	0.97	1.17	187	144	331	9.8	1.23	1.03	19	30	10	14	
Rural Districts	168,300	1,357	1,267	29	37	2,690	16.0	1.04	1.06	896	862	1,758	10.4	1.10	0.98	53	20	35	66	
										297	243	540	10.1	1.17	1.01	17	21	9	28	

Bingham	184	176	2	4	366	17.1	1.11	1.21	143	166	309	14.5	0.72	0.89	5	74	5	2
East Retford	21,350	129	5	1	312	14.7	1.06	0.99	119	118	237	11.2	0.99	0.95	5	76	4	4
Newark	21,560	167	2	3	184	14.6	1.05	0.98	58	54	112	8.9	1.02	0.78	5	27	3	3
Southwell	13,580	87	92	1	720	16.8	1.03	1.10	217	201	418	9.8	1.24	1.04	16	22	10	14
Workshop	42,730	349	12	4	287	16.8	1.05	1.12	62	80	142	8.3	1.51	1.07	5	78	4	10
	17,110	154	1															
OXFORDSHIRE:	299,300	2,192	146	150	4,787	16.0	1.02	1.04	1,478	1,475	2,953	9.9	1.02	0.86	95	20	70	87
Oxford C.B.	104,500	673	61	63	1,432	13.7	0.96	0.84	508	572	1,080	10.3	0.97	0.85	28	20	20	24
Administrative County	194,800	1,626	85	87	3,355	17.2	1.06	1.16	970	903	1,873	9.6	1.05	0.86	67	20	50	63
Municipal Boroughs and Urban Districts	49,100	374	22	26	826	16.8	1.01	1.08	287	280	567	11.5	0.94	0.92	16	19	14	17
Banbury M.B.	19,330	151	12	8	326	16.9	1.00	1.08	98	108	206	10.7	1.04	0.95	9	28	9	6
Bicester	5,140	51	49	4	3	107	20.8	0.90	1.08	36	22	58	11.3	1.19	1.15	2	19	2
Chipping Norton M.B.	3,820	30	19	1	52	13.6	1.04	0.90	24	20	44	11.5	0.77	0.76	—	—	—	—
Henley-on-Thames M.B.	8,010	55	47	7	109	13.6	1.07	0.93	50	56	106	13.2	0.79	0.89	2	18	1	2
Thame..	3,730	28	26	1	55	14.7	1.03	0.96	22	15	37	9.6	0.93	0.79	2	37	1	3
Witney	7,320	73	3	4	143	19.5	0.98	1.22	33	37	70	9.6	1.12	0.92	1	7	1	4
Woodstock M.B.	1,750	12	19	2	34	19.4	1.06	1.31	24	22	46	26.3	0.36	0.81	—	—	—	—
Rural Districts	145,700	1,183	63	61	2,529	17.4	1.08	1.20	683	623	1,306	9.0	1.10	0.85	51	20	36	46
Banbury	15,130	103	7	6	213	14.1	1.04	1.02	83	97	180	11.9	0.90	0.92	1	5	1	4
Bullington	40,130	344	16	24	727	18.1	0.97	1.12	187	159	346	8.6	1.02	0.75	16	22	11	14
Chipping Norton	16,160	116	4	2	238	13.3	1.00	1.03	86	67	153	9.5	0.96	0.78	7	28	5	8
Henley	20,600	135	4	9	358	16.1	1.00	1.02	100	107	220	10.7	1.00	0.91	7	21	6	4
Ploughley	29,990	244	16	7	508	16.9	1.36	1.46	100	73	173	5.8	1.57	0.78	10	20	8	6
Witney	23,690	227	14	16	501	21.1	1.04	1.40	117	117	234	9.9	1.06	0.90	10	20	5	10
PETERBOROUGH, SOKE OF:	64,350	542	31	34	1,160	17.5	1.01	1.13	370	363	733	11.0	1.03	0.97	34	29	23	33
Peterborough M.B.	54,380	455	24	30	971	17.9	1.00	1.14	304	317	621	11.4	1.00	0.97	30	31	19	27
Rural Districts	11,970	87	7	4	189	15.8	1.08	1.09	66	46	112	9.4	1.22	0.98	4	21	4	6
Barnack	4,340	27	2	2	69	15.9	1.38	1.40	25	10	35	8.1	1.59	1.10	2	29	2	1
Peterborough	7,630	60	5	2	120	15.7	0.96	0.96	41	36	77	10.1	1.08	0.93	2	17	2	5
RUTLAND:	22,250	160	6	11	352	15.8	1.14	1.15	119	113	232	10.4	0.87	0.77	7	20	7	9
Oakham U.D.	4,150	35	20	3	61	14.7	1.03	0.96	39	47	86	20.7	0.42	0.74	4	66	4	1
Rural Districts	18,100	140	3	8	291	16.1	1.16	1.19	80	66	146	8.1	1.07	0.74	3	10	3	8
Ketton	3,220	23	1	—	46	14.3	1.08	0.98	20	4	24	7.5	1.03	0.66	—	—	—	—
Oakham	8,620	79	69	5	155	18.0	1.12	1.28	25	31	56	6.5	1.21	0.67	2	13	2	2
Uppingham	6,260	39	48	3	90	14.4	1.29	1.18	35	31	66	10.5	0.92	0.83	1	11	1	3

TABLE 12 —continued

AREA	LIVE BIRTHS										DEATHS					Deaths under 1 year		Stillbirths	
	Estimated Home Population (Mid-1956)	Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local rate to National Rate	Number	Rate per 1,000 Live Births Related		Deaths under 4 weeks
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SHROPSHIRE : ..	298,000	2,147	2,138	87	89	4,461	15.0	1.07	1.02	1,717	1,562	3,279	11.0	0.97	0.91	120	27	84	114
Municipal Boroughs and Urban Districts	143,700	1,068	1,049	42	42	2,201	15.3	1.00	0.97	941	854	1,795	12.5	0.88	0.94	66	30	45	61
Bishop's Castle M.B. ..	1,260	4	7	—	—	11	8.7	1.14	0.63	19	13	32	25.4	0.29	0.63	2	183	1	—
Bridgnorth M.B. ..	6,330	51	50	3	—	104	16.4	1.00	1.04	36	40	76	12.0	0.81	0.83	1	10	1	2
Church Stretton ..	2,780	16	22	1	1	39	14.0	1.17	1.04	25	21	46	16.5	0.60	0.85	—	—	7	3
Dawley ..	8,450	69	73	2	2	145	17.2	1.01	1.11	58	41	99	11.7	1.17	1.17	9	62	—	3
Ellesmere ..	2,270	14	18	1	1	34	15.0	1.01	0.96	21	10	31	13.7	0.77	0.90	—	—	—	1
Ludlow M.B. ..	6,490	39	51	2	3	95	14.6	1.00	0.93	45	39	84	12.9	0.85	0.94	3	32	3	3
Market Drayton ..	5,730	42	32	—	—	76	13.3	1.04	0.88	29	27	56	9.8	0.88	0.74	3	40	2	2
Newport ..	3,890	26	25	3	1	55	14.1	1.03	0.93	28	26	54	13.9	0.90	1.07	2	37	1	3
Oakengates ..	11,170	89	67	4	4	164	14.7	1.01	0.95	58	54	112	10.0	1.09	0.93	5	6	1	7
Oswestry M.B. ..	10,960	82	93	1	6	182	16.6	0.99	1.05	56	59	115	10.5	1.00	0.90	5	28	3	4
Shrewsbury M.B. ..	46,850	368	321	18	15	722	15.4	0.97	0.95	251	247	498	10.6	0.98	0.89	21	29	14	16
Wellington ..	13,120	89	111	2	2	207	15.8	0.99	1.00	68	53	121	9.2	1.11	0.87	9	44	6	8
Wem ..	2,380	18	20	—	—	40	16.8	1.07	1.14	16	17	33	13.9	0.88	1.05	—	—	—	1
Wenlock M.B. ..	15,080	107	101	2	2	212	14.1	1.01	0.91	134	128	262	17.4	0.67	1.00	6	28	4	2
Whitchurch ..	6,940	54	58	2	1	115	16.6	1.06	1.12	97	79	176	25.4	0.49	1.06	4	35	2	2
Rural Districts ..	154,300	1,089	1,089	45	47	2,260	14.6	1.15	1.07	776	708	1,484	9.6	1.07	0.88	54	24	39	53
Atham ..	21,830	170	167	9	9	353	16.2	1.10	1.14	108	94	202	9.3	1.05	0.83	11	31	7	12
Bridgnorth ..	17,010	85	112	2	6	205	12.1	1.24	0.96	81	56	137	8.1	1.28	0.89	7	34	5	4
Clun ..	9,280	67	49	3	3	122	13.1	1.16	0.92	63	61	124	13.4	0.94	1.08	3	25	2	2
Drayton ..	11,830	98	90	1	4	193	16.3	1.23	1.03	51	51	102	6.9	1.33	0.78	2	70	1	5
Ellesmere ..	8,990	46	63	2	3	114	12.7	1.30	1.28	37	30	67	7.5	1.28	0.82	1	9	1	3
Ludlow ..	13,740	109	92	1	1	203	14.8	1.16	1.09	82	71	153	11.1	0.94	0.89	1	5	—	4
Oswestry ..	21,300	149	143	6	6	304	14.3	1.18	1.07	129	154	283	13.3	0.74	0.84	10	33	10	7
Shifnal ..	12,900	100	105	7	5	217	16.8	1.13	1.21	59	59	118	9.1	0.97	0.75	5	23	4	3
Wellington ..	24,860	163	174	9	10	356	14.3	1.06	0.97	109	108	217	8.7	1.28	0.95	11	31	7	6
Wem ..	12,560	92	94	5	2	193	15.4	1.08	1.06	57	44	101	8.0	1.07	0.73	3	16	2	5
SOMERSET : ..	571,400	4,033	3,837	166	160	8,196	14.3	1.07	0.97	3,608	3,732	7,340	12.8	0.81	0.89	164	20	128	201

Municipal Boroughs and Urban Districts																			
Bridgwater M.B.	1,641	1,578	73	74	3,366	14.4	1.04	0.95	1,535	1,643	3,178	13.6	0.80	0.92	57	17	44	95	178
Burnham-on-Sea	1,641	1,578	54	5	403	16.7	0.97	1.03	134	145	279	11.6	0.93	0.90	4	10	33	20	
Chard M.B.	1,641	1,578	32	3	131	13.5	1.14	0.98	71	72	143	14.8	0.75	0.95	3	23	3		
Clevedon	1,641	1,578	54	4	81	15.0	1.00	0.96	27	32	59	10.9	0.91	0.85	2	23			
Crewkerne	1,641	1,578	70	5	133	13.8	1.20	1.05	67	86	153	15.8	0.63	0.85	1	8		3	
Frome	1,641	1,578	24	1	50	12.6	1.07	0.86	25	25	53	12.6	0.90	0.97	1	20			
Glastonbury M.B.	1,641	1,578	71	6	159	14.0	1.08	0.96	78	68	146	12.9	0.75	0.83	5	32	3	6	
Ilminster	1,641	1,578	43	—	82	15.5	0.95	0.94	36	35	71	13.4	0.90	1.03	—	—	—	2	
Keynsham	1,641	1,578	21	2	35	12.6	1.00	0.80	14	16	30	10.8	0.94	1.07	—	—	—	1	
Minchew	1,641	1,578	105	1	214	18.9	0.93	1.12	81	92	173	15.3	0.59	0.77	3	14	2	2	
Norton-Radstock	1,641	1,578	37	4	80	10.8	1.15	0.79	45	65	110	14.8	0.61	0.77	—	—	—	2	
Portishead	1,641	1,578	121	96	222	18.2	1.05	1.22	74	72	146	12.0	1.01	1.04	5	23	5	7	
Shepton Mallet	1,641	1,578	43	3	98	18.6	1.07	1.27	34	24	58	11.0	0.90	0.85	1	10	—	2	
Street	1,641	1,578	46	2	83	15.8	1.00	1.01	29	29	58	11.0	0.98	0.92	1	12	—	—	
Taunton M.B.	1,641	1,578	55	—	108	17.6	0.99	1.11	28	33	61	9.9	0.92	0.78	1	9	—	—	
Wells M.B.	1,641	1,578	240	193	456	13.4	0.99	0.84	220	221	441	13.0	0.84	0.93	7	15	6	10	
Witchet	1,641	1,578	20	—	44	17.1	1.06	1.15	14	16	30	11.7	0.91	0.91	—	—	—	—	
Wilmington	1,641	1,578	36	4	77	10.4	1.11	0.74	39	51	90	12.2	0.80	0.83	—	—	—	1	
Weston-super-Mare M.B.	1,641	1,578	38	4	88	14.3	1.08	0.93	82	68	150	24.4	0.52	1.08	2	13	2	6	
Yeovil M.B.	1,641	1,578	232	8	479	11.9	1.13	0.86	289	353	642	15.9	0.72	0.98	12	25	10	17	
Rural Districts	1,641	1,578	66	62	3748	14.6	1.10	1.02	1,603	1,545	3,148	12.2	0.83	0.87	8	23	65	83	
Axbridge	1,641	1,578	159	7	338	17.6	1.14	0.84	161	171	332	11.4	0.93	0.81	10	30	6	10	
Bathavon	1,641	1,578	153	7	333	17.0	1.05	1.18	114	110	224	11.5	0.91	0.89	7	21	4	10	
Bridgwater	1,641	1,578	175	9	337	16.2	1.09	0.91	109	104	213	10.2	0.92	0.80	4	12	2	7	
Chard	1,641	1,578	67	1	173	13.2	1.08	0.91	85	59	144	11.0	0.93	0.87	4	23	2	4	
Clutton	1,641	1,578	102	3	260	13.0	1.08	1.00	107	107	214	12.3	0.84	0.88	5	19	4	9	
Dulverton	1,641	1,578	27	1	54	12.1	1.15	0.89	27	29	56	12.6	0.97	1.04	—	—	—	—	
Frome	1,641	1,578	91	2	167	16.1	1.08	1.11	56	40	96	6.2	0.94	0.74	4	24	—	2	
Langport	1,641	1,578	72	6	219	17.0	1.10	1.19	87	74	161	12.5	0.85	0.91	3	14	1	6	
Long Ashton	1,641	1,578	180	5	366	15.4	1.08	1.06	148	135	283	11.9	0.90	0.92	8	22	8	1	
Shepton Mallet	1,641	1,578	177	2	149	13.8	1.13	0.99	66	60	126	11.0	0.86	0.83	27	3	7	3	
Taunton	1,641	1,578	130	3	297	13.4	1.12	0.96	165	171	356	15.1	0.65	0.84	8	27	7	7	
Wells	1,641	1,578	154	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Wilmington	1,641	1,578	66	2	124	15.6	1.15	1.14	46	39	85	10.7	0.86	0.79	2	16	2	1	
Williton	1,641	1,578	83	2	167	16.4	1.08	1.13	95	123	218	21.4	0.49	0.90	11	66	10	3	
Wincenton	1,641	1,578	81	5	168	12.7	1.25	1.01	106	102	208	15.8	0.71	0.96	4	94	3	5	
Yeovil	1,641	1,578	100	3	230	13.1	1.12	0.93	120	104	224	12.8	0.71	0.78	3	73	3	3	
SOUTHAMPTON:	1,641	1,578	181	4	354	14.8	1.07	1.01	111	117	228	9.5	1.11	0.90	9	26	8	4	
County Boroughs	1,641	1,578	525	513	20,225	15.9	1.05	1.06	7,448	7,425	14,873	11.7	0.92	0.92	449	22	318	449	
Bournemouth	1,641	1,578	256	266	8,379	14.7	1.05	0.98	3,567	3,611	7,178	12.6	0.91	0.98	219	26	152	217	
Portsmouth	1,641	1,578	62	59	1,572	11.0	1.15	1.01	1,025	1,263	2,288	16.0	0.69	0.94	35	22	26	37	
Southampton	1,641	1,578	100	110	3,470	15.0	1.05	1.00	1,423	1,402	2,855	12.2	0.95	0.99	84	24	57	89	
	1,641	1,578	94	97	3,337	17.0	0.98	1.06	1,119	946	2,065	10.5	1.11	1.00	100	30	69	91	

TABLE 12. —continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS				DEATHS										Deaths under 1 year	Deaths under 4 weeks	Stillbirths				
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.		F.		TOTAL	Crude Rate per 1,000 Home Population				Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births
		M.	F.	M.	F.					M.	F.											
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)			
SOUTHAMPTON—contd.																						
Administrative County	699,000	5,804	5,526	269	247	11,846	16.9	1.06	1.14	3,881	3,814	7,695	11.0	0.91	0.86	230	20	166	232			
Municipal Boroughs and Urban Districts	409,800	3,509	3,259	141	133	7,042	17.2	1.02	1.12	2,136	2,025	4,161	10.2	1.04	0.91	138	20	102	130			
Aldershot M.B.	38,670	299	281	16	12	608	15.8	1.09	1.10	143	130	273	7.1	1.63	0.99	19	31	16	12			
Alton	8,690	77	64	2	3	146	16.8	1.01	1.08	48	44	92	10.6	0.96	0.87	4	28	4	6			
Andover M.B.	15,940	119	111	5	4	239	15.0	1.02	0.97	122	94	216	13.6	0.81	0.94	1	4	—	4			
Basingstoke M.B.	19,930	165	154	9	8	336	16.9	0.96	1.03	90	88	178	8.9	1.09	0.83	9	27	6	5			
Christchurch M.B.	23,140	159	133	14	5	311	13.4	1.03	0.88	153	154	307	13.3	0.78	0.89	7	23	6	12			
Eastleigh M.B.	32,860	297	272	10	10	589	17.9	0.99	1.13	169	164	333	10.1	1.07	0.92	9	15	6	22			
Fareham	50,060	431	381	16	18	846	16.9	1.03	1.11	268	271	539	10.8	0.98	0.90	22	26	16	22			
Farnborough	29,630	263	280	8	7	558	18.8	1.06	1.27	102	72	174	5.9	1.52	0.77	8	14	6	8			
Fleet	9,650	83	88	3	2	176	18.2	1.16	1.34	44	50	94	9.7	0.79	0.65	2	11	2	1			
Gosport M.B.	63,160	562	496	24	18	1,100	17.4	0.99	1.10	286	251	537	8.5	1.31	0.95	18	16	13	14			
Havant and Waterloo	52,680	602	575	17	24	1,218	23.1	0.91	1.34	241	259	500	9.5	1.13	0.92	27	22	17	29			
Lymington M.B.	24,170	150	147	6	6	313	13.1	1.18	0.98	201	203	404	16.7	0.86	0.86	6	19	5	7			
Petersfield	7,160	51	58	1	3	113	15.8	1.06	1.07	51	45	96	13.4	0.77	0.88	1	9	—	1			
Romsey M.B.	6,480	62	49	—	—	111	17.1	1.09	1.19	51	39	90	13.9	0.73	0.87	—	—	—	1			
Winchester M.B.	27,580	189	170	10	5	374	13.6	1.02	0.88	167	161	328	11.9	0.84	0.85	5	13	3	7			
Rural Districts	289,200	2,295	2,267	128	114	4,804	16.6	1.12	1.18	1,745	1,789	3,534	12.2	0.77	0.80	92	19	64	102			
Alton	25,710	210	205	13	16	444	17.3	1.16	1.28	120	102	222	8.6	1.11	0.82	13	29	8	9			
Andover	21,730	146	157	5	3	309	14.2	1.33	1.20	65	64	129	5.9	1.38	0.70	6	20	4	6			
Basingstoke	17,590	109	124	7	11	251	14.3	1.13	1.03	163	191	354	20.1	0.42	0.72	4	16	3	5			
Droxford	20,560	194	154	12	10	366	17.8	1.12	1.27	166	175	341	16.6	0.60	0.85	4	11	3	7			
§Hartley Wintney	25,620	178	186	16	16	390	15.2	1.17	1.13	139	154	293	11.4	0.82	0.80	6	15	3	10			
Kingsclere and Whitchurch	19,350	172	197	12	6	387	20.0	1.06	1.35	119	77	196	10.1	0.83	0.72	8	21	7	4			
New Forest	48,130	435	403	14	15	867	18.0	1.08	1.24	252	247	499	10.4	0.89	0.79	13	15	9	17			
Petersfield	21,870	157	154	11	19	331	15.1	1.04	1.00	124	92	216	9.9	0.95	0.80	7	21	6	10			
Ringwood and Fordingbridge	25,000	197	172	8	11	389	15.6	1.13	1.12	209	276	485	19.4	0.53	0.88	10	26	7	18			
						332	15.7	1.10	1.10	121	95	216	10.2	1.03	0.80	12	26	7	18			

STAFFORDSHIRE:	1,557,000	13,294	12,527	514	495	26,830	16.2	0.95	0.98	9,590	8,348	17,238	10.8	1.20	1.11	717	27	503	733
County Boroughs	754,800	5,935	5,551	268	288	12,042	16.0	0.95	0.97	4,476	3,865	8,341	11.1	1.20	1.14	305	25	210	340
Burton upon Trent	48,910	397	371	25	32	825	16.9	0.98	1.05	344	335	679	13.9	0.82	0.97	17	21	11	16
Stoke-on-Trent	74,370	482	478	39	47	1,026	13.8	0.95	0.93	395	308	703	9.5	1.15	0.93	21	25	15	13
Walsall	2,115	194	194	69	87	4,265	15.6	0.94	0.93	1,635	1,405	3,040	11.1	1.31	1.24	113	27	76	133
West Bromwich	114,700	1,002	932	43	43	2,020	17.6	0.94	1.05	680	571	1,251	10.9	1.16	1.08	54	27	37	55
Wolverhampton	90,720	787	705	20	31	1,543	17.0	0.93	1.01	483	394	877	9.7	1.34	1.11	35	23	42	81
	153,100	1,152	1,071	72	68	2,363	15.4	0.97	0.95	939	852	1,791	11.7	1.13	1.13	65	28	48	
Administrative County	902,200	7,359	6,976	246	207	14,788	16.4	0.96	1.00	5,114	4,483	9,597	10.6	1.18	1.07	412	28	293	393
*Municipal Boroughs and Urban Districts	673,580	5,488	5,298	182	159	11,127	16.5	0.94	0.99	3,893	3,291	7,184	10.7	1.22	1.12	310	28	217	297
Aldridge	3,930	339	259	13	8	659	18.3	0.89	1.04	170	117	287	8.0	1.61	1.10	22	34	18	17
Ambecote	3,000	19	20	—	4	261	20.1	0.94	1.20	66	50	112	8.6	1.40	1.03	5	19	—	6
Biddulph	12,970	112	141	16	17	577	17.6	0.89	1.00	166	140	306	9.0	1.44	1.11	24	40	17	18
Biston M.B.	33,960	288	276	16	17	708	14.1	0.96	0.86	265	212	477	9.5	1.25	1.01	15	21	11	17
Brierley Hill	50,280	367	329	3	5	9													
Brownhills	21,880	196	185	7	5	393	18.0	0.96	1.10	124	100	224	10.2	1.35	1.18	14	36	9	13
Cannock	41,920	377	327	10	12	697	16.6	0.96	1.02	248	193	441	10.5	1.23	1.10	15	22	13	15
Coseley	33,200	271	258	19	9	545	14.0	0.92	0.96	169	148	317	9.5	1.51	1.23	19	35	10	11
Darlaston	27,140	136	128	10	3	311	18.0	0.91	0.81	123	106	231	10.4	1.46	1.30	8	26	4	11
Darlaston	16,270	197	186	10	4	397	21.7	0.89	1.23	83	75	162	8.9	1.40	1.06	11	28	9	15
Leek	18,970	123	118	4	4	249	13.1	1.04	0.87	108	114	222	11.7	1.02	1.02	9	36	7	10
Lichfield M.B.	11,050	100	106	3	3	217	19.6	0.96	1.20	55	55	135	12.2	1.01	1.01	4	19	2	5
Newcastle-under-Lyme M.B.	73,160	593	601	20	22	1,216	16.9	0.99	1.07	446	378	824	11.5	1.25	1.21	33	27	25	34
Rowley Regis M.B.	49,180	306	287	7	6	1,606	12.3	0.95	0.74	242	210	452	9.2	1.39	1.09	10	17	8	14
Rugley	11,270	135	143	7	3	288	25.6	0.91	1.48	63	44	107	9.5	1.38	1.12	14	9	5	10
Sedgley	24,130	159	176	5	4	344	14.3	0.95	0.87	348	294	642	26.6	0.41	0.93	10	29	5	8
Stafford M.B.	41,420	336	303	10	17	666	16.1	0.98	1.00	277	228	505	12.2	0.97	1.01	22	33	14	15
*Stoneworth M.B.	8,840	41	62	2	2	107	12.1	0.98	0.76	79	85	164	18.2	0.52	0.83	4	47	4	5
Tenworth M.B.	13,350	116	96	2	1	215	16.1	0.98	1.00	112	97	209	15.7	0.76	1.06	4	49	4	5
Tettenhall	11,410	110	100	2	1	213	18.7	0.90	1.07	61	53	114	10.0	1.47	1.00	5	24	4	3
Tipton M.B.	39,540	343	337	10	6	696	17.6	0.89	1.00	162	142	304	7.7	1.49	0.98	18	26	14	16
Uttorester	7,820	59	52	6	5	122	15.6	1.01	1.00	39	45	84	10.7	1.08	0.99	16	16	12	4
Wednesbury M.B.	34,710	290	289	7	6	592	17.1	0.92	1.00	218	154	372	10.7	1.38	1.26	12	23	11	18
Wedsfield	22,200	259	218	6	3	482	20.3	0.88	1.14	96	68	164	6.9	1.72	1.20	10	25	7	13
Willenhall	31,230	246	224	6	7	487	15.6	0.94	0.93	164	139	303	9.7	1.45	1.20	14	28	8	13
*Rural Districts	228,620	1,871	1,678	64	48	3,661	16.0	1.03	1.05	1,221	1,192	2,413	10.6	1.09	0.99	102	28	76	96
Cannock	25,380	242	235	9	9	495	19.5	0.96	1.19	135	90	225	8.9	1.21	0.92	9	38	18	14
Cheadle	35,110	280	272	6	10	568	16.2	1.04	1.07	253	267	520	14.8	0.80	1.01	18	32	14	14
Leek	18,380	148	146	9	2	305	16.6	1.02	1.08	100	86	186	10.1	1.18	1.02	12	40	10	12
Lichfield	41,250	296	275	13	7	720	14.3	1.12	1.08	230	221	451	10.9	1.02	0.95	16	27	13	15
Newcastle-under-Lyme	17,630	120	95	3	3	221	12.5	1.00	0.80	83	114	197	11.2	1.04	1.00	3	14	1	9
Seisdon	28,070	275	237	4	5	521	18.6	0.94	1.11	146	122	268	9.5	1.30	1.06	18	35	15	7
Stafford	19,340	168	121	5	7	301	15.6	1.09	1.08	86	87	173	8.9	1.29	0.98	12	40	6	8
*Stone	16,710	127	110	7	3	247	14.8	0.95	0.90	78	72	150	9.0	1.17	0.82	7	28	4	9
Turbury	15,490	132	106	5	1	244	15.8	1.05	1.06	67	72	139	9.0	1.07	0.90	4	16	3	10
Uttorester	11,260	83	81	3	1	168	14.9	1.13	1.07	43	61	104	9.2	1.10	0.86	3	18	2	

TABLE 12—continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS				DEATHS										Deaths under 1 year		Deaths under 4 weeks	Stillbirths
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Related Live Births		
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SUFFOLK, EAST:	331,200	2,494	2,432	160	140	5,226	15.8	1.06	1.07	2,103	1,919	4,022	12.1	0.86	0.89	121	23	93	102
Ipswich C.B.	110,300	871	887	79	64	1,901	17.2	0.98	1.07	639	568	1,207	10.9	0.94	0.88	44	23	36	36
Administrative County	220,900	1,623	1,545	81	76	3,325	15.1	1.11	1.07	1,464	1,351	2,815	12.7	0.81	0.88	77	23	57	66
Municipal Boroughs and Urban Districts	97,800	703	685	38	37	1,463	15.0	1.05	1.00	608	628	1,236	12.6	0.87	0.94	29	20	20	18
Aldeburgh M.B.	2,750	22	32	—	2	57	20.7	1.10	1.45	17	24	41	14.9	0.75	0.96	—	—	—	—
Beeches M.B.	7,060	47	41	2	2	92	13.0	1.07	0.89	53	59	112	15.9	0.82	1.11	3	33	1	2
Bungay	3,560	34	26	2	—	62	17.4	1.02	1.13	18	32	50	14.0	0.79	0.95	1	16	—	1
Eye M.B.	1,620	14	12	—	—	27	16.7	1.26	1.34	16	16	31	19.1	0.62	1.01	—	—	—	—
Felixstowe	15,630	128	150	11	9	268	19.1	1.04	1.27	102	104	206	13.2	0.80	0.90	7	24	5	3
Halesworth	2,310	16	21	—	—	37	16.0	1.17	1.19	10	13	23	10.0	0.89	0.76	—	—	—	—
Leiston-cum-Sizewell	4,130	31	22	2	4	59	14.3	1.14	1.04	26	21	47	11.4	0.79	0.77	2	34	1	1
Lowestoft M.B.	43,720	289	266	16	14	585	13.4	1.02	0.87	273	254	527	12.1	0.97	1.00	11	19	7	9
Saxmundham	1,450	12	13	1	2	28	19.3	1.23	1.51	6	10	16	11.0	0.73	0.69	—	—	—	—
Southwold M.B.	2,410	12	15	1	—	28	11.6	1.52	1.12	14	22	36	14.9	0.63	0.80	—	—	—	—
Stowmarket	7,570	66	52	—	—	118	15.6	1.02	1.01	36	34	70	9.2	1.01	0.79	4	34	4	1
Woodbridge	5,590	32	35	2	3	72	12.9	1.03	0.86	37	40	77	13.8	0.82	0.97	1	14	1	—
Rural Districts	123,100	920	860	43	39	1,862	15.1	1.16	1.12	856	723	1,579	12.8	0.76	0.83	48	26	37	48
Blyth	19,210	139	118	5	6	268	14.0	1.18	1.05	139	115	254	13.2	0.68	0.77	9	34	6	9
Deben	29,520	224	210	12	9	435	15.4	1.16	1.14	222	207	429	14.5	0.65	0.81	10	22	6	12
Gipping	19,220	159	146	7	7	319	16.6	1.10	1.16	153	128	281	14.6	0.76	0.85	9	28	7	9
Hartismere	16,950	113	123	6	4	246	14.5	1.17	1.08	122	86	208	12.3	0.87	0.91	7	29	4	7
Loddington	13,350	107	104	5	6	222	14.5	1.13	1.04	101	85	186	12.1	0.90	0.93	4	18	4	6
Samford	16,110	114	112	6	4	236	14.6	1.25	1.16	90	77	167	10.4	0.73	0.65	8	34	6	2
Wainford	6,740	64	47	2	3	116	17.2	1.11	1.22	29	25	54	8.0	0.91	0.62	1	9	1	1
SUFFOLK, WEST:	125,100	974	892	39	44	1,949	15.6	1.10	1.09	791	705	1,496	12.0	0.94	0.96	50	26	37	40
Municipal Boroughs and Urban Districts	45,310	346	328	12	15	701	15.5	1.05	1.04	260	275	535	11.8	0.89	0.90	16	23	12	16
Boston	29,340	152	156	6	9	316	12.3	1.04	1.00	117	116	233	10.0	0.84	0.82	2	15	2	2
Edmunds M.B.	2,700	14	15	—	—	29	12.3	1.07	1.01	24	16	40	11.7	0.89	0.81	—	—	—	—

Sudbury M.B.	41	38	1	1	12.9	1.10	1.00	42	53	95	15.2	0.70	0.91	3	37	3
Rural Districts	628	564	27	29	1,248	1.14	1.13	531	430	961	12.0	0.96	0.98	24	27	25
Clare	9,350	63	50	1	118	1.18	0.95	777	63	140	15.0	0.85	1.09	4	34	4
Cosford	9,300	57	5	3	117	1.15	0.92	80	67	147	15.7	0.81	1.06	2	36	2
Neisford	12,890	52	81	3	139	1.23	0.91	88	71	179	13.9	0.89	1.06	5	32	4
Mildenhall	18,670	206	81	9	364	1.11	1.05	107	75	185	9.4	0.27	1.02	9	23	5
Thredwastre	18,230	171	14	4	170	1.22	1.38	57	48	103	11.8	0.90	0.91	5	30	4
Thingoe	19,560	131	7	6	290	1.14	1.07	119	86	205	10.5	0.99	0.89	8	28	6
SURREY:	1,655,000	11,161	10,374	493	445	22,473	13.6	9,182	9,954	19,136	11.6	0.88	0.87	403	18	264
Croydon C.B.	249,300	1,825	1,629	90	67	3,611	14.5	1,427	1,550	2,977	11.9	0.83	0.84	67	19	36
Administrative County	1,405,700	9,336	8,745	403	378	18,862	13.4	7,755	8,404	16,159	11.5	0.90	0.88	336	18	228
Municipal Boroughs and Urban Districts	8,154	7,649	348	329	16,480	13.2	1.01	6,913	7,542	14,455	11.6	0.89	0.88	285	17	193
Barnstead	38,220	257	285	5	553	14.5	1.06	212	345	557	14.6	0.66	0.82	7	13	6
Barnes M.B.	40,140	240	206	13	470	1.17	1.00	258	264	522	13.0	0.80	0.89	5	11	3
Beddington and Wallington M.B.	32,540	182	181	6	374	11.5	1.06	186	167	353	10.8	0.97	0.90	7	79	4
Carshalton	60,970	345	344	12	710	11.6	0.96	276	248	524	8.6	1.30	0.96	11	76	10
Caterham and Warlingham	33,400	218	244	3	472	14.1	1.02	143	162	305	9.1	0.85	0.66	7	75	4
Chertsey	34,910	308	278	15	613	17.6	0.92	146	162	308	8.8	1.13	0.85	10	76	9
Coulsdon and Purley	66,460	467	410	8	898	13.5	1.07	392	539	931	14.0	0.65	0.78	9	70	6
Dorking	20,460	131	132	6	271	13.2	1.08	137	144	281	13.7	0.86	1.01	10	37	5
Egham	27,790	216	192	8	422	15.2	0.98	169	150	319	11.5	0.87	0.86	6	74	5
Epsom and Ewell M.B.	67,580	349	304	13	678	10.0	1.11	550	676	1,226	18.1	0.51	0.79	14	21	11
Esher	54,700	367	349	13	737	13.5	1.03	295	302	597	10.9	0.95	0.89	14	19	9
Farnham	24,890	174	158	5	343	13.8	1.05	196	203	399	16.0	0.69	0.94	6	18	5
Frimley and Camberley	23,560	200	202	8	416	17.7	1.03	119	89	208	8.8	1.14	0.86	10	24	5
Godalming M.B.	15,520	105	100	—	205	13.2	1.05	75	78	153	9.9	0.93	0.79	1	5	1
Guildford M.B.	50,560	330	343	17	716	14.2	0.97	307	326	633	12.5	0.88	0.94	17	24	8
Haslemere	11,730	68	79	4	157	13.4	0.99	68	81	149	12.7	0.80	0.87	4	26	1
Kingston-upon-Thames M.B.	38,790	260	247	19	546	14.1	0.96	214	228	442	11.4	0.92	0.90	13	24	9
Leatherhead	31,780	222	191	3	422	13.3	1.01	121	133	254	8.0	1.00	0.68	6	14	2
Nalden and Coombe M.B.	45,750	277	242	6	534	11.7	1.05	221	247	468	10.2	1.05	0.92	9	17	10
Merton and Morden	71,500	381	368	15	775	10.8	1.05	370	333	703	9.8	1.16	0.97	12	16	7
Mitcham M.B.	64,900	432	405	20	880	13.8	0.96	332	280	612	9.4	1.22	0.98	12	14	6
Reigate M.B.	48,730	325	328	18	681	14.0	1.00	284	308	592	12.1	0.83	0.86	5	7	4
Richmond M.B.	42,420	266	241	18	583	15.9	0.92	266	235	549	12.9	0.77	0.85	14	26	14
Surbiton M.B.	62,610	386	330	23	760	12.1	1.00	279	336	615	9.8	1.05	0.88	12	16	12
Sutton and Cheam M.B.	78,820	481	404	19	920	11.7	1.04	433	443	876	11.1	0.98	0.93	15	13	15
Walton and Weybridge	41,520	319	286	12	622	15.0	0.99	198	214	477	9.9	0.94	0.80	3	16	1
Wimbledon M.B.	57,820	393	381	24	819	14.2	0.96	330	347	677	11.7	0.85	0.82	10	13	6
Woking	56,750	455	412	36	938	16.5	0.99	346	444	790	13.9	0.72	0.80	30	32	15

TABLE 12—continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS					DEATHS					Deaths under 1 year		Deaths under 4 weeks	Stillbirths				
		Legitimate		Illegitimate		Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	Total	Crude Rate per 1,000 Home Population			Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Related Live Births
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SURREY—contd.																			
Rural Districts	160,700	1,182	1,096	55	49	2,382	14.8	1.07	1.01	842	862	1,704	10.6	0.93	0.84	51	22	35	40
Bagshot	14,710	99	85	10	4	198	13.5	1.07	0.92	70	75	145	9.9	0.92	0.78	3	15	3	5
Dorking and Horley	28,350	229	208	9	13	459	16.2	1.06	1.09	143	125	268	9.5	0.97	0.79	9	20	4	6
Godstone	34,720	253	252	17	12	534	15.4	1.08	1.06	193	234	427	12.3	0.76	0.80	12	23	7	11
Guildford	49,180	371	323	13	11	718	14.6	1.10	1.02	270	238	508	10.3	1.02	0.90	18	25	14	10
Hambleton	33,740	230	228	6	9	473	14.0	1.04	0.93	166	190	356	10.6	0.90	0.82	9	19	7	8
SUSSEX, EAST:	628,100	3,668	3,329	218	218	7,433	11.8	1.13	0.85	4,454	5,348	9,802	15.6	0.70	0.93	142	19	107	151
County Boroughs	281,100	1,627	1,459	120	115	3,321	11.8	1.10	0.83	2,058	2,478	4,536	16.1	0.72	0.99	68	21	55	80
Brighton	158,700	1,000	879	80	84	2,043	12.9	1.06	0.87	1,144	1,233	2,377	15.0	0.79	1.01	45	22	37	53
Eastbourne	57,850	282	260	18	13	573	9.9	1.14	0.74	393	521	936	16.2	0.66	0.91	8	14	5	13
Hastings	64,550	345	320	22	18	705	10.9	1.17	0.81	521	702	1,223	18.9	0.64	1.03	15	21	13	14
Administrative County	347,000	2,041	1,870	98	103	4,112	11.9	1.17	0.89	2,396	2,870	5,266	15.2	0.69	0.90	74	18	52	71
Municipal Boroughs and Urban Districts																			
Bexhill M.B.	189,000	1,096	989	61	60	2,206	11.7	1.15	0.86	1,279	1,605	2,884	15.3	0.69	0.90	38	17	28	37
Burgess Hill	26,190	123	121	16	6	266	10.2	1.30	0.84	201	284	485	18.5	0.58	0.92	4	15	4	1
Cuckfield	12,230	115	98	4	2	219	17.9	0.97	1.11	57	59	116	9.5	1.05	0.85	4	18	3	6
East Grinstead	17,340	100	105	3	6	214	12.3	1.13	0.89	120	165	285	16.4	0.57	0.80	2	9	1	3
Hove M.B.	12,760	90	81	3	1	175	13.7	1.00	0.87	87	104	191	15.0	0.60	0.77	14	23	9	11
Lewes M.B.	69,700	332	327	17	31	707	10.1	1.18	0.76	501	712	1,213	17.4	0.62	0.92	14	20	9	11
Newhaven	13,270	88	65	6	3	162	12.2	1.10	0.85	79	72	151	11.4	0.92	0.90	4	25	3	3
Portsmouth-by-Sea	7,960	73	60	3	3	139	17.5	1.16	0.74	59	35	94	11.8	0.73	0.74	—	—	—	4
Rye M.B.	14,330	96	75	6	5	182	12.7	1.11	0.90	71	62	133	9.3	1.03	0.82	2	11	1	3
Seaford	4,550	30	25	1	—	56	12.3	1.03	0.81	29	21	50	11.0	0.86	0.81	1	18	1	2
Seaford	10,670	49	32	2	3	86	8.1	1.32	0.68	75	91	166	15.6	0.73	0.97	3	35	1	1
Rural Districts	158,000	945	881	37	43	1,906	12.1	1.19	0.92	1,117	1,265	2,382	15.1	0.70	0.90	36	19	24	34
Battle	29,810	169	185	12	10	372	12.5	1.18	0.94	214	225	439	14.7	0.70	0.88	7	19	3	12
Chichester	20,200	124	121	6	3	251	12.6	1.17	0.94	153	208	361	17.9	0.62	0.95	3	12	3	6
Cuckfield	26,490	172	150	4	3	329	12.4	1.15	0.91	146	167	313	11.8	0.76	0.77	7	21	4	5

*Municipal Boroughs and Urban Districts

Arundel M.B. ..
Bognor Regis ..
Chichester M.B. ..
†Crawley ..
Horsham ..

Littlehampton ..
Shoreham-by-Sea ..
Southwick ..
Worthing M.B. ..

*Rural Districts

Chichester ..
*Horsham ..
Midhurst ..
Petworth ..
Worthing ..

WARWICKSHIRE:

County Boroughs

Birmingham ..
Coventry ..

Administrative County

Municipal Boroughs and Urban Districts

Bedworth ..
Kenilworth ..
Nuneaton M.B. ..
Royal Leamington Spa M.B. ..
Rugby M.B. ..
Solihull M.B. ..
Stratford-upon-Avon M.B. ..
Sutton Coldfield M.B. ..
Warwick M.B. ..

Rural Districts

Alester ..
Atherstone ..
Meriden ..
Rugby ..
Shipston on Stour ..
Southam ..
Stratford-upon-Avon ..
Tamworth ..
Warwick ..

*Municipal Boroughs and Urban Districts	202,470	1,405	1,326	56	51	2,838	14.0	1.08	0.96	1,422	1,666	3,088	15.3	0.75	0.98	79	28	51	69	
	2,640	18	23	—	—	293	11.3	1.22	1.20	175	221	395	14.8	0.75	0.95	13	—	—	1	
	25,710	146	132	10	5	293	11.4	1.20	0.87	175	216	391	15.2	0.72	0.94	—	45	7	10	
	19,030	137	127	5	8	277	14.6	1.02	0.95	133	172	305	16.0	0.65	0.89	2	7	12	11	
	24,870	337	320	6	6	669	26.9	0.75	1.29	71	61	132	5.3	1.82	0.82	19	29	12	12	
	17,830	132	133	2	5	272	15.3	1.08	1.05	127	111	238	13.3	0.84	0.95	7	26	7	4	
	14,910	122	108	3	3	236	15.8	1.05	1.06	109	79	188	12.6	0.88	0.95	3	13	1	2	
	14,650	104	101	6	7	218	14.9	1.01	0.96	82	84	166	11.3	0.96	0.93	10	46	7	5	
	11,250	72	73	1	1	147	13.1	1.14	0.95	80	75	155	13.8	0.84	0.99	3	21	2	3	
	71,580	337	309	23	16	685	9.6	1.33	0.81	628	846	1,474	20.6	0.54	0.95	22	32	13	21	
*Rural Districts	156,230	1,095	1,014	41	41	2,191	14.0	1.13	1.01	1,057	993	2,050	13.1	0.82	0.92	43	20	34	35	
	21,790	155	140	9	5	309	14.2	1.15	1.04	140	126	266	12.2	0.83	0.87	6	20	5	4	
	47,310	364	298	11	8	681	14.4	1.09	1.00	251	221	472	10.0	0.93	0.88	15	22	11	12	
	28,880	223	238	4	7	472	16.3	1.07	1.11	165	161	326	11.3	0.95	0.92	7	15	6	7	
	16,980	114	98	2	6	220	13.0	1.09	0.90	149	134	283	16.7	0.58	0.83	5	23	2	2	
	9,590	62	59	3	2	126	13.2	1.15	0.97	65	70	135	14.1	0.78	0.94	3	24	2	3	
	31,690	177	181	12	13	383	12.1	1.25	0.96	287	281	568	17.9	0.62	0.95	7	18	5	7	
	WARWICKSHIRE:	1,919,000	15,660	14,673	1,005	895	32,233	16.8	0.95	1.02	10,475	9,304	19,779	10.3	1.12	0.99	747	23	543	725
		1,383,400	11,156	10,518	834	724	23,232	16.8	0.94	1.01	7,631	6,701	14,332	10.4	1.13	1.00	573	25	416	529
		1,110,800	8,946	8,366	681	591	18,584	16.7	0.94	1.00	6,375	5,703	12,078	10.9	1.08	1.01	449	24	318	438
272,600		2,210	2,152	153	133	4,648	17.1	0.95	1.03	1,256	998	2,254	8.3	1.37	0.97	124	27	98	91	
Administrative County	535,600	4,504	4,155	171	171	9,001	16.8	0.98	1.05	2,844	2,603	5,447	10.2	1.10	0.96	174	19	127	196	
	Municipal Boroughs and Urban Districts	343,500	2,876	2,641	118	116	5,751	16.7	0.97	1.03	1,818	1,704	3,522	10.3	1.10	0.97	109	19	78	123
Bedworth		27,930	273	250	7	14	544	19.5	0.90	1.12	236	207	443	15.9	0.77	1.05	16	30	10	14
Kenilworth		12,200	116	109	5	3	253	19.1	0.94	1.14	56	47	103	8.4	1.17	0.84	6	26	5	3
Nuneaton M.B.		56,060	454	396	16	12	878	15.7	0.97	0.97	276	228	504	9.0	1.28	0.98	21	24	16	28
Royal Leamington Spa M.B.		38,220	374	368	23	20	685	20.5	0.97	1.27	210	246	456	11.9	0.89	0.91	18	23	12	12
Rugby M.B.		47,110	339	325	15	17	785	14.8	0.99	0.93	262	247	509	10.8	1.10	1.02	13	19	9	11
Solihull M.B.		78,860	627	598	26	21	1,272	16.1	0.98	1.00	327	309	636	8.1	1.29	0.89	14	17	11	26
Stratford-upon-Avon M.B.		14,920	104	82	7	6	199	13.3	0.98	0.83	87	96	183	12.3	0.92	0.97	5	25	3	2
Sutton Coldfield M.B.		52,510	482	393	13	15	903	17.2	1.01	1.11	269	266	535	10.2	1.05	0.92	14	16	11	19
Warwick M.B.		15,690	107	120	5	8	240	15.3	0.98	0.96	95	58	153	9.8	1.06	0.89	12	8	1	8
Rural Districts	192,100	1,628	1,514	53	55	3,250	16.9	1.00	1.08	1,026	899	1,925	10.0	1.10	0.94	65	20	49	73	
	Alcester	13,540	107	91	6	9	213	15.7	0.99	0.99	76	91	167	12.3	0.96	1.01	1	20	1	4
	Atherstone	24,560	191	193	10	7	401	16.3	0.96	1.00	123	103	226	9.2	1.19	0.94	8	5	1	4
	Meriden	46,820	416	375	8	10	809	17.3	0.92	1.01	195	156	351	7.5	1.37	0.88	18	22	14	17
	Rugby	21,930	191	173	10	3	377	17.2	1.04	1.14	103	100	203	9.3	1.22	0.97	6	7	4	6
	Shipston on Slour	7,940	58	54	1	3	116	14.6	1.09	1.01	79	49	128	16.1	0.60	0.83	4	35	4	5
	Southern	15,180	123	128	—	6	257	16.9	1.24	1.33	83	63	146	9.6	1.23	1.01	2	8	—	2
	Stratford-on-Avon	22,830	222	175	10	7	414	18.1	1.09	1.26	118	100	218	9.5	1.06	0.86	10	24	8	8
	Tamworth	16,940	157	152	3	4	316	18.7	1.01	1.20	77	66	143	8.4	1.18	0.85	12	38	8	6
	Warwick	22,360	163	173	5	6	347	15.5	1.00	0.99	172	171	343	15.3	0.72	0.94	4	12	2	9

TABLE 12.—continued

AREA	LIVE BIRTHS					DEATHS								Deaths under 1 year		Stillbirths				
	Estimated Home Population (Mid-1956)	Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate		Number	Rate per 1,000 Live Births Related	Deaths under 4 weeks	
		M.	F.	M.	F.															
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
WESTMORLAND:		66,600	406	405	26	27	864	13.0	1.06	0.83	427	448	875	13.1	0.94	1.05	15	17	10	19
Municipal Boroughs and Districts		32,070	182	188	6	12	388	12.1	1.03	0.79	207	236	443	13.8	0.91	1.07	9	23	5	7
Appleby M.B.		1,670	10	10	—	4	21	12.6	1.08	0.87	11	18	29	17.4	0.94	1.40	1	4	—	—
Kendal M.B.		18,510	114	117	—	8	243	13.1	1.00	0.83	119	126	245	13.2	0.98	1.10	5	21	3	7
Lakes		5,480	27	29	—	2	58	10.6	1.04	0.70	34	43	77	14.1	0.90	1.08	1	17	1	—
Windermere		6,410	31	32	—	2	66	10.3	1.08	0.71	43	49	92	14.4	0.76	0.94	2	30	1	—
Rural Districts		34,530	224	217	20	15	476	13.8	1.10	0.97	220	212	432	12.5	0.95	1.01	6	13	5	12
North Westmorland		16,360	112	118	10	5	245	15.0	1.11	1.06	115	95	210	12.8	1.02	1.12	5	21	4	6
South Westmorland		18,170	112	99	10	10	231	12.7	1.09	0.88	105	117	222	12.2	0.90	0.94	1	4	1	—
WIGHT, ISLE OF:		94,000	576	539	37	39	1,191	12.7	1.12	0.91	621	681	1,302	13.9	0.74	0.88	20	17	15	27
Municipal Boroughs and Districts		76,360	471	438	28	33	970	12.7	1.11	0.90	506	569	1,075	14.1	0.73	0.88	16	17	12	20
Cowes		16,840	127	103	4	3	237	14.1	1.08	0.97	113	88	201	11.9	0.89	0.91	5	21	4	7
Newport M.B.		20,160	134	121	11	8	274	13.6	1.13	0.98	138	187	325	16.1	0.55	0.76	4	15	2	6
Ryde M.B.		20,030	113	126	9	14	262	13.1	1.09	0.91	125	159	284	14.2	0.76	0.92	2	8	2	2
Sandown-Shanklin		12,550	65	61	3	4	133	10.6	1.20	0.81	81	82	163	13.0	0.71	0.79	2	15	1	4
Ventnor		6,780	32	27	1	4	64	9.4	1.09	0.65	49	53	102	15.0	0.72	0.92	3	47	3	1
Isle of Wight R.D.		17,640	105	101	9	6	221	12.5	1.16	0.92	115	112	227	12.9	0.76	0.84	4	18	3	7
WILTSHIRE:		402,800	3,202	3,016	125	110	6,453	16.0	1.09	1.11	2,213	2,015	4,228	10.5	0.93	0.83	119	19	87	140
Municipal Boroughs and Districts		190,210	1,586	1,434	67	59	3,146	16.5	1.02	1.07	1,154	1,133	2,287	12.0	0.81	0.83	62	20	46	69
Bradford-on-Avon		5,600	35	40	1	1	77	13.8	1.06	0.93	25	15	40	7.1	0.92	0.56	—	—	—	3
Caine M.B.		6,260	42	49	2	—	93	14.9	1.02	0.97	24	24	48	17.7	0.97	0.74	2	22	1	1
Chippenham M.B.		15,500	110	102	4	3	219	14.3	1.03	0.94	116	130	246	16.1	0.54	0.74	4	18	3	2

Salisbury M.B.	68	49	4	1	122	17.1	0.97	1.06	0.95	27	30	27	57	8.0	1.14	0.78	1	8	1
Salisbury M.B.	278	221	10	12	521	15.3	0.97	1.06	0.95	251	251	269	520	15.3	0.57	0.75	8	15	6
Salisbury M.B.	684	627	32	31	1,374	18.6	1.00	1.18	1.02	412	412	347	759	10.3	1.02	0.90	27	20	19
Trowbridge	104	117	—	2	223	15.5	1.04	1.03	1.03	83	83	73	156	10.8	0.93	0.86	6	27	3
Warminster	70	63	5	—	138	16.2	1.08	1.11	1.08	62	62	70	132	15.5	0.50	0.66	9	66	9
Westbury	45	38	—	2	85	15.6	1.05	1.04	1.05	25	25	20	48	8.2	1.01	0.71	1	12	1
Wilton M.B.	26	15	1	—	42	13.2	0.95	0.80	0.95	17	17	19	36	11.3	1.06	1.02	—	—	4
Rural Districts	212,590	1,582	58	51	3,307	15.6	1.17	1.16	1.16	1,059	882	882	1,941	9.1	1.07	0.83	57	17	41
Amesbury	23,190	247	4	4	459	18.2	1.32	1.53	1.32	77	65	65	142	5.6	1.88	0.90	7	15	4
Bradford and Melksham	13,620	79	74	1	138	11.6	1.24	0.92	1.24	79	79	65	143	10.5	0.90	0.81	2	13	2
Caine and Chippenham	36,660	228	5	9	465	12.7	1.29	1.04	1.04	131	95	95	226	6.2	1.43	0.76	8	17	5
Cricklade and Wootton Bassett	16,580	130	157	6	298	18.0	1.04	1.19	1.04	85	77	77	162	9.8	1.16	0.97	10	34	7
Devizes	17,380	100	101	1	205	11.8	1.28	0.96	1.28	128	110	110	238	13.7	0.54	0.63	3	15	1
Highworth	23,500	189	187	7	391	16.6	1.07	1.13	1.07	129	93	93	222	9.4	1.10	0.88	5	13	5
Maunbury	10,140	94	94	1	137	18.4	1.04	1.22	1.04	47	57	57	107	9.7	1.01	0.88	3	16	3
Matborough and Ramsbury	10,450	84	87	2	125	16.7	1.21	1.25	1.21	50	57	57	107	10.2	0.99	0.86	4	23	4
Mere and Tisbury	11,190	88	67	2	168	15.0	1.15	1.10	1.15	67	67	67	127	11.3	0.82	0.83	6	33	4
Pewsey	17,210	131	155	8	300	17.4	1.14	1.14	1.14	91	66	66	157	9.1	1.13	0.88	5	17	4
Salisbury and Wilton	17,320	161	131	6	299	17.3	1.04	1.15	1.04	109	109	109	192	11.1	0.89	0.84	4	13	2
Salisbury and Westbury	13,350	88	102	6	202	15.1	1.20	1.15	1.20	66	61	61	127	9.5	0.96	0.78	—	—	5
Worcestershire	545,600	4,102	151	135	8,316	15.2	1.00	0.97	1.00	2,894	2,891	2,891	5,785	10.6	1.08	0.98	184	22	128
County Boroughs	127,800	974	32	35	1,964	15.4	0.96	0.94	0.96	676	675	675	1,351	10.6	1.15	1.04	53	27	36
Dudley	64,400	458	12	9	954	14.8	0.95	0.90	0.95	317	277	277	594	9.2	1.30	1.02	27	28	30
Worcester	63,400	516	20	26	1,010	15.9	0.96	0.97	0.96	359	398	398	757	11.9	1.04	1.06	26	26	20
Administrative County	417,800	3,128	119	100	6,352	15.2	1.02	0.99	1.02	2,218	2,216	2,216	4,434	10.6	1.07	0.97	131	21	92
Municipal Boroughs and Urban Districts	295,400	2,175	79	66	4,447	15.1	0.99	0.95	0.99	1,552	1,542	1,542	3,094	10.5	1.11	1.00	102	23	70
Bewdley M.B.	4,880	42	36	4	86	17.6	1.02	1.14	1.02	31	31	31	62	12.7	0.99	1.07	4	47	3
Bromsgrove	29,800	207	186	9	407	13.7	1.01	0.88	1.01	154	170	170	324	10.9	0.91	0.85	9	22	5
Droitwich M.B.	6,710	71	64	2	137	20.4	0.97	1.26	0.97	45	48	48	93	13.9	0.74	0.88	4	29	2
Evesham M.B.	12,220	98	103	3	205	16.8	1.04	1.11	1.04	83	65	65	148	12.1	0.90	0.93	4	20	3
Halesowen M.B.	42,490	271	305	4	587	13.8	0.97	0.85	0.97	187	194	194	381	9.0	1.26	0.97	12	21	9
Kidderminster M.B.	39,000	294	289	15	613	15.7	1.01	1.01	1.01	250	241	241	491	12.6	1.01	1.09	16	26	10
Malvern	24,640	175	132	13	393	15.9	1.11	1.12	1.11	123	165	165	288	11.7	0.88	0.88	8	20	6
Oldbury M.B.	54,840	405	362	7	783	14.3	0.96	0.87	0.96	263	221	221	484	8.8	1.42	1.07	15	19	11
Redditch	31,390	262	230	9	513	16.3	0.97	1.01	0.97	161	141	141	302	9.6	1.16	0.95	9	18	8
Stourbridge M.B.	38,550	262	281	9	557	14.4	1.00	0.92	1.00	210	213	213	423	11.0	1.09	1.02	18	32	11
Stourport-on-Severn	10,880	88	69	4	166	15.3	0.96	0.96	0.96	45	53	53	98	9.0	1.18	0.91	3	18	2
Rural Districts	122,400	953	40	34	1,905	15.6	1.07	1.06	1.07	666	674	674	1,340	10.9	0.98	0.91	29	15	22
Bromsgrove	13,380	286	11	5	580	17.5	1.01	1.12	1.01	147	152	152	302	9.8	1.17	0.96	8	13	12
Bromwich	13,360	99	7	8	203	15.2	1.12	1.08	1.12	56	56	56	111	8	1.00	0.75	3	10	6
Ednam	15,680	116	8	5	240	14.4	1.10	1.01	1.10	90	100	100	190	10.4	0.96	0.94	—	12	2
Kidderminster	17,060	86	70	3	164	13.6	1.02	0.88	1.02	57	66	66	126	10.4	1.14	1.01	2	12	3
Martley	11,650	85	81	1	173	14.8	1.04	0.98	1.04	72	52	52	124	10.6	0.96	0.87	9	52	4
Pershore	17,050	154	5	6	307	18.0	1.05	1.20	1.05	114	71	71	185	10.9	1.01	0.94	4	13	4
Tenbury	5,310	45	31	2	80	15.1	1.09	1.20	1.09	23	29	29	52	9.8	0.94	0.79	2	25	1
Upton upon Severn	14,910	90	94	2	188	12.6	1.27	1.02	1.27	102	142	142	244	16.4	0.58	0.81	1	5	4

TABLE 12—continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS					DEATHS					Deaths under 1 year		Stillbirths					
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population		Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Related Live Births	Deaths under 4 weeks
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
YORKSHIRE, EAST RIDING:																			
.. ..	517,700	4,219	4,091	231	182	8,723	16.8	1.01	1.08	3,161	2,766	5,927	11.4	1.08	1.05	237	27	160	204
Kingston upon Hull C.B. ..	300,200	2,639	2,623	170	132	5,564	18.5	0.96	1.13	1,731	1,489	3,220	10.7	1.24	1.13	161	29	107	141
Administrative County ..	217,500	1,580	1,468	61	50	3,159	14.5	1.09	1.01	1,430	1,277	2,707	12.4	0.91	0.96	76	24	53	63
Municipal Boroughs and Urban Districts ..	108,300	720	722	38	28	1,518	14.0	1.07	0.95	761	732	1,493	13.8	0.87	1.03	41	27	31	40
Beverley M.B. ..	15,570	121	122	7	6	256	16.4	1.00	1.04	100	95	195	12.5	0.97	1.04	8	31	7	7
Bridlington M.B. ..	24,590	148	131	14	6	299	12.2	1.14	0.89	215	199	414	16.8	0.76	1.09	6	20	5	11
Driffield ..	6,910	47	50	2	1	100	14.5	0.97	0.90	43	38	81	11.7	0.78	0.78	3	30	3	3
Filey ..	4,840	24	23	1	3	51	10.5	1.06	0.71	37	34	71	14.7	0.93	1.17	3	59	2	1
Haltemprice ..	38,940	264	272	6	5	547	14.0	1.08	0.96	239	241	480	12.3	0.92	0.97	16	29	10	10
Hedon M.B. ..	2,220	15	25	2	—	42	18.9	1.04	1.25	18	11	29	13.1	0.97	1.09	2	48	1	1
Hornsea ..	5,440	41	38	—	3	82	15.1	1.14	1.10	45	49	94	17.3	0.73	1.08	1	12	1	3
Norton ..	4,810	35	32	4	1	72	15.0	1.10	1.05	29	25	54	11.2	1.01	0.97	1	14	1	1
Withernsea ..	4,980	35	29	2	3	69	13.9	1.10	0.97	35	40	75	15.1	0.84	1.08	1	15	1	1
Rural Districts ..	109,200	850	746	23	22	1,641	15.0	1.10	1.05	669	545	1,214	11.1	0.96	0.91	35	21	22	23
Beverley ..	21,560	171	179	2	3	355	16.5	1.13	1.19	108	128	236	10.9	0.90	0.84	10	28	5	6
Bridlington ..	9,400	53	55	—	4	112	11.9	1.13	0.86	59	45	104	11.1	0.96	0.91	2	18	2	2
Derwent ..	13,620	115	87	3	3	208	15.3	1.03	1.10	89	71	160	11.7	0.86	0.86	4	19	3	1
Driffield ..	10,960	103	69	—	3	175	16.0	1.14	1.16	70	59	129	11.8	1.02	1.03	3	17	2	7
Holderness ..	19,940	144	126	4	3	277	13.9	1.13	1.00	106	103	209	10.5	0.96	0.86	6	22	4	2
Howden ..	11,730	96	86	5	3	190	16.2	1.08	1.11	66	59	125	10.7	0.92	0.84	4	21	2	6
Norton ..	7,460	52	59	4	1	116	15.5	1.08	1.07	67	25	92	12.3	1.02	1.07	2	17	1	1
Pocklington ..	14,530	116	85	5	2	208	14.3	1.08	0.98	104	55	159	10.9	0.97	0.90	4	19	3	2
YORKSHIRE, NORTH RIDING:	536,900	4,658	4,437	213	223	9,531	17.8	1.04	1.18	3,320	2,805	6,125	11.4	1.10	1.07	262	28	177	241

Administrative County		3,122	2,870	113	122	6,227	16-1	1-07	1-10	2,360	2,059	4,419	11-4	1-05	1-02	160	26	115	151
Administrative County		3,122	2,870	113	122	6,227	16-1	1-07	1-10	2,360	2,059	4,419	11-4	1-05	1-02	160	26	115	151
Municipal Boroughs and Urban Districts		1,812	1,605	76	78	3,571	17-2	1-02	1-12	1,345	1,210	2,555	12-3	1-04	1-09	106	30	72	93
..	..	207,900	34,510	422	12	818	23-7	0-95	1-43	218	153	371	10-8	1-09	1-29	26	32	17	20
Eston	..	9,480	106	1	3	192	20-3	0-98	1-27	62	50	112	11-8	1-09	1-10	6	31	16	7
Guisborough	..	7,670	57	—	—	127	16-6	1-01	1-07	59	47	106	13-8	1-15	1-36	4	32	3	6
Lofus	..	4,170	38	1	—	70	16-8	1-10	1-18	27	27	50	12-0	0-98	1-01	1	14	1	2
Malton	..	6,110	40	1	—	80	13-1	1-01	0-84	41	—	82	13-4	1-10	1-26	2	25	—	—
Northallerton..
Pickering	..	33	23	1	—	57	13-3	1-15	0-97	37	30	67	15-6	0-92	1-23	—	—	—	3
Redcar M.B.	..	28,100	262	10	10	518	18-4	1-04	1-22	162	162	324	11-5	1-13	1-11	14	27	11	14
Richmond M.B.	..	6,010	55	4	3	116	19-3	1-01	1-24	23	25	48	8-0	1-12	0-77	4	35	1	1
Saltburn and Marske by the Sea	..	9,110	73	2	6	155	17-0	0-99	1-07	54	49	103	11-3	0-98	0-95	6	39	4	3
Seab	..	6,340	44	—	1	77	12-1	1-15	0-89	49	42	91	14-4	0-76	0-94	1	13	1	2
Scarborough M.B.	..	43,920	236	17	21	536	12-2	1-07	0-83	308	361	669	15-2	0-81	1-05	13	24	11	13
Skelton and Brotton	..	12,790	89	1	3	487	19-5	1-03	0-85	84	84	148	11-6	1-47	1-16	5	27	2	4
Thornaby on Tees M.B.	..	25,870	193	11	12	487	19-5	0-94	1-07	120	81	201	18-8	1-42	1-02	18	38	10	10
Whitby	..	11,520	78	1	—	164	14-2	1-07	0-97	105	78	183	13-9	0-82	1-11	6	37	3	8
Rural Districts		1,310	1,265	37	44	2,656	14-8	1-15	1-08	1,015	849	1,864	10-4	1-04	0-92	54	20	43	58
..
Aysgarth	..	3,410	30	—	—	57	16-7	1-14	1-21	32	24	60	17-6	1-09	1-23	7	20	6	9
Bedale	..	8,050	49	2	1	122	15-2	1-15	1-11	32	42	74	9-2	1-42	0-82	2	16	—	2
Croft	..	2,330	20	1	—	51	21-9	0-90	1-26	12	14	26	11-2	1-37	1-30	2	39	1	1
Easingwold	..	12,540	96	2	4	171	13-6	1-08	0-94	66	62	128	10-2	1-00	0-87	8	47	7	3
Flaxton	..	22,000	185	1	6	345	15-7	1-04	1-04	151	131	282	12-8	0-74	0-81	7	20	6	9
Helmsley	..	5,360	24	—	3	52	9-7	1-35	0-83	24	17	41	7-6	1-10	0-71	—	—	—	1
Kirkby Moorside	..	4,870	37	29	1	67	13-8	1-15	1-01	25	30	55	11-3	0-88	0-85	—	—	—	2
Leyburn	..	6,390	40	1	—	102	16-0	1-11	1-13	41	32	73	11-4	0-98	0-95	5	49	3	2
Malton	..	5,560	37	1	1	79	14-2	1-15	1-04	26	26	56	10-1	0-97	0-84	1	13	1	—
Masham	..	1,640	9	12	—	21	12-8	1-19	0-97	16	10	26	15-9	0-89	1-21	—	—	—	1
Northallerton..	..	5,120	25	3	1	126	14-7	1-05	0-98	53	40	93	10-8	0-98	0-90	2	16	2	3
Pickering	..	1,980	36	2	—	63	12-3	1-21	0-95	37	33	70	13-7	0-84	0-98	1	16	1	2
Reeth	..	10	11	—	—	21	10-6	1-13	0-76	11	11	22	11-1	0-83	0-79	—	—	—	2
Richmond	..	29,330	231	6	7	464	15-8	1-44	1-45	124	44	168	5-7	1-78	0-87	8	17	7	8
Scarborough	..	7,620	50	2	2	95	12-5	1-20	0-96	42	49	91	11-9	0-87	0-88	2	21	2	—
Startforth	..	5,520	23	1	1	64	11-6	1-26	0-93	20	26	46	8-8	1-16	0-82	1	16	1	—
Stokesley	..	18,790	164	5	2	321	17-1	1-00	1-09	116	96	212	11-3	1-03	0-99	8	25	5	16
Thrusk	..	14,510	101	103	2	209	14-4	1-09	1-00	69	77	146	10-1	1-01	0-87	2	10	2	1
Wath	..	3,660	31	39	2	74	20-2	1-25	1-61	16	8	24	6-6	1-50	0-85	1	14	1	—
Whitby	..	11,840	65	81	4	152	12-8	1-22	0-99	98	73	171	14-4	0-83	1-02	3	20	3	4
YORKSHIRE, WEST RIDING:		28,212	26,703	1,282	1,254	57,451	16-0	1-00	1-02	22,736	20,815	43,551	12-1	1-08	1-12	1,492	26	1,064	1,334
County Boroughs		1,978,000	15,042	780	778	30,858	15-6	1-00	0-99	12,806	11,640	24,446	12-4	1-08	1-14	774	25	543	707
Barnsley	..	748,300	672	14	13	4,388	18-1	1-00	1-14	451	353	804	10-7	1-23	1-12	38	28	26	40
Bradford	..	283,700	2,192	42	136	4,268	16-8	1-00	1-05	2,832	2,016	4,048	14-7	1-03	1-14	136	28	93	127
Dewsbury	..	243,200	380	18	15	3,862	17-2	1-02	1-05	332	332	719	13-5	1-01	1-17	20	23	11	25
Doncaster	..	83,460	702	33	26	1,417	17-0	0-94	1-02	539	388	867	15-5	1-16	1-18	38	27	26	35
Halifax	..	96,440	742	46	49	1,533	15-9	1-03	1-04	757	738	1,495	15-5	0-88	1-17	37	24	23	32

TABLE 12—continued

AREA	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths			
	Estimated Home Population (Mid-1956)		Illegitimate		Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate			Number	Rate per 1,000 Live Births	
	Legitimate		Illegitimate																
	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)			(17)	(18)	(19)
YORKSHIRE, WEST RIDING—contd.																			
County Boroughs—contd.																			
Huddersfield	127,600	885	874	47	51	1,857	14.6	1.06	0.99	885	901	1,786	14.0	1.01	1.21	38	21	25	31
Leeds	508,600	3,888	3,724	248	250	8,110	15.9	0.98	0.99	3,034	2,727	5,761	11.3	1.15	1.11	215	27	152	175
Rotherham	82,850	700	680	24	17	1,421	17.2	0.98	1.07	493	384	877	10.6	1.20	1.09	34	24	25	31
Sheffield	499,000	3,516	3,275	133	125	7,049	14.1	1.01	0.91	3,136	2,718	5,854	11.7	1.13	1.13	166	24	127	159
Wakefield	59,650	423	407	20	13	863	14.5	1.02	0.94	439	375	814	13.6	0.95	1.10	23	27	14	21
York	106,200	761	735	41	53	1,590	15.0	0.97	0.93	653	648	1,301	12.3	0.89	0.94	29	18	21	31
	1,618,300	13,170	12,445	502	476	26,593	16.4	1.01	1.06	9,930	9,175	19,105	11.8	1.09	1.10	718	27	521	627
Municipal Boroughs and Urban Districts																			
Adwick le Street	1,169,600	9,230	8,660	380	348	18,618	15.9	1.01	1.02	7,580	7,138	14,718	12.6	1.04	1.12	480	26	356	444
Aireborough	18,550	154	139	6	6	305	16.4	0.96	1.00	116	68	184	9.9	1.44	1.22	9	30	9	11
Baildon	27,450	184	162	9	9	364	13.3	1.07	0.91	212	178	390	14.2	0.75	0.91	6	17	5	7
Barnoldswick	10,740	56	74	2	2	134	12.5	1.08	0.86	62	54	116	10.8	1.03	0.95	2	15	1	3
Batley M.B.	10,800	80	78	2	2	164	15.2	1.10	1.06	67	63	130	12.0	1.00	1.03	2	12	1	3
Bentley with Arksey	39,850	322	284	20	12	638	16.0	1.02	1.04	244	291	535	13.4	1.08	1.24	14	22	8	18
	21,630	243	211	6	11	471	21.8	0.94	1.31	130	100	230	10.6	1.42	1.29	20	43	10	9
Bingley	21,660	142	117	10	6	275	12.7	1.06	0.86	132	137	269	12.4	1.00	1.06	7	26	7	4
Brighouse M.B.	30,490	229	189	17	10	445	14.6	1.06	0.99	201	194	395	13.0	1.00	1.11	14	32	9	7
Castleford M.B.	41,740	324	282	13	6	625	15.0	0.96	0.92	245	186	431	10.3	1.33	1.17	10	16	6	16
Colne Valley	21,460	166	148	3	2	319	14.9	1.07	1.02	162	150	312	14.5	1.02	1.26	9	28	8	2
Conisbrough	17,400	180	160	7	3	350	20.1	0.96	1.23	100	77	177	10.2	1.41	1.23	17	49	12	5
Cudworth	8,790	84	74	1	2	161	18.3	0.96	1.12	57	45	102	11.6	1.37	1.36	4	25	3	6
Darfield	6,460	62	56	1	1	121	18.7	1.01	1.20	39	21	60	9.3	1.34	1.09	3	25	3	3
Darton	14,540	119	122	2	2	249	17.1	0.98	1.07	79	68	147	10.1	1.34	1.16	11	46	11	15
Deane	26,860	289	303	10	7	609	22.7	0.95	1.37	143	99	242	9.0	1.49	1.15	17	28	16	20
Denby Dale	9,570	57	46	1	—	104	10.9	1.11	0.77	71	49	120	12.5	1.00	1.07	3	29	3	—
Denholme	2,620	20	11	1	1	33	12.6	1.10	0.88	15	19	34	13.0	0.97	1.08	—	—	—	2
Dodworth	4,170	33	28	1	2	64	15.3	0.98	0.96	12	12	25	6.0	1.41	0.72	—	—	—	2
		41	31	1	1	84	15.6	1.08	1.07	33	29	62	11.9	1.06	1.18	3	37	3	3

Gartorn	13,230	109	97	4	8	111	15.9	1.03	1.04	86	67	153	11.6	1.18	1.17	5	24	3	7
Goole M.B.	19,340	155	161	2	8	328	17.0	0.97	1.05	163	134	297	15.4	0.72	0.95	5	15	3	4
Hartgate M.B.	51,930	366	316	29	26	737	14.2	1.05	0.95	324	409	733	14.1	0.81	0.98	17	23	12	16
Heddon Royd	9,870	73	59	5	5	142	14.4	1.12	1.03	86	72	158	16.0	0.86	1.18	1	23	1	5
Hedmondwike	8,590	72	62	2	2	141	16.4	1.06	1.11	55	50	105	12.2	1.06	1.11	2	14	1	5
Hensworth	13,890	149	136	8	7	200	21.6	0.93	1.28	211	126	337	24.3	0.57	1.18	14	47	8	9
Holmfirth	18,840	139	128	6	4	277	17.7	1.09	1.02	166	173	339	18.0	0.65	1.00	4	15	4	4
Horbury	8,240	70	59	1	—	130	15.8	1.01	1.02	40	37	77	9.3	1.01	0.80	2	15	1	2
Horsforth	14,280	106	115	—	—	222	15.3	1.02	1.01	81	69	150	10.5	1.06	0.95	2	9	2	3
Horsland	15,780	118	138	3	6	225	15.6	0.98	1.01	82	81	163	10.3	1.19	0.95	8	20	5	8
Ilkley	17,250	148	118	2	2	274	12.6	1.07	1.08	83	143	236	13.7	0.72	0.84	6	22	3	7
Keighley M.B.	55,540	422	390	19	20	851	13.3	1.01	0.98	397	398	795	14.3	0.99	1.21	24	18	18	18
Kirkburton	17,540	117	94	5	4	220	12.5	1.14	0.91	171	229	400	22.8	0.50	0.97	1	5	1	6
Knaresborough	8,530	66	64	3	2	135	15.8	0.93	1.04	58	58	108	13.6	0.92	1.07	4	30	3	6
Knottingley	10,730	92	94	4	5	195	18.2	0.90	1.04	62	44	108	17.2	1.44	1.24	9	26	3	12
Malton	13,830	140	124	5	5	274	19.8	0.89	1.12	60	39	98	13.2	1.65	1.02	2	33	3	—
Metham	5,140	32	31	1	—	64	12.5	1.05	0.84	38	30	68	13.2	1.00	1.13	—	31	—	—
Mexborough	18,710	139	119	10	5	273	14.6	0.97	0.90	115	78	193	10.3	1.29	1.14	9	33	7	4
Mirfield	11,810	95	84	3	3	185	15.7	1.02	1.02	78	81	159	13.5	1.04	1.20	4	22	2	4
Morley M.B.	39,520	326	266	10	20	622	15.7	1.04	1.04	247	249	496	12.6	1.14	1.23	9	15	4	20
Normanton	18,560	143	154	2	6	305	16.4	1.00	1.04	109	79	188	10.1	1.21	1.04	7	23	6	9
Ossett M.B.	14,450	125	112	2	2	241	16.6	1.04	1.10	89	88	177	12.2	1.15	1.20	5	21	3	8
Otley	11,300	65	77	6	3	151	13.4	1.05	0.90	74	77	151	13.4	1.04	1.19	5	33	3	2
Penistone	6,590	56	48	1	1	110	16.7	1.03	1.10	53	51	104	15.8	1.01	1.36	3	27	2	3
Pontefract M.B.	24,540	227	250	8	9	494	20.1	0.98	1.25	121	105	226	9.2	1.21	0.95	9	18	7	10
Pudsey M.B.	31,460	255	241	6	7	509	16.2	1.02	1.05	175	192	367	11.7	1.09	1.09	17	34	13	4
Queensbury and Shelf	8,920	70	70	3	3	146	16.4	0.96	1.00	53	52	105	11.8	1.05	1.06	4	28	1	1
Rawmarsh	19,600	203	184	4	3	394	20.1	0.99	1.27	115	95	210	10.7	1.27	1.16	17	43	11	10
Ripon M.B.	10,050	79	91	7	8	185	18.4	0.97	1.14	90	82	172	17.1	0.87	1.27	2	11	2	7
Ripponden	5,140	44	30	—	2	76	14.8	1.09	1.03	40	35	75	14.6	1.00	1.25	2	26	2	—
Rothwell	24,740	174	168	6	4	352	14.2	1.03	0.93	204	226	430	17.4	0.76	1.13	11	31	8	5
Royston	8,180	68	79	4	6	157	19.2	0.97	1.19	47	25	72	8.8	1.36	1.02	2	13	2	2
Saddleworth	16,580	102	95	5	1	203	12.2	1.11	0.86	94	133	227	13.7	0.95	1.11	4	20	4	5
Selby	10,200	70	56	3	1	133	13.0	1.01	0.84	58	65	123	12.1	0.93	0.96	4	30	4	5
Shiley	32,200	245	238	18	2	496	15.4	1.02	1.00	191	182	373	11.6	1.08	1.07	17	34	12	12
Sliden	5,370	40	37	—	2	79	14.7	0.92	0.86	38	32	70	13.0	1.18	1.31	1	7	3	3
Skipton	13,100	73	89	4	1	167	12.7	1.07	0.87	118	93	211	16.1	0.71	0.98	7	42	6	4
Sowerby Bridge	18,260	146	149	7	8	310	17.0	1.02	1.10	116	138	254	13.9	1.01	1.20	12	39	11	4
Spensborough M.B.	36,690	259	224	6	12	501	13.7	1.05	0.92	231	280	481	13.1	1.02	1.14	9	18	8	14
Stanley	16,710	117	86	3	5	241	14.4	0.98	0.92	103	88	191	11.4	1.23	1.20	4	17	4	3
Stocksbridge	10,320	81	117	1	3	171	16.5	0.98	1.04	163	47	99	9.6	1.29	1.06	3	18	3	4
Swinton	12,400	95	102	5	2	204	16.5	0.96	1.01	80	62	142	11.5	1.25	1.23	8	39	5	6
Tickhill	2,580	14	18	—	—	32	12.4	1.01	0.80	18	17	35	13.6	1.02	1.12	2	63	2	1
Todmorden M.B.	18,300	125	125	5	3	258	14.1	1.05	0.94	119	129	248	13.6	0.95	1.19	2	28	3	2
Wath upon Dearne	14,090	109	111	5	8	233	16.5	0.97	1.07	98	76	149	10.6	1.25	1.11	2	28	1	5
Wombwell	19,000	150	163	7	—	320	16.8	1.00	1.07	77	71	173	9.1	1.28	1.00	8	25	6	9
Worsbrough	14,440	103	124	6	5	238	16.5	1.00	1.05	79	67	146	10.1	1.37	1.18	13	55	9	5

(a) Change in name from Worsbrough to Worsborough 1st February, 1956.

TABLE 12.—continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths			
		Legitimate			Illegitimate			Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local to National Rate	M.	F.	Total	Crude Rate per 1,000 Home Population	Comparability Factor			Ratio of local to National Rate	Number	Rate per 1,000 Related Live Births
		M.		F.	M.		F.													
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
YORKSHIRE, WEST RIDING—contd.																				
Rural Districts	448,700	3,940	3,785	122	128	7,975	17.8	1.01	1.15	2,350	2,037	4,387	9.8	1.23	1.03	238	30	165	183	
Bowland	4,890	44	—	—	—	73	14.9	1.20	1.14	34	31	65	13.3	1.00	1.14	1	14	—	2	
Doncaster	56,680	587	569	19	25	1,200	21.2	0.97	1.31	285	245	530	9.4	1.47	1.18	50	42	30	30	
Goole	9,160	59	66	5	3	133	14.5	0.97	0.90	41	35	76	8.3	1.07	0.76	4	30	1	7	
Hemsworth	50,770	526	523	21	19	1,119	22.0	0.98	1.37	254	167	421	8.3	1.46	1.04	34	31	22	28	
Hepton	4,030	23	21	—	—	44	10.9	1.11	0.77	31	24	55	13.6	0.99	1.15	3	69	1	—	
Kiveton Park	18,550	174	192	6	8	380	20.5	0.98	1.28	99	73	172	9.3	1.15	0.91	9	24	3	9	
Nidderdale	15,860	102	103	3	2	210	13.2	1.24	1.04	90	79	169	10.7	1.05	0.96	3	14	3	5	
Osgoldcross	7,800	52	50	2	1	105	13.5	1.01	0.87	37	34	71	9.1	1.13	0.88	2	19	2	4	
Penistone	7,320	59	53	3	4	119	16.3	1.09	1.13	36	53	89	12.2	1.15	1.20	3	25	1	1	
Ripon and Pateley Bridge	14,930	82	80	5	2	169	11.3	1.24	0.89	80	78	158	10.6	1.07	0.97	5	30	5	2	
Rotherham	54,100	566	566	11	19	1,162	21.5	0.91	1.25	229	192	421	7.8	1.52	1.01	37	32	27	23	
Sedburgh	3,820	23	25	—	3	49	12.8	1.25	1.02	18	23	41	10.7	1.08	0.90	1	21	—	1	
Selby	6,560	40	41	3	3	87	13.3	1.10	0.93	28	29	57	8.7	1.08	0.80	1	12	1	1	
Settle	14,080	108	97	6	2	213	15.1	1.09	1.05	87	95	182	12.9	0.96	1.06	6	28	6	4	
Skipton	24,090	165	170	1	3	339	14.1	1.07	0.96	145	154	299	12.4	0.97	1.03	10	30	9	3	
Tadcaster	28,110	206	219	6	5	436	15.5	1.03	1.02	150	111	261	9.3	1.11	0.88	8	38	20	14	
Thorne	33,770	391	344	15	15	765	22.7	0.97	1.40	159	130	289	8.6	1.56	1.15	29	38	20	17	
Wakefield	19,420	184	171	8	3	366	18.8	0.96	1.15	94	83	177	9.1	1.30	1.01	8	22	6	9	
Wetherby	22,050	169	144	6	5	324	14.7	1.05	0.98	101	106	207	9.4	1.05	0.84	8	25	6	6	
Wharfedale	6,230	42	34	1	1	78	12.5	1.02	0.81	45	40	85	13.6	1.11	1.29	3	39	3	2	
Wortley	46,480	308	288	1	7	604	13.0	0.98	0.81	307	255	562	12.1	1.05	1.09	13	22	11	15	
WALES (including Monmouthshire)		417	376	21	20	834	16.1	1.10	1.13	405	334	739	14.3	0.84	1.03	19	23	14	25	
ANGLESEY:		51,660																		

105

TABLE 12—continued

AREA	LIVE BIRTHS										DEATHS										Deaths under 1 year		Stillbirths
	Estimated Home Population (Mid-1956)		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Related Live Births	Deaths under 4 weeks				
			M.	F.	M.	F.																	
	(1)	(2)					(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	
CAERNARVONSHIRE—contd.																							
Rural Districts	51,310	299	313	20	12	644	12.6	1.15	0.92	388	343	731	14.2	0.88	1.07	13	20	10	16				
Gwynfa	23,230	137	141	6	3	287	12.4	1.14	0.90	163	147	310	13.3	0.91	1.03	5	18	4	8				
Lleyn	17,070	104	105	9	5	223	13.1	1.15	0.96	136	125	261	15.3	0.83	1.09	4	18	3	6				
Nant Conway	6,090	28	39	—	4	71	11.7	1.15	0.86	54	24	78	12.8	0.96	1.05	—	—	—	—				
Ogwen	4,920	30	28	—	—	63	12.8	1.15	0.94	35	47	82	16.7	0.77	1.10	—	64	3	2				
CARDIGANSHIRE:																							
Municipal Boroughs and Urban Districts	53,450	351	332	28	18	729	13.6	1.15	1.00	392	425	817	15.3	0.82	1.07	23	32	18	16				
Aberayron	17,990	114	113	10	7	244	13.6	1.10	0.95	125	143	268	14.9	0.83	1.06	9	37	8	4				
Aberystwyth M.B.	1,170	1	6	—	—	7	6.0	1.34	0.51	6	15	21	17.9	0.65	0.99	—	—	—	—				
Cardigan M.B.	10,410	71	60	8	1	140	13.4	1.09	0.93	79	80	159	15.3	0.83	1.09	7	50	6	4				
Lampeter M.B.	3,470	27	32	1	4	64	18.4	1.00	1.17	23	26	49	14.1	1.00	1.21	2	31	2	—				
New Quay	1,970	12	11	1	1	25	12.7	1.04	0.84	12	11	23	11.7	0.70	0.70	—	—	—	—				
.. .. .	970	3	4	—	—	8	8.2	1.45	0.76	5	11	16	16.5	0.68	0.96	—	—	—	—				
Rural Districts	35,460	237	219	18	11	485	13.7	1.18	1.03	267	282	549	15.3	0.82	1.09	14	29	10	12				
Aberayron	9,330	68	55	5	3	131	14.0	1.18	1.05	64	60	124	13.3	0.83	0.94	3	23	3	2				
Aberystwyth	10,710	66	66	5	2	139	13.0	1.18	0.98	86	100	186	17.4	0.77	1.15	5	36	5	1				
Teifi-side	10,260	83	71	6	5	165	16.1	1.19	1.22	79	79	158	15.4	0.84	1.11	4	24	1	8				
Tregaron	5,160	20	27	2	1	50	9.7	1.19	0.74	38	43	81	15.7	0.85	1.14	2	40	1	1				
CARMARTHENSHIRE:																							
Municipal Boroughs and Urban Districts	170,400	1,108	1,079	42	34	2,263	13.3	1.02	0.86	1,264	1,051	2,315	13.6	1.01	1.17	71	32	55	72				
Aberystwyth	68,320	439	417	14	16	886	13.0	1.00	0.83	603	481	1,084	15.9	0.86	1.17	25	28	18	36				
Ammanford	6,700	42	41	1	1	85	12.7	1.02	0.83	38	38	76	11.8	1.06	1.02	4	47	3	1				
Burry Port	6,030	51	43	—	—	95	15.8	0.96	0.97	40	31	71	11.8	1.03	1.14	6	54	1	9				

(a) The figures for this area include 15 deaths (11M., 4F.) in a Polish General Hospital, which could not be transferred to the area of residence.

TABLE 12.—continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS				DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths				
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population			Comparability Factor	Ratio of local adjusted death rate to National Rate		
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
GLAMORGANSHIRE:																			
County Boroughs
Cardiff	471,000	3,897	3,614	167	145	7,823	16.6	0.97	1.03	2,958	2,647	5,605	11.9	1.09	1.11	227	29	165	220
Merthyr Tydfil	249,800	2,206	2,032	116	96	4,450	17.8	0.94	1.07	1,472	1,337	2,809	11.2	1.12	1.07	124	28	85	117
Swansea	59,500	422	410	8	10	850	14.3	1.01	0.92	392	339	731	12.3	1.09	1.15	32	38	23	38
..	161,700	1,269	1,172	43	39	2,523	15.6	1.00	0.99	1,094	971	2,065	12.8	1.05	1.15	71	28	57	65
Administrative County	738,000	5,863	5,494	163	175	11,695	15.8	0.99	1.00	5,093	3,960	9,053	12.3	1.14	1.20	352	30	236	329
Municipal Boroughs and Urban Districts																			
..	534,500	4,350	4,000	128	134	8,612	16.1	0.99	1.02	3,701	2,832	6,533	12.2	1.15	1.20	257	30	164	254
Aberdare	40,240	308	234	8	10	560	13.9	1.04	0.92	374	248	622	15.5	1.01	1.34	16	16	13	26
Barry M.B.	41,920	378	311	11	22	722	17.2	0.96	1.05	247	201	448	10.7	1.10	1.01	23	32	13	22
Bridge	14,500	126	125	5	5	261	18.0	0.95	1.09	94	60	154	10.6	1.06	0.96	9	35	9	6
Caerphilly	37,110	375	363	17	13	768	20.7	0.95	1.25	236	171	407	11.0	1.34	1.26	21	27	12	16
Cowbridge M.B.	1,030	10	2	—	—	13	12.6	1.05	0.84	9	10	19	18.4	1.04	1.64	—	—	—	—
Gelligaer	36,210	309	313	15	15	652	18.0	1.03	1.18	239	183	422	11.7	1.26	1.26	31	48	18	24
Glyncoerwg	9,660	111	101	1	2	215	22.3	0.98	1.39	75	32	107	11.1	1.43	1.36	8	37	4	8
Llwynrhondda	25,760	160	164	4	5	333	12.9	1.03	0.85	163	147	310	12.0	1.17	1.20	12	36	6	8
Maesteg	22,660	184	168	4	9	365	16.1	1.01	1.04	131	101	232	10.2	1.27	1.11	9	25	8	14
Mountain Ash	30,670	252	218	4	3	477	15.6	0.99	0.98	205	185	390	12.7	1.21	1.31	12	25	8	14
Neath M.B.	31,250	220	228	4	3	455	14.6	0.93	0.86	194	166	360	11.5	1.13	1.11	12	27	9	10
Ogmore and Garw	22,240	193	174	3	2	372	16.7	1.01	1.07	145	128	273	12.3	1.20	1.26	12	32	10	7
Porth	19,040	153	141	6	3	303	15.9	0.99	1.00	135	106	241	12.7	0.93	1.01	7	23	5	5
Porthkerry	37,700	297	236	10	4	547	14.5	0.96	0.89	252	214	466	12.4	1.08	1.14	10	18	4	15
Porthcawl	9,980	64	65	1	1	134	13.4	1.03	0.88	76	64	140	14.0	0.86	1.03	5	38	2	8
Port Talbot M.B.	47,130	439	419	6	15	879	18.7	0.97	1.16	296	200	496	10.5	1.29	1.16	25	29	18	25
..	107,400	771	738	28	19	1,556	14.5	0.98	0.91	830	616	1,446	13.5	1.16	1.34	45	29	26	34
Rhondda M.B.
Rural Districts	203,500	1,513	1,494	35	41	3,083	15.1	1.02	0.98	1,392	1,128	2,520	12.4	1.09	1.16	95	31	72	75
..	38,000	284	273	8	7	572	15.1	1.05	1.01	280	235	515	13.6	0.86	1.00	19	23	12	13
Cardiff	16,240	157	155	—	2	314	16.3	1.12	1.16	79	62	141	17.3	0.84	1.88	6	32	14	2

Fontardawe	219	217	3	5	444	13·9	1·02	0·90	274	203	477	14·9	1·08	1·38	12	27	9	6
MERIONETHSHIRE:	260	269	17	17	563	13·9	1·21	1·07	299	261	560	13·8	0·93	1·10	10	18	8	13
Urban Districts	17,100	128	7	10	272	15·9	1·14	1·15	153	122	275	16·1	0·94	1·29	6	22	5	4
Bala	1,570	11	1	1	30	19·1	1·09	1·33	17	7	24	15·3	0·88	1·15	1	34	—	1
Barmouth	2,350	19	2	3	42	18·0	1·10	1·26	20	18	38	16·0	0·83	1·16	1	24	—	2
Dolgellau	2,450	20	—	—	37	14·9	1·02	0·97	15	15	30	12·3	0·98	1·01	1	27	1	—
Festiniog	6,540	49	3	5	109	16·7	1·12	1·19	74	50	124	19·0	0·99	1·61	2	18	2	—
Townyn	4,170	23	1	—	54	12·9	1·28	1·05	27	32	59	14·1	0·91	1·10	1	19	1	—
Rural Districts	23,480	141	10	7	291	12·4	1·27	1·00	146	139	285	12·1	0·91	0·94	4	14	3	9
Bala	6,640	14	3	4	94	12	1·18	1·07	50	57	107	16·1	0·76	1·05	2	21	1	2
Deudraeth	5,900	44	1	—	94	19·2	1·48	1·03	45	42	87	8·8	0·77	0·77	—	—	—	3
Edenmon	1,080	23	—	3	47	11·5	1·13	0·83	30	28	58	14·2	0·86	1·04	2	43	2	—
Penlyn	2,860	26	1	—	56	19·6	1·11	1·39	21	12	33	11·5	0·99	0·97	—	—	—	1
MONMOUTHSHIRE:	3,587	3,432	115	110	7,244	16·9	1·00	1·08	2,730	2,236	4,966	11·6	1·13	1·12	206	29	147	214
Newport C.B.	882	803	44	30	1,759	16·8	0·97	1·04	566	533	1,099	10·5	1·19	1·07	49	28	39	50
Administrative County	323,400	2,629	71	80	5,485	17·0	1·01	1·09	2,164	1,703	3,867	12·0	1·12	1·15	157	29	108	164
Municipal Boroughs and Urban Districts	276,600	2,227	58	71	4,678	16·9	1·01	1·09	1,860	1,448	3,308	12·0	1·16	1·19	132	28	91	144
Abercarn	18,570	177	2	6	350	18·8	0·99	1·19	100	107	200	10·8	1·22	1·13	10	29	8	12
Aberavenny M.B.	8,910	68	5	1	150	16·8	1·01	1·08	167	138	124	13·9	0·98	1·16	3	20	2	8
Aberlillery	26,790	230	3	9	449	16·8	1·04	1·11	195	138	333	12·4	1·15	1·22	13	29	5	12
Bedwas and Machen	9,650	109	3	1	210	21·8	0·95	1·32	51	57	108	11·2	1·26	1·21	4	19	4	2
Bedwellty	28,040	245	7	14	540	19·3	1·02	1·25	190	123	313	11·2	1·35	1·29	18	34	11	20
Blaenavon	9,320	69	2	2	118	12·7	1·06	0·86	77	51	128	13·7	0·54	1·33	2	17	2	2
Caerleon	3,990	29	—	—	56	14·0	1·01	0·90	45	58	103	25·8	1·14	1·19	1	18	1	—
Chepstow	5,920	55	2	3	110	18·6	1·00	1·18	45	28	73	12·3	0·76	0·80	4	37	4	4
Cwmbran	18,260	225	4	3	427	23·4	0·83	1·24	95	58	153	8·4	1·36	0·98	7	16	5	6
Ebbw Vale	28,350	218	10	9	455	16·0	1·06	1·08	203	137	340	12·0	1·23	1·26	19	42	12	17
Monmouth M.B.	5,710	40	3	3	86	15·1	1·02	0·98	30	42	72	12·6	0·90	0·97	4	47	4	2
Mynyddislwyn	15,300	123	1	3	256	16·7	1·01	1·07	77	72	149	9·7	1·34	1·11	8	31	6	13
Nantyglo and Blaia	11,070	85	5	5	171	15·4	1·06	1·04	78	64	142	12·8	1·11	1·21	7	41	5	6
Pontypool	41,280	284	7	4	575	13·9	1·02	0·90	305	238	543	13·2	1·13	1·27	15	26	11	14
Rhyimey	8,790	77	2	1	146	16·6	1·04	1·10	53	42	95	10·6	1·16	1·07	3	21	2	3
Risca	14,680	101	—	3	202	13·8	1·02	0·90	97	72	169	11·5	1·08	1·06	4	20	2	8
Tredegar	20,290	170	2	4	342	16·9	1·00	1·08	134	99	233	11·5	1·16	1·14	7	21	4	15
Usk	1,680	15	1	1	35	20·8	1·10	1·46	18	12	30	17·9	0·99	1·51	3	86	3	—

TABLE 12—continued

AREA	Estimated Home Population (Mid-1956)	LIVE BIRTHS						DEATHS											
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate	Deaths under 1 year		Deaths under 4 weeks	Stillbirths
		M.	F.	M.	F.											Number	Rate per 1,000 Live Births		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
MONMOUTHSHIRE—contd.																			
Rural Districts	46,800	383	402	13	9	807	17.2	1.02	1.12	304	255	559	11.9	0.86	0.87	25	31	17	20
Abergavenny	8,570	74	62	1	5	142	16.6	1.13	1.19	110	88	198	23.1	0.46	0.91	6	42	4	4
Chepstow	10,620	93	94	4	2	198	18.6	1.03	1.22	57	57	114	10.7	1.08	0.99	5	25	4	4
Magor and St. Mellons ..	13,950	88	94	5	2	189	13.5	1.00	0.86	68	53	121	8.7	1.03	0.77	5	27	4	4
Monmouth	5,870	46	50	1	—	97	16.5	1.09	1.15	29	27	56	9.5	0.88	0.71	4	41	3	3
Pontypool	7,790	82	97	2	—	181	23.2	0.89	1.32	40	30	70	9.0	1.15	0.88	5	28	2	5
	44,940	353	319	14	11	697	15.5	1.09	1.08	294	254	548	12.2	0.91	0.95	20	29	16	13
MONTGOMERYSHIRE:																			
Municipal Boroughs and Urban Districts	17,760	143	125	7	2	277	15.6	1.00	0.99	112	115	227	12.8	0.93	1.02	7	25	6	7
Llanfyllin M.B.	1,290	3	19	2	—	14	10.9	1.18	0.82	11	13	24	18.6	0.74	1.18	—	35	1	—
Llanidloes M.B.	2,330	14	15	—	1	29	12.4	1.04	0.82	19	17	36	15.5	0.83	1.10	—	—	—	—
Machynlleth	1,830	10	10	—	—	26	14.2	1.02	0.92	10	15	25	13.7	0.88	1.03	—	—	—	—
Montgomery M.B.	1,860	10	13	—	—	23	26.7	1.11	1.89	7	1	8	9.3	0.83	0.66	—	54	5	2
Newtown and Llanilwchafarn ..	5,380	55	36	2	—	91	17.3	0.97	1.07	31	37	68	12.6	0.96	1.03	1	11	—	4
Welshpool M.B.	6,070	47	42	2	1	92	15.2	0.96	0.93	34	32	66	10.9	1.04	0.97	1	—	—	—
	27,180	210	194	7	9	420	15.5	1.15	1.14	182	139	321	11.8	0.90	0.91	13	31	10	6
Rural Districts	5,170	45	49	2	—	96	18.6	1.09	1.29	37	36	73	14.1	0.74	0.89	1	10	1	1
Forden	9,870	72	63	1	5	141	14.3	1.18	1.07	68	45	113	11.4	0.96	0.94	4	29	3	3
Llanfyllin	3,040	17	16	2	1	36	11.8	1.19	0.89	22	17	39	12.8	0.88	0.96	2	56	2	—
Machynlleth	9,100	76	66	2	3	147	16.2	1.15	1.19	55	41	96	10.5	0.92	0.83	6	41	4	4
Newtown and Llanidloes ..																			
	94,260	798	681	33	32	1,544	16.4	1.04	1.09	573	496	1,069	11.3	1.04	1.00	50	33	38	36
PEMBROKESHIRE:																			
Municipal Boroughs and Urban Districts	46,200	427	368	14	16	825	17.9	1.02	1.16	271	240	511	11.1	1.07	1.02	30	37	23	17

Pembroke M.B.	13,760	135	110	3	5	253	18.4	1.04	1.22	0.75	67	83	156	10.9	0.97	0.84	—	40	8	1
Tenby M.B.	4,410	23	24	2	2	51	11.6	1.02	0.75	35	34	34	69	15.6	0.85	1.13	—	39	1	1
Rural Districts	48,060	371	313	19	16	719	15.0	1.07	1.02	302	256	558	558	11.6	1.00	0.99	20	28	15	19
Cemaes	8,970	72	57	2	6	137	15.3	1.17	1.14	75	65	140	140	15.6	0.90	1.20	2	7	1	2
Haverfordwest	22,820	176	151	9	1	337	14.8	1.01	0.95	110	101	211	211	15.2	1.15	0.90	2	7	1	1
Narberth	9,880	64	57	6	6	133	13.5	1.13	0.97	68	66	134	134	13.6	0.83	0.96	4	30	4	3
Pembroke	6,390	59	48	2	3	112	17.5	1.07	1.19	49	24	73	73	11.4	1.01	0.98	7	63	4	3
RADNORSHIRE:	19,210	114	121	4	10	249	13.0	1.16	0.96	145	133	278	278	14.5	0.89	1.10	5	20	4	7
Urban Districts	6,320	44	37	1	8	90	14.2	1.02	0.92	44	50	94	94	14.9	0.80	1.02	—	—	—	1
Knighton	1,830	15	12	—	5	32	17.5	1.02	1.14	11	11	22	22	12.0	0.78	0.80	—	—	—	—
Llandrindod Wells	3,230	19	17	1	2	39	12.1	1.00	0.77	23	27	50	50	15.5	0.80	1.06	—	—	—	—
Presteigne	1,260	10	8	—	1	19	15.1	1.09	1.05	10	12	22	22	17.5	0.84	1.26	—	—	—	—
Rural Districts	12,890	70	84	3	2	159	12.3	1.24	0.97	101	83	184	184	14.3	0.94	1.15	5	32	4	6
Colwyn	1,610	6	9	—	—	15	9.3	1.22	0.72	17	10	27	27	16.8	0.98	1.41	—	—	—	2
Knighton	3,040	9	21	—	—	30	9.9	1.24	0.78	21	19	40	40	13.2	1.03	1.16	2	67	2	2
New Radnor	2,190	19	13	—	—	32	14.6	1.20	1.12	16	16	32	32	14.6	0.90	1.12	1	31	1	1
Paincastle	1,790	11	16	3	—	30	16.8	1.20	1.28	10	7	17	17	9.5	0.90	0.73	1	34	1	—
Knayader	4,260	25	25	—	2	52	12.2	1.28	0.99	37	31	68	68	16.0	0.91	1.24	1	19	1	2

TABLE 13 —Deaths by Sex at each year of Age } **England and Wales**
(with Marital Condition), 1956

Included in this Table are 536 cases (234 Males and 302 Females) in which the age of deceased was not definitely stated ; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case. The deaths of divorced men and women are included with the deaths of widowed.

See Explanatory notes on page v.

Age last birthday	Persons	MALES					FEMALES				
		Total	Single	Married	Widowed	Not stated	Total	Single	Married	Widowed	Not stated
All Ages.	521331	267904	37251	154966	65509	10178	253427	48988	78522	125793	124
0-4	18930	10946	10946	—	—	—	7984	7984	—	—	—
0	16554	9629	9629	—	—	—	6925	6925	—	—	—
1	940	503	503	—	—	—	437	437	—	—	—
2	601	340	340	—	—	—	261	261	—	—	—
3	450	248	248	—	—	—	202	202	—	—	—
4	385	226	226	—	—	—	159	159	—	—	—
5-9	1456	857	857	—	—	—	599	599	—	—	—
5	350	197	197	—	—	—	153	153	—	—	—
6	303	179	179	—	—	—	124	124	—	—	—
7	292	181	181	—	—	—	111	111	—	—	—
8	267	155	155	—	—	—	112	112	—	—	—
9	244	145	145	—	—	—	99	99	—	—	—
10-14	1090	668	668	—	—	—	422	422	—	—	—
10	221	142	142	—	—	—	79	79	—	—	—
11	195	119	119	—	—	—	76	76	—	—	—
12	220	132	132	—	—	—	88	88	—	—	—
13	226	130	130	—	—	—	96	96	—	—	—
14	228	145	145	—	—	—	83	83	—	—	—
15-19	1575	1076	978	5	—	93	499	471	26	—	2
15	222	151	151	—	—	—	71	71	—	—	—
16	293	197	197	—	—	—	96	96	—	—	—
17	356	245	244	1	—	—	111	107	4	—	—
18	354	234	229	1	—	4	120	109	10	—	1
19	350	249	157	3	—	89	101	88	12	—	1
20-24	2205	1464	764	190	2	508	741	400	332	4	5
20	375	252	158	6	—	88	123	93	28	—	2
21	446	304	174	15	1	114	142	92	48	1	1
22	454	301	153	35	1	112	153	82	71	—	—
23	466	310	142	71	—	97	156	66	87	2	1
24	464	297	137	63	—	97	167	67	98	1	1
25-29	2669	1632	595	612	7	418	1037	311	709	13	4
25	473	306	115	97	—	94	167	68	96	1	2
26	501	311	133	93	1	84	190	53	136	1	—
27	511	305	119	114	—	72	206	65	139	1	—
28	563	329	118	135	3	73	234	65	162	6	—
29	621	381	110	173	3	95	240	60	176	4	—
30-34	3776	2106	532	1140	29	405	1670	365	1247	55	3
30	658	371	95	175	7	94	287	74	206	5	2
31	670	394	115	192	7	80	276	58	212	6	—
32	749	405	100	227	1	77	344	66	269	8	—
33	796	455	113	260	7	75	341	79	245	17	—
34	903	481	109	286	7	79	422	88	315	19	—
35-39	5191	2887	550	1873	53	411	2304	418	1783	99	4
35	1102	619	130	392	10	87	483	91	370	21	—
36	1079	576	93	382	9	92	503	98	386	19	—
37	915	512	94	329	10	79	403	76	311	16	—
38	952	542	125	344	7	66	410	74	316	18	—
39	1143	638	108	426	17	87	505	79	400	25	—
40-44	8691	4871	790	3480	119	482	3820	659	2920	235	—
40	1390	784	153	526	19	86	606	104	459	43	—
41	1506	837	149	579	16	93	669	118	514	36	—
42	1784	945	148	680	20	97	839	137	641	58	—
43	1961	1126	177	814	25	110	835	151	629	54	—
44	2050	1179	163	881	39	96	871	149	677	44	—
45-49	14837	8771	1191	6727	245	608	6066	1017	4584	461	—
45	2297	1310	184	976	32	118	987	170	743	72	—
46	2668	1567	226	1189	41	111	1101	183	841	77	—
47	2968	1752	247	1348	54	103	1216	184	943	88	—
48	3275	1986	249	1536	61	140	1289	242	946	101	—
49	3629	2156	285	1678	57	136	1473	238	1111	123	—

TABLE 13—continued

Age last birth-day	Persons	MALES					FEMALES				
		Total	Single	Married	Widowed	Not stated	Total	Single	Married	Widowed	Not stated
50-54	23200	14529	1612	11473	646	798	8671	1491	6128	1046	6
50	3823	2363	273	1850	92	148	1460	251	1054	154	1
51	4126	2547	291	2013	113	130	1579	271	1127	180	1
52	4639	2891	344	2268	112	167	1748	293	1240	214	1
53	5151	3280	365	2576	171	168	1871	341	1290	238	2
54	5461	3448	339	2766	158	185	2013	335	1417	260	1
55-59	33634	21280	2085	16860	1381	954	12354	1985	8022	2343	4
55	6215	3989	431	3145	227	186	2226	370	1502	353	1
56	6510	4120	452	3230	240	198	2390	375	1625	389	1
57	6515	4207	397	3382	251	177	2308	376	1503	429	—
58	6957	4340	394	3465	301	180	2617	424	1660	532	1
59	7437	4624	411	3638	362	213	2813	440	1732	640	1
60-64	45303	27323	2349	21178	2799	997	17980	2915	10677	4978	10
60	7811	4789	423	3775	392	199	3022	527	1817	675	3
61	8079	4842	436	3825	406	175	3237	515	1899	822	1
62	9023	5527	480	4243	600	204	3496	584	1926	982	4
63	9857	5869	471	4562	644	192	3988	628	2178	1180	2
64	10533	6296	539	4773	757	227	4237	661	2257	1319	—
65-69	60606	34521	2846	25252	5391	1032	26085	3904	11966	10198	17
65	10877	6387	542	4869	773	203	4490	685	2316	1484	5
66	11099	6336	525	4725	891	195	4763	744	2271	1744	4
67	12252	7013	569	5148	1073	223	5239	809	2396	2030	4
68	13080	7435	568	5397	1262	208	5645	821	2493	2328	3
69	13298	7350	642	5113	1392	203	5948	845	2490	2612	1
70-74	77628	40651	3481	26089	9984	1097	36977	5430	12603	18929	15
70	14262	7735	692	5284	1546	213	6527	976	2476	3070	5
71	14392	7711	669	5106	1732	204	6681	978	2462	3238	3
72	15583	8199	660	5373	1928	238	7384	1096	2558	3728	2
73	16404	8399	690	5194	2299	216	8005	1164	2625	4215	1
74	16987	8607	770	5132	2479	226	8380	1216	2482	4678	4
75-79	87265	41684	3368	22030	15233	1053	45581	7016	10527	28022	16
75	17144	8483	777	4839	2627	240	8661	1307	2298	5050	6
76	17636	8578	697	4746	2918	217	9058	1388	2269	5396	5
77	17088	8146	633	4366	2962	185	8942	1379	2143	5420	—
78	17691	8306	610	4156	3319	221	9385	1472	1991	5918	4
79	17706	8171	651	3923	3407	190	9535	1470	1826	6238	1
80-84	74261	32144	2417	12808	16083	836	42117	6880	5677	29544	16
80	16893	7548	607	3357	3376	208	9345	1554	1556	6228	7
81	15675	6975	529	2882	3399	165	8700	1399	1243	6055	3
82	14817	6406	494	2567	3175	170	8411	1329	1209	5871	2
83	14154	6021	441	2204	3217	159	8133	1323	950	5860	—
84	12722	5194	346	1798	2916	134	7528	1275	719	5530	4
85-89	42189	15717	977	4412	9950	378	26472	4524	1636	20302	10
85	11424	4583	328	1406	2725	124	6841	1187	517	5135	2
86	10010	3768	227	1094	2357	90	6242	1053	452	4734	3
87	8103	3013	165	848	1932	68	5090	878	300	3912	—
88	6891	2431	151	622	1605	53	4460	729	207	3520	4
89	5761	1922	106	442	1331	43	3839	677	160	3001	1
90-94	14008	4170	205	766	3112	87	9838	1757	268	7811	2
90	4376	1401	59	305	1009	28	2975	525	106	2343	1
91	3490	1067	49	189	803	26	2423	416	67	1939	—
92	2689	798	45	134	604	15	1891	337	48	1506	—
93	1982	550	33	82	424	11	1432	271	29	1132	—
94	1471	354	19	56	272	7	1117	208	18	891	—
95-99	2588	576	37	68	450	21	2012	398	17	1597	—
95	1003	261	15	38	199	9	742	156	2	584	—
96	725	163	11	18	129	5	562	109	11	442	—
97	432	85	9	7	63	6	347	67	3	277	—
98	265	38	1	4	32	1	227	41	1	185	—
99	163	29	1	1	27	—	134	25	—	109	—
0 and over	229	31	3	3	25	—	198	42	—	156	—

**TABLE 14—Constructed Analysis of 1956 Deaths
by Age and Marital Condition.**

} England and Wales

Note.—In this table the deaths of unstated marital condition in each age group (which are shown separately in Table 13) have been distributed proportionately amongst those of stated condition in the age group.

Age Groups	Persons	MALES				FEMALES			
		Total	Single	Married	Widowed	Total	Single	Married	Widowed
All Ages	521331	267904	38995	161546	67363	253427	49013	78570	125844
0-4	18930	10946	10946	—	—	7984	7984	—	—
5-9	1456	857	857	—	—	599	599	—	—
10-14	1090	668	668	—	—	422	422	—	—
15-19	1575	1076	1071	5	—	499	473	26	—
20-24	2205	1464	1170	291	3	741	403	334	4
25-29	2669	1632	800	823	9	1037	312	712	13
30-34	3776	2106	659	1411	36	1670	366	1249	55
35-39	5191	2887	641	2184	62	2304	419	1786	99
40-44	8691	4871	877	3862	132	3820	660	2925	235
45-49	14837	8771	1280	7228	263	6066	1018	4587	461
50-54	23200	14529	1706	12140	683	8671	1492	6132	1047
55-59	33634	21280	2183	17651	1446	12354	1986	8024	2344
60-64	45303	27323	2438	21980	2905	17980	2917	10082	4981
65-69	60606	34521	2934	26030	5557	26085	3906	11974	10205
70-74	77628	40651	3577	26813	10261	36977	5432	12608	18937
75-79	87265	41684	3455	22601	15628	45581	7018	10531	28032
80-84	74261	32144	2482	13150	16512	42117	6883	5679	29555
85-89	42189	15717	1001	4521	10195	26472	4526	1636	20310
90-94	14008	4170	209	782	3179	9838	1757	268	7813
95-99	2588	576	38	71	467	2012	398	17	1597
100 and over	229	31	3	3	25	198	42	—	156

TABLE 15—Deaths at Different Ages, 1956

England and Wales, Standard Regions, Wales,
Conurbations, London A.C., City of London,
Metropolitan and County Boroughs.
Urban and Rural Aggregates in each Adminis-
trative County.

See Explanatory notes on page v.

Age	Sex	England & Wales	Northern			East and West Ridings			North Western			
		Total	Tyneside Conurbation	Remainder	Total	West Yorkshire Conurbation	Remainder	Total	South East Lancashire Conurbation	Merseyside Conurbation	Remainder	
All Ages	M	267,904	19,642	5,108	14,534	25,897	11,232	14,665	41,535	15,596	7,969	17,970
	F	253,427	17,020	4,521	12,499	23,581	10,846	12,735	40,142	15,285	7,564	17,293
Under 4 weeks	M	6,899	589	146	443	734	273	461	1,145	447	278	420
4 weeks and under 3 months	F	4,880	466	118	348	490	188	302	810	284	213	313
	M	1,121	125	26	99	107	53	54	208	77	59	72
	F	785	74	19	55	65	24	41	160	51	48	61
3-5 months	M	922	90	20	70	108	39	69	163	69	46	48
6-11 months	F	701	59	17	42	80	29	51	127	50	33	44
	M	687	54	12	42	71	26	45	120	44	19	57
	F	559	50	6	44	74	27	47	98	39	19	40
Total under 1 year	M	9,629	858	204	654	1,020	391	629	1,636	637	402	597
	F	6,925	649	160	489	709	268	441	1,195	424	313	458
1-	M	503	29	7	22	70	27	43	76	24	15	37
2-	F	437	41	8	33	45	14	31	74	30	22	22
	M	340	23	3	20	40	12	28	61	31	7	23
	F	261	15	4	11	24	10	14	43	12	7	24
3-	M	248	17	4	13	26	10	16	37	19	7	11
4-	F	202	14	4	10	17	10	7	42	13	13	16
	M	226	22	10	12	19	7	12	35	10	12	13
	F	159	14	2	12	17	6	11	31	9	6	16
Total under 5 years	M	10,946	949	228	721	1,175	447	728	1,845	721	443	681
	F	7,984	733	178	555	812	308	504	1,385	488	361	536
5-	M	857	52	11	41	82	31	51	139	54	22	63
10-	F	599	52	12	40	58	23	35	101	36	22	43
	M	668	46	11	35	73	23	50	93	40	19	34
	F	422	29	5	24	34	10	24	66	27	11	28
15-	M	1,076	95	16	79	99	29	70	147	42	38	67
20-	F	499	44	9	35	51	16	35	73	30	17	26
	M	1,464	119	23	96	131	50	81	197	67	32	98
	F	741	48	14	34	90	38	52	119	44	30	45
25-	M	1,632	135	28	107	161	67	94	237	85	51	101
30-	F	1,037	87	27	60	87	37	50	156	48	39	69
	M	2,106	186	48	138	216	94	122	357	140	69	148
	F	1,670	137	47	90	167	67	100	272	101	47	124
35-	M	2,887	240	58	182	282	117	165	451	176	92	183
40-	F	2,304	195	72	123	240	103	137	363	121	95	147
	M	4,871	383	100	283	489	230	259	780	305	159	316
	F	3,820	294	70	224	394	165	229	652	254	129	269
45-	M	8,771	637	191	446	849	384	465	1,526	622	296	608
50-	F	6,066	428	105	323	553	260	293	1,012	403	198	411
	M	14,529	1,143	307	836	1,418	629	789	2,502	1,008	460	1,034
	F	8,671	641	172	469	851	376	475	1,458	585	295	578
55-	M	21,280	1,619	457	1,162	2,130	982	1,148	3,660	1,424	732	1,504
60-	F	12,354	919	247	672	1,211	582	629	2,158	881	356	921
	M	27,323	1,984	547	1,437	2,823	1,289	1,534	4,645	1,751	936	1,958
	F	17,980	1,311	379	932	1,823	864	959	3,152	1,258	539	1,355
65-	M	34,521	2,519	705	1,814	3,366	1,551	1,815	5,648	2,187	1,089	2,372
70-	F	26,085	1,960	528	1,432	2,556	1,228	1,328	4,516	1,754	772	1,990
	M	40,651	2,894	728	2,166	4,095	1,714	2,381	6,415	2,357	1,197	2,861
	F	36,977	2,664	698	1,966	3,658	1,722	1,936	6,309	2,403	1,209	2,697
75-	M	41,684	3,024	784	2,240	3,998	1,745	2,253	6,150	2,278	1,080	2,792
80-	F	45,581	2,994	789	2,205	4,251	2,015	2,236	7,570	2,905	1,354	3,311
	M	32,144	2,391	601	1,790	2,946	1,229	1,717	4,366	1,537	782	2,047
	F	42,117	2,546	670	1,876	3,811	1,743	2,068	6,293	2,409	1,135	2,749
85 and over	M	20,494	1,226	265	961	1,564	621	943	2,377	802	472	1,103
	F	38,520	1,938	499	1,439	2,934	1,289	1,645	4,487	1,538	955	1,994

TABLE 15—continued

Age	Sex	North Mid- land	Midland			Eastern	London and South Eastern			South- ern	South Western
			Total	West Midlands Conurbation	Remainder		Total	Greater London	Remainder		
All Ages	M	19,915	25,462	12,642	12,820	19,374	63,031	45,735	17,296	16,194	19,306
	F	18,303	22,849	11,107	11,742	18,561	63,019	44,535	18,484	15,783	19,279
Under 4 weeks	M	555	772	375	397	466	1,339	999	340	401	410
4 weeks and under 3 months	F	384	527	252	275	339	957	730	227	275	279
	M	99	124	70	54	73	198	142	56	61	50
	F	70	80	42	38	53	140	100	40	39	39
3-5 months	M	81	103	50	53	42	172	118	54	48	47
6-11 months	F	63	78	43	35	54	120	81	39	41	34
	M	55	67	37	30	51	148	109	39	38	34
	F	39	72	27	45	36	104	77	27	22	34
Total under 1 year	M	790	1,066	532	534	632	1,857	1,368	489	548	541
	F	556	757	364	393	482	1,321	988	333	377	386
1-	M	45	45	17	28	39	93	68	25	26	35
	F	31	42	20	22	25	93	66	27	30	30
2-	M	25	47	29	18	22	64	42	22	17	25
	F	22	28	12	16	23	54	41	13	17	17
3-	M	18	34	18	16	15	44	32	12	19	22
	F	12	17	7	10	13	49	36	13	11	14
4-	M	25	22	11	11	13	51	38	13	17	8
	F	7	27	13	14	9	27	18	9	8	9
Total under 5 years	M	903	1,214	607	607	721	2,109	1,548	561	627	631
	F	628	871	416	455	552	1,544	1,149	395	443	456
5-	M	69	87	34	53	78	187	141	46	47	61
	F	38	67	27	40	40	136	88	48	31	42
10-	M	46	75	32	43	43	149	105	44	39	64
	F	29	51	28	23	35	105	71	34	17	23
15-	M	71	102	40	62	94	209	148	61	84	103
	F	39	60	27	33	30	91	73	18	32	32
20-	M	112	170	76	94	123	293	213	80	110	109
	F	53	71	44	27	48	169	133	36	39	53
25-	M	117	189	89	100	132	351	280	71	96	113
	F	93	111	51	60	59	235	184	51	66	70
30-	M	147	224	110	114	151	454	347	107	102	150
	F	139	177	84	93	110	367	271	96	82	115
35-	M	214	328	175	153	198	635	481	154	147	170
	F	183	228	118	110	136	543	432	111	118	133
40-	M	358	532	299	233	333	1,161	900	261	233	310
	F	259	380	200	180	263	900	708	192	182	241
45-	M	624	962	523	439	554	2,084	1,644	440	425	554
	F	422	650	322	328	376	1,481	1,133	348	331	408
50-	M	973	1,493	784	709	943	3,434	2,685	749	778	893
	F	598	831	414	417	584	2,107	1,612	495	454	583
55-	M	1,532	2,173	1,143	1,030	1,222	5,059	3,916	1,143	1,146	1,407
	F	927	1,193	604	589	752	2,914	2,166	748	660	824
60-	M	1,896	2,596	1,372	1,224	1,654	6,479	4,977	1,502	1,456	1,878
	F	1,280	1,716	860	856	1,151	4,044	2,966	1,078	1,000	1,296
65-	M	2,481	3,266	1,638	1,628	2,311	8,177	6,024	2,153	2,009	2,401
	F	1,846	2,372	1,140	1,232	1,797	6,092	4,387	1,705	1,521	1,821
70-	M	2,977	3,716	1,784	1,932	2,961	9,507	6,876	2,631	2,463	2,948
	F	2,640	3,171	1,566	1,605	2,578	8,871	6,271	2,600	2,204	2,680
75-	M	3,246	3,800	1,889	1,911	3,225	9,802	6,868	2,934	2,688	3,081
	F	3,319	4,105	2,015	2,090	3,293	11,296	7,916	3,380	2,790	3,404
80-	M	2,544	2,796	1,276	1,520	2,677	7,650	5,235	2,415	2,106	2,562
	F	3,052	3,685	1,771	1,914	3,239	10,914	7,487	3,427	2,802	3,459
85 and over	M	1,605	1,739	771	968	1,954	5,291	3,347	1,944	1,638	1,871
	F	2,758	3,110	1,420	1,690	3,518	11,210	7,488	3,722	3,011	3,636

TABLE 15—continued

Age	Sex	Wales (including Monmouthshire)			Con- urbations	Areas outside conurbations			
		Total	Wales I (South East)	Wales II (Remainder)		Urban areas, with populations of 100,000 and over	Urban areas, with populations of 50,000 and under 100,000	Urban areas, with populations under 50,000	Rural Districts
All Ages	M	17,548	12,462	5,086	98,282	35,638	20,597	61,149	52,238
	F	14,890	10,192	4,698	93,858	33,245	20,479	57,844	48,001
Under 4 weeks	M	488	364	124	2,518	959	552	1,600	1,270
4 weeks and under 3 months	F	353	255	98	1,785	627	424	1,115	929
	M	76	58	18	427	157	90	261	186
	F	65	51	14	284	96	70	195	140
3-5 months	M	68	55	13	342	127	81	227	145
6-11 months	F	45	37	8	253	108	68	159	113
	M	49	35	14	247	92	62	134	152
	F	30	23	7	195	64	45	141	114
Total under 1 year	M	681	512	169	3,534	1,335	785	2,222	1,753
	F	493	366	127	2,517	895	607	1,610	1,296
1-	M	45	28	17	158	45	53	142	105
2-	F	26	20	6	160	52	25	109	91
	M	16	9	7	124	53	19	69	75
	F	18	16	2	86	40	16	58	61
3-	M	16	12	4	90	34	23	47	54
4-	F	13	10	3	83	24	16	43	36
	M	14	8	6	88	33	8	53	44
	F	10	5	5	54	20	14	38	33
Total under 5 years	M	772	569	203	3,994	1,500	888	2,533	2,031
	F	560	417	143	2,900	1,031	678	1,850	1,517
5-	M	55	39	16	293	111	54	208	191
10-	F	34	24	10	208	74	36	149	132
	M	40	29	11	230	86	55	146	151
	F	33	20	13	152	42	37	105	86
15-	M	72	44	28	313	121	88	233	321
20-	F	47	32	15	172	65	43	108	111
	M	100	69	31	461	148	89	324	442
	F	51	41	10	303	97	53	151	137
25-	M	101	75	26	600	215	114	324	379
30-	F	73	49	24	386	122	99	217	213
	M	119	82	37	808	252	180	445	421
	F	104	75	29	617	242	129	387	295
35-	M	222	152	70	1,099	369	243	623	553
40-	F	165	128	37	941	334	159	476	394
	M	292	223	69	1,993	655	366	1,054	803
	F	255	194	61	1,526	517	278	834	665
45-	M	556	414	142	3,660	1,216	606	1,823	1,466
50-	F	405	300	105	2,421	781	444	1,337	1,083
	M	952	698	254	5,873	2,105	1,063	3,076	2,412
	F	561	408	153	3,454	1,191	625	1,869	1,532
55-	M	1,332	1,000	332	8,654	2,952	1,634	4,549	3,491
60-	F	796	565	231	4,836	1,679	939	2,731	2,169
	M	1,912	1,380	532	10,872	3,876	2,053	5,996	4,526
	F	1,207	864	343	6,866	2,377	1,415	4,021	3,301
65-	M	2,343	1,696	647	13,194	4,785	2,658	7,665	6,219
70-	F	1,604	1,122	482	9,809	3,433	2,055	5,951	4,837
	M	2,675	1,898	777	14,656	5,560	3,162	9,336	7,937
	F	2,202	1,528	674	13,869	5,006	2,953	8,424	6,725
75-	M	2,670	1,870	800	14,644	5,236	3,235	9,920	8,649
80-	F	2,559	1,726	833	16,994	6,043	3,746	10,331	8,467
	M	2,106	1,422	684	10,660	4,051	2,500	7,811	7,122
	F	2,316	1,526	790	15,215	5,479	3,466	9,735	8,222
85 and over	M	1,229	802	427	6,278	2,400	1,609	5,083	5,124
	F	1,918	1,173	745	13,189	4,732	3,324	9,160	8,115

TABLE 15—continued—London A.C., City of London, Metropolitan Boroughs

Age	Sex	London Administrative County	City of London	Battersea	Bermondsey	Bethnal Green	Camberwell	Chelsea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead
All Ages	M	19,557	50	659	315	286	991	361	525	179	679	494	917	672	
	F	18,760	17	564	254	272	929	454	427	178	645	380	928	610	
Under 4 weeks	M	473	2	25	7	9	26	7	15	10	17	5	19	22	
4 weeks & under 3 months	F	357	1	10	8	7	22	8	2	8	15	8	14	9	
	M	66	—	3	1	4	3	1	2	—	3	4	1	2	
	F	39	—	1	2	1	2	2	1	—	1	1	4	—	
3-5 months	M	44	—	2	1	—	3	1	—	—	2	1	1	1	
6-11 months	F	46	—	—	—	—	4	—	3	3	2	—	1	2	
	M	47	—	—	1	—	2	1	—	—	4	—	3	1	
	F	34	—	1	—	1	3	1	2	—	1	1	1	2	
Total under 1 year	M	630	2	30	10	13	34	10	19	10	26	10	24	26	
	F	476	1	12	10	9	31	11	8	11	19	10	20	13	
1—	M	25	—	2	—	—	—	—	—	1	3	1	1	—	
	F	28	—	—	—	—	2	—	1	—	1	—	—	1	
2—	M	23	—	—	—	—	—	—	—	—	—	—	—	—	
	F	19	—	—	—	1	1	—	1	1	—	—	—	—	
3—	M	13	—	—	—	1	—	1	—	—	1	1	—	—	
	F	15	—	—	—	—	—	—	—	—	—	1	—	—	
4—	M	14	—	—	—	—	2	—	—	—	2	—	—	—	
	F	5	—	—	—	—	—	—	—	—	—	—	—	—	
Total under 5 years	M	705	2	32	10	14	36	11	19	11	32	14	25	28	
	F	543	1	12	10	10	34	11	10	12	20	11	20	14	
5—	M	67	—	4	1	2	5	1	2	—	1	2	4	6	
	F	42	—	5	1	—	—	—	—	—	3	2	4	—	
10—	M	44	—	2	1	—	1	—	1	1	3	2	2	1	
	F	32	—	1	—	—	—	—	—	—	—	2	1	—	
15—	M	63	—	4	—	1	3	1	—	—	2	1	6	4	
	F	29	—	2	—	1	1	1	—	1	1	—	—	2	
20—	M	98	—	7	—	1	5	1	1	—	8	2	1	5	
	F	54	—	—	—	1	3	1	2	—	2	1	—	3	
25—	M	136	1	4	—	2	5	4	1	—	2	3	8	1	
	F	91	—	1	—	—	—	—	—	2	3	6	3	1	
30—	M	157	1	5	3	1	7	1	5	4	9	7	4	8	
	F	127	—	3	1	2	5	1	2	1	2	3	8	5	
35—	M	235	2	11	4	5	11	4	4	2	8	7	9	13	
	F	181	—	8	2	2	8	3	—	—	9	3	12	6	
40—	M	384	1	13	3	7	19	5	13	3	16	5	24	24	
	F	308	—	7	4	8	20	6	11	2	8	9	13	11	
45—	M	720	2	22	16	15	34	10	19	8	24	23	40	25	
	F	497	—	21	9	6	28	7	8	6	11	15	29	18	
50—	M	1,100	3	41	19	19	59	17	34	12	41	22	67	34	
	F	593	1	17	5	10	29	7	11	6	21	10	36	24	
55—	M	1,595	9	58	29	21	91	22	45	11	51	34	73	57	
	F	877	2	17	16	13	41	8	25	15	25	20	34	30	
60—	M	2,139	8	63	31	31	107	30	51	23	57	63	115	68	
	F	1,261	1	32	10	34	52	19	39	20	50	27	68	38	
65—	M	2,620	9	74	38	40	144	42	76	28	102	60	120	109	
	F	1,916	6	74	40	24	83	37	50	21	71	31	111	57	
70—	M	2,947	4	116	67	49	128	56	83	32	102	86	134	100	
	F	2,698	—	78	43	52	132	60	59	27	96	55	147	99	
75—	M	2,983	4	94	48	43	166	53	93	21	101	79	128	82	
	F	3,361	2	112	45	45	155	74	75	34	117	67	170	118	
80—	M	2,213	3	75	31	19	102	61	51	17	78	57	102	66	
	F	3,120	2	87	33	30	182	84	68	19	112	67	141	92	
85 and over	M	1,351	1	34	14	16	68	42	27	6	42	27	55	41	
	F	3,030	2	87	35	33	153	134	62	12	94	52	131	92	

TABLE 15—continued—Metropolitan Boroughs

	Sex	Holborn	Islington	Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth	Westminster	Woolwich
	M	151	1,335	766	1,233	1,364	613	387	581	824	351	642	678	252	2,474	536	804
	F	110	1,231	1,006	1,156	1,149	649	350	556	704	337	554	508	281	2,785	415	720
r & un- months	M	2	43	21	34	28	25	10	6	23	6	5	19	5	39	13	17
	F	6	30	23	24	24	18	14	5	15	1	13	15	5	26	6	6
	M	—	5	3	8	2	—	—	—	3	—	1	3	3	3	1	6
is is	M	1	5	4	2	1	4	1	—	2	2	—	2	—	3	3	—
	F	1	2	1	5	1	2	2	—	1	—	2	1	—	4	1	5
	M	—	3	2	2	3	—	—	1	3	2	1	2	2	5	2	1
nder ear	M	4	55	29	50	34	33	11	7	30	8	9	25	10	50	19	24
	F	9	36	30	33	27	22	19	5	23	4	17	18	8	34	7	13
	M	—	2	2	1	1	2	—	—	3	—	1	2	—	1	1	—
	M	—	3	2	2	1	1	—	2	—	—	4	2	—	4	—	—
	F	—	5	1	1	2	1	—	—	1	—	1	2	—	3	—	2
	M	—	4	1	2	1	2	—	—	—	—	1	—	—	—	—	—
	M	—	—	1	—	2	—	—	—	1	—	—	1	—	3	—	1
	F	—	4	—	—	—	—	—	—	2	—	1	2	—	2	—	1
	M	—	2	—	—	1	—	—	—	—	—	—	—	—	4	—	—
nder earn	M	6	64	34	52	40	36	11	7	35	8	12	30	10	61	20	27
	F	10	48	33	38	29	25	7	7	26	5	23	22	8	44	8	14
	M	—	3	—	6	2	3	1	—	4	2	2	4	—	3	1	3
	M	—	2	1	3	4	—	1	—	2	1	1	1	2	6	—	2
	F	—	5	—	3	3	—	1	1	1	2	2	3	—	3	2	2
	M	—	3	—	2	4	4	1	1	1	1	2	—	—	6	—	—
	M	—	4	5	3	3	3	1	—	3	—	2	3	—	8	2	3
	F	—	2	2	1	1	2	—	1	—	—	1	1	—	4	—	1
	M	—	7	6	2	2	10	2	3	10	—	—	6	2	8	6	2
	M	—	3	6	1	1	1	2	—	5	—	2	4	4	4	3	1
	F	—	6	9	8	2	6	8	3	6	—	3	3	5	8	1	4
	M	—	12	9	9	3	6	1	5	6	1	6	6	4	14	10	6
	M	—	6	5	8	8	8	3	3	2	—	3	3	2	8	5	8
	F	—	12	13	13	8	8	3	6	6	2	3	5	1	16	5	8
	M	2	8	5	11	6	8	3	3	4	—	2	5	2	13	4	7
	M	2	13	14	19	11	12	6	4	5	5	11	5	1	27	9	7
	F	2	14	13	7	6	12	3	4	9	2	5	3	1	26	4	9
	M	4	33	17	28	24	11	9	8	15	4	17	17	5	31	11	8
	M	4	20	15	16	19	15	6	8	9	2	7	19	7	26	15	13
	F	9	46	31	35	47	34	17	15	37	9	30	16	11	88	25	23
	M	4	35	27	32	26	17	10	10	22	7	8	22	8	63	11	19
	M	8	89	38	67	51	39	27	25	53	20	36	33	12	119	38	46
	F	3	35	29	42	33	17	16	14	24	8	14	26	6	77	23	27
	M	15	118	58	104	97	54	35	47	79	33	52	53	20	176	62	67
	F	8	61	48	56	45	34	12	30	33	10	30	25	8	126	23	41
	M	21	146	102	126	142	77	52	46	88	41	81	84	28	257	67	89
	M	9	90	73	76	83	45	24	30	42	20	29	33	20	167	31	62
	F	20	171	93	182	173	72	50	77	133	36	82	103	40	305	66	113
	M	8	107	97	111	102	67	42	56	81	27	72	61	30	251	48	85
	M	20	175	108	186	210	85	56	105	112	48	101	89	30	400	74	122
	F	17	189	122	175	156	89	45	83	105	62	85	75	34	380	59	97
	M	26	213	106	190	197	81	50	101	119	59	85	110	36	427	76	125
	F	15	200	180	202	219	100	60	113	114	70	100	82	43	554	71	127
	M	11	138	86	120	203	55	44	80	74	56	73	80	35	310	42	95
and r	M	16	201	165	201	211	113	59	90	119	62	84	69	57	491	54	114
	F	2	86	54	88	148	27	21	55	44	25	47	31	17	221	20	58
	M	11	207	181	174	202	94	39	102	102	60	86	57	49	539	60	97

TABLE 15—continued — County Boroughs

Age	Sex	Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol
All Ages	M	451	476	470	885	6,375	796	1,165	1,109	367	1,025	2,032	1,144	2,727
	F	353	361	544	868	5,703	781	1,244	1,111	336	1,263	2,016	1,233	2,668
Under 4 weeks	M	16	13	10	28	189	13	15	25	22	15	51	21	69
4 weeks & under 3 months	F	10	8	9	31	129	7	16	15	12	11	42	16	28
	M	2	1	—	6	36	2	4	5	7	2	11	3	7
	F	1	2	—	6	17	2	1	2	2	2	5	—	7
3-5 months	M	4	2	1	5	29	2	2	6	4	1	4	2	4
6-11 months	F	2	1	1	3	16	2	1	3	4	2	8	1	7
	M	1	1	—	3	18	2	3	1	—	1	8	1	4
	F	2	—	—	1	15	1	1	3	3	1	7	1	3
Total under 1 year	M	23	17	11	42	272	19	24	37	33	19	74	27	84
	F	15	11	10	41	177	12	19	23	21	16	62	18	45
1—	M	2	—	—	—	9	2	1	2	1	—	5	—	4
	F	2	1	—	4	11	—	1	3	1	1	2	1	4
2—	M	1	—	—	—	9	2	2	2	—	1	—	—	8
	F	1	—	—	2	8	1	3	—	1	1	—	—	3
3—	M	—	—	—	1	10	1	1	3	1	1	1	—	4
	F	—	2	—	1	4	—	—	—	—	—	2	—	1
4—	M	1	—	—	5	5	—	—	2	—	1	1	1	—
	F	2	1	—	1	8	2	—	2	—	—	—	—	2
Total under 5 years	M	27	17	11	44	305	24	28	46	35	22	83	29	100
	F	20	15	10	49	208	16	23	28	23	18	66	19	55
5—	M	1	1	3	3	17	3	6	3	1	—	5	2	6
	F	1	4	—	2	10	—	2	3	—	—	8	2	5
10—	M	1	—	2	1	18	2	1	1	3	3	6	—	12
	F	1	—	—	3	13	1	—	—	1	1	3	2	2
15—	M	1	—	7	4	22	2	3	3	4	2	6	3	8
	F	1	—	1	5	11	1	—	2	—	1	2	1	3
20—	M	3	2	—	4	39	2	5	8	4	4	7	4	12
	F	—	2	3	2	22	1	3	3	2	2	8	2	2
25—	M	5	3	1	5	46	3	2	10	1	10	14	2	14
	F	1	4	1	7	29	2	4	2	3	1	5	10	14
30—	M	4	5	3	6	45	5	2	12	4	5	22	6	20
	F	4	3	4	3	40	4	6	5	5	5	20	8	17
35—	M	7	6	5	10	90	5	8	14	3	6	26	10	28
	F	3	1	3	4	54	3	11	10	4	3	19	10	27
40—	M	8	8	3	18	147	12	19	19	12	15	45	22	44
	F	3	11	9	21	107	9	11	23	6	13	27	10	36
45—	M	11	12	16	34	285	26	41	43	17	20	65	40	91
	F	13	8	4	16	162	16	24	19	11	17	35	24	62
50—	M	29	22	27	44	375	45	62	67	26	44	116	58	169
	F	8	6	21	34	201	19	43	34	14	32	67	29	99
55—	M	48	38	35	78	557	77	95	90	36	75	177	79	194
	F	14	11	26	40	313	34	65	69	17	49	101	51	93
60—	M	37	47	48	108	693	79	153	143	47	86	253	102	311
	F	28	24	30	60	453	71	89	82	25	64	148	80	188
65—	M	56	54	53	116	825	114	167	150	33	134	269	140	344
	F	31	50	38	83	589	105	142	142	30	112	223	102	265
70—	M	69	85	65	125	946	147	191	178	48	163	301	178	416
	F	71	52	63	152	778	142	192	180	55	198	322	198	398
75—	M	78	84	80	127	949	116	170	159	42	188	287	187	413
	F	72	72	97	145	1,039	160	248	203	64	248	379	237	503
80—	M	40	71	57	90	632	86	134	103	36	138	210	148	328
	F	43	52	111	111	911	126	223	204	46	253	332	211	462
85 and over	M	26	21	54	68	384	48	79	60	15	110	140	134	217
	F	39	46	123	131	763	71	157	102	30	246	251	246	437

TABLE 15—continued—County Boroughs

Age	Sex	Burton upon Trent	Bury	Canterbury	Carlisle	Chester	Covevtry	Croydon	Darlington	Derby	Dewsbury	Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester
es	M	344	384	166	454	350	1,256	1,427	503	895	387	539	317	393	634	493	722	376
	F	335	416	166	408	352	998	1,550	481	839	332	448	277	543	546	528	558	354
nder weeks & un-3 months	M	7	7	4	13	20	54	16	17	27	7	15	10	3	10	8	24	9
	F	4	6	3	10	13	44	20	12	18	4	11	6	2	5	14	19	11
	M	1	2	2	2	1	5	6	—	4	1	4	3	—	5	—	5	2
	F	1	—	—	1	1	3	4	2	5	1	1	—	—	2	4	2	1
3-5 months	M	—	—	—	3	—	6	10	3	4	3	—	3	2	6	3	3	6
	F	1	—	1	1	—	9	6	3	—	—	7	3	—	—	3	2	2
5-11 months	M	2	—	—	2	—	2	3	2	—	2	—	3	—	—	2	1	1
	F	2	—	—	2	1	1	2	2	—	2	—	—	1	2	1	—	—
nder year	M	10	9	7	20	21	67	35	21	37	13	19	19	5	23	13	32	18
	F	7	6	4	14	15	57	32	18	23	7	19	8	3	9	19	24	14
1—	M	1	—	1	2	—	2	2	1	—	1	3	2	1	2	—	—	1
	F	—	1	—	1	1	1	2	2	—	1	1	—	—	1	—	2	1
2—	M	1	—	1	—	2	3	1	—	1	1	—	1	—	—	1	—	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	M	2	1	—	2	—	—	—	2	—	1	—	1	—	—	1	1	—
	F	—	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
4—	M	—	—	—	—	1	1	1	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—
nder years	M	13	11	9	24	22	71	39	24	38	16	22	23	6	25	15	33	19
	F	8	8	4	15	19	64	37	20	24	9	21	8	5	10	21	26	17
5—	M	1	2	—	2	—	8	6	1	1	2	2	2	—	—	3	3	—
	F	—	2	—	—	1	3	4	2	2	1	1	—	—	1	—	—	1
10—	M	1	1	—	1	1	5	3	2	3	1	3	2	—	1	2	2	2
	F	1	1	—	—	2	3	3	—	3	2	—	1	—	—	1	1	—
15—	M	1	—	—	3	—	8	3	—	4	1	6	1	1	—	1	1	3
	F	1	—	—	—	1	1	1	1	—	—	2	2	—	—	2	2	1
20—	M	1	3	1	1	—	8	2	1	1	1	2	5	—	2	1	4	—
	F	1	1	1	2	—	3	3	1	2	1	3	1	2	2	1	1	3
25—	M	2	1	—	3	2	11	9	1	6	4	1	4	2	3	3	3	3
	F	1	1	—	2	—	5	3	1	—	—	4	2	—	1	3	3	1
30—	M	1	3	—	5	2	12	10	3	5	3	10	3	2	2	6	7	4
	F	—	2	1	4	5	10	4	1	5	—	7	3	4	2	2	7	3
35—	M	2	2	1	5	3	22	12	9	7	5	8	7	2	6	5	7	1
	F	4	2	3	1	3	18	11	2	8	—	4	8	4	5	1	12	4
40—	M	7	7	3	5	6	27	26	9	19	5	8	4	4	8	10	12	7
	F	5	5	—	6	7	24	25	6	9	7	7	7	4	3	2	7	7
45—	M	8	16	8	16	12	57	55	17	38	11	28	11	6	19	9	21	9
	F	8	11	3	7	9	37	30	8	22	6	10	13	10	13	12	13	7
50—	M	20	25	7	28	25	95	74	26	58	17	30	21	16	45	21	54	16
	F	10	13	4	6	12	50	52	16	31	8	16	10	12	27	17	20	16
55—	M	33	30	12	44	34	131	134	46	69	33	41	32	15	61	35	70	42
	F	23	30	10	28	12	53	49	27	41	13	24	23	17	29	21	26	16
60—	M	26	48	15	51	36	139	136	53	100	35	67	30	41	63	54	72	42
	F	22	29	3	23	28	77	90	41	50	32	30	22	25	37	27	44	31
65—	M	47	61	17	61	39	190	173	65	128	52	58	41	47	74	68	96	46
	F	31	53	14	46	37	112	136	51	83	39	47	26	52	67	50	79	29
70—	M	43	56	19	69	52	176	221	87	141	68	87	39	61	96	71	97	41
	F	42	70	23	66	48	148	190	65	140	42	67	32	80	66	76	84	43
75—	M	78	47	35	56	53	134	211	65	137	72	74	49	69	110	74	110	63
	F	65	87	35	82	63	170	290	86	151	63	83	40	95	118	88	91	61
80—	M	37	46	22	50	44	109	179	65	93	42	59	31	64	68	65	85	53
	F	53	64	32	73	53	126	292	84	137	62	62	53	121	89	103	84	59
85 and over	M	24	26	17	30	17	53	134	29	47	19	33	9	57	51	50	45	25
	F	59	37	33	47	52	94	330	69	125	47	61	25	112	76	101	58	55

TABLE 15—continued—County Boroughs

Age	Sex	Great Yarmouth	Grimsby	Halifax	Hastings	Huddersfield	Ipswich	Kingston upon Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough	Newcastle upon Tyne	Northampton	Norwich
All Ages	M	345	577	757	521	885	639	1,731	3,034	1,558	441	4,583	4,232	960	1,744	696	6,689
	F	311	486	738	702	901	568	1,489	2,727	1,642	407	4,278	4,243	746	1,535	593	6,689
Under 4 weeks	M	5	30	18	7	10	25	66	95	34	14	160	145	31	43	14	13
4 weeks & under 3 months	F	9	16	5	6	15	11	41	57	26	5	117	96	31	44	10	9
	M	—	3	2	1	4	2	6	22	4	1	36	25	18	9	2	1
	F	1	3	2	1	1	—	7	6	4	2	34	20	4	7	2	—
3-5 months	M	—	9	3	—	1	3	10	12	4	2	27	24	6	3	3	1
6-11 months	F	—	3	3	—	4	2	13	9	6	3	17	17	4	8	1	—
	M	—	5	2	—	1	—	14	6	4	—	11	17	4	5	2	—
	F	—	1	1	—	2	1	4	8	4	—	10	13	4	2	—	—
Total under 1 year	M	7	47	25	8	16	30	65	135	46	17	234	211	59	60	19	17
	F	10	23	12	7	22	14	96	80	40	10	178	146	43	61	15	17
1—	M	1	4	4	1	1	—	3	10	4	2	10	11	—	3	—	—
	F	—	—	1	—	—	—	5	7	3	1	8	7	1	2	—	—
2—	M	1	—	—	—	2	2	2	3	3	—	4	10	2	—	—	—
	F	1	—	—	—	—	—	3	2	3	—	—	3	1	2	—	—
3—	M	—	2	1	—	1	2	2	2	—	—	5	4	2	1	1	—
	F	—	—	—	—	—	1	1	5	—	—	11	3	1	1	2	—
4—	M	—	2	—	—	3	—	4	2	1	—	8	1	1	4	—	—
	F	—	—	1	—	1	1	1	3	—	—	5	1	4	1	—	—
Total under 5 years	M	9	55	31	9	23	34	107	152	56	19	264	237	64	69	22	2
	F	11	23	14	7	24	18	77	97	46	11	206	162	50	68	15	1
5—	M	1	2	3	—	—	5	9	10	3	—	14	15	6	4	—	—
	F	—	1	—	—	—	1	5	4	—	1	14	10	4	5	—	—
10—	M	2	—	1	1	1	1	6	6	6	—	10	15	2	3	2	—
	F	—	2	1	—	1	1	5	2	1	1	5	8	1	1	—	—
15—	M	—	3	3	1	—	1	8	4	1	1	20	10	3	4	3	—
	F	1	—	1	2	2	3	9	2	4	—	7	8	3	3	—	—
20—	M	—	4	3	2	2	2	21	4	2	2	14	25	7	8	2	—
	F	—	—	—	—	2	—	8	12	4	—	20	11	2	6	—	—
25—	M	1	3	4	3	5	2	19	26	4	3	29	21	10	12	2	—
	F	1	5	2	1	—	—	6	14	6	—	22	16	3	11	—	—
30—	M	1	1	7	4	7	3	16	33	16	2	41	36	9	13	1	—
	F	2	6	2	2	8	4	19	13	15	6	27	38	6	18	2	—
35—	M	4	4	6	5	10	7	30	30	14	7	56	47	8	25	3	—
	F	1	8	8	2	6	6	20	24	15	7	56	43	6	22	10	—
40—	M	4	6	15	9	12	14	31	78	19	9	90	96	25	33	6	—
	F	4	3	10	2	17	9	33	45	18	5	61	81	23	25	8	—
45—	M	6	13	24	11	34	20	71	107	59	11	164	192	39	68	13	—
	F	4	10	8	12	31	16	28	73	46	8	114	114	26	41	10	—
50—	M	13	35	27	17	53	35	106	182	85	14	274	309	76	109	26	—
	F	9	16	19	7	25	17	66	113	59	9	159	178	29	62	14	—
55—	M	26	58	54	28	76	35	154	284	126	26	419	393	80	162	75	—
	F	9	23	39	20	56	29	70	140	87	15	201	245	44	98	35	—
60—	M	30	46	79	42	107	75	174	361	163	42	526	472	97	169	64	—
	F	23	36	51	43	63	32	119	228	99	23	312	347	56	119	43	—
65—	M	47	72	114	57	123	77	226	407	211	66	631	603	122	251	83	—
	F	26	49	71	60	103	52	137	287	175	38	464	459	92	167	50	—
70—	M	67	81	108	95	133	97	266	444	247	71	707	600	128	240	126	—
	F	40	69	143	105	139	78	198	443	230	44	685	636	111	218	85	—
75—	M	60	88	119	92	155	83	248	456	245	77	638	602	129	282	103	—
	F	61	99	138	139	178	97	273	483	298	90	785	796	117	265	116	—
80—	M	42	60	119	77	102	84	162	282	178	62	436	361	105	207	104	—
	F	52	87	127	145	132	98	237	434	302	77	643	641	100	238	113	—
85 and over	M	32	46	40	68	41	64	92	151	121	29	250	198	50	85	59	—
	F	66	49	104	155	113	112	179	313	233	68	497	450	73	168	92	—

TABLE 15—continued—County Boroughs

Age	Sex	Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens	Salford	Sheffield	Smethwick	Southampton	Southend-on-Sea	Southpor	South Shields	Stockport
All Ages	M	836	508	1,279	1,423	729	668	626	493	685	1,099	3,136	395	1,119	995	637	641	949
	F	873	572	1,159	1,402	720	680	645	384	498	966	2,718	308	946	1,144	750	570	944
Under 4 weeks & under 3 months	M	27	9	33	40	15	12	14	16	17	41	77	9	46	14	10	18	24
	F	9	11	13	17	16	8	9	9	16	16	50	6	23	14	6	9	18
	M	2	4	1	7	5	3	3	—	7	7	10	3	10	—	3	6	6
	F	5	—	2	5	3	2	5	1	4	3	3	—	2	1	4	3	5
3-5 months	M	3	—	5	5	6	1	2	6	2	5	11	1	7	2	1	1	7
	F	2	1	4	3	6	—	—	1	4	4	4	1	5	—	—	—	—
6-11 months	M	1	1	1	5	3	2	3	—	1	6	4	1	6	1	1	2	—
	F	—	2	3	2	1	1	—	1	—	1	7	—	1	—	1	—	4
Total under 1 year	M	33	14	40	57	29	19	22	22	27	59	102	14	69	17	15	27	39
	F	16	14	22	27	26	13	14	12	24	24	64	7	31	15	11	13	27
1—	M	2	—	1	1	1	2	2	1	3	—	6	—	—	—	1	—	2
	F	—	—	1	3	1	2	1	1	2	1	3	—	3	1	2	—	1
2—	M	—	—	2	—	—	—	—	—	—	4	8	1	2	—	—	1	—
	F	—	—	1	1	—	—	—	—	—	2	2	—	1	—	—	—	—
3—	M	1	—	3	1	1	—	—	2	1	—	1	1	—	—	—	—	3
	F	2	—	2	2	2	—	—	—	1	—	2	—	—	—	1	2	1
4—	M	1	—	—	3	1	2	—	—	—	1	1	—	—	—	—	—	1
	F	—	—	—	1	—	—	1	—	1	3	4	1	—	—	—	—	—
Total under 5 years	M	37	14	46	62	32	23	24	25	32	64	118	16	71	18	16	28	46
	F	18	14	26	34	30	15	17	13	28	31	75	8	35	16	15	15	29
5—	M	2	2	5	2	1	4	2	—	1	1	3	—	2	1	2	1	6
	F	2	1	2	4	3	2	—	—	2	2	5	2	5	1	4	1	3
10—	M	—	—	2	1	—	2	—	2	3	2	7	1	2	1	1	3	1
	F	—	4	2	4	1	—	1	—	1	2	5	—	—	—	—	—	1
15—	M	3	6	9	7	2	3	—	3	3	4	8	1	5	2	2	2	3
	F	1	1	1	1	3	—	—	—	1	4	5	—	3	1	—	—	1
20—	M	4	3	9	9	5	4	2	6	1	5	16	2	3	1	3	4	6
	F	—	1	8	3	2	2	1	5	2	4	11	1	5	1	1	2	5
25—	M	1	1	8	10	7	6	1	1	4	10	17	1	5	3	3	8	—
	F	1	3	3	3	3	1	2	2	3	2	12	1	3	1	3	2	5
30—	M	10	9	9	9	6	5	5	5	15	19	19	2	13	—	5	5	4
	F	6	3	7	8	6	1	5	5	6	6	16	2	8	5	5	4	7
35—	M	7	2	12	16	6	5	4	10	7	9	29	9	7	11	2	3	6
	F	4	3	7	15	8	3	3	4	7	9	32	3	10	11	2	10	7
40—	M	17	8	21	24	16	6	12	13	19	29	60	13	16	22	10	12	17
	F	16	8	21	26	8	9	8	10	8	16	42	6	14	11	10	7	9
45—	M	29	15	39	49	29	17	13	16	24	42	104	18	49	26	15	29	28
	F	28	16	37	38	19	12	18	12	15	29	55	5	20	20	11	14	25
50—	M	48	39	62	65	51	31	38	21	58	89	193	33	70	53	33	34	63
	F	43	17	43	41	25	21	21	18	16	27	98	17	48	31	20	26	34
55—	M	68	34	105	113	73	58	62	35	52	112	257	36	100	61	39	52	75
	F	60	24	60	66	49	25	37	17	31	63	140	10	51	40	16	29	46
60—	M	104	59	135	128	91	84	73	52	75	132	360	37	119	96	83	76	109
	F	90	37	79	93	54	38	48	25	46	92	199	24	63	66	50	51	73
65—	M	133	60	197	194	78	86	89	65	105	139	400	59	156	149	89	81	135
	F	100	42	114	136	87	61	83	47	70	125	299	41	97	103	50	65	108
70—	M	139	79	208	233	133	92	94	72	101	174	513	62	180	151	92	104	132
	F	133	93	160	219	112	116	118	63	77	159	438	50	150	176	122	101	159
75—	M	117	76	184	228	94	106	111	83	96	134	472	47	142	163	108	88	170
	F	175	92	214	246	157	122	118	58	80	167	501	52	163	189	162	103	193
80—	M	79	67	150	156	67	85	59	65	66	97	377	33	114	136	85	82	102
	F	131	95	198	228	80	126	100	58	67	140	464	53	149	226	139	82	143
85 and over	M	38	43	78	112	40	51	32	24	31	42	183	25	67	101	48	29	46
	F	65	118	177	242	75	126	62	44	41	88	321	33	122	246	139	58	96

TABLE 15—continued—County Boroughs

Age	Sex	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff	Merthyr Tydfil	Newport (Mon.)	Swansea
All Ages	M	1,635	1,029	418	439	617	680	478	483	939	477	470	939	359	653	1,472	392	566	1,000
	F	1,405	835	384	375	564	571	416	394	830	398	435	852	398	648	1,337	339	533	1,000
Under 4 weeks	M	43	40	10	9	15	26	22	16	22	20	20	30	13	13	51	13	23	100
4 weeks & under 3 months	F	33	23	7	5	16	11	12	7	18	24	11	18	7	8	34	10	16	100
	M	10	11	2	5	3	4	3	4	8	7	3	4	2	1	12	3	3	100
	F	6	2	2	1	1	3	3	4	3	1	—	4	—	2	10	1	—	100
3-5 months	M	7	7	2	—	4	3	4	2	5	4	3	3	1	1	4	—	1	100
6-11 months	F	4	2	—	—	—	—	—	1	2	3	—	3	—	2	7	—	2	100
	M	6	4	—	1	—	2	1	—	2	2	—	3	1	2	2	—	4	100
	F	6	4	—	1	—	2	1	—	2	2	—	3	1	2	2	—	4	100
Total under 1 year	M	64	64	14	15	22	35	33	22	38	33	26	38	18	15	69	17	31	100
	F	49	31	11	8	20	19	16	13	25	28	20	27	8	14	55	15	18	100
1—	M	5	—	1	—	1	2	5	—	3	1	3	1	1	1	4	—	1	100
	F	2	—	3	—	—	1	1	—	2	2	—	—	—	1	2	—	—	100
2—	M	2	3	—	—	—	—	—	4	2	—	2	2	3	—	—	—	1	100
	F	3	3	—	1	—	2	1	—	1	—	—	—	1	—	—	—	—	100
3—	M	2	2	—	1	—	1	—	1	1	—	—	1	—	1	—	—	1	100
	F	—	1	—	—	—	—	1	—	—	—	—	—	—	—	3	—	—	100
4—	M	2	—	1	—	—	3	—	—	—	1	—	1	—	—	—	—	1	100
	F	2	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	100
Total under 5 years	M	75	70	15	16	23	43	38	27	44	34	31	43	22	18	73	18	35	100
	F	56	31	15	10	24	21	19	14	30	31	21	28	11	15	61	15	20	100
5—	M	8	4	1	2	—	4	2	—	2	—	1	—	—	1	3	1	—	100
	F	2	2	2	1	—	—	3	—	2	—	—	—	—	2	2	—	2	100
10—	M	8	1	—	—	2	1	—	—	1	1	—	4	1	2	1	—	—	100
	F	1	1	—	—	1	—	4	1	1	1	—	—	—	2	2	—	—	100
15—	M	3	3	4	1	5	2	1	3	3	2	3	4	1	3	7	1	3	100
	F	3	5	—	2	2	3	2	2	1	—	—	2	—	3	4	1	2	100
20—	M	6	6	2	2	3	2	1	1	5	8	3	4	3	3	4	1	1	100
	F	4	3	—	—	3	3	1	1	5	—	—	2	—	2	8	1	1	100
25—	M	15	11	—	2	6	4	2	5	3	6	1	6	2	3	7	1	5	100
	F	8	5	2	2	3	2	1	—	2	6	1	4	—	4	4	2	—	100
30—	M	21	13	2	1	3	5	2	2	4	6	7	12	—	7	13	1	2	100
	F	13	7	2	4	5	5	2	6	8	2	3	6	3	5	15	4	3	100
35—	M	22	11	7	5	7	9	3	8	15	6	6	12	5	7	23	7	7	100
	F	12	6	6	7	7	4	3	4	10	7	6	12	3	14	11	5	8	100
40—	M	38	16	9	8	13	15	12	21	21	14	7	12	5	12	21	7	9	100
	F	27	12	4	3	4	9	11	13	13	5	5	17	4	11	22	7	7	100
45—	M	60	36	17	12	25	30	21	16	42	14	15	32	18	18	46	7	15	100
	F	39	24	9	11	15	15	11	8	15	17	12	32	9	12	35	10	11	100
50—	M	105	78	29	26	38	43	17	35	57	22	29	57	21	28	71	23	41	100
	F	62	28	17	17	23	17	14	15	25	10	19	29	18	26	52	8	17	100
55—	M	154	86	41	48	57	69	45	48	67	41	44	78	33	54	126	42	51	100
	F	98	47	16	20	30	26	24	25	39	20	27	38	17	26	69	22	34	100
60—	M	196	116	39	49	71	52	55	62	110	57	57	116	38	87	202	42	52	100
	F	129	68	35	33	30	32	32	36	68	32	45	60	25	48	89	29	45	100
65—	M	240	123	59	56	83	92	64	67	129	67	62	124	47	65	206	52	90	100
	F	169	103	40	52	56	59	49	55	93	46	56	77	38	53	141	35	56	100
70—	M	230	141	59	74	101	89	73	58	153	64	78	120	46	120	224	59	73	100
	F	210	118	55	65	91	107	63	50	135	60	74	119	50	96	191	43	80	100
75—	M	210	157	68	74	72	102	68	61	137	69	49	144	57	97	209	64	69	100
	F	246	159	77	61	110	102	59	70	156	51	62	162	69	114	242	69	72	100
80—	M	168	117	43	41	70	75	43	48	97	43	49	105	35	89	147	37	67	100
	F	206	107	56	52	89	91	68	60	116	67	74	128	66	108	202	52	96	100
85 and over	M	76	40	22	20	37	46	28	21	49	25	24	61	24	40	89	29	39	100
	F	120	99	48	35	71	68	49	39	109	42	30	132	83	109	188	35	79	100

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Bedford-shire		Berkshire		Buckinghamshire		Cambridgeshire		Cheshire		Cornwall		Cumberland		Derbyshire	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	1,170	601	688	1,174	1,044	1,165	514	563	4,013	1,306	1,340	960	573	791	2,221	1,925
	F	1,131	571	658	1,044	907	1,031	504	493	3,885	1,248	1,385	959	508	781	1,971	1,683
Under 4 weeks	M	41	16	18	23	26	28	11	9	88	27	22	21	23	23	58	57
4 weeks & under 3 months	F	24	13	13	26	17	19	11	7	65	21	25	21	14	19	37	39
	M	5	2	—	2	2	3	—	3	14	5	4	2	6	6	11	6
	F	2	—	4	2	4	1	2	—	12	4	3	1	1	7	5	3
3-5 months	M	3	2	3	4	1	7	2	2	11	3	3	2	2	—	6	7
6-11 months	F	5	1	4	3	1	2	1	1	6	2	2	—	2	—	7	6
	M	2	2	1	3	3	1	2	1	9	6	1	1	2	2	2	8
	F	2	1	1	2	—	2	1	—	12	1	2	1	3	3	5	9
Total under 1 year	M	51	22	22	32	34	39	15	15	122	41	30	26	33	31	77	78
	F	33	15	22	33	20	24	15	8	95	28	32	23	17	31	54	57
1—	M	1	1	2	3	2	2	—	2	6	—	2	2	—	3	6	5
	F	1	1	2	3	2	2	—	1	8	—	2	3	—	4	3	6
2—	M	2	—	—	1	1	—	—	—	4	1	—	—	2	—	3	1
	F	2	1	—	1	—	—	—	1	4	2	—	5	1	—	3	—
3—	M	1	—	—	6	1	—	1	—	4	3	2	1	—	—	1	—
	F	1	—	—	—	1	—	—	—	2	1	2	1	—	1	1	2
4—	M	—	—	—	—	—	2	—	—	1	2	—	—	—	—	—	1
	F	—	—	—	1	4	—	—	—	1	—	1	—	—	1	—	1
Total under 5 years	M	55	23	25	42	42	45	16	17	137	47	34	34	34	34	89	85
	F	37	17	24	38	24	27	15	10	110	32	37	27	19	37	61	66
5—	M	7	1	1	4	4	5	1	2	17	5	1	7	1	1	11	11
	F	5	3	—	2	—	1	1	—	10	5	1	1	3	2	1	6
10—	M	1	2	3	2	2	6	—	1	9	2	5	1	2	3	5	6
	F	1	—	1	2	2	1	—	—	8	3	2	—	2	4	4	4
15—	M	5	3	4	6	5	3	1	4	17	8	4	7	2	5	6	7
	F	1	—	—	4	2	4	—	—	9	1	2	2	2	2	5	5
20—	M	7	6	5	13	8	9	6	4	15	7	—	6	3	7	11	11
	F	3	2	2	2	1	1	2	3	5	—	5	1	1	2	5	6
25—	M	8	8	5	6	9	7	6	3	23	2	7	8	4	6	12	15
	F	5	—	2	7	3	5	—	4	15	3	2	4	1	2	10	12
30—	M	7	6	7	10	4	3	8	5	25	15	14	8	6	5	24	21
	F	8	1	3	6	1	4	2	3	30	9	9	3	5	8	19	14
35—	M	15	6	11	11	8	16	11	5	49	17	12	12	5	12	30	21
	F	6	6	7	9	10	11	3	5	33	16	12	10	6	7	14	24
40—	M	28	13	9	18	22	10	7	9	68	22	18	16	12	13	43	38
	F	25	9	7	8	6	15	7	7	74	18	14	9	4	16	34	22
45—	M	38	18	18	27	27	29	19	15	141	44	39	32	14	26	72	65
	F	20	17	10	27	27	16	9	13	99	33	63	19	10	12	40	31
50—	M	80	27	28	64	57	55	24	28	216	64	65	43	26	39	110	103
	F	36	19	21	29	29	30	15	11	135	42	38	23	12	32	82	71
55—	M	91	40	46	83	81	78	32	32	369	119	90	69	33	67	153	150
	F	49	25	29	37	40	35	18	22	190	63	57	41	30	38	110	85
60—	M	112	48	59	81	111	109	40	47	466	136	124	81	72	71	263	163
	F	75	43	38	63	71	72	32	32	284	91	90	72	40	49	141	119
65—	M	138	72	75	145	137	139	63	48	576	157	195	111	64	74	254	238
	F	114	54	48	109	103	104	38	37	424	120	135	96	61	92	226	185
70—	M	182	79	111	167	143	158	72	93	576	196	204	146	87	134	306	311
	F	168	72	95	137	114	142	69	67	559	198	194	143	88	119	309	262
75—	M	165	102	100	191	145	198	78	102	589	199	206	159	100	144	377	307
	F	180	105	131	183	163	163	96	108	728	231	247	166	102	144	351	319
80—	M	145	84	91	173	126	179	57	89	452	156	188	120	68	93	281	233
	F	180	101	107	174	152	193	83	91	678	210	253	146	69	112	311	243
85 and over	M	86	63	90	131	113	116	73	59	268	110	134	100	40	57	174	140
	F	218	97	133	207	159	207	113	78	494	173	255	196	53	103	248	209

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Devon		Dorset		Durham		Ely, Isle of		Essex		Gloucester-shire		Herefordshire		Hertfordshire	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	1,969	1,651	1,211	697	3,863	1,804	357	154	7,772	1,495	885	1,805	340	446	2,394	
	F	2,168	1,634	1,177	705	3,183	1,543	353	134	7,341	1,414	988	1,689	343	400	2,372	1
Under 4 weeks	M	29	29	37	17	117	53	3	5	177	30	20	45	12	14	72	
4 weeks & under 3 months	F	22	17	18	11	109	28	4	2	145	28	14	24	6	9	33	
	M	7	2	3	—	14	11	—	1	29	9	3	6	—	1	13	
	F	1	2	5	2	20	5	1	1	27	1	2	4	3	1	9	
3-5 months	M	4	2	2	1	34	10	—	—	20	—	4	4	1	1	3	
6-11 months	F	4	2	3	1	13	4	—	1	17	1	3	2	1	—	4	
	M	4	3	—	3	8	6	2	1	21	1	3	5	1	—	5	
	F	2	2	—	—	12	7	3	—	16	—	3	4	1	4	9	
Total under 1 year	M	44	36	42	21	173	80	5	7	247	40	30	60	14	16	93	
	F	29	23	26	14	154	44	10	4	205	30	22	34	11	14	55	
1—	M	2	5	—	1	7	2	—	1	18	1	1	3	—	2	6	
	F	2	4	—	—	8	2	—	—	15	—	2	2	—	—	3	
2—	M	3	—	1	2	7	—	—	1	7	1	—	3	—	1	4	
	F	3	1	—	—	3	1	—	—	7	1	—	3	—	1	2	
3—	M	2	—	1	2	4	1	—	—	8	2	—	4	1	—	4	
	F	1	—	—	1	2	1	—	—	11	1	1	2	1	—	3	
4—	M	1	—	—	—	3	2	—	—	7	1	—	—	—	—	1	
	F	1	—	1	2	8	1	—	—	3	2	—	1	—	—	1	
Total under 5 years	M	52	42	45	26	199	85	5	9	287	45	31	70	17	19	108	
	F	37	28	28	17	170	49	10	4	241	34	25	42	14	15	64	
5—	M	3	5	—	3	8	8	—	2	36	5	1	6	1	—	8	
	F	5	4	3	1	13	6	—	—	10	2	5	5	—	1	5	
10—	M	8	6	1	2	6	7	—	1	23	4	3	5	—	1	4	
	F	2	4	1	—	4	3	—	—	20	2	1	1	—	—	4	
15—	M	6	9	5	7	18	16	1	1	29	9	7	16	2	2	12	
	F	3	3	4	1	11	3	—	—	18	—	2	3	—	—	3	
20—	M	13	8	4	4	15	15	2	1	34	13	3	10	2	4	18	
	F	4	2	4	—	8	6	2	—	14	5	—	2	1	1	5	
25—	M	4	13	7	6	22	12	1	—	46	7	6	15	2	5	13	
	F	4	4	6	5	23	5	—	—	30	3	6	10	2	1	8	
30—	M	9	8	9	3	21	10	—	—	72	10	9	19	2	2	23	
	F	8	5	4	5	46	12	3	—	51	6	3	15	4	2	20	
35—	M	17	11	3	5	44	30	3	—	68	17	11	17	1	4	34	
	F	14	6	8	3	35	17	2	—	71	5	7	14	2	3	18	
40—	M	32	24	13	11	76	38	6	4	159	24	19	33	9	1	43	
	F	24	15	12	9	60	38	2	1	132	20	10	33	4	7	47	
45—	M	41	32	26	9	124	47	8	6	275	45	31	67	7	10	71	
	F	34	41	22	10	84	56	3	2	181	24	20	37	8	10	43	
50—	M	82	66	55	28	233	102	15	7	441	60	45	88	15	13	144	
	F	51	59	28	20	128	64	16	6	280	35	33	48	10	12	85	
55—	M	141	116	70	40	338	131	19	12	660	81	65	128	31	23	174	
	F	83	72	47	29	191	72	10	7	397	53	44	71	11	14	116	
60—	M	171	138	119	69	397	167	28	17	835	106	86	178	38	33	238	
	F	145	119	60	42	249	136	22	11	495	80	63	109	20	23	135	
65—	M	240	198	149	95	496	226	44	15	1,006	154	107	207	42	59	269	
	F	202	175	118	82	383	202	29	11	737	130	99	160	32	40	253	
70—	M	311	251	212	91	542	305	59	24	1,155	217	123	269	45	64	361	
	F	314	251	163	90	531	244	42	23	1,040	187	111	213	38	46	299	
75—	M	335	291	194	126	593	263	62	23	1,193	268	127	281	46	72	363	
	F	380	264	217	119	511	257	69	28	1,264	274	179	278	61	82	419	
80—	M	303	229	168	89	482	226	65	20	865	225	105	254	44	65	294	
	F	380	305	209	146	463	216	66	21	1,169	258	182	323	66	77	412	
85 and over	M	201	204	130	83	229	116	39	12	588	205	106	142	36	69	217	
	F	478	277	243	126	293	157	77	19	1,191	296	198	325	68	66	436	

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Huntingdon- shire		Kent		Lancashire		Leicester- shire		Lincolnshire, Parts of Holland		Lincolnshire, Parts of Kesteven		Lincolnshire, Parts of Lindsey		Middlesex
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	
Ages	M	231	183	7,257	2,278	11,656	1,912	867	1,092	253	384	354	481	899	912	11,500
	F	196	169	7,120	2,123	11,250	1,780	792	1,004	215	280	321	474	875	831	11,116
Under 4 weeks	M	7	3	156	58	297	55	26	26	7	14	10	10	30	21	264
4 weeks & under 3 months	F	4	2	111	28	221	40	26	14	4	8	2	15	22	13	184
	M	—	1	25	5	51	5	3	5	1	—	2	6	6	3	29
	F	—	2	20	6	30	6	5	5	2	3	—	1	5	3	25
3-5 months	M	1	—	28	6	34	4	3	3	1	1	2	5	1	2	31
6-11 months	F	—	4	18	5	39	7	2	4	—	1	2	2	4	1	15
	M	1	—	19	5	33	10	—	3	—	4	—	3	1	5	30
	F	1	—	16	5	29	6	—	3	1	—	—	—	4	2	8
Total under 1 year	M	9	4	228	74	415	74	32	39	9	19	14	24	38	31	354
	F	7	7	165	44	319	59	33	26	7	12	4	18	35	19	232
1—	M	—	—	12	3	19	3	5	4	—	—	2	1	1	2	16
	F	—	1	14	3	19	1	3	2	1	—	—	1	2	2	16
2—	M	—	—	3	5	15	4	1	1	—	—	1	—	1	1	8
	F	1	1	8	5	17	—	1	1	1	2	—	—	1	1	8
3—	M	—	—	7	—	5	2	—	—	—	—	—	1	1	4	9
	F	—	—	7	2	9	1	—	1	—	2	—	—	2	—	6
4—	M	—	—	9	1	11	3	—	2	—	1	—	—	—	1	8
	F	1	—	4	1	8	3	1	1	—	—	—	—	2	—	6
Total under 5 years	M	11	4	259	83	465	86	39	46	9	20	17	26	42	39	395
	F	7	9	198	55	372	64	37	31	9	16	4	19	41	22	268
5—	M	—	3	24	5	42	5	2	4	—	1	2	2	—	7	28
	F	—	1	14	9	20	6	4	2	—	2	1	2	—	—	21
10—	M	—	—	10	5	23	7	1	1	2	—	—	—	2	5	32
	F	1	—	17	6	18	1	—	3	—	—	—	1	—	2	14
15—	M	—	—	32	9	31	16	3	6	1	3	—	1	5	4	40
	F	1	—	10	2	17	4	1	5	—	2	—	—	3	3	17
20—	M	—	5	35	13	51	18	5	7	3	1	5	7	1	4	54
	F	—	—	20	4	38	8	4	3	—	—	1	—	5	1	38
25—	M	2	5	35	7	71	20	5	14	—	4	—	1	1	11	67
	F	1	1	23	8	36	13	3	4	3	4	1	3	4	6	55
30—	M	1	5	46	23	105	25	9	7	—	3	2	4	7	3	85
	F	—	1	45	10	68	10	5	7	1	—	1	7	7	2	53
35—	M	2	—	65	21	133	28	5	16	1	2	—	5	13	9	120
	F	1	1	55	10	100	16	10	7	2	2	—	6	5	3	112
40—	M	6	5	122	28	199	34	13	19	4	8	10	8	30	6	232
	F	2	2	94	29	189	25	12	11	—	8	4	8	16	13	181
45—	M	5	6	201	58	429	81	23	34	6	15	2	13	31	19	409
	F	—	—	150	44	278	51	26	27	1	7	8	7	11	11	305
50—	M	12	12	384	112	674	119	33	51	17	18	12	15	34	37	678
	F	4	12	238	77	425	64	27	34	5	8	12	12	23	26	465
55—	M	15	12	557	140	1,004	145	64	80	26	27	25	26	76	56	1,028
	F	10	10	303	97	611	117	52	44	11	11	12	24	32	37	564
60—	M	17	12	718	196	1,235	197	84	117	18	30	28	48	78	71	1,233
	F	15	9	437	145	919	141	57	67	21	19	27	27	67	38	739
65—	M	22	18	962	256	1,594	246	120	125	26	37	48	65	105	87	1,526
	F	21	15	647	190	1,282	209	80	104	18	24	18	52	89	72	1,071
70—	M	32	22	1,145	328	1,870	271	133	167	32	53	55	65	145	118	1,717
	F	24	28	1,000	300	1,782	266	103	144	25	38	49	70	126	116	1,520
75—	M	41	35	1,080	361	1,791	291	146	189	49	71	60	82	153	164	1,713
	F	34	25	1,297	394	2,117	330	145	163	45	49	63	78	152	170	1,942
80—	M	36	15	944	327	1,286	201	104	135	34	56	47	68	104	159	1,318
	F	26	30	1,267	361	1,763	274	119	174	34	40	65	81	148	152	1,866
85 and over	M	29	14	638	306	653	122	78	104	24	35	41	45	70	113	825
	F	47	25	1,305	382	1,215	190	107	174	40	50	53	77	146	157	1,885

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Norfolk		Northampton-shire		Northumber-land		Nottingham-shire		Oxfordshire		Peterborough, Soke of		Rutland		Shropshire	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	447	1,955	802	799	2,164	712	2,100	896	287	683	304	66	39	80	941	774
	F	434	1,751	743	727	1,941	642	1,877	862	280	623	317	46	47	66	854	774
Under 4 weeks	M	9	31	25	17	70	15	60	18	7	21	10	3	2	1	25	22
	F	9	24	10	14	50	14	53	17	—	15	9	1	—	2	20	17
	M	2	5	2	4	9	2	18	5	—	3	5	—	—	—	7	6
4 weeks & under 3 months	M	—	9	4	—	4	2	8	5	—	2	1	—	—	—	3	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-5 months	M	—	4	4	1	7	—	11	4	—	2	—	—	—	—	4	3
	F	1	3	3	—	8	1	7	3	1	3	4	—	—	—	—	—
	M	3	3	2	2	5	—	5	—	—	5	1	—	—	—	4	—
6-11 months	M	—	2	1	1	7	2	4	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total under 1 year	M	14	43	33	24	91	17	94	27	8	31	16	3	2	1	40	37
	F	10	38	18	15	69	19	72	26	8	20	14	1	2	2	26	25
1—	M	1	3	2	—	3	—	4	3	1	5	—	—	—	—	2	—
	F	1	2	—	—	—	3	2	1	—	4	1	1	—	—	1	—
2—	M	—	1	—	—	2	—	1	2	—	—	—	—	—	—	—	—
	F	—	3	—	4	4	2	3	2	—	2	—	—	—	—	—	—
3—	M	—	1	2	—	—	1	3	—	1	1	—	—	—	—	2	—
	F	—	3	1	—	—	—	2	—	—	1	—	—	—	—	—	—
4—	M	—	1	1	2	5	1	1	2	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—
Total under 5 years	M	15	49	38	30	101	21	103	34	10	37	17	3	2	1	44	36
	F	12	46	20	16	75	22	80	30	8	27	16	2	2	2	27	20
5—	M	2	8	1	—	5	3	7	4	—	4	—	1	—	—	4	—
	F	—	3	1	—	4	2	5	—	—	—	—	—	—	—	3	—
10—	M	—	3	1	3	4	—	5	2	2	—	1	—	—	—	2	—
	F	—	4	—	2	6	—	5	3	—	—	—	—	—	—	1	—
15—	M	1	13	2	1	14	2	8	6	1	8	—	2	—	—	2	—
	F	—	5	—	1	6	—	8	1	—	1	—	—	—	—	7	—
20—	M	3	18	5	3	12	6	14	10	1	7	1	1	—	2	—	—
	F	1	6	—	4	6	—	3	6	1	3	—	—	—	—	—	—
25—	M	1	22	5	6	14	4	12	7	3	4	—	1	—	—	8	—
	F	—	6	—	2	14	2	6	5	1	5	3	1	—	—	4	—
30—	M	2	11	5	3	25	8	14	9	3	6	—	1	—	—	—	—
	F	1	6	7	3	15	4	10	11	—	3	—	—	—	1	5	—
35—	M	6	12	6	11	21	8	29	10	3	9	5	1	—	—	7	—
	F	4	10	4	4	26	5	20	10	1	3	5	—	—	—	3	—
40—	M	6	28	14	12	40	17	41	11	4	12	6	1	—	—	17	—
	F	4	17	13	6	37	7	36	9	3	5	5	1	1	—	10	—
45—	M	14	45	23	25	79	17	82	27	8	18	10	3	2	3	27	1
	F	7	35	23	12	44	15	54	20	4	14	6	2	—	2	17	—
50—	M	27	67	27	24	130	21	113	62	15	33	15	7	1	6	45	2
	F	17	54	25	9	77	14	55	23	9	16	13	—	—	1	24	—
55—	M	29	90	63	51	191	38	166	71	22	50	20	3	1	9	76	4
	F	14	59	38	33	102	35	95	50	12	29	12	—	1	5	41	—
60—	M	36	143	72	65	248	63	218	73	33	54	32	4	3	9	102	—
	F	27	99	38	47	159	45	150	81	16	35	20	5	3	8	49	—
65—	M	42	218	85	92	278	93	267	117	30	71	48	8	3	9	104	8
	F	39	184	84	59	223	61	199	84	29	59	30	4	5	7	99	—
70—	M	58	317	117	126	305	98	293	131	40	106	42	5	8	10	136	11
	F	67	250	105	100	306	92	291	105	41	72	38	4	9	9	137	8
75—	M	80	369	151	120	317	123	323	147	44	104	45	10	12	13	149	12
	F	73	295	117	144	340	145	324	141	43	102	65	11	9	7	162	10
80—	M	74	319	109	132	248	117	276	112	33	85	38	8	5	10	118	12
	F	78	309	134	138	296	93	271	146	59	127	50	6	9	13	142	12
85 and over	M	51	223	78	95	132	73	129	63	35	73	21	7	3	8	90	7
	F	87	363	134	146	205	99	265	137	52	122	54	10	9	13	129	11

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Somerset		Southampton		Staffordshire		Suffolk, East		Suffolk, West		Surrey		Sussex, East		Sussex, West	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
Ages	M	1,535	1,603	2,136	1,745	3,893	1,221	608	856	260	531	6,913	842	1,279	1,117	1,422	1,057
	F	1,643	1,545	2,025	1,789	3,291	1,192	628	723	275	430	7,542	862	1,605	1,265	1,666	993
Under weeks & un-3 months	M	26	39	57	36	120	49	12	20	8	20	125	20	15	13	29	17
	F	18	26	45	28	97	27	8	17	4	5	68	15	13	11	22	17
	M	5	5	10	10	24	4	2	3	1	1	25	1	4	3	3	2
	F	2	3	3	7	14	4	1	—	—	1	18	2	1	—	6	3
3-5 months	M	1	3	10	3	13	5	2	1	—	2	15	4	2	2	3	1
	F	1	3	4	4	17	3	1	2	2	1	9	1	2	2	7	2
6-11 months	M	1	4	2	2	12	5	2	3	1	2	11	4	—	4	8	—
	F	3	3	7	2	13	5	1	2	—	2	14	4	1	1	1	1
al under 1 year	M	33	51	79	51	169	63	18	27	10	25	176	29	21	22	43	20
	F	24	35	59	41	141	39	11	21	6	9	109	22	17	14	36	23
1—	M	2	2	5	—	8	1	1	4	—	1	15	1	—	—	4	2
	F	1	4	2	—	9	2	—	—	1	—	11	3	2	—	1	2
2—	M	1	3	5	—	8	1	—	—	—	—	8	2	1	—	2	2
	F	1	2	6	2	2	3	1	2	—	—	2	2	—	1	—	1
3—	M	2	—	4	1	8	2	—	—	—	—	3	—	—	3	1	1
	F	—	1	2	2	4	—	—	—	—	—	5	—	—	1	1	2
4—	M	1	—	1	2	4	2	1	1	—	—	8	—	3	—	—	—
	F	1	—	1	2	3	3	—	1	—	—	6	—	—	—	1	1
al under 5 years	M	39	56	92	54	197	69	20	32	10	26	210	32	26	27	50	25
	F	27	42	74	49	159	47	12	26	7	9	133	27	19	19	39	28
5—	M	6	4	8	2	16	6	—	1	—	—	21	4	3	5	3	3
	F	3	4	7	2	10	6	1	—	—	—	21	1	3	4	1	4
10—	M	2	4	3	4	9	4	1	1	—	—	24	3	3	4	3	4
	F	2	2	2	2	14	1	1	—	—	2	12	2	—	2	2	3
—	M	5	10	15	6	11	9	3	7	—	2	22	8	3	1	3	3
	F	2	1	6	3	12	6	2	10	1	—	10	—	2	1	2	—
20—	M	7	15	16	20	26	15	1	12	1	8	23	3	6	3	6	11
	F	6	5	8	4	11	6	1	2	—	1	21	1	1	—	1	3
25—	M	8	9	6	9	28	13	1	5	3	6	39	5	3	2	6	7
	F	5	5	12	7	18	11	—	4	1	2	17	3	1	3	4	5
30—	M	12	10	12	12	49	5	4	5	3	3	53	6	5	1	7	6
	F	13	13	16	10	32	12	1	6	1	—	59	—	3	4	8	1
35—	M	11	9	18	24	48	20	8	2	1	6	48	16	7	4	17	10
	F	13	5	17	13	37	9	3	4	3	4	64	5	8	4	14	3
40—	M	16	25	32	23	91	14	9	6	2	4	135	18	17	8	18	8
	F	15	15	24	18	52	12	7	12	2	4	90	4	21	6	9	11
45—	M	39	43	58	37	148	31	14	12	7	8	212	19	25	30	32	24
	F	34	24	55	33	113	30	8	10	3	9	173	18	19	20	27	19
50—	M	59	54	92	75	229	69	29	32	8	17	396	33	40	38	56	33
	F	39	32	52	41	127	48	13	24	9	17	239	18	41	39	33	18
55—	M	111	111	161	94	359	85	37	45	15	22	587	52	76	57	91	60
	F	79	72	87	68	185	64	21	19	8	14	354	46	57	55	56	39
60—	M	173	160	190	119	377	112	42	55	20	43	698	78	93	79	105	83
	F	119	94	140	119	255	93	33	51	14	32	485	42	86	76	80	51
65—	M	147	210	260	205	472	149	85	88	33	59	868	115	180	138	153	124
	F	137	142	201	161	342	125	55	83	20	31	683	98	157	124	169	79
70—	M	253	260	326	251	598	192	98	151	45	76	1,000	120	196	169	216	165
	F	236	225	268	214	468	158	88	99	32	63	1,054	115	209	170	245	133
75—	M	257	261	381	340	605	182	101	163	47	100	1,049	124	254	233	281	204
	F	284	276	368	316	580	203	114	132	45	76	1,327	158	309	229	280	182
80—	M	229	204	259	257	406	158	96	123	40	89	877	117	186	171	215	148
	F	306	278	337	327	508	214	128	123	54	94	1,325	150	342	221	320	204
85 and over	M	161	158	205	213	224	88	59	116	24	62	651	89	156	147	160	139
	F	323	310	353	402	368	147	140	126	75	72	1,475	174	327	288	376	210

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Warwickshire		Westmorland		Wight, Isle of		Wiltshire		Worcestershire		Yorkshire, East Riding		Yorkshire, North Riding	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	1,818	1,026	207	220	506	115	1,154	1,059	1,552	666	761	669	1,345	1,841
	F	1,704	899	236	212	569	112	1,133	882	1,542	674	732	545	1,210	841
Under 4 weeks	M	47	29	2	3	8	1	24	26	45	12	20	14	46	2
4 weeks & under 3 months	F	31	20	3	2	4	2	22	15	25	10	11	8	26	2
	M	4	—	1	1	—	—	3	3	6	—	—	1	9	—
	F	7	3	1	—	—	—	3	4	4	1	2	3	9	—
3-5 months	M	8	3	—	—	1	—	3	2	10	1	1	2	6	—
6-11 months	F	5	3	1	—	2	—	2	1	5	1	1	—	2	—
	M	1	5	—	—	—	1	2	2	1	1	3	4	6	—
	F	6	2	1	—	1	—	3	4	6	3	3	3	2	—
Total under 1 year	M	60	37	3	4	9	2	32	33	62	14	24	21	67	2
	F	49	28	6	2	7	2	30	24	40	15	17	14	39	2
1—	M	1	1	—	—	1	1	3	7	5	—	1	—	1	—
	F	5	3	1	3	1	—	1	3	2	1	2	3	4	—
2—	M	4	—	—	—	1	—	—	—	4	—	1	—	2	—
	F	—	1	—	1	1	1	—	—	2	1	—	1	—	—
3—	M	—	—	—	—	—	—	2	1	1	1	—	1	1	—
	F	2	1	—	—	—	1	1	—	—	1	—	—	2	—
4—	M	2	—	—	—	1	—	3	2	1	1	—	—	—	—
	F	3	—	—	—	—	—	—	1	3	—	—	—	—	—
Total under 5 years	M	67	38	3	4	12	3	40	42	73	16	26	24	71	3
	F	59	33	7	6	9	4	32	30	47	18	20	19	47	2
5—	M	4	6	—	2	3	2	5	6	2	4	5	—	—	—
	F	6	2	—	—	2	—	2	4	3	4	—	—	2	—
10—	M	8	6	—	—	1	—	5	5	1	—	2	3	4	—
	F	3	1	—	—	—	—	3	3	4	1	—	1	2	—
15—	M	5	13	—	1	1	1	4	7	1	3	7	4	5	—
	F	2	—	—	—	1	—	1	6	5	4	—	—	3	—
20—	M	9	12	—	4	2	—	2	23	7	4	3	11	7	—
	F	3	4	—	—	—	—	3	8	4	—	1	2	4	—
25—	M	16	6	—	2	2	—	4	10	5	3	5	7	12	—
	F	7	3	—	—	2	—	3	5	4	—	3	6	5	—
30—	M	16	13	—	6	—	—	10	14	5	2	3	5	16	—
	F	5	8	1	—	2	3	6	7	12	2	2	5	9	—
35—	M	21	14	2	6	3	—	12	7	19	1	4	4	20	—
	F	18	8	2	1	2	—	5	5	18	4	3	5	13	—
40—	M	34	13	3	4	8	2	23	19	35	4	7	11	26	—
	F	29	12	4	4	5	—	16	15	22	13	4	11	15	—
45—	M	70	35	6	6	15	3	31	35	53	28	27	12	37	—
	F	48	21	3	4	8	2	26	19	37	20	11	11	20	—
50—	M	105	52	10	13	23	4	46	50	101	30	36	20	70	—
	F	58	33	7	11	15	5	33	34	49	16	23	10	55	—
55—	M	140	87	14	20	34	7	93	72	110	47	45	41	103	—
	F	80	37	8	10	26	6	49	40	76	27	34	19	64	—
60—	M	177	80	21	15	27	9	88	89	176	59	90	52	123	—
	F	123	60	11	11	39	10	74	55	116	36	54	29	79	—
65—	M	224	124	31	21	62	11	141	137	198	81	93	75	185	—
	F	163	96	23	21	46	13	85	94	146	53	76	46	116	—
70—	M	283	158	32	28	88	23	178	152	220	100	117	120	208	—
	F	229	124	46	41	80	12	144	109	206	94	108	77	199	—
75—	M	288	146	36	29	99	26	194	156	238	117	110	102	211	—
	F	304	168	49	35	102	12	216	151	226	119	99	99	241	—
80—	M	215	126	26	34	71	13	149	128	172	92	99	109	168	—
	F	294	145	45	37	102	20	217	156	245	120	150	106	171	—
85 and over	M	136	97	23	25	55	11	129	112	125	72	82	68	79	—
	F	273	144	30	31	128	25	218	163	251	132	126	104	165	—

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Yorkshire, West Riding		Anglesey		Brecknock- shire		Caernarvon- shire		Cardiganshire		Carmarthen- shire		Denbighshire	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	7,580	2,350	157	248	137	280	471	388	125	267	603	661	562	639
	F	7,138	2,037	125	209	93	205	548	343	143	282	481	570	591	477
Under 4 weeks	M	209	98	5	2	4	8	10	6	4	6	11	20	13	11
4 weeks & under 3 months	F	147	67	3	4	3	1	11	4	4	7	17	7	7	13
	M	24	14	1	1	1	2	3	3	—	1	—	—	—	3
	F	18	10	—	1	—	2	—	—	—	1	—	3	1	2
3-5 months	M	37	13	1	1	—	—	2	—	—	—	2	5	2	1
6-11 months	F	14	11	—	—	—	—	1	—	—	—	2	1	—	1
	M	13	12	—	—	—	—	3	—	—	2	—	—	2	1
	F	18	13	—	—	1	—	—	—	1	—	2	—	—	2
Total under 1 year	M	283	137	7	4	5	10	18	9	4	9	13	25	17	16
	F	197	101	3	5	4	3	14	4	5	5	12	21	8	18
1—	M	25	7	1	2	—	—	1	—	1	3	—	2	3	1
	F	10	6	—	—	—	—	—	1	—	—	—	—	—	3
2—	M	8	9	—	—	—	2	—	1	—	—	—	2	—	1
	F	10	1	—	—	—	1	—	—	—	—	1	—	—	1
3—	M	7	5	—	—	—	2	—	2	—	—	—	2	1	—
	F	3	—	—	—	—	—	—	—	1	—	—	1	—	—
4—	M	3	3	1	—	—	—	—	1	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	1	—	1	—	—	—	1
Total under 5 years	M	326	161	9	6	5	14	19	13	6	12	13	31	20	20
	F	222	110	3	5	4	4	15	6	6	6	13	22	9	21
5—	M	31	8	—	—	—	—	—	1	—	2	1	—	1	2
	F	24	5	—	3	1	1	2	—	—	—	1	—	—	—
10—	M	20	11	—	—	—	—	—	1	—	2	2	4	2	1
	F	8	3	—	1	1	—	1	—	2	1	—	3	—	1
15—	M	32	15	2	2	—	3	—	1	1	1	1	3	2	4
	F	11	6	—	—	—	—	1	1	—	2	—	2	1	3
20—	M	32	13	2	2	1	2	1	4	—	1	4	2	2	3
	F	33	6	—	1	—	1	1	1	—	—	2	3	—	3
25—	M	27	21	—	2	1	3	5	3	—	—	6	4	2	4
	F	26	7	—	—	—	2	4	—	—	2	2	2	2	1
30—	M	48	26	4	—	2	2	3	—	1	2	5	5	1	3
	F	40	17	1	4	1	—	6	3	2	3	2	6	4	2
35—	M	82	19	5	1	2	3	3	7	1	4	3	9	6	11
	F	64	28	3	2	—	—	—	1	1	2	5	8	5	5
40—	M	137	39	2	3	3	2	1	6	4	5	8	12	5	14
	F	127	37	1	1	1	5	4	7	2	4	8	12	8	6
45—	M	249	60	6	7	5	9	9	4	3	7	23	20	20	20
	F	190	47	3	4	2	4	7	8	6	6	13	19	12	13
50—	M	418	116	11	10	7	11	29	8	3	14	26	43	28	29
	F	261	76	2	6	3	13	17	16	3	4	10	23	18	23
55—	M	600	183	7	21	6	13	34	28	6	17	39	43	42	42
	F	405	93	5	10	4	10	24	15	6	16	34	36	32	21
60—	M	800	220	21	19	9	37	54	46	10	27	71	84	66	72
	F	568	168	10	12	6	12	36	29	9	14	46	39	40	43
65—	M	1,021	286	18	22	16	35	74	60	11	24	84	82	62	78
	F	803	242	11	24	11	16	62	34	19	24	58	59	46	49
70—	M	1,208	395	19	41	16	40	70	75	25	41	103	96	68	90
	F	1,092	294	23	32	12	25	92	66	20	45	76	98	87	63
75—	M	1,217	354	20	45	26	45	74	60	24	38	112	100	100	104
	F	1,293	337	18	36	11	53	105	49	18	56	69	95	112	76
80—	M	875	275	22	37	23	40	61	45	20	43	64	74	90	87
	F	1,125	319	19	33	17	30	87	55	22	51	77	80	117	78
85 and over	M	457	148	13	26	15	21	34	24	11	27	38	49	45	55
	F	846	242	22	39	18	29	84	52	26	46	65	63	96	69

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Flintshire		Glamorgan-shire		Merioneth-shire		Monmouth-shire		Montgomery-shire		Pembrokeshire		Radnorshire	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	440	478	3,701	1,392	153	146	1,860	304	112	182	271	302	44	10
	F	434	402	2,832	1,128	122	139	1,448	255	115	139	240	256	50	83
Under 4 weeks	M	13	13	108	30	3	—	54	9	5	5	17	8	—	3
4 weeks & under 3 months	F	16	7	56	42	2	3	37	8	1	5	6	7	—	1
	M	2	2	17	8	—	—	9	—	—	—	1	1	—	—
	F	3	1	19	3	—	—	8	1	—	—	2	1	—	—
3-5 months	M	2	1	20	6	—	—	11	2	—	1	—	2	—	—
6-11 months	F	2	2	13	3	—	1	2	1	—	—	—	—	—	—
	M	1	—	16	2	1	—	7	3	—	2	—	1	—	1
	F	—	—	8	1	—	—	4	1	—	—	4	—	—	—
Total under 1 year	M	18	16	161	46	4	—	81	14	5	8	18	12	—	4
	F	21	10	96	49	2	4	51	11	2	5	12	8	—	1
1—	M	2	—	11	2	—	—	6	1	1	—	—	1	—	1
	F	—	—	9	—	—	—	5	—	—	—	—	—	—	—
2—	M	2	—	2	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	2	4	—	—	1	1	—	—	—	—	—	—
3—	M	—	1	3	1	—	—	3	—	—	—	—	1	—	—
	F	—	1	1	2	—	—	2	—	—	—	—	—	—	—
4—	M	1	1	1	1	—	—	1	—	1	—	1	—	—	—
	F	—	1	2	3	—	—	1	1	—	1	—	—	—	—
Total under 5 years	M	23	18	178	53	4	—	91	16	7	8	19	14	—	5
	F	23	12	114	57	2	4	60	13	3	6	12	8	1	1
5—	M	4	3	15	3	1	—	12	—	—	2	—	—	—	—
	F	1	1	6	4	—	—	4	—	—	—	1	—	—	—
10—	M	—	1	11	—	—	—	6	—	1	—	—	1	2	—
	F	1	1	7	4	—	—	2	—	—	—	3	—	—	—
15—	M	4	3	16	3	1	3	3	—	1	—	—	3	—	—
	F	2	5	11	5	—	—	—	—	—	—	—	—	—	—
20—	M	4	5	17	9	—	—	13	—	—	—	—	5	2	—
	F	1	1	9	7	—	—	5	1	—	1	1	—	—	—
25—	M	2	5	18	11	—	—	10	2	—	2	1	—	—	—
	F	2	4	17	5	—	—	12	—	—	1	1	2	—	—
30—	M	1	4	19	12	3	1	16	2	1	2	5	5	—	—
	F	1	2	16	7	1	—	10	1	—	—	2	—	1	—
35—	M	7	7	45	17	2	—	21	1	3	3	5	2	1	2
	F	4	4	36	26	1	1	15	3	—	1	1	4	1	—
40—	M	5	8	79	31	2	—	27	8	2	1	5	3	—	—
	F	6	11	51	28	1	2	28	5	1	1	—	4	1	—
45—	M	17	21	122	50	4	2	58	12	—	3	7	11	—	—
	F	8	9	85	50	1	4	46	3	4	5	7	5	—	—
50—	M	27	28	218	76	10	2	98	18	5	6	14	20	5	—
	F	14	11	124	42	4	6	64	6	6	2	7	12	—	—
55—	M	26	35	292	114	12	9	163	17	3	9	14	17	3	—
	F	26	27	144	74	8	7	77	12	5	3	10	12	1	—
60—	M	38	52	385	144	21	20	206	24	9	11	32	23	1	1
	F	31	32	254	103	11	11	121	25	7	10	13	22	2	—
65—	M	64	65	494	194	21	16	258	26	19	19	40	42	2	—
	F	42	42	329	109	12	13	171	30	14	11	26	37	6	—
70—	M	66	65	605	211	21	22	275	47	18	32	43	59	5	—
	F	56	43	443	159	22	18	233	34	17	18	27	27	8	—
75—	M	60	63	551	208	21	35	258	53	22	33	36	45	8	—
	F	78	74	476	171	27	25	250	43	17	27	48	45	11	—
80—	M	54	54	406	160	20	24	238	41	12	30	30	28	7	—
	F	63	63	424	156	23	26	209	41	20	26	40	47	7	—
85 and over	M	38	41	230	96	10	12	107	30	9	21	20	24	8	—
	F	75	60	286	121	9	22	136	38	20	27	40	30	11	—

TABLE 16—Deaths at Different Ages by Month of Occurrence, } England and Wales
January—December, 1956
See note at head of Table 23

Age		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All Ages	{ M F	27865 25867	31430 29917	27639 27361	22068 20752	20636 19630	18622 17511	18083 17186	18012 17019	17955 17044	19916 18501	21971 20350	23765 22345
Under 4 weeks	{ M F	592 452	621 451	633 468	575 435	603 380	579 361	559 392	509 394	543 362	544 403	514 409	658 374
4 weeks and under 1 year	{ M F	323 234	372 262	300 242	209 158	218 170	194 133	171 124	138 107	147 125	172 135	207 160	278 200
1—	{ M F	62 41	46 47	62 43	42 34	48 36	29 34	32 31	25 25	27 25	38 37	29 39	60 44
2—	{ M F	75 48	68 71	64 71	73 51	77 53	61 45	69 44	67 44	83 46	50 46	55 53	71 58
5—	{ M F	74 65	62 50	79 58	68 60	99 45	71 51	84 49	74 41	71 44	51 39	65 41	65 54
10—	{ M F	51 32	52 49	52 51	48 35	68 20	56 27	51 34	83 42	58 36	49 29	57 37	44 31
15—	{ M F	88 44	86 44	72 52	104 47	93 44	98 26	86 46	109 33	86 36	84 31	99 47	67 47
20—	{ M F	127 51	114 79	123 67	109 58	130 67	121 56	132 60	142 61	122 58	121 64	101 64	128 55
25—	{ M F	144 97	112 87	137 102	155 92	135 102	120 66	166 89	140 83	126 68	126 88	135 89	134 73
30—	{ M F	203 163	200 155	180 153	140 141	164 140	172 118	191 115	154 125	151 138	173 137	189 147	191 142
35—	{ M F	233 199	293 230	218 228	243 187	262 185	226 195	231 175	241 189	203 155	243 182	250 191	256 183
40—	{ M F	496 371	441 367	449 333	375 332	394 283	357 285	404 296	363 271	370 293	386 321	415 330	435 333
45—	{ M F	880 543	829 595	800 541	767 525	721 478	647 469	673 468	698 472	613 454	663 493	703 513	777 508
50—	{ M F	1479 791	1473 838	1328 811	1130 696	1209 714	1072 631	1062 678	1068 661	1059 642	1151 761	1247 688	1252 750
55—	{ M F	2243 1198	2235 1247	2077 1211	1739 999	1678 1018	1459 938	1487 926	1540 947	1456 877	1640 909	1847 1002	1888 1088
60—	{ M F	2878 1780	3135 1970	2732 1825	2245 1501	2022 1342	1962 1286	1805 1295	1846 1294	1813 1267	2037 1395	2287 1448	2487 1612
65—	{ M F	3701 2662	3933 2986	3623 2598	2851 2054	2612 2101	2456 1867	2304 1813	2341 1823	2328 1884	2558 1948	2813 2043	2981 2324
70—	{ M F	4298 3806	4892 4271	4201 3974	3425 2985	3119 2853	2782 2539	2680 2470	2567 2489	2771 2533	3071 2800	3377 2996	3511 3287
75—	{ M F	4246 4752	5312 5609	4504 4996	3468 3762	3213 3520	2821 3137	2707 3002	2675 2962	2648 2963	3079 3207	3340 3649	3691 4035
80—	{ M F	3409 4459	4291 5313	3607 4878	2626 3435	2345 3116	2041 2778	1964 2696	2060 2642	2032 2701	2266 2893	2575 3450	2928 3737
85 and over	{ M F	2263 4079	2863 5196	2398 4659	1676 3165	1426 2963	1298 2469	1225 2383	1172 2314	1248 2337	1414 2583	1666 2954	1863 3410

TABLE 17—Causes of Death at Different Age-Periods, 1956. England and Wales

Notes: (a) Including deaths of non-civilians registered in England and Wales.

(b) The sequence of causes of death followed in this table is that of the detailed International Statistical Classification of Diseases, Injuries and Causes of Death (Sixth Revision, 1948), including the classification by External Cause of Injury (E codes) for violent deaths. Each three-digit code is separately specified, except a few which are not applicable to primary death classification, and certain 4th-digit splits of general interest are also shown. Table 18 should be consulted for further details of violent deaths.

(c) Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the classification numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International Classification number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus 048, Unspecified forms of dysentery, 2, 80, 70, 75 denotes that two male deaths (one in age-group 2— and one in 80—) and two female deaths (one in age-group 70— and one in 75—) are assigned to this cause. A dash (—) indicates that no deaths are assigned.

(Continued on next page)

See Explanatory notes on page v.

Causes of death	All Causes		I 001-138 Infective and Parasitic Diseases		TUBERCULOSIS													
					001-019		001-008		001 Respiratory tuberculosis with mention of occupational disease of lung		002 Pulmonary tuberculosis		003 Pleural tuberculosis		003.0 Pleurisy specified as tuberculosis			
					All forms	Respiratory system	M	F	M	F	M	F	M	F	M	F	M	F
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
All Ages	267904	253427	5508	2767	3804	1571	3534	1319	247	6	3263	1291	18	19	6			
0—	9629	6925	137	102	9	4	4	1	—	—	4	1	—	—	—	—	—	
1—	503	437	52	37	10	4	3	—	—	—	2	—	—	—	—	—	—	
2—	340	261	32	24	9	6	1	2	—	—	1	2	—	—	—	—	—	
3—	248	202	16	19	4	6	2	1	—	—	2	1	—	—	—	—	—	
4—	226	159	10	15	2	3	1	2	—	—	1	2	—	—	—	—	—	
5—	857	599	54	37	8	4	1	1	—	—	—	1	1	—	—	—	—	
10—	668	422	34	29	12	8	4	—	—	—	4	—	—	—	—	—	—	
15—	1076	499	37	29	16	18	9	9	—	—	9	8	—	1	—	—	—	
20—	1464	741	36	81	24	61	19	49	—	—	18	49	—	—	—	—	—	
25—	1632	1037	109	141	83	113	77	99	1	—	76	99	—	—	—	—	—	
30—	2106	1670	201	183	157	155	141	148	1	—	140	148	—	—	—	—	—	
35—	2887	2304	218	181	171	146	148	135	1	—	146	134	1	1	1	—	—	
40—	4871	3820	292	194	230	145	205	119	6	—	199	118	—	—	—	—	—	
45—	8771	6066	450	198	357	129	331	107	15	2	314	104	1	1	—	—	—	
50—	14529	8671	535	186	412	116	392	94	30	1	358	91	4	—	2	—	—	
55—	21280	12354	689	197	523	113	491	90	48	1	442	88	—	—	1	—	—	
60—	27323	17980	733	203	534	113	513	99	44	—	468	97	1	2	—	—	—	
65—	34521	26085	736	257	526	144	512	123	50	1	460	118	2	4	—	—	—	
70—	40651	36977	568	246	387	111	375	97	35	1	333	94	5	2	1	—	—	
75—	41684	45581	359	208	226	106	212	86	11	—	200	81	1	4	1	—	—	
80—	32144	42117	158	129	81	52	71	46	5	—	64	45	2	1	1	—	—	
85 and over	20494	38520	52	71	23	14	22	11	—	—	22	10	—	1	—	—	—	

Causes of death	TUBERCULOSIS															
	003.1		004* 005		006-008* 010-019		010		011		012		012.0		012.1;2;3	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	12	15	4	2	270	252	39	52	35	35	48	36	37	28	11	
0—	—	—	—	—	5	3	3	2	—	—	—	—	—	—	—	—
1—	—	—	1	—	7	4	5	3	1	1	—	—	—	—	—	—
2—	—	—	—	—	8	4	6	4	—	—	—	—	—	—	—	—
3—	—	—	—	—	2	5	1	4	—	1	1	—	1	—	—	—
4—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—
5—	1	—	—	—	7	3	5	3	1	—	—	—	—	—	—	—
10—	—	—	—	—	8	8	5	6	1	—	1	—	1	—	—	—
15—	—	—	—	—	7	9	4	6	—	—	—	—	—	—	—	—
20—	—	—	1	—	5	12	—	7	—	—	2	2	2	2	—	—
25—	—	—	—	—	6	14	2	2	—	3	1	2	2	2	1	—
30—	—	—	—	—	16	7	—	—	—	—	4	2	4	2	—	—
35—	—	—	—	—	23	11	—	1	2	2	1	1	1	1	—	—
40—	—	—	—	—	25	26	1	1	3	4	4	4	2	4	2	—
45—	1	1	—	—	26	22	3	3	3	2	3	2	3	2	—	—
50—	2	—	—	1	20	22	—	2	5	4	5	3	4	1	1	—
55—	—	1	1	—	32	23	—	3	4	5	7	4	4	3	3	—
60—	1	2	—	—	21	14	1	2	5	2	6	4	5	4	1	—
65—	2	3	—	—	14	21	1	—	3	3	5	4	5	3	—	—
70—	4	2	1	—	12	14	1	—	2	3	3	4	3	3	—	—
75—	—	4	—	1	14	20	—	2	4	3	2	4	1	1	1	—
80—	1	1	—	—	10	6	—	—	1	1	2	—	—	—	2	—
85 and over	—	1	—	—	1	3	—	—	—	1	1	—	1	—	—	—

*004, Primary tuberculosis complex with symptoms, —; 006, Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere, —; 007, Other respiratory tuberculosis, —; 008, Tuberculosis, unspecified site, 45, 70, 50.

TABLE 17—continued

(d) Deaths assigned to any of the following categories as the underlying cause, but where the interval between onset of the disease and death was stated to exceed one year, are included in the totals for these causes and are also separately distinguished in footnotes, described as "late effects":—040-043, 050, 055, 056, 058, 084-087, 100-108.

Causes of death	TUBERCULOSIS															
	013		014		015		016		017		018		019		019.0;1	
	Late effects of bones and joints		Skin and subcutaneous cellular tissue		Lymphatic system		Genito-urinary system		Adrenal glands		Other organs		Disseminated tuberculosis		Acute miliary tuberculosis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	4	5	—	4	9	6	82	64	11	5	6	6	36	39	2	1
0—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—
5—	—	—	—	—	1	—	1	—	—	—	1	1	—	1	—	—
0—	—	—	—	—	—	—	3	1	—	—	—	—	—	2	—	—
5—	—	—	—	—	—	—	3	2	—	—	—	—	—	5	—	—
0—	—	—	—	1	—	—	8	3	2	—	—	—	2	1	—	—
5—	—	—	—	—	1	—	15	4	2	—	—	—	2	1	—	—
0—	3	—	—	—	—	—	9	12	1	—	1	—	3	5	1	—
5—	—	1	—	—	1	—	12	8	3	2	—	1	1	3	—	—
0—	—	2	—	—	—	—	9	8	1	1	—	1	—	1	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0—	1	2	—	—	1	1	9	6	1	—	3	—	7	2	1	—
5—	—	—	—	1	—	1	4	2	1	—	—	—	3	2	—	—
0—	—	—	—	—	—	2	2	4	—	—	—	1	3	7	—	—
5—	—	—	—	—	—	—	3	5	—	—	1	1	2	1	—	—
0—	—	—	2	—	4	1	2	4	—	—	—	1	2	3	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0—	—	—	—	—	1	1	1	3	—	—	—	—	5	1	—	1
5 and over	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—

Causes of death	TUBERCULOSIS															
	019.2		020-029		020		021*		023		024		025		026	
	Other forms of disseminated tuberculosis		Syphilis and its sequelæ		Congenital syphilis		Aneurysm of aorta		Other cardiovascular syphilis		Tabes dorsalis		General paralysis of insane		Other syphilis of central nervous system	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	34	38	922	452	6	8	420	218	330	153	66	15	56	28	33	19
0—	2	1	2	1	2	1	—	—	—	—	—	—	—	—	—	—
1—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0—	—	1	—	2	—	1	—	—	—	—	—	1	—	—	—	—
5—	—	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—
0—	—	2	1	—	—	—	1	1	—	1	—	—	—	1	—	—
5—	—	5	1	2	—	1	—	1	—	—	—	—	—	—	1	—
0—	2	1	5	4	—	—	—	2	—	—	—	—	1	—	—	—
5—	2	1	19	4	1	1	6	1	9	3	—	—	3	—	2	—
0—	2	5	24	9	2	—	5	14	5	—	—	—	1	2	—	1
5—	1	3	41	18	—	—	13	8	17	6	1	1	5	2	5	1
0—	—	1	61	26	1	—	22	11	23	8	4	—	8	3	2	2
5—	6	2	116	38	—	—	42	11	54	17	6	2	7	3	4	3
0—	3	2	153	48	—	1	62	13	61	21	10	2	15	4	4	6
5—	3	7	173	78	—	—	90	29	55	37	15	3	8	3	4	4
0—	2	1	155	84	—	2	82	44	47	27	18	4	3	5	3	1
5—	2	3	98	63	—	—	51	37	32	21	6	2	5	2	3	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 and over	5	1	54	40	—	—	31	33	15	5	5	—	—	1	2	—
	—	—	18	32	—	1	14	26	1	2	1	—	—	1	1	1

*021, Early syphilis, 70.

TABLE 17—continued

Causes of death	027		028*		030-039*		040-049 Infectious diseases commonly arising in intestinal tract		040		041		042		043, (
	Other forms of late syphilis		029 Syphilis unqualified		030-039 Gonococcal infection and other venereal diseases				Typhoid fever		Paratyphoid fever		Other salmonella infections		04 Bacil dysen
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All Ages	10	9	1	1	8	—	46	55	—	2	2	3	20	26	13
0—	—	—	—	—	—	—	8	5	—	1	1	1	5	2	1
1—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	2
2—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1
3—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
4—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1
5—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—
10—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
15—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—
35—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
40—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—
45—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
50—	1	2	—	—	2	—	3	2	—	—	—	—	3	1	—
55—	3	2	—	—	—	—	5	4	—	—	—	—	4	2	—
60—	—	1	1	—	1	—	3	6	—	—	—	1	—	3	1
65—	1	2	—	—	1	—	3	—	—	—	—	—	2	—	1
70—	2	—	—	—	—	—	3	5	—	—	—	—	1	2	—
75—	1	1	—	—	2	—	5	13	—	—	—	—	4	7	1
80—	1	1	—	—	2	—	2	7	—	—	—	—	—	2	—
85 and over	1	—	—	1	—	—	2	5	—	—	—	—	—	5	2

Causes of death	046		047, 048*		050-064		050†		051		052		053		05
	Amœbiasis		049 Food poisoning (infection & intoxication)		Other bacterial diseases		Scarlet fever		Streptococcal sore throat		Erysipelas		Septicæmia and pyæmia		
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All Ages	2	1	5	7	274	223	8	7	15	13	3	4	62	44	5
0—	—	—	1	—	90	76	—	—	1	2	1	—	17	10	—
1—	—	—	1	—	29	19	—	—	1	—	—	—	2	1	—
2—	—	—	—	—	15	6	—	—	2	—	—	—	—	—	1
3—	—	—	—	—	7	7	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	2	7	—	1	—	—	—	—	1	—	—
5—	—	—	—	—	17	10	—	—	1	—	—	—	1	—	—
10—	—	—	—	—	3	3	—	—	—	1	—	—	—	1	—
15—	—	—	—	—	9	4	—	1	—	1	—	—	3	—	—
20—	—	—	—	—	4	5	—	1	—	—	—	—	—	3	—
25—	1	—	—	—	8	5	1	—	2	1	—	—	1	1	1
30—	—	—	—	—	6	2	—	1	—	—	—	—	4	1	—
35—	—	—	—	—	3	6	—	—	—	—	—	—	2	2	—
40—	—	—	—	—	9	5	2	—	2	—	—	—	5	2	—
45—	—	—	—	—	12	10	3	1	1	1	—	1	4	3	1
50—	—	—	—	1	11	9	1	1	1	—	—	—	4	4	—
55—	—	1	1	—	13	7	—	—	—	1	—	1	7	—	—
60—	—	—	—	2	10	10	—	1	1	1	—	—	4	3	—
65—	—	—	—	—	5	6	—	—	1	—	—	—	2	3	—
70—	1	—	1	2	8	14	—	—	—	2	—	1	2	7	—
75—	—	—	—	1	6	4	1	—	1	1	1	1	1	—	—
80—	—	—	1	1	6	7	—	—	1	1	—	—	1	3	1
85 and over	—	—	—	—	1	1	—	—	—	1	—	—	1	—	—

*028, Latent syphilis, —; 030, Acute or unspecified gonorrhœa, 65; 031, Chronic gonococcal infection of genital urinary system, —; 032, Gonococcal infection of joint, —; 033, Gonococcal infection of eye, —; 034, Gonococcal infection of other sites, 50; 035, Late effects of gonococcal infection, 50, 60, 75, 75, 80, 80; 036, Chancroid, —; 037, Lymphogranuloma venereum, —; 038, Granuloma inguinale, venereal, —; 039, Other and unspecified venereal diseases, —; 043, Cholera, —; 044, Brucellosis (undulant fever), 60, 60, 45; 047, Other protozoal dysentery, —; 048, Unspecified forms of dysentery, 2, 80, 70, 75; 054, Bacterial toxæmia, 15.

†Including the following "late effects" (see note (d) at head of table):—050, 25, 40, 40, 45, 45, 45, 50, 75, 15, 20, 45, 50, 60; 055, 25, 45, 80, 55, 70.

TABLE 17—continued

Age	056† Whooping cough		057 Meningo- coccal infections		058, 059, 060* 061 Tetanus		062* 063 Gas gangrene		064* 070-074 Spirochætal diseases, except syphilis		070, 071* 072 Leptospirosis icterohæ- morrhagica (Weil's disease)		073, 074* 080-096 Diseases attributable to viruses		080 Acute poliomyelitis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
0-4	42	53	109	80	22	15	4	1	11	1	11	—	383	403	68	46
5-9	26	37	45	26	—	—	—	—	—	—	—	—	22	12	2	3
10-14	7	5	19	13	—	—	—	—	—	—	—	—	10	14	1	2
15-19	2	2	10	4	—	—	—	—	—	—	—	—	5	12	1	1
20-24	3	4	3	3	1	—	—	—	—	—	—	—	4	6	2	1
25-29	—	—	1	4	—	1	—	—	—	—	—	—	5	4	—	2
30-34	1	3	5	5	8	2	—	—	—	—	—	—	29	21	11	4
35-39	—	—	2	1	1	—	—	—	—	—	—	—	19	14	6	3
40-44	—	—	4	1	1	—	—	—	—	—	—	—	9	6	2	1
45-49	—	—	3	1	—	—	—	—	—	—	—	—	7	12	4	2
50-54	—	—	2	2	—	1	—	—	—	—	—	—	15	21	9	13
55-59	—	—	1	—	1	—	—	—	1	—	1	—	29	13	20	6
60-64	—	—	1	—	—	2	—	—	—	—	—	—	18	19	6	3
65-69	—	—	—	2	—	—	—	—	1	—	1	—	23	30	1	4
70-74	1	—	1	4	2	1	1	—	2	—	2	—	32	27	1	1
75-79	—	—	—	—	—	—	—	—	—	—	—	—	33	26	2	—
80-84	—	—	4	2	1	2	1	—	3	—	3	—	25	31	—	—
85-89	—	—	1	2	3	3	1	—	1	—	1	—	25	21	—	—
90-94	—	—	2	2	1	1	1	—	2	—	2	—	22	24	—	—
95-99	—	—	5	1	—	—	—	—	—	—	—	—	12	28	—	—
100+	—	—	1	1	1	—	—	1	—	1	—	—	20	21	—	—
and over	2	1	—	1	1	1	—	—	—	—	—	—	12	22	—	—
ever	—	—	—	—	—	—	—	—	—	—	—	—	7	19	—	—

Age	080.0 Specified as bulbar or polio- encephalitis		080.1 With other paralysis		080.2* 080.3 Unspecified		081 Late effects of acute poliomyelitis		082 Acute infectious encephalitis		083 Late effects of acute infectious encephalitis		084* 085† Measles		086* 087 Chickenpox	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
0-4	25	15	14	9	29	22	9	14	58	48	82	67	15	15	4	8
5-9	2	1	—	1	—	1	—	—	8	6	—	—	4	—	2	1
10-14	—	2	—	—	1	—	—	—	5	7	—	—	2	2	—	2
15-19	—	—	1	—	—	1	—	—	2	4	—	—	1	5	—	—
20-24	2	—	—	—	—	1	—	—	2	1	—	—	—	2	—	—
25-29	—	1	—	—	—	—	—	—	2	—	—	—	1	1	—	1
30-34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35-39	5	1	2	1	4	2	—	—	10	4	—	—	3	3	1	2
40-44	2	1	2	—	2	2	—	4	4	3	—	1	1	—	—	1
45-49	—	1	—	—	2	—	2	1	2	1	—	—	1	—	—	—
50-54	—	1	2	1	2	—	—	—	1	3	—	—	—	—	—	—
55-59	3	4	2	4	4	5	1	3	2	—	1	—	—	—	—	—
60-64	7	1	5	1	8	4	1	1	2	1	—	—	—	—	—	—
65-69	3	—	—	1	3	2	—	1	2	1	4	3	—	1	—	1
70-74	—	1	—	—	1	3	2	1	1	2	13	13	—	—	—	—
75-79	—	1	—	—	1	—	—	—	4	2	20	11	—	—	—	—
80-84	1	—	—	—	1	—	2	—	4	3	11	11	—	—	—	—
85-89	—	—	—	—	—	—	1	3	3	4	7	10	—	—	1	—
90-94	—	—	—	—	—	—	—	—	1	1	14	3	—	—	—	—
95-99	—	—	—	—	—	—	—	—	2	1	2	6	1	—	—	—
100+	—	—	—	—	—	—	—	—	1	2	5	7	—	1	—	—
and over	—	—	—	—	—	—	—	—	—	2	4	1	—	—	—	—
ever	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—

*058, Plague, —; 059, Tularemia, —; 060, Leprosy, —; 062, Anthrax, 15, 25, 45; 064, Other bacterial diseases, 20, 0, 40; 070, Vincent's infection, 70; 071, Relapsing fever, —; 073, Yaws, —; 074, Other spirochætal and leptospirochætal infections, —; 0802, Specified as nonparalytic, —; 084, Smallpox, —; 086, Rubella (German measles), 5.
†Including the following "late effects" (see note (d) at head of table):—056, 50, 5, 70; 085, 5, 3.

TABLE 17—continued

Causes of death	088		089		090, 091*		093, 094, 095*		100-108*		110-117		110, 111*		113-117
	Herpes zoster		Mumps		092 Infectious hepatitis		096 Other diseases attributable to viruses		100-108 Typhus and other rickettsial diseases		Malaria		112 Falciparum malaria (malignant tertian)		120-13 Other infective parasitic diseases
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All Ages	17	45	4	—	116	156	4	2	—	—	3	1	1	1	57
0—	—	—	—	—	3	1	2	1	—	—	—	—	—	—	6
1—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1
2—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—
3—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
5—	—	1	1	—	3	6	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	7	2	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	1	7	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	1	5	—	—	—	—	—	—	—	—	1
30—	—	—	—	—	5	5	—	—	—	—	2	1	—	1	1
35—	—	—	—	—	6	9	—	—	—	—	—	—	—	—	6
40—	—	—	—	—	6	10	—	—	—	—	—	—	—	—	4
45—	—	—	—	—	7	13	—	—	—	—	1	—	1	—	6
50—	—	—	—	—	14	12	—	—	—	—	—	—	—	—	11
55—	—	1	—	—	12	13	—	—	—	—	—	—	—	—	4
60—	1	3	—	—	9	14	—	—	—	—	—	—	—	—	6
65—	3	—	—	—	14	17	—	—	—	—	—	—	—	—	4
70—	2	4	—	—	4	14	—	—	—	—	—	—	—	—	3
75—	5	9	1	—	10	9	—	—	—	—	—	—	—	—	2
80—	4	16	1	—	5	6	1	—	—	—	—	—	—	—	1
85 and over	2	11	1	—	3	7	—	—	—	—	—	—	—	—	1

Causes of death	120-124*		126-131*		133*		135, 136, 137*		NEOPLASMS							
	125 Hydatid disease		132 Actinomy- cosis		134 Other fungus infections		138 Other infective and parasitic diseases		II 140-239 Neoplasms		140-205 Malignant neoplasms inc neoplasms of lymphatic & hematopoietic tissues		140-148 Malignant neoplasm of buccal cavity and pharynx		140-149 Lip	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	4	6	1	4	14	7	31	41	49675	44679	48935	43775	1234	654	80	—
0—	—	—	—	—	5	2	—	2	41	25	26	17	1	—	—	—
1—	—	—	—	—	—	—	—	—	35	46	29	43	—	—	—	—
2—	—	—	—	—	1	—	—	—	43	28	39	28	—	—	—	—
3—	—	—	—	—	—	—	—	—	52	36	44	35	—	—	—	—
4—	—	—	—	—	—	—	—	—	47	42	46	37	—	1	—	—
5—	—	—	—	—	—	—	—	—	166	139	156	119	2	2	—	—
10—	—	—	—	—	—	—	—	—	115	100	106	87	—	—	—	—
15—	—	1	—	—	—	—	—	—	129	100	116	91	2	1	—	—
20—	—	—	—	—	—	—	—	—	167	116	159	106	1	—	—	—
25—	1	—	—	—	—	—	—	—	224	191	207	178	1	2	—	—
30—	—	—	—	—	—	—	1	6	362	471	344	446	4	6	—	—
35—	—	1	—	2	2	2	4	1	605	769	574	741	5	13	—	—
40—	1	—	—	—	—	—	3	4	1229	1573	1176	1500	15	21	—	—
45—	—	3	—	1	—	—	5	9	2373	2590	2306	2500	25	38	1	—
50—	1	—	—	—	—	1	8	6	4089	3496	4010	3402	43	46	2	—
55—	—	1	1	1	—	—	2	2	6056	4458	5962	4359	89	72	4	—
60—	1	—	—	—	2	—	2	5	7068	5368	6984	5261	123	78	7	—
65—	—	—	—	—	1	1	3	4	7898	6041	7809	5960	169	97	8	—
70—	—	—	—	—	2	—	1	2	7635	6503	7578	6427	246	93	9	—
75—	—	—	—	—	1	1	1	—	6332	6083	6294	6020	235	78	15	—
80—	—	—	—	—	—	—	—	1	3554	4095	3527	4051	189	59	20	—
85 and over	—	—	—	—	—	—	—	—	1455	2409	1443	2367	84	47	14	—

*090, Dengue, —; 091, Yellow fever, —; 093, Glandular fever (infectious mononucleosis), 0, 10, 20, 30, 55, 15, 094, Rabies, 25; 095, Trachoma, —; 100, Louse-borne epidemic typhus, —; 101, Flea-borne endemic typhus (murine) —; 102, Brill's disease, not specified as louse- or flea-borne typhus, —; 103, Tabardillo (Mexican typhus), not specified as louse- or flea-borne, —; 104, Tick-borne typhus, —; 105, Mite-borne typhus, —; 106, Wolhynian fever (trench fever), —; 107, Typhus, unspecified, —; 108, Other rickettsial diseases, —; 110, Vivax malaria (benign tertian), —; 111, Malariae malaria (quartan), —; 113, Ovale malaria, —; 114, Mixed malarial infections, —; 115, Blackwater fever, —; 116, Other and unspecified forms of malaria, 30, 30; 117, Recurrent induced malaria, —; 120, Leishmaniasis, —; 121, Trypanosomiasis, —; 122, Other protozoal diseases, 0, 10; 123, Schistosomiasis, 70; 124, Other trematode infestation, —; 126, Other cestode infestation, 45, 50, 50, 55, 60; 127, Filariasis, —; 128, Trichiniasis, —; 129, Ankylostomiasis, —; 130, Infestation with worms of other, mixed, and unspecified type, —; 131, Dermatophytosis, 85, 80; 133, Coccidioidomycosis, —; 135, Scabies, —; 136, Pediculosis, —; 137, Other arthropod infestation, —.

TABLE 17—continued

Uses of path	NEOPLASMS															
	141		142		143		144		145		146		147		148	
	Tongue		Salivary gland		Floor of mouth		Other parts of mouth and mouth unspecified		Oral mesopharynx		Nasopharynx		Hypopharynx		Pharynx, unspecified	
at path	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	359	165	78	57	78	21	199	82	110	44	73	42	83	152	174	78
0—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1
6—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1
7—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
9—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
10—	1	2	—	1	—	—	—	—	—	—	1	2	1	1	1	—
11—	1	2	—	1	—	—	—	—	—	1	1	1	1	5	2	3
12—	1	5	1	3	—	2	1	1	—	2	7	—	1	7	4	1
13—	3	8	3	—	2	3	4	3	2	—	3	4	3	13	4	2
14—	10	5	6	5	—	—	6	3	6	3	4	8	3	14	6	8
15—	19	11	7	4	3	1	11	10	8	9	13	7	8	20	16	9
16—	30	21	7	5	5	3	16	9	12	5	14	4	11	18	21	11
17—	53	23	9	10	8	3	26	9	15	8	5	4	17	22	28	16
18—	79	29	15	6	19	3	38	14	24	4	10	3	12	27	40	7
19—	73	27	12	7	18	4	50	15	24	3	5	2	15	12	23	6
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21—	66	20	14	2	14	1	31	12	14	3	5	4	8	7	17	9
22—	21	12	4	8	9	1	15	6	5	5	2	1	3	5	11	4

Uses of path	NEOPLASMS															
	150-159		150		151		152		153		154		155		156	
	Malignant neoplasm of digestive organs and peritoneum		Esophagus		Stomach		Small intestine including duodenum		Large intestine except rectum		Rectum		Biliary passages and of liver (stated to be primary site)		Liver (secondary and unspecified)	
at path	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	19157	18175	1378	959	7747	6206	111	98	3812	5471	3166	2384	516	863	427	438
0—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	2	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1
3—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
5—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6—	2	2	—	—	—	—	—	—	2	—	—	—	—	1	—	—
7—	8	8	—	—	1	1	1	1	1	2	1	1	1	1	2	1
8—	10	12	—	—	2	5	1	1	3	2	—	—	—	1	1	1
9—	30	27	—	1	11	7	—	—	15	10	4	5	—	3	—	—
10—	68	77	2	6	21	28	2	—	19	25	9	12	7	1	2	—
11—	167	130	12	5	62	36	3	1	33	46	21	24	10	5	4	3
12—	362	343	18	15	174	109	4	3	66	103	44	63	9	15	4	5
13—	716	552	30	31	309	163	3	8	137	175	89	91	30	23	16	11
14—	1289	930	85	53	607	292	15	10	198	280	153	149	44	41	28	22
15—	1935	1412	140	72	892	420	15	5	321	448	262	188	51	81	39	35
16—	2523	1942	170	109	1107	645	22	7	411	542	356	253	66	111	77	51
17—	3095	2525	213	137	1275	866	15	12	581	673	517	346	80	132	75	67
18—	3374	3200	243	164	1368	1132	11	17	692	907	583	412	91	168	67	82
19—	3083	3287	236	181	1124	1221	10	15	677	977	626	386	71	140	57	66
20—	1779	2376	167	118	577	848	6	12	463	803	346	266	38	101	35	56
21—	710	1348	62	67	217	433	3	6	193	478	155	187	17	38	19	37

TABLE 17—continued

Causes of death	NEOPLASMS															
	157		158		159		160-165		160		161		162		163	
	Pancreas		Peritoneum		Unspecified digestive organs		Malignant neoplasm of respiratory system		Nose, nasal cavities, middle ear, & accessory sinuses		Larynx		Trachea, & of bronchus and lung specified as primary		Lung & bronchus specified to whether primary or second	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1847	1557	130	180	23	19	16523	2897	134	97	675	169	11409	1878	4206	
0—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
1—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—
2—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	1	1	—	—	2	1	—	—	—	—	—	—	—	1
10—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	1	—
15—	—	—	1	1	—	—	3	2	1	—	—	—	1	2	—	—
20—	1	—	2	2	—	—	10	5	1	—	1	1	5	3	—	—
25—	—	1	—	—	—	—	21	4	2	—	1	—	11	3	—	5
30—	5	4	1	1	—	—	67	29	1	—	1	2	49	19	—	13
35—	19	9	2	1	1	—	148	51	2	1	9	2	97	34	—	39
40—	32	24	11	6	—	—	422	92	6	5	12	4	315	65	—	84
45—	88	42	14	7	—	1	1034	160	7	3	20	10	794	111	—	208
50—	144	63	13	18	2	2	1927	280	10	9	38	11	1418	190	—	453
55—	202	141	12	21	1	1	2923	349	13	10	74	21	2066	227	—	753
60—	289	200	20	23	5	1	3087	459	17	17	103	26	2159	306	—	796
65—	314	260	19	31	6	1	2968	439	26	13	107	26	2036	296	—	784
70—	298	288	17	24	4	6	2145	425	21	12	117	22	1414	282	—	579
75—	270	275	10	21	2	5	1215	338	16	16	105	20	750	191	—	335
80—	142	155	3	15	2	2	423	167	7	8	67	13	228	94	—	119
85 and over	43	95	1	7	—	—	128	90	4	3	20	11	66	53	—	37

Causes of death	NEOPLASMS											
	164		165		170-181		170		171		172	
	Mediastinum		Thoracic organs (secondary)		Malignant neoplasm of breast and genito-urinary organs		Breast		Cervix uteri		Corpus uteri	
Ages at death	M	F	M	F	M	F	M	F	F	F	F	F
All Ages	68	42	31	18	6682	17136	69	8580	2511	—	1184	39
0—	—	1	—	—	1	1	—	—	—	—	—	—
1—	—	—	—	—	8	8	—	—	—	—	—	—
2—	—	—	—	—	6	3	—	—	—	—	—	—
3—	—	—	—	—	8	7	—	—	—	—	—	—
4—	—	—	—	—	3	7	—	—	—	—	—	—
5—	1	—	—	—	12	15	—	—	—	—	—	—
10—	—	3	—	—	4	5	—	—	—	—	—	—
15—	1	—	—	—	7	8	—	—	1	—	—	—
20—	3	—	—	—	17	16	—	4	3	—	—	—
25—	2	—	—	—	24	44	—	15	13	4	—	—
30—	3	1	—	—	43	205	—	93	70	—	3	1
35—	—	2	1	—	44	413	2	221	99	6	2	3
40—	4	1	1	—	90	843	2	460	153	19	3	8
45—	5	3	—	1	146	1445	4	783	250	57	4	16
50—	4	2	4	4	265	1782	7	951	287	111	5	20
55—	12	6	5	—	449	2059	9	973	308	184	8	21
60—	8	6	4	1	618	2195	9	1054	327	182	3	39
65—	10	2	5	3	985	2274	9	1092	348	174	2	31
70—	8	4	6	3	1277	2122	13	1022	279	192	2	31
75—	4	6	5	4	1341	1819	6	923	206	133	2	25
80—	2	4	—	1	919	1145	4	584	113	79	—	9
85 and over	1	1	—	1	415	720	4	405	54	43	—	8

TABLE 17—continued

NEOPLASMS											
	175 Ovary, Fallopian tube, and broad ligament	176 Other and unspecified female genital organs	177 Prostate	178 Testis	179 Other and unspecified male genital organs	180 Kidney		181 Bladder and other urinary organs		190-199 Malignant neoplasm of other and unspecified sites	
	F	F	M	M	M	M	F	M	F	M	F
Ages	2810	475	3554	201	140	700	463	2018	862	2799	2798
—	—	1	—	—	—	1	—	—	—	15	5
—	1	—	2	1	—	5	7	—	—	8	16
—	—	1	—	—	—	6	2	—	—	12	11
—	—	—	1	1	—	6	7	—	—	13	8
—	—	—	—	—	—	3	7	—	—	12	15
—	2	—	1	—	—	11	12	—	1	53	28
—	2	—	—	2	—	2	3	—	—	50	33
—	5	—	—	6	—	1	2	—	—	37	35
—	7	1	1	15	—	1	—	—	—	42	31
—	—	1	1	19	—	4	2	—	—	42	38
—	32	—	—	33	2	5	6	3	—	61	50
—	70	2	—	22	1	10	5	9	5	91	68
—	169	10	1	24	5	26	10	32	11	153	122
—	284	14	14	15	6	45	18	62	19	205	174
—	339	15	35	17	10	67	28	129	26	279	231
—	447	21	129	3	13	89	47	206	50	316	277
—	426	40	230	11	13	114	55	241	69	363	302
—	348	68	505	10	23	104	74	334	137	304	382
—	281	90	793	10	19	86	68	356	157	306	333
—	228	95	891	9	22	68	43	345	164	227	300
—	111	71	663	—	15	36	46	201	132	131	210
and over	53	45	287	3	11	10	21	100	91	79	129

NEOPLASMS																	
190		191		192		193		194		195		196		197			
Malignant melanoma of skin		Other malignant neoplasm of skin		Eye		Brain and other parts of nervous system		Thyroid gland		Other endocrine glands		Bone (including jaw bone)		Connective tissue			
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
166	181	310	249	57	56	889	659	113	272	66	55	385	304	121	111		
—	—	—	—	—	—	10	3	—	—	4	1	—	—	—	1		
—	—	—	1	—	—	6	8	—	—	2	3	—	2	—	2		
—	—	1	—	2	—	4	5	—	—	2	3	1	1	2	—		
—	—	—	—	1	2	8	4	—	—	3	1	—	1	—	—		
—	—	—	—	—	—	9	9	—	—	2	3	—	1	—	1		
—	1	1	—	3	—	36	16	—	—	4	4	7	6	1	1		
—	—	1	—	—	—	24	18	—	—	2	2	16	12	3	—		
—	1	—	1	—	—	10	12	—	—	—	3	26	16	1	1		
2	4	—	—	—	—	19	10	—	1	—	1	13	8	5	3		
2	7	—	—	—	—	22	19	1	—	—	1	11	6	3	3		
6	12	3	1	1	—	31	26	—	1	4	1	8	5	2	1		
11	10	3	—	2	—	46	37	—	2	—	2	11	5	5	3		
19	13	2	3	1	—	75	57	6	1	3	4	18	13	8	4		
11	19	8	7	2	5	91	68	9	13	8	6	22	10	16	9		
16	17	18	8	5	7	139	84	6	13	5	6	25	15	6	4		
16	13	18	9	6	6	123	101	14	25	7	5	24	20	15	3		
18	17	26	15	8	13	121	79	16	34	6	5	47	32	11	15		
16	17	33	21	8	5	71	62	25	49	2	2	40	39	13	13		
26	22	50	37	9	8	33	22	20	48	7	2	51	36	11	20		
12	9	58	35	4	3	9	14	10	48	4	—	39	44	8	12		
9	11	44	63	3	4	2	5	4	25	1	—	18	22	7	7		
2	8	44	48	2	3	—	—	2	12	—	—	8	10	4	8		

TABLE 17—continued

Causes of death	NEOPLASMS																204 Leukemia and aleukemia
	198 Secondary & unspecified malignant neoplasm of lymph nodes		199 Other and unspecified sites		200-205 Neoplasms of lymphatic & hemato- poietic tissues		200 Lymphosar- coma and reticulo- sarcoma		201 Hodgkin's disease		202 Other forms of lymphoma (reticulosis)		203 Multiple myeloma (plasma- cytoma)				
	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
All Ages	37	14	655	897	2540	2115	459	372	507	309	78	62	250	277	1229		
0—	—	—	1	—	7	10	—	—	—	—	3	3	—	—	4		
1—	—	—	—	—	13	18	—	1	—	—	1	1	—	—	12		
2—	—	—	—	2	19	13	1	1	—	—	—	—	—	—	18		
3—	—	—	2	—	23	18	1	—	—	—	1	—	—	—	21		
4—	—	—	—	1	30	14	4	2	1	—	—	—	—	—	25		
5—	—	—	1	—	86	72	13	4	3	2	1	1	—	—	69		
10—	—	—	4	1	50	43	8	2	9	6	1	1	—	—	32		
15—	—	—	—	1	59	37	7	5	7	5	—	—	—	—	45		
20—	—	—	3	4	79	42	7	4	35	12	4	—	—	—	33		
25—	—	—	3	2	89	63	15	7	36	22	2	—	—	—	36		
30—	1	1	5	2	101	79	17	15	43	28	4	1	1	2	36		
35—	—	—	13	9	119	66	21	15	50	20	3	3	1	1	44		
40—	—	—	21	27	134	79	17	12	37	22	8	2	9	3	60		
45—	2	—	36	37	180	131	33	28	39	22	6	6	27	14	75		
50—	4	—	55	77	207	133	44	18	33	21	13	2	37	33	77		
55—	6	—	87	95	250	190	53	40	59	19	12	11	30	36	94		
60—	3	—	107	92	270	285	48	52	49	40	7	8	50	61	115		
65—	4	4	92	170	288	243	57	56	51	30	5	5	42	37	128		
70—	8	5	91	133	230	254	48	37	27	23	6	9	28	52	120		
75—	4	—	79	135	193	198	39	45	22	22	1	7	21	26	108		
80—	2	—	41	71	86	94	21	16	5	13	—	2	3	10	57		
85 and over	3	2	14	38	27	33	5	12	1	2	—	—	1	2	20		

Causes of death	NEOPLASMS																210
	204.0		204.1		204.2		204.3		204.4		205		210-229		21 Other parts of digestive system		
	Lymphatic leukemia	Myeloid leukemia	Monocytic leukemia	Acute leukemia, unspecified type	Other and unspecified leukemia	Mycosis fungoides	Benign Neoplasm										
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M		
All Ages	468	361	537	522	119	111	66	52	39	40	17	9	305	548	23		
0—	2	2	1	2	1	—	—	3	—	—	—	—	13	8	—		
1—	3	6	6	4	1	2	2	2	—	2	—	—	3	2	—		
2—	14	4	3	8	—	—	1	—	—	—	—	—	1	—	—		
3—	11	12	8	3	—	2	2	1	—	—	—	—	3	1	—		
4—	17	10	6	—	—	1	2	1	—	—	—	—	—	—	—		
5—	29	37	24	19	3	4	10	4	3	1	—	—	3	5	—		
10—	11	8	12	19	3	2	4	3	2	2	—	—	1	6	—		
15—	16	6	13	14	7	3	6	2	3	2	—	—	7	6	—		
20—	10	4	16	15	3	4	3	3	1	—	—	—	4	9	—		
25—	9	8	18	21	4	4	5	1	—	—	—	—	6	8	—		
30—	7	5	16	16	7	8	4	2	2	2	—	—	10	18	1		
35—	7	4	26	13	8	7	—	1	3	2	—	—	13	15	—		
40—	11	10	34	23	12	5	2	—	1	1	3	1	18	50	—		
45—	25	11	38	37	9	8	2	2	1	3	—	—	18	61	—		
50—	24	14	37	28	14	12	1	3	1	—	3	2	32	57	3		
55—	38	24	39	46	12	6	4	6	1	2	2	—	35	50	4		
60—	47	33	51	70	8	12	5	4	4	5	3	—	26	55	3		
65—	47	40	64	62	4	9	7	—	6	3	5	1	35	46	5		
70—	47	54	60	56	8	10	3	8	2	5	1	3	25	43	2		
75—	53	43	39	32	9	10	2	3	5	7	2	3	20	44	—		
80—	29	18	20	29	5	2	1	1	2	2	—	1	22	34	4		
85 and over	11	8	6	5	1	—	—	2	2	1	—	1	10	30	1		

*210, Benign neoplasm of buccal cavity and pharynx, 0, 35, 85, 15.

TABLE 17—continued

Causes of death		NEOPLASMS												
		212 Respiratory system		213*	215 Uterus	216 Ovary	217, 218*		220, 221, 222*		224 Endocrine glands		225 Bone and cartilage	
				214 Uterine fibromyoma			219 Kidney and other urinary organs	223 Brain and other parts of nervous system						
									M	F				
Ages	M	F	F	F	F	M	F	M	F	M	F	M	F	
0—	13	6	93	17	122	67	34	125	163	39	45	6	11	
0—	—	—	—	—	1	—	—	5	2	2	—	—	—	
1—	—	—	—	—	—	—	—	3	1	—	—	—	—	
2—	—	—	—	—	—	—	—	1	—	—	—	—	—	
3—	—	—	—	—	—	—	—	—	—	—	1	—	—	
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5—	1	—	—	—	1	—	—	2	2	—	1	—	—	
0—	—	—	—	—	—	—	—	—	5	—	—	—	—	
5—	—	—	—	—	—	—	—	4	3	3	1	—	1	
0—	—	—	—	—	3	—	—	1	2	2	1	—	1	
5—	—	—	—	—	1	—	—	3	4	2	1	—	—	
0—	—	—	1	—	6	—	—	7	8	2	2	—	—	
5—	2	—	4	—	2	—	—	4	5	4	4	—	—	
0—	—	1	19	4	7	1	—	13	14	1	5	1	—	
5—	1	—	23	6	3	—	—	11	19	4	5	—	2	
0—	1	2	14	1	6	5	2	17	24	4	1	1	1	
5—	1	1	7	1	11	1	1	22	20	5	4	—	3	
0—	2	2	7	2	11	6	2	10	22	3	6	—	—	
5—	1	—	4	—	15	11	1	11	20	3	2	2	—	
0—	—	—	1	—	14	13	6	6	7	2	5	1	1	
5—	3	—	8	1	17	11	4	3	3	1	3	1	2	
0—	1	—	3	1	13	12	8	1	1	1	1	—	—	
5 and over	—	—	2	1	11	7	10	1	1	—	2	—	—	

NEOPLASMS																
Cases of death	226 Lipoma		227 Muscular and connective tissue		228 Hæmangioma and lymphangioma		229 Other and unspecified organs and tissues		230-239 Neoplasm of unspecified nature		230 Unspecified nature of digestive organs		231 Unspecified nature of respiratory organs		232-235* 236 Unspecified nature of other genito-urinary organs	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	3	1	5	12	17	8	3	4	435	356	18	26	23	10	5	4
0—	—	—	—	1	5	2	—	1	2	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—
3—	—	—	—	—	2	—	1	—	5	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	1	5	1	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	7	15	—	—	—	—	—	—
0—	—	—	—	—	1	—	—	—	8	7	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	6	3	—	—	—	—	—	—
0—	—	—	—	1	1	—	—	—	4	1	—	—	—	—	—	—
5—	1	—	—	—	—	1	—	—	11	5	—	—	—	—	—	—
0—	—	—	—	—	—	—	—	—	8	7	—	—	—	—	—	—
5—	—	—	—	—	2	—	—	—	18	13	—	—	—	—	—	—
0—	—	—	—	—	2	—	—	—	35	23	—	1	—	1	—	—
5—	—	—	1	1	1	1	—	—	49	29	1	1	1	1	—	1
0—	—	—	—	4	—	—	1	1	47	37	1	1	1	1	—	—
5—	1	—	—	1	1	1	—	—	59	49	—	3	3	1	—	—
0—	—	—	—	1	—	—	1	1	58	52	—	2	5	2	—	—
5—	—	—	1	—	1	1	—	1	54	35	4	2	3	—	3	—
0—	1	—	—	3	—	1	—	—	32	33	5	3	7	1	—	—
5—	—	—	1	1	—	—	—	—	18	19	1	4	4	1	1	2
0—	—	—	—	—	—	—	—	—	5	10	2	4	—	2	1	—
5 and over	—	1	1	—	1	—	—	—	2	12	2	5	—	—	—	1

*213, Benign neoplasm of breast, 20; 217, Benign neoplasm of other female genital organs, 80; 218, Benign neoplasm of male genital organs, —; 220, Benign melanoma of skin, —; 221, Pilonidal cyst, —; 222, Other benign neoplasm of skin, 80; 232, Neoplasm of unspecified nature of breast, —; 233, Neoplasm of unspecified nature of uterus, 70; 234, Neoplasm of unspecified nature of ovary, 60, 65, 70, 75, 75, 75, 85; 235, Neoplasm of unspecified nature of other female genital organs, —.

TABLE 17—continued

Causes of death	NEOPLASMS						III 240-289 Allergic Endocrine system, Meta- bolic, and Nutritional diseases	240-245 Allergic disorders	240*		242-245*		Simpl	
	237 Unspecified nature of brain and other parts of nervous system		238 Unspecified nature of skin and musculo- skeletal system		239 Unspecified nature of other and unspecified organs				241 Asthma		250-254 Diseases of thyroid gland			
	M	F	M	F	M	F			M	F	M	F		
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	
All Ages	375	295	1	3	13	10	2663	4388	1140	1273	1134	1268	99	597
0—	1	—	—	—	1	—	38	30	3	2	3	2	2	3
1—	1	1	1	—	—	—	8	12	5	6	5	6	—	—
2—	3	—	—	—	—	—	6	4	4	2	4	2	—	—
3—	5	—	—	—	—	—	7	3	3	2	3	2	—	—
4—	—	4	—	—	—	1	5	3	4	2	4	2	—	—
5—	7	15	—	—	—	—	15	14	7	3	7	3	—	—
10—	8	7	—	—	—	—	17	13	9	9	9	9	—	—
15—	6	3	—	—	—	—	14	20	5	13	5	13	1	1
20—	4	1	—	—	—	—	26	30	17	17	17	17	—	4
25—	11	5	—	—	—	—	35	45	12	23	12	23	1	5
30—	8	7	—	—	—	—	54	50	22	21	21	21	—	8
35—	18	13	—	—	—	—	60	69	25	32	24	31	2	7
40—	35	20	—	—	—	1	80	111	39	69	39	68	3	14
45—	46	25	—	—	1	1	117	183	57	103	57	103	1	18
50—	46	35	—	—	—	—	174	232	103	111	100	110	8	36
55—	55	45	—	—	1	—	271	355	162	155	162	154	12	35
60—	49	47	—	—	4	—	330	485	171	145	171	145	17	90
65—	43	28	—	—	1	1	409	686	183	173	182	172	15	120
70—	18	25	—	—	2	2	395	765	139	171	139	171	21	95
75—	9	8	—	—	3	—	341	728	108	136	108	136	7	94
80—	2	3	—	—	—	1	185	382	46	55	46	55	7	44
85 and over	—	3	—	—	—	2	76	168	16	23	16	23	2	23

Causes of death	251 Nontoxic nodular goitre		252 Thyro- toxicosis with or with- out goitre		253 Myxœdema and cretinism		254 Other diseases of thyroid gland		260 Diabetes mellitus		270-277 Diseases of other endocrine glands		270 Disorders of pancreatic in- ternal secre- tion other than diabetes mellitus		278 Disor- ders of para-thy- roid glands
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All Ages	5	27	50	300	34	241	3	9	1108	2134	124	146	8	4	1
0—	—	—	—	—	1	3	1	—	2	1	24	15	—	1	—
1—	—	—	—	—	—	—	—	—	1	—	2	2	—	—	—
2—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—
3—	—	—	—	—	—	—	—	—	1	—	2	—	1	—	—
4—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	6	3	—	1	—	—	—
15—	—	—	—	1	1	—	—	—	5	5	—	—	—	—	—
20—	—	—	3	—	—	—	—	—	7	6	2	—	—	—	—
25—	—	—	2	1	2	—	—	—	11	12	3	2	—	—	—
30—	—	1	—	6	—	1	—	—	22	14	7	6	—	—	—
35—	—	—	2	6	—	1	—	—	23	11	7	10	2	2	—
40—	—	—	3	7	—	5	—	—	25	13	6	11	—	—	—
45—	—	—	1	16	—	2	—	—	41	37	5	19	—	—	—
50—	—	1	3	23	2	9	—	—	46	53	5	12	—	—	—
55—	—	—	7	26	5	6	—	2	62	123	12	17	1	—	—
60—	—	4	11	50	5	35	—	1	106	214	19	15	—	1	—
65—	1	3	9	65	4	45	—	3	178	350	12	18	—	—	—
70—	4	5	9	45	6	41	2	—	198	436	9	10	1	—	—
75—	—	7	3	31	3	51	—	1	200	468	4	6	—	—	—
80—	—	3	2	14	5	26	—	—	118	268	3	1	—	—	—
85 and over	—	3	—	5	1	14	—	1	52	114	—	—	—	—	—

*240, Hay fever, 30, 40; 242, Angioneurotic edema, 35, 50, 50, 50, 65, 35, 55; 243, Urticaria, —; 244, Allergic eczema, —; 245, Other allergic disorders, 50, 65.

TABLE 17—continued

Causes of death	292 Other anæmias of specified type		292.4 Aplastic anæmia		292.0-3; 5-7 Others included under 292		293 Anæmia of unspecified type		294 Polycythæmia		295 Hæmophilia		296 Purpura and other hæmorrhagic conditions		297 Agranulocytosis
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All Ages	189	216	128	138	61	78	46	108	20	32	9	—	59	63	12
0—	1	1	—	—	1	1	5	1	—	—	1	—	5	5	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
2—	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—
3—	1	—	1	—	—	—	—	—	—	—	—	—	1	2	—
4—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5—	4	6	3	5	1	1	—	—	—	—	1	—	1	4	—
10—	3	4	3	3	—	1	—	—	—	—	—	—	3	1	—
15—	3	4	3	4	—	—	—	—	—	—	1	—	2	1	—
20—	2	2	1	1	1	2	—	—	—	—	1	—	—	1	—
25—	2	4	1	3	1	1	—	—	—	—	—	—	2	1	—
30—	3	7	3	3	—	4	—	3	—	—	3	—	1	1	—
35—	2	4	1	3	1	1	1	1	—	2	1	—	3	1	—
40—	7	6	6	5	1	1	1	4	—	—	—	—	4	8	—
45—	4	8	3	6	1	2	3	3	4	1	—	—	4	7	—
50—	15	11	9	5	6	6	—	2	2	—	—	—	5	5	2
55—	12	12	9	5	3	7	—	4	4	3	—	—	2	5	5
60—	18	13	10	6	8	7	4	9	1	4	—	—	4	2	2
65—	22	41	15	24	7	17	7	12	5	6	—	—	4	5	—
70—	31	31	22	20	9	11	6	17	2	11	1	—	6	4	1
75—	28	30	19	19	9	11	12	24	1	5	—	—	6	4	1
80—	20	24	13	20	7	4	6	15	1	—	—	—	3	4	1
85 and over	9	7	5	6	4	1	1	13	—	—	—	—	2	1	—

Causes of death	298 Diseases of spleen		299 Other diseases of blood and blood-forming organs		V 300-326 Mental, Psychoneurotic and Personality Disorders		300-309 Psychoses		300 Schizophrenic disorders (dementia præcox)		301 Manic-depressive reaction		302 Involutional melancholia		303	304
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	Senile psychosis
All Ages	23	60	7	11	374	764	278	643	28	24	17	52	3	1	176	—
0—	—	—	1	—	16	16	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	7	3	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—
4—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	4	7	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
15—	—	1	—	—	6	6	3	1	1	1	2	—	—	—	—	—
20—	—	1	—	—	7	3	—	2	—	2	—	—	—	—	—	—
25—	2	—	1	—	9	5	5	2	5	1	—	1	—	—	—	—
30—	3	—	1	—	8	13	4	7	4	3	—	4	—	—	—	—
35—	3	1	—	—	7	10	5	5	5	2	—	2	—	—	—	—
40—	1	2	—	—	13	16	5	8	3	4	—	2	—	—	—	—
45—	2	8	—	—	9	23	8	13	3	3	1	7	—	—	—	—
50—	3	5	1	1	23	25	13	16	2	3	1	8	—	—	—	1
55—	5	5	—	3	19	28	15	19	1	2	3	3	1	—	—	—
60—	1	8	—	—	35	36	30	30	2	1	4	5	1	—	—	8
65—	1	7	—	1	24	54	22	43	2	—	3	10	—	—	—	6
70—	2	12	1	4	44	98	37	90	—	1	2	2	1	1	—	32
75—	—	8	—	1	48	143	45	139	—	—	—	6	—	—	—	45
80—	—	1	1	—	53	141	53	138	—	1	—	2	—	—	—	53
85 and over	—	1	—	—	33	133	33	130	—	—	1	—	—	—	—	31

*303, Paranoia and paranoid states, 50, 65, 40, 45, 55, 65.

TABLE 17—continued

Causes of death	305		307*		310-318		310*		312-313*		315-316*		318		320-326	
	Presenile psychosis		309		Psycho-neurotic disorders		311 Hysterical reaction without mention of anxiety reaction		314 Neurotic-depressive reaction		317 Psychoneurosis with somatic symptoms (somatization reactions affecting other systems)		Psycho-neurotic disorders other, mixed and unspecified types		Disorders of character, behaviour, & intelligence	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	37	47	15	13	16	38	4	22	2	5	5	2	3	4	80	83
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	16
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	1
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	3
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	7
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
15—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	3	4
20—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	6	1
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	3
30—	—	—	—	—	—	3	—	—	3	—	—	—	—	—	4	3
35—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	2	4
40—	1	—	1	1	1	2	—	2	—	—	—	—	1	—	7	6
45—	3	2	1	—	—	4	—	1	—	1	—	—	—	1	1	6
50—	4	3	4	2	4	3	1	3	1	—	1	—	—	—	6	6
55—	9	12	1	—	—	3	—	1	—	1	—	—	—	—	4	6
60—	15	14	—	5	3	3	—	3	1	—	1	—	—	—	4	3
65—	5	11	5	2	—	5	—	2	—	1	—	1	—	—	2	6
70—	—	4	2	—	5	6	1	2	—	2	2	1	2	1	2	2
75—	—	—	—	2	2	4	1	3	—	1	1	—	—	—	1	—
80—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	2
85 and over	—	—	1	1	—	2	—	1	—	—	—	—	—	1	—	1

Causes of death	320,321*		322.0		322.1		322.2		323,324*		326*		330-334		330	
	322 Alcoholism		Acute		Chronic		Unspecified		325 Mental deficiency		VI 330-398 Diseases of the Nervous System and Sense Organs		Vascular lesions aff't'g central nervous system		Sub-arachnoid hæmorrhage	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	20	18	2	—	12	18	6	—	56	62	33716	46339	31034	43453	1244	1902
0—	—	—	—	—	—	—	—	—	16	16	161	112	17	9	14	5
1—	—	—	—	—	—	—	—	—	4	1	44	30	—	—	—	—
2—	—	—	—	—	—	—	—	—	7	3	34	21	1	—	1	—
3—	—	—	—	—	—	—	—	—	1	2	9	18	—	2	—	1
4—	—	—	—	—	—	—	—	—	2	—	11	10	1	2	—	2
5—	—	—	—	—	—	—	—	—	4	7	60	52	7	5	5	4
10—	—	—	—	—	—	—	—	—	2	—	55	40	19	19	16	17
15—	—	—	—	—	—	—	—	—	3	4	65	53	18	13	16	11
20—	—	—	—	—	—	—	—	—	6	1	99	64	36	25	25	16
25—	1	—	1	—	—	—	—	—	1	3	124	85	48	39	31	27
30—	1	—	—	—	1	—	—	—	1	2	142	157	72	77	42	50
35—	1	2	—	—	1	2	—	—	1	2	219	222	124	133	67	78
40—	4	2	—	—	2	2	2	—	3	4	392	387	261	284	116	111
45—	1	—	—	—	2	1	—	—	—	4	691	758	527	602	130	164
50—	3	2	—	—	2	2	1	—	3	3	1128	1293	954	1109	169	191
55—	2	4	—	—	1	4	1	—	2	2	1915	1977	1723	1764	188	252
60—	2	2	1	—	1	2	—	—	1	—	2943	3147	2713	2875	142	224
65—	2	3	—	—	2	3	—	—	—	3	4448	4995	4164	4688	108	233
70—	2	1	—	—	2	1	—	—	—	—	5915	7804	5593	7425	74	215
75—	1	—	—	—	—	—	1	—	—	—	6964	9911	6689	9542	59	154
80—	—	—	—	—	—	—	—	—	—	2	5279	8579	5119	8348	31	104
85 and over	—	—	—	—	—	—	—	—	—	1	3018	6624	2948	6492	10	43

*307, Alcoholic psychosis, 65, 75; 310, Anxiety reaction without mention of somatic symptoms, 50, 60, 45, 65, 70; 312, Phobic reaction, —; 313, Obsessive-compulsive reaction, —; 315, Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, 55; 316, Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system, 75; 320, Pathological personality, 25, 25, 30, 30, 30; 321, Immature personality, —; 323, Other drug addiction, 50; 324, Primary childhood behaviour disorders, —; 326, Other and unspecified character, behaviour, and intelligence disorders, 10.

TABLE 17—continued

Causes of death	331		332		333*		340-345		340		340.0		340.1		340.2		340.3	
	Cerebral hemorrhage		Cerebral embolism & thrombosis		334 Other and ill-defined vascular lesions aff'g central nervous system		Inflammatory diseases of central nervous system		Meningitis, except meningococcal and tuberculous		H. influenzae		Pneumococcus		Due to other specified organism		Unspecified cause	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	12562	18192	14791	20366	2437	2993	678	811	216	171	22	20	123	89	35	27	36	16
0—	2	3	1	1	—	—	90	69	74	53	7	7	25	16	27	22	15	2
1—	—	—	—	—	—	—	20	21	15	16	6	6	6	8	1	—	2	1
2—	—	—	—	—	—	—	15	6	6	4	3	3	2	1	1	—	—	—
3—	—	1	—	—	—	—	5	6	4	2	1	1	2	1	—	—	—	—
4—	—	—	—	—	1	—	3	4	3	2	2	1	1	1	—	—	—	—
5—	2	—	—	1	—	—	15	14	5	5	—	2	2	3	—	—	3	—
10—	2	2	—	—	1	—	9	6	4	1	1	—	2	—	—	—	1	—
15—	—	1	—	1	2	—	11	10	4	5	—	—	3	1	—	—	—	—
20—	9	5	—	1	2	3	10	13	3	1	—	—	3	—	—	—	2	—
25—	16	9	—	3	1	—	17	22	5	—	—	—	2	—	1	—	—	—
30—	27	23	1	3	2	1	27	38	4	2	1	—	2	2	1	—	—	—
35—	51	43	5	10	1	2	36	54	6	5	1	—	3	2	1	2	1	—
40—	120	142	21	29	4	2	55	58	3	4	—	—	3	3	—	—	—	—
45—	313	342	77	84	7	12	75	90	13	9	—	—	12	8	—	—	1	—
50—	573	720	197	180	15	18	72	89	14	6	—	—	11	3	1	—	2	—
55—	986	1013	495	456	54	43	67	89	10	6	—	—	6	5	—	—	4	—
60—	1420	1635	1022	923	129	93	52	76	13	12	—	—	12	8	1	—	—	—
65—	1916	2419	1883	1826	257	210	44	61	16	11	—	—	15	11	1	—	—	—
70—	2273	3319	2829	3461	417	430	24	47	2	11	—	—	1	8	5	—	1	—
75—	2426	3739	3610	4937	594	712	27	26	10	8	—	—	1	8	5	—	—	—
80—	1641	2943	2893	4531	554	770	3	9	2	5	—	—	2	4	—	—	—	—
85 and over	785	1833	1757	3919	396	697	1	3	—	3	—	—	—	—	—	—	—	—

Causes of death	341		342		343		344		345		350-357		350		351	
	Phlebitis and thrombophlebitis of intracranial venous sinuses		Intracranial and intraspinal abscess		Encephalitis, myelitis & encephalomyelitis (except acute infectious)		Late effects of intracranial abscess or pyogenic infection		Multiple sclerosis		Other diseases of central nervous system		Paralysis agitans		Cerebral spastic infantile paralysis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	6	11	57	32	49	66	37	38	313	493	1796	1912	675	891	71	—
0—	1	4	3	2	8	4	4	6	—	—	15	10	—	—	2	—
1—	—	—	—	2	4	2	1	1	—	—	16	6	—	—	4	—
2—	1	1	1	—	3	1	4	—	—	—	17	12	—	—	8	—
3—	—	—	—	1	3	3	—	—	1	—	4	8	—	—	1	—
4—	—	—	—	—	—	—	—	2	—	—	7	4	—	—	3	—
5—	—	—	3	2	6	4	1	3	—	—	34	24	—	—	12	—
10—	—	—	1	1	2	2	1	1	1	1	25	12	—	—	4	—
15—	—	—	2	1	—	2	5	1	—	—	32	24	—	—	3	—
20—	—	—	1	1	3	3	1	1	5	7	46	24	—	—	11	—
25—	—	—	5	3	1	3	1	—	5	16	48	22	1	—	3	—
30—	—	1	5	—	2	5	1	1	15	29	37	37	—	—	1	—
35—	—	1	3	1	3	2	1	—	23	45	55	31	4	1	3	—
40—	—	—	4	4	2	4	3	3	43	43	66	42	7	3	3	—
45—	—	—	6	2	4	3	3	2	49	74	68	61	7	6	2	—
50—	2	—	5	1	3	5	1	6	47	71	90	85	6	14	2	—
55—	—	—	4	1	2	5	2	6	49	71	114	117	32	32	—	—
60—	1	1	5	1	5	1	1	1	31	56	161	182	61	77	—	—
65—	—	2	3	5	2	5	1	3	22	35	220	231	109	138	4	—
70—	—	1	4	3	5	4	4	—	9	28	283	319	179	211	1	—
75—	—	—	1	1	1	4	2	1	13	12	240	329	155	224	3	—
80—	—	—	1	—	—	—	—	—	—	4	154	210	85	127	1	—
85 and over	1	—	—	—	—	—	—	—	—	—	64	122	29	58	—	—

*333, Spasm of cerebral arteries, —.

TABLE 17—continued

Cases of path	352		353		354*		356		356.0		356.1		356.2; 3		357	
	Other cerebral paralysis		Epilepsy		Other diseases of brain		Motor neurone disease and muscular atrophy		Progressive muscular atrophy		Amyotrophic lateral sclerosis		Others included under 356		Other diseases of spinal cord	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	229	288	387	341	97	111	297	199	172	138	56	25	49	36	40	26
0—	—	—	5	4	2	1	6	3	—	1	—	—	6	2	—	—
1—	—	—	11	3	1	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	8	6	1	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	3	3	—	2	—	—	—	—	—	—	—	—	—	—
4—	—	—	2	4	1	—	1	—	1	—	—	—	—	—	—	—
5—	—	—	17	15	4	1	1	—	—	—	—	—	1	—	—	1
6—	—	—	15	10	5	1	1	—	1	—	—	—	—	—	—	—
7—	—	—	27	17	1	—	—	1	—	1	—	—	—	—	1	—
8—	—	—	29	21	2	1	3	—	2	—	1	—	—	—	1	—
9—	1	—	38	17	1	2	1	1	1	1	—	—	—	—	3	1
10—	1	—	26	27	1	3	5	1	5	—	—	1	—	—	3	2
11—	—	2	33	21	2	1	10	1	5	1	1	—	4	—	—	—
12—	1	2	34	20	7	7	10	6	6	6	1	—	3	—	4	3
13—	3	3	30	33	6	8	17	9	9	7	4	—	4	2	3	1
14—	6	4	18	37	10	8	45	17	19	8	12	3	14	6	3	3
15—	11	7	27	27	13	10	26	36	16	26	2	3	8	7	5	2
16—	10	23	26	19	7	21	52	34	24	25	15	2	13	7	5	5
17—	26	19	16	23	4	11	56	35	42	23	6	7	8	5	5	3
18—	46	51	6	10	10	8	39	32	26	20	9	5	4	7	2	2
19—	51	66	8	5	6	15	16	16	10	13	2	3	4	—	1	2
20—	47	59	7	13	8	5	6	5	4	5	2	—	—	—	—	—
21—	26	52	1	6	5	4	2	2	1	1	1	1	—	—	1	1

Cases of path	360-369		360*		362, 363*		365		366		367-369*		370-379*		380-384*	
	Diseases of nerves and peripheral ganglia		361		364		Erythrodema polyneuritica		Other and unspecified forms of neuralgia and neuritis		370-379		380-389		385	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
0—	38	42	3	5	28	23	3	1	3	9	2	7	18	34	9	21
1—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—
2—	3	—	—	—	—	—	—	3	—	—	—	—	—	1	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	2	—	—	—	2	—	—	—	—	—	—	1	—	—	—
6—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
7—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
8—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
9—	2	2	—	—	2	2	—	—	—	—	—	—	—	—	—	—
10—	2	2	—	—	2	1	—	—	—	—	—	1	—	—	—	—
11—	4	2	—	—	4	2	—	—	—	—	—	—	—	—	—	—
12—	5	4	1	1	4	3	—	—	—	—	1	—	1	—	—	—
13—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14—	5	2	—	—	5	2	—	—	—	—	—	—	1	2	—	—
15—	5	5	2	1	3	4	—	—	—	—	—	1	1	5	—	3
16—	3	9	—	1	2	4	—	—	1	2	—	4	4	2	2	3
17—	3	5	—	—	3	1	—	—	—	4	—	1	3	2	1	1
18—	3	3	—	—	—	1	—	—	2	1	—	1	3	7	3	5
19—	—	3	—	1	—	1	—	—	—	—	—	—	—	—	1	7
20—	—	1	—	1	—	—	—	—	—	—	1	2	2	4	1	2

*354, Migraine, 60; 360, Facial paralysis, —; 362, Brachial neuritis, —; 363, Sciatica, 75, 65; 367, Other diseases of cranial nerves, 40; 368, Other diseases of peripheral nerves except autonomic, 75; 369, Diseases of peripheral autonomic nervous system, 65; 370, Conjunctivitis and ophthalmia, —; 371, Blepharitis, —; 372, Hordeolum (stye), 0; 373, Iritis, 85; 374, Keratitis, —; 375, Choroiditis, —; 376, Other inflammation of uveal tract, 70, 85, 85; 377, Inflammation of optic nerve and retina, 50, 60; 378, Inflammation of lachrymal glands and ducts, —; 379, Other inflammatory diseases of eye, 35, 75; 380, Refractive errors, —; 381, Corneal ulcer, —; 382, Corneal opacity, —; 383, Pterygium, —; 384, Strabismus, 5, 3.

TABLE 17—continued

Causes of death	386*		388, 389*		390*		392	393	394, 395*		397, 398*		400-402			
	387		390-398		391				396 Other diseases of ear and mastoid process		VII 400-468 Diseases of the Circulatory Sys tem					
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
All Ages	2	4	150	80	121	61	3	4	24	14	—	1	98097	95810	102	1
0—	—	—	39	22	37	16	—	2	2	4	—	—	13	11	1	—
1—	—	—	5	2	4	1	—	—	1	1	—	—	6	5	—	—
2—	—	—	1	2	1	1	—	—	—	1	—	—	7	—	1	—
3—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
5—	—	—	3	7	3	6	—	—	—	1	—	—	19	12	11	—
10—	—	—	2	2	1	1	—	—	1	1	—	—	35	32	13	—
15—	—	—	4	6	3	4	—	1	1	1	—	—	67	49	7	—
20—	—	—	6	2	4	2	—	—	2	—	—	—	90	94	6	—
25—	—	—	9	2	6	2	—	—	2	—	—	—	155	123	7	—
30—	—	—	4	3	4	1	—	1	—	1	—	—	325	258	4	—
35—	—	—	4	3	2	2	1	—	1	—	—	1	670	382	4	—
40—	—	—	8	1	4	1	—	—	4	—	—	—	1335	635	5	—
45—	—	—	16	3	11	3	—	—	5	—	—	—	2760	1136	6	—
50—	—	—	6	6	4	5	—	—	2	1	—	—	4908	1819	8	—
55—	1	—	5	3	3	3	1	—	—	—	—	—	7180	3083	9	—
60—	—	1	11	3	11	3	—	—	—	—	—	—	9480	5524	6	—
65—	—	—	13	2	11	1	—	—	2	1	—	—	12841	9456	7	—
70—	1	1	9	5	8	4	—	—	1	1	—	—	16363	15048	4	—
75—	—	1	2	3	2	3	—	—	—	—	—	—	17536	19667	1	—
80—	—	—	1	2	—	1	1	—	—	1	—	—	14549	19682	2	—
85 and over	—	1	2	—	2	—	—	—	—	—	—	—	9757	18792	—	—

Causes of death	400		401		401.0		401.1		401.2		401.3		402		402.0	
	Rheumatic fever without mention of heart involvement		Rheumatic fever with heart involvement		Active rheumatic pericarditis		Active rheumatic endocarditis		Active rheumatic myocarditis		Active rheumatic fever with other and multiple types of heart involvement		Chorea		Without mention of heart involvement	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	5	7	92	81	29	22	15	15	2	4	46	40	5	18	5	—
0—	—	—	1	1	1	—	—	—	—	—	—	1	—	—	—	—
1—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
5—	2	3	9	7	1	—	—	—	—	—	8	7	—	—	—	—
10—	1	—	12	11	—	2	2	2	—	2	10	5	—	1	—	—
15—	—	2	7	12	—	—	2	4	—	—	5	8	—	—	—	—
20—	—	—	6	5	—	—	3	—	—	—	3	5	—	1	—	—
25—	1	—	6	—	—	—	3	—	—	—	3	—	—	—	—	—
30—	—	—	2	7	—	—	—	3	1	—	1	4	2	1	2	—
35—	—	—	3	5	—	1	1	2	—	1	2	1	1	1	1	—
40—	—	—	5	6	—	2	1	2	—	—	4	2	—	2	—	—
45—	—	—	6	3	2	1	1	1	—	—	3	1	—	3	—	—
50—	—	—	7	5	4	2	—	—	—	—	3	3	1	—	1	—
55—	1	—	7	1	5	1	1	—	—	—	1	—	1	3	1	—
60—	—	1	6	3	6	2	—	—	—	—	—	1	—	3	—	—
65—	—	—	7	3	5	3	1	—	1	—	—	—	—	2	—	—
70—	—	—	4	8	4	6	—	1	—	—	—	1	—	—	—	—
75—	—	1	1	1	—	—	—	—	—	1	1	—	—	—	—	—
80—	—	—	2	1	1	1	—	—	—	—	1	—	—	1	—	—
85 and over	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—

*386, Detachment of retina, 45, 60, 65, 55, 55, 65; 388, Other diseases of eye, 65, 2, 60, 75; 389, Blindness, 80, 85, 1, 85; 390, Otitis externa, —; 394, Other inflammatory diseases of ear, 25, 55; 395, Ménière's disease, —; 397, Deaf mutism, —; 398, Other deafness, —.

TABLE 17—continued

Uses of path	402.1		410.416		410		411		412		413*		415		416	
	With heart involvement		Chronic rheumatic heart disease		Diseases of mitral valve		Diseases of aortic valve specified as rheumatic		Diseases of tricuspid valve		414		Other myocarditis specified as rheumatic		Other heart disease specified as rheumatic	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages			3049	5161	1989	3926	325	177	11	6	259	344	96	128	369	580
0—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	2	—	—	—	1	—	—	—	1	—	—	—	—	—
0—	—	—	15	13	8	10	2	—	—	—	2	1	—	—	2	2
5—	—	—	32	21	18	15	3	—	—	—	2	1	2	—	7	5
0—	—	—	42	53	26	39	—	2	—	—	8	6	2	1	6	5
5—	—	—	68	80	45	63	11	2	—	—	—	6	—	—	10	9
0—	—	—	101	162	74	125	9	3	—	—	6	14	—	2	12	18
5—	—	—	152	221	100	180	18	8	1	—	13	15	2	3	18	15
0—	—	—	231	333	165	270	17	7	—	1	18	23	2	6	29	26
5—	—	—	272	484	181	363	30	10	1	1	18	35	5	9	37	66
0—	—	—	306	530	192	409	38	21	1	1	23	26	12	10	40	63
5—	—	—	351	566	222	416	45	20	—	—	32	37	8	16	44	77
0—	—	—	354	585	230	441	45	13	1	1	27	42	13	11	38	77
5—	—	—	360	600	219	441	40	27	4	2	42	34	14	23	41	73
0—	—	—	317	546	207	399	27	27	3	—	30	44	13	16	37	60
5—	—	—	250	469	162	352	26	20	—	—	19	33	14	16	29	48
0—	—	1	142	323	102	261	8	11	—	—	14	15	5	11	13	25
5 and over	—	—	54	175	38	142	5	6	—	—	4	12	1	4	6	11

Uses of path	420-422		420		420.0		420.1		420.2		421		421.0		421.1	
	Arterio-sclerotic and degenerative heart disease		Arterio-sclerotic heart disease, including coronary disease		Arterio-sclerotic heart disease so described		Heart disease specified as involving coronary arteries		Angina pectoris without mention of coronary disease		Chronic endocarditis not specified as rheumatic		of mitral valve specified as non-rheumatic		of aortic valve, not specified as rheumatic	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	74004	65935	46921	27869	280	293	46333	27333	308	243	1570	1322	63	97	1131	759
0—	3	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—
1—	1	3	—	2	—	—	—	2	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0—	3	2	—	1	—	—	—	1	—	—	1	1	—	—	1	—
5—	3	2	—	1	—	—	—	1	—	—	2	1	—	—	2	—
10—	15	7	12	2	—	—	12	2	—	—	2	2	—	—	2	—
25—	44	9	31	3	—	—	31	3	—	—	7	2	—	—	5	1
40—	143	49	123	32	—	—	123	32	—	—	8	6	—	—	5	4
55—	387	58	346	40	—	—	345	40	1	—	24	5	1	—	19	4
70—	904	154	838	118	—	—	833	116	5	1	37	7	—	—	35	5
85—	2061	378	1918	274	2	1	1912	273	4	—	55	26	1	1	41	9
100—	3858	805	3574	642	5	2	3551	637	18	3	106	43	—	2	89	16
125—	5651	1696	5069	1300	12	5	5027	1286	30	9	145	81	1	3	113	44
150—	7327	3442	6239	2524	15	9	6188	2500	36	15	221	116	8	3	166	64
175—	9828	6281	7780	4320	35	15	7698	4271	47	34	246	193	5	16	180	119
200—	12383	10312	8297	5833	50	53	8190	5728	57	52	262	233	12	16	199	149
225—	13122	13955	6830	6080	60	73	6716	5939	54	68	228	254	17	21	138	154
250—	10814	14352	4042	4146	60	63	3941	4040	41	43	151	202	10	21	92	106
275 and over	7456	14428	1820	2551	41	71	1764	2462	15	18	75	150	8	14	44	84

*413, Diseases of pulmonary valve specified as rheumatic, —.

TABLE 17—continued

Causes of death	421.2; 3*		422		422.0		422.1		422.2		430-434		430		431	
	421.4		Other myocardial degeneration		Fatty degeneration		With arteriosclerosis		Other diseases included under 422		Other diseases of heart		Acute and subacute endocarditis		Acute myocard not specified as rheumatic	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	373	463	25513	36744	98	176	11050	14663	14365	21905	4272	4760	196	121	77	
0—	—	—	2	2	—	—	—	—	2	2	7	7	2	1	1	
1—	—	—	1	1	—	—	—	—	1	1	4	1	—	—	—	
2—	—	—	—	—	—	—	—	—	—	—	4	—	1	—	1	
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5—	—	—	—	—	—	—	—	—	—	—	4	1	1	—	—	
10—	—	1	2	—	—	—	—	—	2	—	2	5	—	2	1	
15—	—	1	1	—	—	—	—	—	1	—	15	7	6	5	2	
20—	—	2	1	3	—	—	—	—	1	3	11	9	5	4	4	
25—	2	—	6	4	—	1	1	—	5	3	10	12	5	5	3	
30—	3	2	12	11	1	2	2	1	9	8	33	16	14	5	3	
35—	4	1	17	13	1	3	3	—	13	10	41	20	11	10	4	
40—	2	2	29	29	5	5	8	3	16	21	54	38	19	8	5	
45—	12	16	88	78	7	6	15	9	66	63	107	58	19	11	4	
50—	17	25	178	120	8	9	47	22	123	89	167	115	19	16	4	
55—	31	33	437	315	16	15	138	87	283	213	289	172	29	8	1	
60—	47	48	867	802	15	24	364	296	488	482	401	306	17	12	4	
65—	61	58	1802	1768	10	28	782	753	1010	987	515	530	28	18	1	
70—	51	68	3824	4246	10	22	1772	1810	2042	2414	795	806	10	6	15	
75—	72	79	6064	7621	18	30	2818	3220	3228	4371	812	987	10	5	10	
80—	48	75	6621	10004	5	23	2841	4038	3775	5943	622	943	—	3	6	
85 and over	23	52	5561	11727	2	8	2259	4424	3300	7295	379	727	—	2	8	

Causes of death	432		433		434		440-447		440		441		442		443	
	Acute pericarditis specified as non-rheumatic		Functional disease of heart		Other and unspecified diseases of heart		Hypertensive disease		Essential benign hypertension with heart disease		Essential malignant hypertension with heart disease		Hypertensive heart disease with arteriolar nephrosclerosis		Other unspecified hypertensive heart disease	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	12	9	1019	1619	2968	2951	9298	11100	97	138	105	56	150	144	5287	
0—	1	1	3	2	—	2	—	—	—	—	—	—	—	—	—	
1—	1	—	—	—	3	—	—	—	—	—	—	—	—	—	—	
2—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	1	
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	
10—	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	
15—	—	—	—	—	7	2	3	2	—	—	—	—	—	—	2	
20—	—	—	1	—	1	5	7	3	—	—	1	—	1	—	1	
25—	—	—	—	1	2	5	16	5	—	—	1	—	—	—	4	
30—	1	—	2	5	13	6	22	8	—	—	7	—	1	—	7	
35—	—	—	4	2	22	8	55	33	—	—	1	1	—	—	6	
40—	—	1	5	5	25	23	90	53	—	2	5	6	—	—	24	
45—	—	—	19	11	65	34	220	138	4	—	18	7	3	—	66	
50—	—	1	33	39	111	54	383	232	5	1	22	7	4	6	154	
55—	1	1	55	69	203	91	603	429	7	3	16	7	3	4	334	
60—	2	—	77	113	301	176	952	817	8	13	13	9	12	7	537	
65—	4	—	122	194	360	308	1386	1371	14	13	8	6	16	14	850	
70—	2	3	225	286	543	505	1700	2135	16	26	11	5	25	18	1041	
75—	—	2	205	352	587	619	1820	2477	23	31	2	2	36	37	1098	
80—	—	—	173	313	443	616	1383	2089	12	36	—	3	36	26	797	
85 and over	—	—	93	226	278	495	657	1308	8	13	—	1	13	32	365	

*421.2, Of tricuspid valve, specified as non-rheumatic, 45, 75, 80, 55; 421.3, Of pulmonary valve, not specified rheumatic, 25, 60.

TABLE 17—continued

Uses of path	444 Essential benign hypertension without mention of heart		445 Essential malignant hypertension without mention of heart		446 Hypertension with arteriolar nephrosclerosis without mention of heart		447 Other hypertensive disease without mention of heart		450-456 Diseases of arteries		450 General arterio-sclerosis		450.0 Without mention of gangrene		450.1 With gangrene	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	1962	2346	353	184	439	473	905	1046	6286	7089	5211	6174	4633	5684	578	490
0—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—
1—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
15—	—	—	1	1	—	1	—	—	5	3	—	—	—	—	—	—
20—	—	—	4	2	—	—	—	—	5	7	—	—	—	—	—	—
25—	3	2	6	1	2	—	—	1	3	11	—	—	—	—	—	—
30—	1	—	11	6	1	—	—	—	10	5	—	1	—	1	—	—
35—	12	10	26	8	4	2	—	3	17	18	3	1	3	1	—	—
40—	20	8	37	19	3	2	1	5	31	23	6	1	6	1	—	—
45—	50	48	63	33	11	7	5	5	52	28	18	3	17	3	1	—
50—	93	51	75	35	11	10	19	12	111	56	25	21	25	18	—	3
55—	138	105	48	27	24	12	33	24	177	95	74	41	61	37	13	4
60—	242	214	37	20	24	20	79	51	298	181	156	103	141	96	15	7
65—	317	330	26	15	45	42	110	100	572	429	374	295	327	274	47	21
70—	354	440	14	8	67	70	172	194	999	944	799	750	706	699	93	51
75—	347	477	2	6	89	101	223	245	1362	1477	1226	1317	1093	1207	133	110
80—	269	421	1	2	98	109	170	242	1479	1762	1396	1667	1238	1522	158	145
85 and over	116	240	2	1	60	97	93	164	1161	2048	1133	1974	1015	1825	118	149

Uses of path	451 Aortic aneurysm specified as nonsyphilitic, & dissecting aneurysm		452 Other aneurysm, except of heart and aorta		453 Peripheral vascular disease		453.0 Raynaud's disease		453.1 Thrombo-angiitis obliterans		453.2; 3 Others included under 453		454 Arterial embolism & thrombosis		455 Gangrene of unspecified cause	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	815	676	39	35	63	31	5	10	45	6	13	15	34	51	23	6
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
15—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
25—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
30—	4	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	7	3	1	1	2	1	—	—	2	—	—	1	1	—	—	—
40—	15	7	1	4	1	—	—	—	1	—	—	—	3	1	—	—
45—	18	13	1	2	2	2	—	1	2	1	—	—	2	2	—	—
50—	51	21	4	2	7	1	—	—	7	—	—	1	1	2	1	—
55—	73	37	4	2	9	1	—	—	9	1	—	—	4	3	2	1
60—	113	56	7	7	7	3	1	2	4	—	2	1	3	6	2	1
65—	168	101	2	9	8	3	—	1	5	1	3	1	6	5	—	1
70—	160	164	6	5	14	5	3	3	9	—	2	2	6	12	6	1
75—	108	136	6	2	7	2	1	1	5	1	1	—	5	7	8	1
80—	69	77	5	3	4	7	—	—	—	1	4	6	2	5	3	1
85 and over	23	59	1	3	2	5	—	2	1	—	1	3	1	7	1	—

TABLE 17—continued

Causes of death	456		460-468		460		461		462		463		464		465	
	Other diseases of arteries		Diseases of veins and other diseases of circulatory system		Varicose veins of lower extremities		Hæmorrhoids		Varicose veins of other specified sites		Phlebitis and thrombo-phlebitis of lower extremities		Phlebitis and thrombo-phlebitis of other sites		Pulmonary embolism infarction	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	101	116	1086	1659	55	197	23	13	17	24	156	261	13	20	457	
0—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—
1—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—
10—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1
15—	3	2	2	—	—	—	—	—	—	—	—	—	—	—	2	2
20—	4	6	4	9	—	—	—	—	—	—	1	1	—	—	2	2
25—	1	9	7	6	1	1	—	—	—	—	1	2	—	—	3	3
30—	5	3	12	10	1	2	—	—	—	—	2	5	—	—	2	2
35—	3	12	14	26	1	4	—	—	—	1	5	4	—	—	5	5
40—	5	10	20	26	1	3	—	—	1	—	4	7	—	—	8	8
45—	11	6	42	44	3	4	—	—	2	2	5	4	1	—	20	20
50—	22	9	75	76	2	11	2	—	2	2	12	13	—	1	31	31
55—	11	10	100	121	4	21	1	2	1	2	18	25	1	2	29	29
60—	10	12	142	186	8	33	2	3	1	2	23	34	2	4	67	67
65—	14	15	173	240	12	30	3	1	6	3	21	39	2	4	72	72
70—	8	7	165	297	11	31	8	—	3	3	22	42	4	3	75	75
75—	2	12	169	300	5	39	6	2	1	2	22	44	1	4	70	70
80—	—	2	107	211	3	13	—	4	—	2	11	33	2	—	49	49
85 and over	—	—	50	105	3	5	1	1	2	5	7	8	—	1	22	22

Causes of death	466		467		468		VIII 470-527		470-475		470		471		472	
	Other venous embolism & thrombosis		Other diseases of circulatory system		Certain diseases of lymph nodes and lymph channels		Diseases of the Respiratory System		Acute upper respiratory infections		Acute nasopharyngitis (common cold)		Acute sinusitis		Acute pharyngitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	332	535	26	29	7	6	35732	24047	68	70	3	4	3	3	13	
0—	—	—	—	—	—	—	1140	786	14	10	—	1	—	—	1	—
1—	—	—	—	—	1	—	151	122	3	5	—	—	—	—	—	—
2—	—	—	—	—	—	—	63	58	2	4	—	—	—	—	—	—
3—	—	—	—	—	—	—	40	27	3	2	—	—	—	—	—	—
4—	—	—	—	—	—	—	29	17	2	—	—	—	—	—	1	—
5—	—	—	—	—	—	—	72	71	4	3	—	—	1	—	—	—
10—	—	—	—	—	—	—	45	45	—	2	—	—	—	1	—	—
15—	—	—	—	—	1	—	53	41	1	1	—	—	1	—	—	—
20—	1	4	—	—	—	—	55	44	2	1	—	—	1	—	—	—
25—	1	1	—	—	1	—	73	59	1	1	—	—	—	—	1	—
30—	6	2	1	—	—	—	102	99	1	2	—	—	—	1	—	—
35—	3	7	—	—	—	—	170	143	1	1	—	—	—	—	1	—
40—	6	3	—	—	—	—	359	233	1	1	—	—	—	—	—	—
45—	13	12	—	—	—	—	795	335	3	5	—	—	—	—	—	—
50—	23	26	3	2	—	—	1707	452	3	2	—	—	—	—	2	—
55—	40	31	4	2	2	—	2849	815	2	2	—	—	—	—	1	—
60—	37	44	2	4	—	1	4193	1390	3	2	—	—	—	—	1	—
65—	54	71	3	6	—	2	5189	2156	4	3	—	—	—	—	—	—
70—	38	112	3	4	1	—	5959	3292	2	1	—	—	—	—	—	—
75—	59	108	4	3	1	1	5574	4635	3	5	—	1	—	—	—	—
80—	38	69	4	5	—	1	4285	4506	5	10	2	1	—	—	2	—
85 and over	13	45	2	3	—	1	2829	4721	8	8	1	1	—	1	2	2

TABLE 17—continued

Causes of death	473		474		475		480-483		480		481		481 (a)		481 (b)	
	Acute tonsillitis		Acute laryngitis and tracheitis		Acute upper respiratory infection of multiple or unspecified sites		Influenza		Influenza with pneumonia		Influenza with other respiratory manifest'ns, & influenza unqualified		Influenza without mention of respiratory complications		Influenza with mention of respiratory complications	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	13	18	24	18	12	13	1272	1354	661	645	597	693	276	369	321	324
0—	2	—	5	2	6	7	24	6	16	3	7	3	5	2	2	1
1—	—	3	3	—	—	—	3	3	4	2	—	—	—	—	—	2
2—	—	2	1	2	1	—	3	4	2	1	1	2	1	2	—	—
3—	—	—	2	2	1	—	2	2	2	1	—	1	—	1	—	—
4—	—	—	1	—	—	—	—	2	—	1	—	1	—	—	—	1
5—	—	1	3	1	—	—	3	5	2	5	1	—	1	—	—	—
10—	—	1	—	—	—	—	5	3	4	3	1	—	—	—	1	—
15—	—	—	—	—	—	—	7	5	5	4	2	—	—	1	2	—
20—	1	—	—	—	—	—	3	2	1	—	2	1	—	—	2	—
25—	—	1	—	—	—	—	9	8	5	5	4	3	3	2	1	1
30—	1	—	—	1	—	—	9	5	7	3	2	2	2	1	—	1
35—	—	—	—	—	—	—	15	6	12	3	1	3	—	—	1	—
40—	1	—	—	1	—	—	17	10	13	4	3	6	2	4	1	2
45—	—	3	1	2	1	—	41	30	27	19	12	11	6	5	6	6
50—	1	—	—	—	—	—	58	26	39	15	19	10	9	3	10	7
55—	1	—	—	—	—	1	98	60	60	37	37	23	12	16	25	7
60—	—	1	2	1	—	—	125	82	70	43	54	36	27	20	27	16
65—	2	1	2	1	—	1	137	122	61	57	75	62	28	28	47	34
70—	—	—	1	—	—	—	198	160	94	79	104	81	42	43	62	38
75—	—	—	2	1	1	2	198	243	98	115	99	126	46	69	53	57
80—	—	4	—	1	1	1	191	271	93	113	97	154	53	81	44	73
85 and over	3	1	1	1	1	1	126	299	49	132	76	165	39	88	37	77

Causes of death	482		483		490-493		490		491		492		493		500-502	
	Influenza with digestive manifest'ns, but without respiratory symptoms		Influenza with nervous manifest'ns, but without digestive or respiratory symptoms		Pneumonia		Lobar pneumonia		Broncho-pneumonia		Primary atypical pneumonia		Pneumonia, other and unspecified		Bronchitis	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	6	14	8	2	11144	11227	1973	1449	8419	9141	86	76	666	561	19852	9818
0—	—	—	1	—	874	621	54	40	742	512	19	23	59	46	193	118
1—	1	—	1	—	99	87	6	7	82	71	4	2	7	7	42	22
2—	—	—	—	—	33	34	2	3	29	26	1	—	1	5	20	11
3—	—	—	—	—	25	14	5	1	20	11	—	1	—	1	5	4
4—	—	—	—	—	12	12	—	2	12	9	—	1	—	—	10	3
5—	—	—	—	—	34	38	4	5	27	27	—	2	3	4	13	11
10—	—	—	—	—	26	28	4	7	19	19	—	—	3	2	6	4
15—	—	—	—	—	32	18	9	6	20	9	—	—	3	3	7	5
20—	—	1	—	—	32	24	13	7	16	13	1	—	2	4	8	5
25—	—	—	—	—	36	28	8	13	22	11	1	1	5	3	10	8
30—	—	—	—	—	38	45	14	13	19	25	1	2	4	5	23	24
35—	—	—	2	—	62	60	27	17	30	38	1	—	4	5	44	45
40—	—	—	1	—	141	106	48	30	77	68	1	1	15	7	133	64
45—	1	—	1	—	222	133	74	38	127	81	5	1	16	13	375	114
50—	—	1	—	—	373	169	124	41	216	114	5	5	28	9	991	176
55—	—	—	1	—	568	295	166	63	357	201	7	3	38	28	1820	363
60—	—	2	1	1	813	517	232	114	507	371	9	1	65	31	2739	674
65—	1	2	—	1	1146	889	293	150	766	673	10	8	77	58	3366	1012
70—	—	—	—	—	1598	1417	296	223	1204	1122	11	9	87	63	3619	1551
75—	1	2	—	—	1931	2204	284	291	1539	1802	3	7	105	104	3091	1988
80—	—	—	—	—	1752	2107	198	188	1466	1827	6	5	82	87	2102	1889
85 and over	1	2	—	—	1297	2381	112	190	1122	2111	1	4	62	76	1235	1726

TABLE 17—continued

Causes of death	500 Acute bronchitis		501 Bronchitis unqualified		502 Chronic bronchitis		502.0 Bronchitis with emphysema		502.1 Others included under 502		510-527 Other diseases of respiratory system		510 Hypertrophy of tonsils and adenoids		511 Peritonsillar abscess (quinsy)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1675	1969	1055	1100	17122	6749	8353	1783	8769	4966	3396	1578	16	13	4	
0—	146	85	41	30	6	3	—	—	6	3	35	31	—	—	—	—
1—	31	19	8	3	3	—	1	—	2	—	4	4	—	—	—	—
2—	14	8	5	3	1	—	—	—	1	—	5	6	—	—	1	—
3—	4	2	1	2	—	—	—	—	—	—	5	5	—	2	—	—
4—	8	1	2	2	—	—	—	—	—	—	5	—	2	—	—	—
5—	7	7	2	3	4	1	1	1	3	—	18	14	9	7	—	—
10—	4	2	1	2	1	—	—	—	1	—	8	8	2	—	—	—
15—	4	4	2	1	1	—	—	—	1	—	6	13	—	—	—	—
20—	2	2	1	2	5	2	—	—	4	2	10	11	—	1	1	—
25—	1	3	—	1	9	4	1	1	5	3	17	14	1	—	—	—
30—	3	7	5	3	15	14	11	6	4	8	31	23	1	1	—	—
35—	6	14	1	4	37	27	19	13	18	14	48	31	—	—	—	—
40—	9	10	6	1	118	53	68	13	50	40	67	52	—	—	—	—
45—	27	16	14	9	334	89	207	38	127	51	154	53	—	—	1	—
50—	46	19	28	9	917	148	577	55	340	93	282	79	—	—	—	—
55—	82	38	48	24	1690	301	1048	125	642	176	361	95	—	—	—	—
60—	124	88	80	41	2535	545	1478	198	1057	347	513	115	—	—	—	—
65—	156	132	109	81	3101	799	1634	267	1467	532	536	130	1	1	—	—
70—	223	224	177	133	3219	1194	1501	335	1718	859	542	163	—	—	—	—
75—	298	361	205	209	2588	1418	1031	340	1557	1078	351	195	—	—	—	—
80—	262	415	184	246	1656	1228	517	244	1139	984	235	229	—	—	—	—
85 and over	218	512	135	291	882	923	255	147	627	776	163	307	—	—	—	—

Causes of death	512 Chronic pharyngitis and nasopharyngitis		513 Chronic sinusitis		514* 515 Nasal polyp		516* 517 Other diseases of upper respiratory tract		518 Empyema		519 Pleurisy		520 Spontaneous pneumothorax		521 Abscess of lung	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	3	2	25	18	4	4	19	13	86	44	59	40	6	1	43	2
0—	—	—	1	1	—	—	4	1	4	3	2	—	—	—	3	—
1—	1	—	—	1	—	—	—	3	1	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	1	—	—	—	1	2	—	—	1	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
15—	—	—	2	—	—	1	—	—	1	1	—	—	—	—	—	—
20—	—	—	1	2	—	—	—	1	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	2	—	1	—	2	—	—	—	1	—
30—	—	—	4	—	—	—	1	—	—	2	—	—	—	—	—	—
35—	—	—	—	—	1	—	2	1	1	2	1	1	—	—	4	—
40—	—	—	3	1	—	—	—	—	2	4	2	3	—	—	1	—
45—	—	—	3	2	1	—	—	—	6	2	3	2	—	—	2	—
50—	—	—	3	1	1	1	1	1	11	1	2	2	1	—	1	—
55—	—	—	1	—	—	—	—	—	7	3	5	—	—	—	—	—
60—	1	—	—	—	—	—	—	—	9	5	8	1	2	—	2	—
65—	1	1	3	—	—	1	2	1	14	5	12	2	1	—	4	—
70—	—	1	1	1	2	—	—	—	10	6	10	6	—	—	8	—
75—	—	—	3	—	—	—	1	1	13	7	4	7	2	1	6	—
80—	—	—	—	—	—	—	—	—	4	4	6	7	—	—	—	—
85 and over	—	—	—	4	—	—	2	—	1	1	1	5	—	—	—	—

*514, Deflected nasal septum, 0, 15, 25; 516, Chronic laryngitis, —.

TABLE 17—continued

Causes of death	522		523		524 Other specified pneumoconiosis & pulmonary fibrosis of occupational origin		525		526		527		IX 530-587		530-539	
	Pulmonary congestion and hypostasis		Pneumoconiosis due to silica and silicates (occupational)				Other chronic interstitial pneumonia		Bronchiectasis		Other diseases of lung and pleural cavity		Diseases of the Digestive System		Diseases of buccal cavity and œsophagus	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1 Ages	255	474	666	9	17	6	204	73	983	559	1004	291	8549	7174	90	135
0—	2	—	—	—	—	—	4	6	2	1	12	16	352	252	2	5
1—	—	—	—	—	—	—	—	—	—	—	—	2	36	36	—	—
2—	—	—	—	—	—	—	—	—	1	1	2	1	16	17	—	—
3—	—	—	—	—	—	—	2	—	1	1	1	—	12	12	—	—
4—	—	—	—	—	—	—	—	—	1	—	2	—	12	8	1	—
5—	—	—	—	—	—	—	—	—	5	4	1	—	44	26	2	—
0—	—	—	—	—	—	—	—	—	2	5	—	—	35	17	1	—
5—	—	—	—	—	—	—	—	—	2	11	—	—	23	17	1	—
0—	—	—	—	—	—	—	1	—	6	5	1	2	36	34	2	—
5—	—	1	—	—	—	—	1	—	5	8	4	2	63	32	3	—
0—	—	1	—	—	—	1	4	—	17	15	4	2	99	71	—	3
5—	—	—	7	—	—	—	2	1	24	20	6	—	133	76	—	3
0—	—	1	5	1	—	—	1	2	40	29	12	11	224	144	3	1
5—	1	—	21	—	1	—	11	4	55	37	48	7	357	200	1	4
0—	5	2	63	1	2	—	15	6	92	52	86	12	596	326	3	4
5—	1	1	87	2	2	2	27	9	113	57	114	16	799	426	4	5
0—	1	—	123	1	7	—	31	8	163	70	160	22	906	612	8	8
5—	4	2	145	3	2	2	31	10	140	67	178	32	1135	923	19	13
0—	17	26	127	1	1	1	39	6	170	55	163	56	1280	1132	12	12
5—	41	57	59	—	2	—	20	14	74	59	121	43	1244	1214	10	21
0—	85	135	26	—	—	—	9	5	45	38	60	39	779	957	12	28
5 and over	98	248	3	—	—	—	6	2	23	24	29	23	368	642	6	28

Causes of death	530, 531*		533		534, 535*		537		538		539		540-545		540	
	532 Other inflammatory diseases of supporting structures of teeth		Disorders of occlusion, eruption, & tooth development		536 Stomatitis		Diseases of salivary glands		Other diseases of buccal cavity		Diseases of œsophagus		Diseases of stomach and duodenum		Ulcer of stomach	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1 Ages	6	3	6	8	2	4	13	58	1	3	59	55	3962	1671	1803	998
0—	—	—	1	4	—	—	—	—	—	—	1	1	10	5	2	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5—	—	—	1	—	—	—	—	—	1	—	—	—	1	1	—	1
0—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—
20—	—	—	1	—	—	—	—	—	—	—	1	—	7	—	4	—
25—	—	—	2	—	—	—	—	—	—	—	1	—	24	7	9	3
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	1	—	—	—	—	—	1	—	3	43	8	13	3
40—	—	—	—	—	—	—	—	—	—	—	—	—	47	13	18	10
45—	—	—	—	1	1	—	—	—	—	—	1	—	100	22	38	14
50—	1	—	—	1	—	—	—	1	—	—	2	2	162	46	70	18
55—	—	—	—	—	—	—	—	—	—	—	2	3	307	64	127	28
60—	—	—	—	—	1	—	1	1	—	—	2	2	403	84	176	45
65—	—	1	—	—	—	—	1	—	—	—	7	7	486	127	223	76
70—	2	—	—	—	—	1	2	1	—	—	14	10	599	204	281	119
75—	1	—	—	—	2	—	2	2	—	1	10	7	651	285	286	170
80—	—	—	—	—	—	—	2	10	—	1	7	10	628	364	308	223
85 and over	1	1	—	—	—	—	1	16	—	—	10	10	335	258	165	169
90—	—	1	—	—	—	—	4	27	—	—	2	—	156	183	82	119

*530, Dental caries, 65; 531, Abscesses of supporting structures of teeth, 40, 55, 35, 55, 65, 80; 534, Toothache from unspecified cause, —; 535, Other diseases of teeth and supporting structures, —.

TABLE 17—continued

Causes of death	540.0 Without mention of perforation		540.1 With perforation		541 Ulcer of duodenum		541.0 Without mention of perforation		541.1 With perforation		542 Gastrojejunal ulcer		542.0 Without mention of perforation		542.1 With perforation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1318	776	485	222	1975	566	1263	349	712	217	50	15	36	9	14	
0—	2	—	—	—	2	3	—	2	2	1	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	5	—	3	—	3	—	1	—	2	—	—	—	—	—	—	—
25—	5	3	4	—	12	3	9	3	3	—	1	—	1	—	—	—
30—	10	2	3	1	25	2	18	1	7	1	1	1	1	—	—	—
35—	11	5	7	5	27	3	18	2	9	2	2	2	1	—	—	1
40—	29	9	9	5	56	7	46	4	10	3	—	—	—	—	—	—
45—	44	12	26	6	83	27	53	16	30	11	—	—	—	—	—	—
50—	88	20	39	8	162	28	100	22	62	6	8	1	5	—	—	3
55—	121	34	55	11	201	35	132	21	69	14	9	—	6	—	—	3
60—	167	57	56	19	248	42	155	23	93	19	5	2	5	—	—	—
65—	206	93	75	26	296	77	181	48	115	29	6	3	4	3	2	—
70—	206	138	80	32	342	99	212	60	130	39	9	3	7	3	2	—
75—	224	171	84	52	298	117	185	71	113	46	4	4	3	2	1	—
80—	135	130	30	39	153	73	100	49	53	24	4	1	2	1	2	—
85 and over	68	101	14	18	66	50	52	27	14	23	1	—	1	—	—	—

Causes of death	543 Gastritis and duodenitis		544 Disorders of function of stomach		545 Other diseases of stomach and duodenum		550-553 Appendicitis		550 Acute appendicitis		550.0 Without mention of peritonitis		550.1 With peritonitis		551 Appendic
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All Ages	49	51	11	7	74	34	522	331	425	250	74	41	351	209	93
0—	2	—	1	1	3	1	4	—	4	—	2	—	2	—	—
1—	—	—	—	—	—	—	6	2	6	2	1	—	5	2	—
2—	—	—	—	—	—	—	2	3	2	3	—	—	2	3	—
3—	—	—	—	—	—	—	2	3	2	2	—	—	2	2	—
4—	—	—	1	—	—	—	4	3	4	3	2	—	2	3	—
5—	—	—	—	—	—	—	17	14	14	10	4	1	10	9	3
10—	—	—	—	—	—	—	25	5	20	3	—	—	20	3	5
15—	—	—	1	—	—	—	8	6	8	3	2	—	6	3	—
20—	—	—	—	—	—	—	8	4	7	2	1	1	6	1	1
25—	1	1	—	—	1	—	11	2	11	2	2	—	9	2	—
30—	1	1	1	1	2	—	13	10	8	7	1	—	7	7	5
35—	—	—	—	—	—	—	19	4	16	4	2	1	14	3	3
40—	2	1	—	—	4	—	23	6	17	3	4	—	13	3	6
45—	1	—	—	—	8	1	30	17	22	9	6	1	16	8	8
50—	3	3	—	—	7	4	41	21	34	16	9	5	25	11	7
55—	3	1	2	—	12	3	50	16	35	10	3	2	32	8	14
60—	2	3	—	—	8	4	43	30	32	23	8	4	24	19	11
65—	9	1	—	—	7	4	57	39	52	33	8	5	44	28	5
70—	4	7	1	2	9	4	54	48	49	37	7	5	42	32	4
75—	8	10	2	3	8	7	60	44	45	36	8	8	37	28	15
80—	7	11	2	—	4	4	33	35	28	26	2	5	26	21	5
85 and over	6	12	—	—	1	2	12	19	9	16	2	3	7	13	1

TABLE 17—continued

Causes of death	552		553		560-561		560		561		570-578		570		570.0	
	Other appendicitis		Other diseases of appendix		Hernia of abdominal cavity		Hernia of abdominal cavity without mention of obstruction		Hernia of abdominal cavity with obstruction		Other diseases of intestines and peritoneum		Intestinal obstruction without mention of hernia		Intus-susception	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	3	4	1	2	768	865	188	182	580	683	1781	2157	713	720	32	35
0—	—	—	—	—	68	45	57	38	11	7	216	151	44	37	19	18
1—	—	—	—	—	4	—	1	—	3	—	21	23	1	6	1	6
2—	—	—	—	—	3	—	3	—	—	—	6	4	2	1	2	—
3—	—	—	—	—	—	—	—	—	—	—	7	3	4	2	—	—
4—	—	—	—	—	—	2	—	—	—	2	2	1	2	—	—	—
5—	—	—	—	—	—	1	—	1	—	—	11	5	2	1	—	—
10—	—	—	—	—	—	—	—	—	—	—	6	5	4	—	1	—
15—	—	—	—	—	1	—	1	—	—	—	9	6	4	—	—	—
20—	—	—	—	—	1	—	—	—	1	—	9	22	1	6	—	—
25—	—	—	—	—	1	1	1	—	—	1	19	15	6	4	—	—
30—	—	1	—	—	1	1	1	—	—	1	25	36	10	7	1	—
35—	—	—	—	—	4	2	2	1	2	1	30	35	12	11	—	1
40—	—	—	—	—	10	5	1	—	5	5	51	61	17	19	—	1
45—	—	1	—	—	17	13	8	7	9	6	61	53	27	16	1	1
50—	—	—	—	—	24	21	6	11	18	10	106	96	38	25	2	—
55—	1	—	—	—	42	50	13	10	29	40	141	114	60	32	—	—
60—	—	1	—	—	62	86	21	16	41	70	161	137	81	54	2	2
65—	—	—	—	—	80	146	14	34	66	112	203	233	90	71	1	2
70—	1	—	—	1	120	137	20	20	100	117	230	330	103	118	—	1
75—	—	—	—	—	139	151	10	20	129	131	220	363	98	126	2	1
80—	—	—	—	—	121	134	21	16	100	118	167	264	76	112	—	2
85 and over	1	—	1	1	70	70	8	8	62	62	80	200	31	72	—	1

Causes of death	570.1		570.2		570.3		570.4		570.5		571		572		572.0	
	Paralytic ileus		Mesenteric infarction		Volvulus		Impaction of intestine		Others included under 570		Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		Chronic enteritis and ulcerative colitis		Regional enteritis	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	19	8	203	200	221	189	48	79	190	209	357	366	477	811	29	31
0—	1	—	—	2	12	5	11	10	1	2	162	109	2	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	19	17	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—
3—	—	—	—	—	3	2	—	—	1	—	3	1	—	—	—	—
4—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	1	1	1	—	—	—	8	2	—	—	—	—
10—	—	—	2	—	1	—	—	—	—	—	1	3	1	2	—	—
15—	—	—	—	—	2	—	—	—	2	—	1	2	2	3	1	—
20—	—	—	—	3	1	1	—	—	—	2	—	1	8	14	1	—
25—	—	—	2	1	3	1	—	—	1	2	3	2	8	8	3	1
30—	2	—	1	1	3	4	—	—	3	2	1	2	13	26	2	5
35—	—	—	2	6	7	2	—	—	3	2	4	6	12	16	4	1
40—	—	—	5	8	7	4	1	1	4	5	3	7	23	30	4	3
45—	—	—	4	8	10	2	—	—	11	6	5	3	27	26	4	1
50—	2	1	14	7	12	9	1	1	7	7	10	8	39	48	2	3
55—	1	—	25	14	20	6	—	3	14	9	9	8	46	58	2	4
60—	2	—	33	21	17	15	3	3	24	13	12	10	45	51	2	3
65—	3	—	25	25	30	11	3	11	28	22	21	20	59	107	1	4
70—	5	1	32	31	27	39	8	15	31	31	22	39	72	134	2	5
75—	2	2	28	34	25	31	7	14	34	44	23	44	66	142	1	1
80—	1	—	20	24	27	38	7	13	21	34	24	38	41	82	—	—
85 and over	—	3	10	15	11	17	5	8	5	28	23	41	13	64	—	—

TABLE 17—continued

Causes of death	572.1		572.2		572.3		573		574*		576		577		578	
	Diverticulitis		Ulcerative colitis		Others included under 572		Functional disorders of intestines		Abscess of anal and rectal regions		Peritonitis		Peritoneal adhesion		Other diseases of intestines and peritoneum	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	272	466	162	302	14	12	15	19	8	9	47	48	6	4	157	
0—	—	—	2	—	—	—	1	—	—	—	5	3	—	—	2	
1—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
2—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
5—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	
10—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	
15—	—	—	7	3	—	—	—	—	—	—	—	1	—	—	2	
20—	—	—	1	14	—	—	—	—	—	1	—	—	—	—	—	
25—	—	—	5	7	—	—	—	—	—	—	1	1	—	—	1	
30—	—	1	11	20	—	—	—	—	—	—	—	—	1	—	—	
35—	1	1	7	14	—	—	1	—	—	—	—	1	—	—	1	
40—	4	2	15	25	—	—	1	—	—	—	3	2	—	—	4	
45—	9	7	13	18	1	—	—	—	—	—	—	3	—	—	2	
50—	12	19	25	26	—	—	2	—	1	—	4	4	—	—	12	
55—	20	18	23	36	1	—	—	2	2	—	6	4	—	—	18	
60—	37	22	5	25	1	1	—	3	1	1	3	—	1	—	18	
65—	43	76	12	25	3	2	—	2	—	1	4	6	1	2	28	
70—	54	85	15	44	1	—	1	—	2	—	8	5	—	2	21	
75—	46	118	15	20	4	3	3	6	2	2	5	8	1	—	22	
80—	35	62	4	15	2	5	3	1	—	1	5	5	1	—	17	
85 and over	11	55	1	8	1	1	2	4	—	3	2	3	1	—	8	

Causes of death	580-587 Diseases of liver, gallbladder and pancreas		580 Acute and subacute yellow atrophy of liver		581 Cirrhosis of liver		582 Suppurative hepatitis and liver abscess		583 Other diseases of liver		584 Cholelithiasis		585 Cholecystitis without mention of calculi		586 Other diseases of gallbladder and biliary ducts	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1426	2015	37	66	618	535	14	11	28	33	275	572	191	412	27	4
0—	52	46	1	5	5	—	—	—	2	1	—	—	—	—	—	
1—	5	11	1	—	2	1	—	—	—	—	—	—	—	—	—	
2—	5	10	1	1	—	2	—	—	—	—	—	—	—	—	—	
3—	3	6	—	—	—	1	—	—	—	—	—	—	—	—	—	
4—	4	2	—	—	1	2	—	—	—	—	—	—	—	—	—	
5—	13	5	2	1	2	1	—	—	—	1	—	—	—	—	—	
10—	3	7	—	1	3	2	—	—	—	1	—	—	—	—	—	
15—	2	5	—	1	2	1	—	—	—	—	—	—	—	—	—	
20—	9	8	—	—	6	3	—	—	—	1	1	2	—	—	—	
25—	5	7	1	2	2	1	—	—	1	—	1	1	—	—	1	
30—	17	13	1	1	10	3	—	—	—	—	2	4	1	—	—	
35—	33	19	1	1	23	7	—	—	1	2	6	2	1	5	—	
40—	37	49	1	3	21	25	1	1	1	1	1	7	4	4	—	
45—	86	67	6	6	47	29	1	1	5	—	6	18	4	4	1	
50—	115	120	5	6	72	55	1	1	1	1	15	26	11	10	—	
55—	159	157	2	9	97	56	2	3	3	4	23	39	8	15	2	
60—	146	224	4	7	83	88	1	—	6	6	23	58	10	29	6	
65—	177	288	5	4	77	85	—	1	3	1	39	74	26	56	2	
70—	213	320	1	8	82	82	5	2	6	4	48	108	38	69	6	
75—	187	271	2	6	57	56	1	—	4	3	50	92	47	76	2	
80—	111	238	2	3	20	24	2	1	1	5	43	78	28	88	3	
85 and over	44	142	1	1	6	11	—	1	—	1	18	63	13	56	4	

*574 Anal fissure and fistula, 70, 80.

TABLE 17—continued

Uses of bath	587 Diseases of pancreas		X 590-637 Diseases of the Genito-Urinary System		590-594 Nephritis and nephrosis		590 Acute nephritis		591 Nephritis with edema, including nephrosis		592 Chronic nephritis		593 Nephritis not specified as acute or chronic		594 Other renal sclerosis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	236	337	7858	3845	2651	2195	121	67	207	154	2063	1782	246	174	14	18
0—	44	39	33	23	10	6	7	3	3	2	—	—	—	—	—	1
1—	2	9	4	—	2	—	—	—	—	—	2	—	—	—	—	—
2—	4	7	2	3	1	3	—	1	—	—	1	2	—	—	—	—
3—	3	5	10	1	9	1	2	—	6	1	1	—	—	—	—	—
4—	3	—	5	3	5	2	—	1	1	1	4	—	—	—	—	—
5—	9	2	33	28	28	21	5	1	11	10	10	8	—	1	2	1
6—	—	3	24	22	23	18	6	7	6	6	9	5	—	—	2	—
7—	—	3	49	33	43	29	7	2	8	4	27	21	1	1	—	1
8—	2	2	66	57	58	50	6	3	10	5	40	41	2	1	—	—
9—	1	2	85	55	75	36	4	3	10	6	56	25	5	2	—	—
10—	3	5	99	73	84	53	11	4	7	1	64	42	2	5	—	1
11—	1	1	122	98	107	74	6	4	11	7	82	58	8	5	—	—
12—	8	8	154	148	128	93	8	2	13	5	97	76	10	10	—	—
13—	16	8	242	154	195	88	5	5	15	6	154	69	21	8	—	—
14—	10	16	291	225	208	137	10	2	18	9	157	112	22	14	1	—
15—	22	26	364	310	220	188	9	7	12	18	170	145	28	16	1	2
16—	18	30	529	345	252	191	6	6	19	14	193	162	33	7	1	2
17—	25	58	780	467	266	271	8	3	14	15	213	226	31	26	—	1
18—	27	41	1175	566	299	291	9	2	23	13	241	255	26	18	—	3
19—	24	33	1538	555	271	296	4	6	6	21	235	244	25	23	1	2
20—	12	33	1386	399	237	204	6	3	7	6	198	172	22	21	4	2
21— and over	2	6	867	280	130	143	2	2	7	4	109	119	10	16	2	2

Uses of bath	600-609 Other diseases of urinary system		600 Infections of kidney		601 Hydro-nephrosis		602 Calculi of kidney and ureter		603 Other diseases of kidney and ureter		604 Calculi of other parts of urinary system		605 Cystitis		606 Other diseases of bladder	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	1264	1430	651	909	64	86	136	152	42	41	33	6	147	186	61	18
0—	19	17	10	7	—	2	—	—	9	7	—	—	—	1	—	—
1—	2	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
2—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5—	5	7	3	4	1	1	—	1	1	1	—	—	—	—	—	1
6—	1	4	1	3	—	—	—	1	—	—	—	—	—	—	—	—
7—	6	4	4	4	—	—	2	—	—	—	—	—	—	—	—	—
8—	8	6	5	5	1	—	2	—	—	—	1	—	—	—	—	—
9—	10	13	7	8	1	1	2	1	—	—	—	—	—	2	—	—
10—	15	13	6	9	5	1	—	1	2	2	—	—	1	—	1	—
11—	15	21	6	9	2	4	3	4	2	2	1	—	1	2	—	—
12—	26	40	9	29	4	2	6	7	—	1	—	—	2	—	—	—
13—	44	50	23	35	2	4	9	5	—	1	2	—	3	3	3	2
14—	65	70	35	45	4	5	20	13	2	2	—	—	2	4	1	—
15—	84	101	44	59	7	13	14	14	4	5	—	1	4	7	1	2
16—	117	132	65	86	6	9	12	22	6	3	6	3	11	8	5	—
17—	162	170	83	116	9	8	15	24	4	5	6	—	12	13	9	1
18—	194	247	93	163	8	14	20	22	8	3	5	—	24	33	12	7
19—	240	228	127	148	6	11	22	19	3	5	6	—	33	38	14	2
20—	167	178	88	110	5	7	5	11	1	3	5	2	34	35	7	2
21— and over	82	128	39	68	3	4	4	7	—	—	2	—	19	40	8	2

TABLE 17—continued

Causes of death	607*		609 Other diseases of urethra		610-617 Diseases of male genital organs	610 Hyperplasia of prostate	611 Prostatitis	612 Other diseases of prostate	613 Hydrocele	614*	
	608 Stricture of urethra									615 Redundant prepuce and phimosis	
Ages at death	M	F	M	F	M	M	M	M	M	M	M
All Ages	103	2	25	29	3943	3852	50	16	3		8
0—	—	—	—	—	4	—	—	—	—		3
1—	—	—	—	—	—	—	—	—	—		—
2—	—	—	—	—	—	—	—	—	—		—
3—	—	—	—	—	—	—	—	—	—		—
4—	—	—	—	—	—	—	—	—	—		—
5—	—	—	—	—	—	—	—	—	—		—
10—	—	—	—	—	—	—	—	—	—		—
15—	—	—	—	—	—	—	—	—	—		—
20—	—	—	—	—	—	—	—	—	—		—
25—	—	—	—	1	—	—	—	—	—		—
30—	—	—	—	—	—	—	—	—	—		—
35—	—	—	—	—	—	—	—	—	—		—
40—	3	—	2	1	—	—	—	—	—		—
45—	1	—	1	—	3	2	—	1	—		—
50—	1	—	—	1	18	16	1	—	—		—
55—	9	—	1	—	60	55	2	—	1		—
60—	5	—	1	1	160	155	—	1	1		1
65—	21	—	3	2	352	341	10	1	—		—
70—	20	—	3	5	682	669	6	3	—		1
75—	24	—	5	5	1027	1002	13	8	—		—
80—	17	—	4	8	982	966	12	2	—		1
85 and over	2	2	5	5	655	646	6	—	1		2

Causes of death	616*	620-626 Diseases of breast, ovary, Fallopian tube, and parametrium	620, 621, 622, 623*	625 Other diseases of ovary and Fallopian tube	626 Diseases of parametrium and pelvic peritoneum (female)	630-637 Diseases of uterus and other female genital organs	630 Infective disease of uterus, vagina, and vulva	631 Uterovaginal prolapse
	617 Other diseases of male genital organs		624 Salpingitis and oophoritis unqualified					
Ages at death	M	F	F	F	F	F	F	F
All Ages	13	54	28	4	16	166	12	108
0—	1	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—
25—	—	1	—	1	—	1	5	1
30—	—	2	2	—	—	5	2	2
35—	—	2	—	2	—	1	—	—
40—	—	6	6	—	—	9	—	3
45—	—	2	2	—	—	14	—	6
50—	—	6	6	—	—	12	1	6
55—	2	7	3	—	—	14	—	11
60—	2	5	3	—	2	17	1	13
65—	—	6	3	—	2	20	—	16
70—	3	9	1	1	6	19	3	15
75—	4	4	1	—	3	27	2	20
80—	1	3	1	—	2	14	1	9
85 and over	—	1	—	—	1	8	1	7

*607 Urethritis (non-venereal), 70, 80, 65; 614, Orchitis and epididymitis, 50, 616, Sterility, male,—; 620, Chronic cystic disease of breast,—; 621, Other diseases of breast, 55, 65, 70; 622, Acute salpingitis and oophoritis, 55, 623, Chronic salpingitis and oophoritis, 55, 55.

TABLE 17—continued

Causes of death	632*	634	635, 636*	XI 640-689 Deliveries, & Complications of Pregnancy, Childbirth, and the Puerperium	640-649 Complica- tions of pregnancy	640 Pyelitis and pyelonephri- tis of pregnancy	641*	643*
	633 Other diseases of uterus		637 Other diseases of female genital organs	642 Toxæmias of pregnancy			644 Other hæmorrhage of pregnancy	
Ages at death	F	F	F	F	F	F	F	F
All Ages	18	17	9	399†	163	5	101	10
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	9	3	—	2	—
20—	—	1	—	54	26	2	17	2
25—	1	1	—	104	37	—	15	5
30—	—	1	—	84	32	1	19	2
35—	1	—	—	86	34	—	26	—
40—	1	5	—	50	25	2	18	1
45—	1	5	2	2	2	—	—	—
50—	3	1	1	4	2	—	2	—
55—	3	—	—	1	1	—	1	—
60—	—	1	2	1	—	—	—	—
65—	1	1	2	2	1	—	1	—
70—	—	—	1	—	—	—	—	—
75—	3	1	1	1	—	—	—	—
80—	4	—	—	1	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

Causes of death	645 Ectopic pregnancy	646, 647*	650-652 Abortion	650 Abortion, without mention of sepsis or toxæmia	651 Abortion, with sepsis	652 Abortion, with toxæmia, without mention of sepsis	660 Delivery, without complication	670-678 Delivery, with specified complication
		648 Other complications arising from pregnancy						
Ages at Death	F	F	F	F	F	F	F	F
All Ages	21	23	72	24	40	8	2	96
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	1	—	3	1	2	—	—	1
20—	—	5	7	2	4	1	—	12
25—	10	6	16	3	10	3	1	25
30—	3	5	22	10	11	1	—	18
35—	5	3	17	6	10	1	—	27
40—	2	2	7	2	3	2	—	13
45—	—	2	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	1	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

*632, Malposition of uterus, 25; 635, Menopausal symptoms, —; 636, Sterility, female, 25; 641, Other infections of genito-urinary tract during pregnancy, —; 643, Placenta prævia, —; 646, Anæmia of pregnancy, 25, 30, 30; 647, Pregnancy with malposition of fetus in uterus, —.

†640-689, Including 25 cases in which it was stated that death followed the maternal condition after an interval of more than 12 months at ages as follows:—642, 30, 30, 30, 30, 35, 35, 35, 40, 40, 40, 40, 40, 40, 40, 50, 50, 55, 65; 660, 65; 682, 50, 50, 60, 75, 80.

TABLE 17—continued

Causes of death	670 Delivery complicated by placenta prævia or antepartum hæmorrhage	671 Delivery complicated by retained placenta	672 Delivery complicated by other postpartum hæmorrhage	673* 674 Delivery complicated by disproportion or malposition of fœtus	675 Delivery complicated by prolonged labour of other origin	676* 677 Delivery with other trauma	678 Delivery with other complications of childbirth	680-689 Complications of the puerperium
Ages at death	F	F	F	F	F	F	F	F
All Ages	23	10	14	15	18	10	5	66
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	1	—	—	—	—	—	2
20—	1	3	2	3	1	1	1	9
25—	3	3	4	6	7	2	—	25
30—	6	2	3	3	2	2	—	12
35—	9	1	3	2	5	5	2	8
40—	4	—	2	1	3	—	2	5
45—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	2
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	1
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	1
80—	—	—	—	—	—	—	—	1
85 and over	—	—	—	—	—	—	—	—

Causes of death	680* 681 Sepsis of childbirth and the puerperium	682 Puerperal phlebitis and thrombosis	683* 684 Puerperal pulmonary embolism	685 Puerperal eclampsia	686* 687 Cerebral hæmorrhage in the puerperium	688, 689* XII 690-716 Diseases of the Skin and Cellular Tissue		690-698 Infections of skin and subcutaneous tissue		690 Boil and carbuncle	
Ages at death	F	F	F	F	F	M	F	M	F	M	F
All Ages	8	32	5	8	5	183	292	72	91	26	—
0—	—	—	—	—	—	13	8	9	5	2	—
1—	—	—	—	—	—	3	1	1	1	—	—
2—	—	—	—	—	—	1	1	1	1	—	—
3—	—	—	—	—	—	1	—	—	—	—	—
4—	—	—	—	—	—	1	—	—	—	—	—
5—	—	—	—	—	—	2	1	—	—	—	—
10—	—	—	—	—	—	2	—	1	—	1	—
15—	—	—	—	1	—	2	4	2	—	1	—
20—	1	5	—	—	1	2	3	2	1	1	—
25—	4	12	1	3	2	1	5	1	1	—	—
30—	—	4	3	3	—	2	6	—	2	—	—
35—	1	5	—	1	2	3	9	2	2	1	—
40—	2	1	1	—	—	5	4	3	1	2	—
45—	—	—	—	—	—	12	10	6	4	2	—
50—	—	2	—	—	—	11	12	5	3	1	—
55—	—	—	—	—	—	11	19	4	7	2	—
60—	—	1	—	—	—	20	33	8	10	4	—
65—	—	—	—	—	—	13	21	4	7	1	—
70—	—	—	—	—	—	23	28	8	6	2	—
75—	—	1	—	—	—	23	41	6	14	2	—
80—	—	—	—	—	—	20	34	5	15	2	—
85 and over	—	1	—	—	—	12	52	4	11	2	—

*673, Delivery complicated by abnormality of bony pelvis, 40; 676, Delivery with laceration of perineum, without mention of other laceration, —; 680, Puerperal urinary infection without other sepsis, —; 683, Pyrexia of unknown origin during the puerperium, —; 686, Other forms of puerperal toxæmia, 25, 35, 40; 688, Other and unspecified complications of the puerperium, 20; 689, Mastitis and other disorders of lactation, 15, 20, 25, 25.

TABLE 17—continued

Causes of death	691		692		693-697*		700-716		700		701		702*		704	
	Cellulitis of finger and toe		Other cellulitis and abscess without mention of lymphangitis		Other local infections of skin and subcutaneous tissue		Other diseases of skin and subcutaneous tissue		Seborrhæic dermatitis		Eczema		Other dermatitis		Pemphigus	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	—	1	42	56	4	5	111	201	1	1	7	9	4	2	28	42
0—	—	1	6	3	1	—	4	3	—	—	2	1	2	1	—	1
1—	—	—	1	1	—	—	2	—	—	—	1	—	—	—	—	—
2—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	—	—
20—	—	—	1	1	—	—	—	2	—	—	—	—	—	—	—	—
25—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	—	—
30—	—	—	—	1	—	—	2	4	—	—	—	—	—	—	—	1
35—	—	—	1	1	—	1	1	7	—	—	—	—	1	—	—	—
40—	—	—	—	—	1	—	2	3	—	—	—	—	—	—	—	—
45—	—	—	4	1	—	1	6	6	—	—	1	—	—	—	2	1
50—	—	—	4	2	—	—	6	9	—	—	—	—	1	—	—	1
55—	—	—	2	5	—	—	7	12	—	—	1	—	—	—	2	5
60—	—	—	4	9	—	—	12	23	—	—	—	1	—	—	3	4
65—	—	—	3	3	—	—	9	14	1	—	—	—	—	—	2	5
70—	—	—	6	4	—	—	15	22	—	—	1	3	—	—	4	4
75—	—	—	4	8	—	—	17	27	—	—	1	1	—	—	4	10
80—	—	—	3	11	—	1	15	19	—	—	—	—	—	—	7	—
85 and over	—	—	2	6	—	2	8	41	—	1	—	2	—	1	4	6

Causes of death	705		706		707-709*		711-714*		716*		720-727		720		721*	
	Erythematous conditions		Psoriasis and similar disorders		710 Other hypertrophic and atrophic conditions of skin		715 Chronic ulcer of skin		XIII 720-749 Diseases of the Bones and Organs of Movement		Arthritis and rheumatism, except rheumatic fever		Acute arthritis due to pyogenic organisms		722 Rheumatoid arthritis and allied conditions	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	23	30	2	5	18	47	24	58	624	1236	351	951	15	5	206	729
0—	—	—	—	—	—	—	—	—	30	15	—	—	—	—	—	—
1—	1	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—
3—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—
4—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
5—	—	1	—	—	2	—	—	—	1	3	1	—	1	—	—	—
6—	—	—	—	—	—	—	—	—	9	5	1	—	1	—	—	—
7—	—	2	—	—	—	2	—	—	15	2	1	—	—	—	—	—
8—	—	2	—	—	—	—	—	—	9	8	1	2	—	—	1	2
9—	—	1	—	—	—	3	—	—	4	4	1	—	—	—	1	—
10—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	1	1	—	—	2	—	—	5	6	3	1	—	—	3	1
20—	—	—	—	—	—	6	—	—	11	14	2	5	—	—	1	4
25—	—	2	—	—	—	3	—	—	12	6	4	5	—	—	4	5
30—	—	3	1	—	3	5	—	—	25	25	9	13	—	—	5	12
35—	—	—	—	—	2	6	—	1	23	37	12	22	1	1	8	19
40—	1	1	—	1	2	—	1	—	—	—	—	—	—	—	—	—
45—	4	5	—	1	3	4	1	—	40	63	27	50	1	—	17	44
50—	3	1	—	—	1	2	2	—	58	93	38	74	2	—	25	66
55—	6	7	—	—	1	2	3	—	81	150	58	128	4	—	35	106
60—	2	3	—	2	1	4	3	4	92	199	60	164	4	3	34	137
65—	—	—	—	—	3	2	7	10	96	247	58	202	1	—	34	156
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	69	207	47	169	—	—	27	120
85 and over	—	4	—	—	—	—	2	26	41	144	28	116	—	1	11	57

*693, Other cellulitis and abscess with lymphangitis, 80; 694, Acute lymphadenitis, —; 695, Impetigo, 2, 85; 696, Infectious warts, —; 697, Molluscum contagiosum, —; 702, Occupational dermatitis, —; 707, Lichen planus, —; 708, Pruritus and related conditions, 10, 75, 80, 85; 709, Corns and callosities, —; 711, Other dermatoses, —; 712, Diseases of nail, 85; 713, Diseases of hair and hair follicles, —; 714, Diseases of sweat and sebaceous glands, —; 716, Other diseases of skin, 60, 85, 55, 60, 60, 65; 721, Acute nonpyogenic arthritis, —.

TABLE 17—continued

Causes of death	723 Osteo- arthritis (arthrosis) and allied conditions		724*		726 Muscular rheumatism		727 Rheumatism unspecified		727 a, b, 727 c, d, e*		730 Osteomyelitis and periostitis		731 Osteitis deformans		732*	
			725						730-738						733	
			Arthritis (unspecified)						Osteomyelitis and other diseases of bone and joint						Other diseases bone	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	122	212	2	2	3	—	3	1	156	189	37	42	93	83	19	—
0—	—	—	—	—	—	—	—	—	10	2	6	1	—	—	—	4
1—	—	—	—	—	—	—	—	—	1	2	1	1	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—
15—	—	—	—	—	1	—	—	—	1	1	1	1	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—
35—	—	1	1	—	—	—	—	—	2	5	2	2	—	—	—	—
40—	—	—	—	—	—	—	—	—	2	1	1	1	—	—	—	—
45—	3	—	—	—	—	—	1	—	6	4	4	3	—	1	—	—
50—	3	2	—	—	—	—	—	—	6	5	2	2	3	2	—	—
55—	8	5	—	1	1	—	—	—	7	4	3	1	3	1	1	—
60—	10	8	—	—	1	—	—	—	12	8	4	3	7	3	1	—
65—	19	22	—	—	—	—	—	—	17	17	3	3	11	9	2	—
70—	21	23	—	—	—	—	1	1	26	31	5	5	17	21	3	—
75—	22	44	—	1	—	—	1	—	35	36	2	4	29	17	4	—
80—	19	49	1	—	—	—	—	—	21	36	2	6	16	16	2	—
85 and over	17	58	—	—	—	—	—	—	10	28	1	2	7	13	2	—

Causes of death	734*		736, 737, 738*		740*		742, 743*		745		746, 747, 748*		XIV		750	
	735		740-749		741 Synovitis, bursitis and tenosynovitis without mention of occupational origin		744 Other diseases of muscle, tendon, and fascia				749		750-759 Congenital mal- formations			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	4	7	117	96	4	4	87	63	21	21	3	4	2442	2133	59	1
0—	—	—	20	13	—	—	18	10	1	3	—	—	1702	1513	58	—
1—	—	—	1	—	—	—	1	—	—	—	—	—	71	81	—	—
2—	—	—	1	2	—	—	1	2	—	—	—	—	41	36	1	—
3—	—	—	—	1	—	—	—	1	—	—	—	—	25	16	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	7	13	—	—
5—	—	—	—	3	—	—	—	2	—	—	—	1	55	42	—	—
10—	—	—	8	3	—	—	7	2	1	1	—	—	42	32	—	—
15—	—	—	13	1	—	—	13	1	—	—	—	—	43	22	—	—
20—	—	—	8	5	—	—	7	4	1	1	—	—	34	20	—	—
25—	—	—	3	3	—	—	3	2	—	1	—	—	42	21	—	—
30—	—	—	2	3	—	—	2	2	—	1	—	—	25	28	—	—
35—	—	2	7	4	—	—	5	2	2	2	—	—	35	36	—	—
40—	—	—	6	—	—	—	4	—	1	—	1	—	41	30	—	—
45—	2	—	10	8	1	—	5	5	4	2	—	—	50	42	—	—
50—	—	—	5	10	—	—	4	9	1	—	1	—	55	37	—	—
55—	—	1	6	9	1	1	3	6	2	2	—	—	40	44	—	—
60—	—	—	8	11	—	1	5	3	3	4	—	2	43	38	—	—
65—	—	1	6	5	—	—	5	2	1	1	—	—	35	26	—	—
70—	1	1	6	4	1	—	3	2	1	1	1	—	17	23	—	—
75—	—	1	3	9	—	1	1	7	1	1	—	—	25	15	—	—
80—	1	—	1	2	—	—	—	1	1	1	—	—	10	12	—	—
85 and over	—	1	3	—	1	—	—	—	1	—	1	—	4	6	—	—

*724. Other specified forms of arthritis, 45, 75; 727a, Rheumatism acute, not further specified, 45; 727b, Rheumatism subacute, not further specified, —; 727c, d, e, Others included under 727, 70, 75, 70; 732, Osteochondrosis, 35; 734, Internal derangement of knee joint, —; 736, Affection of sacro-iliac joint, —; 737, Ankylosis of joint, 40, 80; 738, Other diseases of joint 50, 65, 1, 65, 80; 740, Bunion, 45; 742, Synovitis, bursitis, and tenosynovitis of occupational origin, —; 743, Infective myositis and other inflammatory diseases of tendon and fascia, 70; 746, Flat foot, —; 747, Hallux valgus and varus, 60, 65; 748, Clubfoot, 0, 75.

TABLE 17—continued

	751		752		753 Other congenital mal- formations of nervous system and sense organs		754		755		756		756.0		756.1	
	Spine bifida and meningocele		Congenital hydro- cephalus				Congenital mal- formations of circulatory system		Cleft palate and harelip		Congenital mal- formations of digestive system		Congenital hypertrophic pyloric stenosis		Imperforate anus	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ages	441	586	116	97	48	67	1017	791	16	15	288	172	25	10	27	6
	420	546	78	65	24	35	677	506	12	14	226	132	25	9	26	6
	12	19	6	11	3	8	31	29	3	1	7	5			1	
	2	8	8	5	5	1	14	16			6	1				
	2	1	7		3	3	10	9			1	1				
		2		2			3	5			1					
	1	3	7	4	5	5	30	26			5	1				
	2	3	2	1	2	1	30	23			2					
		3	2		1	1	26	15			7					
		1	3	2	1	1	17	15	1		2	1				
	2		2			2	29	16								
			1	1		3	16	18				1				
				2		1	22	24			1					
						1	22	14			3					
				1		3	18	13			3	1				
				1		1	22	12				4				
				1	2		11	19			3	3				
				1	2		14	9			4	3				
						1	9	8			6	5		1		
							7	8			3	3				
							8	3			5	7				
							1	1			1	3				
and ver								2			2	1				

756.2		757		757.1		757.0; 2; 3		758		759		XV 760-776*		760-769	
Others included in 756		Congenital mal- formations of genito- urinary system		Polycystic disease of kidney		Others included under 757		Congenital mal- formations of bone and joint		Other and unspecified congenital mal- formations, not elsewhere classified		Certain diseases of Early Infancy		Birth injuries, asphyxia, and infection of newborn,	
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
236	156	267	178	141	114	126	64	30	21	160	133	5586	3787	3311	2106
175	117	84	32	12	5	72	27	19	17	104	94	5579	3785	3309	2105
6	5	2	4	—	—	2	4	2	—	5	4	2	1	1	1
6	1	3	1	—	1	3	—	—	1	2	3	2	—	—	—
1	1	—	1	—	—	—	1	—	—	2	1	2	—	—	—
1	—	1	2	—	—	1	2	1	—	1	2	1	—	—	—
5	1	4	2	—	1	4	1	—	—	3	1	—	1	—	—
2	—	2	1	—	—	2	1	1	—	1	2	—	—	—	—
7	—	5	2	—	—	5	2	—	—	2	1	—	—	—	—
2	1	8	—	—	—	8	—	—	—	2	—	—	—	—	—
—	—	7	3	2	1	5	2	—	—	2	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	5	4	3	3	2	1	—	1	3	—	—	—	—	—
3	—	8	6	7	5	1	1	—	—	4	3	—	—	—	—
3	1	13	15	11	14	2	1	1	—	2	—	—	—	—	—
—	4	22	21	20	17	2	4	2	—	5	3	—	—	—	—
—	—	29	13	25	11	4	2	—	—	4	6	—	—	—	—
3	3	20	18	16	15	4	3	—	—	4	3	—	—	—	—
4	3	16	18	13	13	3	5	2	1	5	6	—	—	—	—
6	4	14	10	10	9	4	1	—	1	5	2	—	—	—	—
3	3	5	5	5	8	—	1	1	1	1	2	—	—	—	—
5	7	10	5	8	3	2	2	—	—	2	—	—	—	—	—
1	3	7	8	7	6	—	2	—	—	1	—	—	—	—	—
2	1	2	3	2	2	—	1	—	—	—	—	—	—	—	—

Note: The group 760-776 relates particularly to the causes of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages.

TABLE 17—continued

Causes of death	760		761		762		763		764		765*		767		768	
	Intracranial and spinal injury at birth		Other birth injury		Postnatal asphyxia and atelectasis		Pneumonia of newborn		Diarrhœa of newborn		Pemphigus neonatorum		Umbilical sepsis		Other se of newb	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	938	552	219	176	1522	964	502	304	27	21	4	4	12	12	14	
0—	938	552	219	176	1520	963	502	304	27	21	4	4	12	12	14	
1—					1	1										
2—					1											
3—																
4—																
5—																
10—																
15—																
20—																
25—																
30—																
35—																
40—																
45—																
50—																
55—																
60—																
65—																
70—																
75—																
80—																
85 and over																

Causes of death	769		770-776		770		771		772		773		774		776	
	Neonatal disorders arising from maternal toxæmia		Other diseases peculiar to early infancy		Hæmolytic disease of newborn (erythroblastosis)		Hæmorrhagic disease of newborn		Nutritional maladjustment		Ill-defined diseases peculiar to early infancy		Immaturity with mention of any other subsidiary condition		Immaturity unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	73	57	2275	1681	182	171	142	82	8	3	116	70	64	63	1763	
0—	73	57	2270	1680	179	170	141	82	8	3	116	70	63	63	1763	
1—			1										1			
2—			1				1									
3—			2		2											
4—			1		1											
5—					1	1										
10—																
15—																
20—																
25—																
30—																
35—																
40—																
45—																
50—																
55—																
60—																
65—																
70—																
75—																
80—																
85 and over																

*765, Ophthalmia neonatorum, 0, 0, 0.

TABLE 17—continued

XVI 780-795 Symptoms, Senility, and Ill-defined Conditions			780-789 Symptoms referable to systems or organs		780 Certain symptoms referable to nervous system and special senses		780.2 Convulsions		780.0; 1; 3; 4; 5; 6; 7; 8; 9; 781*		782 Symptoms referable to cardio- vascular and lymphatic system		782.4 Acute heart failure, undefined		782.0; 1; 2; 3; 5; 6; 7; 8; 9		783 Symptoms referable to respiratory system	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	3208	5537	68	72	11	5	10	4	35	41	32	39	3	2	3	4		
	29	13	11	5	8	3	8	3										1
		1		1		1												
	5	1																
	4	2																
	4	3	1	2	1	1	1	1		1		1						
	6	2	1	1	1		1			1		1						
	2	5		2						2		2						
	6	5	2	1	1				1		1							
	8	4	1	2					1	2		1	2					
	14	2	6	2					5	2	4	2	1					
	10	14	5	7					4	3	4	3				1		
	18	19	5	5					3	3	3	3						
	168	201	12	8					9	5	8	5	1			1		1
	568	698	13	13					10	8	9	7	1		1			
	966	1517	7	11						7		7						
	1399	3050	4	12					2	7	2	6			1			2

784 Symptoms referable to upper gastro- intestinal tract			785 Symptoms referable to abdomen and lower gastro- intestinal system		786 Symptoms referable to genito- urinary system		787, 788, 789*		790, 791*		793*		795 Ill-defined & unknown causes of mortality		XVII E800-E999 Accidents, Poisonings, and Violence (External Cause)	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	7	11	2	5	6	2	3140	5465	26	15	3049	5419	65	30	12992	8878
	1		1				18	8	1				17	8	330	227
															84	62
															84	59
															71	62
															93	46
															326	156
															247	81
							5	1					5	1	560	105
							4						4		830	127
							1	2					1	2	699	158
							3	1					3	1	667	154
							5	1					5	1	618	194
							2	3		1			2	2	718	256
	1						4	4	2	2			2	2	863	366
							7	2	1				6	2	947	482
							8		1				7		994	522
		2				1	5	7	1	2	1	1	3	3	928	592
	1	1		1		1	13	14	5		6	11	2	3	840	675
	2						156	193	5	4	150	187	1	2	905	839
	1	3		2		2	555	685	3	2	548	681	4	2	910	1168
	2	2	1		2	1	959	1506		2	957	1503	2	1	753	1258
		1		2			1395	3038	7	2	1387	3036	1		525	1289

780.0; 1; 3; 4; 5; 6; 7; 8; 9, Others included under 780, 45, 4; 781, Other symptoms referable to nervous system and special senses, —; 787, Symptoms referable to limbs and back, —; 788, Other general symptoms, 0, 55, 0, 60, 70; Abnormal urinary constituents of unspecified cause, 80, 80, 80; 790, Nervousness and debility, 60; 791, Head-
—; 793, Observation, without need for further medical care, —.

TABLE 17—continued

Causes of death	RAILWAY ACCIDENTS								MOTOR VEHICLE TRAFFIC ACCIDENTS							
	E800-E802		E800 involving railroad employee		E801 involving passenger		E802 involving other and unspecified person		E810-E825 Motor vehicle traffic accidents		E810 involving collision with railway train		E811* E812 to pedestrian		E813 to pedal cycle	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	292	39	164	—	44	19	84	20	3655	1284	11	3	1275	844	458	—
0—	—	—	—	—	—	—	—	—	2	3	—	—	1	2	—	—
1—	2	—	—	—	—	—	2	—	20	13	—	—	19	12	—	—
2—	1	—	—	—	—	—	1	—	30	27	—	—	27	22	—	1
3—	—	—	—	—	—	—	—	—	41	27	—	—	37	22	—	1
4—	1	—	—	—	1	—	—	—	49	13	—	—	46	12	—	1
5—	6	2	—	—	1	—	5	2	159	73	—	—	132	65	—	17
10—	2	—	—	—	2	—	—	—	99	34	—	—	23	19	—	62
15—	11	1	5	—	1	—	5	1	315	59	1	1	18	15	—	62
20—	30	2	8	—	15	2	7	—	464	55	1	—	26	7	—	23
25—	16	2	9	—	3	1	4	1	318	48	1	—	15	12	—	17
30—	11	1	7	—	2	—	2	1	225	33	—	—	18	5	—	22
35—	15	3	9	—	3	3	3	—	176	41	1	—	22	12	—	17
40—	27	4	18	—	5	2	4	2	193	42	—	—	32	12	—	25
45—	34	5	21	—	1	5	12	—	214	52	1	—	58	23	—	26
50—	38	3	26	—	4	1	8	2	205	71	3	—	74	39	—	30
55—	42	2	31	—	—	1	11	1	204	75	1	1	77	49	—	43
60—	27	1	19	—	2	—	6	1	189	96	1	—	79	75	—	40
65—	13	1	10	—	2	—	1	1	176	108	1	—	114	85	—	32
70—	9	1	1	—	1	—	7	1	190	146	—	—	131	120	—	20
75—	3	7	—	—	—	2	3	5	207	143	—	—	167	126	—	14
80—	2	2	—	—	1	2	1	—	122	88	—	1	108	78	—	3
85 and over	2	2	—	—	—	—	2	2	57	37	—	—	51	32	—	2

MOTOR VEHICLE TRAFFIC ACCIDENTS																
Causes of death	E814 to rider or passenger of motorcycle, in collision with non-motor vehicle or object		E815 to rider or passenger of motorcycle, in collision with other motor vehicle		E816 Other motor vehicle traffic accident involving two or more motor vehicles		E817, E818* E819 involving collision with fixed or unspecified object		E820 while boarding and alighting		E821 to rider of motorcycle not involving collision		E822 involving overturning in roadway		E823 involving running off road	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	
All Ages	59	8	746	57	437	165	3	2	21	8	327	23	48	10	190	
0—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
1—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
2—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	
3—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
4—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
5—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	1	
10—	—	—	1	—	6	4	—	—	—	—	—	—	—	—	3	
15—	14	1	123	10	25	7	—	1	1	—	46	7	7	2	13	
20—	13	4	198	16	48	6	—	—	—	1	82	5	19	2	43	
25—	11	1	131	7	49	10	1	—	—	—	66	2	5	1	20	
30—	4	—	71	3	37	12	—	—	—	—	40	4	3	—	23	
35—	—	—	50	4	44	14	—	1	—	1	19	2	—	—	17	
40—	3	1	41	6	47	11	2	—	1	—	23	1	4	1	12	
45—	5	—	44	4	44	13	—	—	1	—	15	—	1	—	16	
50—	2	1	31	2	34	16	—	—	2	—	11	1	—	2	16	
55—	4	—	23	3	25	13	—	—	2	—	12	—	5	—	9	
60—	3	—	21	—	29	10	—	—	—	2	5	—	—	—	5	
65—	—	—	3	1	11	8	—	—	1	—	4	—	1	—	3	
70—	—	—	7	1	13	14	—	—	2	—	4	1	2	1	7	
75—	—	—	2	—	15	11	—	—	4	3	—	—	1	—	1	
80—	—	—	—	—	4	7	—	—	4	—	—	—	—	—	1	
85 and over	—	—	—	—	1	2	—	—	1	1	—	—	—	1	—	

*E811, Motor vehicle traffic accident involving collision with street car, 50; E817, Motor vehicle traffic accident involving collision with fixed or unspecified object, 20, 5; E818, Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle, 60, 65.

TABLE 17—continued

		M. V. TRAFFIC ACC.				MOTOR VEHICLE NON-TRAFFIC ACCIDENTS													
		E824 Other non-collision motor vehicle traffic accident		E825 of unspecified nature		E830-E835 Motor vehicle non-traffic accidents		E830 to pedestrian		E831* E832 to rider or passenger of motorcycle		E833, E834* E835 of other and unspecified nature		E840-E845 Other road vehicle accidents		E840 Street car accident to pedestrian			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Uses of ath	Ages	63	31	13	4	84	13	47	9	5		30	3	157	43	6	3		
	0—	—	—	—	—	1	1	1	1	—	—	—	—	1	—	—	—		
	1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	2—	2	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
	3—	2	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
	4—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
	5—	6	2	—	—	3	3	3	1	—	—	—	2	6	3	—	—		
	6—	4	2	—	—	1	—	—	—	—	—	1	—	10	2	—	—		
	7—	5	1	—	—	7	—	3	—	—	—	3	—	10	2	—	—		
	8—	3	2	7	1	6	—	1	—	—	—	5	—	9	—	1	—		
	9—	1	2	1	2	13	1	5	—	2	—	6	1	4	—	—	—		
	10—	7	—	—	—	6	—	2	—	—	—	1	—	6	—	—	—		
	11—	4	5	2	—	2	—	1	—	—	—	1	—	3	—	—	—		
	12—	2	—	1	—	7	1	4	1	—	—	3	—	4	—	—	—		
	13—	2	1	1	1	6	1	3	1	—	—	3	—	11	2	1	—		
	14—	1	2	—	—	8	1	4	1	1	—	3	—	13	3	—	—		
	15—	2	2	1	—	5	—	3	—	—	—	2	—	15	6	1	1		
	16—	5	2	—	—	8	—	7	—	—	—	1	—	11	1	—	—		
	17—	5	5	—	—	5	1	4	1	—	—	1	—	16	5	1	1		
	18—	4	1	—	—	3	—	3	—	—	—	—	—	11	4	—	—		
	19—	3	—	—	—	1	1	1	—	—	—	—	—	17	6	1	1		
	20 and over	2	1	—	—	—	1	—	1	—	—	—	—	9	7	1	—		
		2	—	—	—	—	1	—	1	—	—	—	—	1	2	—	—		

		E841*		E843		E844*		E850-E858		E850		E851		E852		E853	
		E842 Accident to pedestrian caused by pedal cycle		Accident to rider of pedal cycle not in- volving col- lision with motor vehicle		E845 Other non-motor road vehicle accidents		Water transport accidents		Submersion of occupant of small boat		Other water transport injury by submersion		Fall on stairs and ladders in water trans- port		Other falls from one level to another in water trans- port	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Uses of ath	Ages	35	25	101	9	11	3	140	6	52	4	44		9		12	
	0—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	1—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4—	1	—	5	3	—	—	3	—	3	—	—	—	—	—	—	—
	5—	—	—	10	—	—	2	6	—	5	—	1	—	—	—	—	—
	6—	—	—	9	1	1	1	24	1	15	1	5	—	—	—	2	—
	7—	—	—	7	—	1	—	19	—	11	—	6	—	—	—	1	—
	8—	—	—	3	—	1	—	8	—	3	—	4	—	—	—	—	—
	9—	1	—	5	—	—	—	15	—	5	—	5	—	3	—	—	—
	10—	—	—	2	—	1	—	13	1	3	1	5	—	2	—	1	—
	11—	1	—	4	—	—	—	11	—	2	—	1	—	1	—	2	—
	12—	1	1	8	1	1	—	15	—	1	—	6	—	2	—	—	—
	13—	3	1	8	2	2	—	13	—	4	—	4	—	1	—	3	—
	14—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	15—	3	3	10	2	1	—	7	1	—	1	4	—	—	—	—	—
	16—	3	1	7	—	—	—	3	—	—	—	1	—	—	—	2	—
	17—	2	4	12	—	—	—	1	—	—	—	—	—	—	—	—	—
	18—	6	3	4	—	1	—	—	—	—	—	—	—	—	—	—	—
	19—	11	4	5	—	—	—	1	2	—	—	—	—	—	—	1	—
	20 and over	3	6	2	—	1	—	—	—	—	—	—	—	—	—	—	—
		1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—

*E831, Motor vehicle nontraffic accident to pedal cyclist, 15; E833, Other motor vehicle nontraffic accident involving one or more motor vehicles, 30; E834, Motor vehicle nontraffic accident while boarding and alighting, 75; E841, Other street car accident, except collision with motor vehicle, 70, 75; E844, Accident to pedestrian caused by other non-motor ad vehicle, 60, 65, 80, 80, 80.

TABLE 17—continued

Causes of death	E854, E855*		E857 Other specified accidents in water transport		E858*		E860 Accident to personnel in military aircraft		E861 Injury to occupant by accident to commercial "transport" aircraft		E862*		E864 Aircraft accident at airfield to person not in aircraft		E865 Aircraft accident elsewhere person in aircraft
	E856 Machinery accident in water transport				E860-E866 Aircraft accidents						E863 Injury to occupant by accident to other aircraft				
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All Ages	3	—	19	1	130	6	100	1	7	1	5	1	3	—	5
0—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1
1—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
2—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
3—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
4—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	2	—	6	—	5	—	—	—	—	—	—	—	1
20—	—	—	1	—	51	2	47	—	—	—	1	1	1	—	—
25—	—	—	1	—	20	—	18	—	—	—	1	—	—	—	—
30—	—	—	2	—	30	—	21	—	3	—	3	—	1	—	—
35—	1	—	—	—	11	—	7	—	1	—	—	—	—	—	—
40—	—	—	5	—	3	—	1	—	—	—	—	—	—	—	—
45—	1	—	5	—	1	1	—	—	—	—	—	—	—	—	1
50—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—
55—	1	—	2	—	1	—	—	—	—	—	—	—	1	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
75—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of death	E866 Other and unspecified aircraft accidents		ACCIDENTAL POISONING													
			E870-E888 Accidental poisoning by solid and liquid substances		E870*		E872 by aspirin and salicylates		E873*		E875, E876, E877*		E879*		E881, E882 by corrosive acids, caustic alkalis	
					E871 by barbituric acid and derivatives				E874 by other analgesic and soporific drugs		E878 by other and unspecified drugs		E880 by alcohol			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	
All Ages	10	—	165	191	91	132	18	21	5	6	14	11	13	4	4	
0—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	
1—	—	—	4	3	1	—	—	—	—	—	3	1	—	—	—	
2—	—	—	4	—	—	—	1	—	—	—	1	—	—	—	—	
3—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	
4—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	
5—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	
20—	2	—	4	2	2	2	1	—	—	—	1	—	—	—	—	
25—	1	—	10	7	3	5	—	1	1	—	2	—	—	—	—	
30—	2	—	5	5	2	2	—	—	—	—	—	3	2	—	—	
35—	3	—	10	5	8	1	—	—	—	1	—	—	—	1	—	
40—	2	—	12	18	7	14	—	3	—	—	2	—	1	—	—	
45—	—	—	18	17	9	9	2	2	2	2	—	2	2	—	—	
50—	—	—	16	22	6	17	7	2	—	—	—	1	3	1	—	
55—	—	—	23	30	17	23	2	4	1	1	—	2	—	—	—	
60—	—	—	16	27	9	20	2	4	—	1	3	—	2	—	—	
65—	—	—	10	19	6	14	1	—	—	—	—	1	1	1	2	
70—	—	—	11	12	6	9	1	1	—	—	1	—	1	1	—	
75—	—	—	8	14	7	11	—	2	—	1	—	—	—	—	—	
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
85 and over	—	—	8	5	5	4	1	1	—	—	—	—	—	—	1	
			1	3	1	1	—	1	—	—	—	—	—	—	—	

*E854, Falls on same level in water transport, 75; E855, Unspecified falls in water transport, 35; E858, Water transport accident of unspecified cause, —; E862, Other injury in commercial "transport" aircraft, —; E870, Accidental poisoning by morphine and other opium derivatives, 65; E873, Accidental poisoning by bromides, 35; E875, Accidental poisoning by sulphonamides, —; E876, Accidental poisoning by strychnine, 1, 4, 25; E877, Accidental poisoning by belladonna, hyoscine and atropine, —; E879, Accidental poisoning by noxious foodstuffs, 40; E881, Accidental poisoning by petroleum products, —; E882, Accidental poisoning by industrial solvents, 25, 45, 55, 45, 45.

TABLE 17—continued

ACCIDENTAL POISONING																
Cases of death	E884-E887*		E890-E895		E890		E891		E892		E893, E895*		E900-E904		E900	
	E888		Accidental poisoning by gases and vapours		by utility (illuminating) gas		by motor vehicle exhaust gas		by other carbon monoxide gas		E894		Accidental falls		Fall on stairs	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	12	3	360	452	301	440	15	—	29	11	14	1	2124	3459	412	536
1	—	—	3	3	3	1	—	—	—	2	—	—	8	3	1	—
2	—	1	1	2	1	1	—	—	—	1	—	—	7	3	—	—
3	—	—	1	—	1	—	—	—	—	—	—	—	4	6	—	—
4	—	—	—	1	—	—	—	—	—	—	—	—	2	1	—	—
5	—	—	2	1	2	1	—	—	—	—	—	—	3	2	1	1
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	—	—	5	4	5	4	—	—	—	—	—	—	9	9	—	1
8	—	—	4	4	3	4	—	—	—	—	—	—	24	4	1	—
9	—	—	10	3	10	1	—	—	—	2	—	—	22	3	1	—
10	—	—	8	4	5	4	—	—	1	—	—	—	43	5	1	2
11	—	—	14	4	10	4	1	—	3	—	—	—	31	3	1	2
12	1	—	15	7	11	7	1	—	1	—	—	—	45	2	5	—
13	2	—	12	7	7	7	1	—	1	—	1	—	52	9	7	4
14	—	1	21	16	14	15	1	—	4	—	3	—	54	7	11	3
15	2	—	21	14	19	12	1	—	1	1	2	—	61	13	11	6
16	—	—	27	14	21	14	3	—	1	—	2	—	80	28	19	3
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18	2	—	33	30	22	29	5	—	6	1	—	—	79	41	16	11
19	—	—	22	33	18	33	—	—	2	—	—	—	91	93	24	29
20	—	1	32	31	28	30	—	—	4	1	—	—	142	181	38	41
21	1	—	38	46	32	45	2	—	4	1	—	—	248	365	54	90
22	—	—	41	79	41	79	—	—	—	—	—	—	336	668	79	104
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	1	—	28	103	27	102	—	—	1	1	—	—	411	911	74	124
25	—	—	22	46	21	46	—	—	1	—	—	—	372	1100	68	115

Cases of death	E901		E902		E903		E904		E910-E936		E910		E911		E912	
	Fall from ladders		Other falls from one level to another		Fall on same level		Unspecified falls		Other accidents		Blow from falling object		Accident caused by vehicle		Accident caused by machinery	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	82	11	457	254	482	1024	691	1634	2413	1153	285	20	67	—	233	10
1	—	—	6	3	—	—	1	—	301	210	—	—	—	—	—	—
2	—	—	3	3	1	1	3	1	42	35	—	—	—	—	—	—
3	—	—	3	5	—	—	1	1	37	23	2	—	—	—	2	—
4	—	—	2	1	—	—	—	—	24	30	—	1	—	—	2	—
5	—	—	1	1	—	—	1	—	35	23	5	—	—	—	—	1
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	1	1	7	5	1	1	1	2	124	56	11	2	—	—	4	2
8	1	—	18	2	1	1	3	1	96	29	6	2	—	—	5	1
9	1	—	16	—	1	—	3	3	112	17	3	1	5	—	14	—
10	1	—	35	2	1	1	5	—	101	18	13	—	3	—	14	—
11	—	—	27	—	1	—	1	1	129	21	32	—	1	—	20	—
12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	5	—	27	2	2	—	6	—	130	12	29	—	3	—	27	—
14	5	—	30	2	4	2	6	1	137	22	30	2	6	—	22	—
15	7	—	21	1	4	—	11	3	143	30	33	1	6	—	25	—
16	8	—	32	1	3	1	7	5	158	29	30	2	8	—	29	—
17	8	—	30	6	9	9	14	10	152	45	29	3	7	—	20	—
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19	7	—	24	7	16	13	16	10	148	46	34	1	5	—	20	1
20	8	—	24	12	19	32	16	20	147	64	15	—	15	—	20	1
21	11	5	26	14	31	63	36	58	105	66	6	—	7	—	6	1
22	11	1	23	23	64	91	96	160	97	82	4	3	1	—	1	1
23	7	3	39	46	89	200	122	315	88	125	3	1	—	—	2	—
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25	1	1	32	44	129	296	175	446	70	88	—	1	—	—	—	—
26	—	—	31	74	106	314	167	597	37	82	—	—	—	—	—	—

E884, Accidental poisoning by mercury and its compounds, 40; E885, Accidental poisoning by lead and its compounds, 2, 2, 70; E886, Accidental poisoning by arsenic and antimony, and their compounds, —; E887, Accidental poisoning by fluorides, 35; E893, Accidental poisoning by cyanide gas, 30; E895, Accidental poisoning by unspecified gases and vapours, —.

TABLE 17—continued

Causes of death	E913 Accident caused by cutting and piercing instruments		E914 Accident caused by electric current		E915 Accident caused by explosion of pressure vessel		E916† Accident caused by fire and explosion of combustible material		E917† Accident caused by hot substance, corrosive liquid, and steam		E918* Accident caused by firearm		E920* Inhalation and ingestion of food causing obstruction or suffocation		E92† Inhalation and ingestion of other objects causing obstruction or suffocation
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All Ages	15	3	109	14	7	1	233	439	70	80	74	3	249	185	16
0—	—	—	—	—	—	—	2	5	2	1	—	—	149	91	4
1—	1	—	—	—	—	—	6	8	6	6	—	—	9	7	1
2—	1	—	1	—	—	—	5	9	4	4	—	—	5	4	1
3—	—	—	—	1	—	—	4	19	5	2	—	—	1	4	1
4—	1	—	3	—	—	—	3	18	—	1	—	—	—	2	—
5—	1	—	3	—	—	—	7	37	—	1	5	—	1	2	—
10—	—	—	4	—	—	—	4	7	—	1	5	—	1	4	—
15—	—	—	12	—	—	—	8	9	1	2	10	—	2	—	—
20—	—	—	18	—	—	—	5	5	—	—	4	—	3	3	—
25—	1	—	11	3	2	—	9	8	—	—	7	1	6	5	—
30—	1	—	13	—	2	—	10	2	7	—	5	1	8	3	1
35—	—	—	14	1	1	1	7	4	2	2	4	—	3	3	1
40—	2	—	8	—	2	—	8	10	3	—	3	—	6	4	—
45—	1	—	3	—	—	—	13	8	6	1	9	—	11	3	1
50—	1	—	8	2	—	—	8	10	2	1	5	—	10	9	1
55—	—	1	7	3	—	—	10	17	3	2	4	—	7	6	1
60—	1	—	2	2	—	—	9	17	3	2	8	—	9	8	1
65—	—	1	—	—	—	—	17	32	2	5	2	—	2	4	1
70—	3	1	1	1	—	—	21	41	6	8	3	1	4	8	1
75—	1	—	1	—	—	—	29	75	6	13	—	—	7	8	1
80—	—	—	—	—	—	—	28	47	8	15	—	—	4	3	—
85 and over	—	—	—	1	—	—	20	51	4	14	—	—	1	4	—

Causes of death	E923 Foreign body entering other orifice		E924† Accidental mechanical suffocation in bed and cradle		E925 Accidental mechanical suffocation in other and unspecified circumstances		E926 Lack of care of infants under 1 year of age		E927 Accidents caused by bites and stings of venomous animals and insects		E928 Other accidents caused by animals		E929 Accidental drowning and submersion		E93† Excessive heat insol.
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All Ages	9	15	118	95	56	1	28	16	1	4	12	3	637	188	—
0—	—	—	108	83	1	—	28	16	—	—	—	—	1	4	—
1—	—	—	1	5	1	—	—	—	—	—	—	—	16	6	—
2—	1	—	—	—	—	—	—	—	—	—	—	—	15	6	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	11	2	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	20	1	—
5—	1	2	1	—	1	—	—	—	—	1	—	—	82	8	—
10—	—	1	—	—	4	—	—	—	—	1	—	—	47	13	—
15—	—	2	1	—	5	—	—	—	—	—	—	—	34	3	—
20—	—	1	—	—	3	—	—	—	—	—	—	—	24	7	—
25—	—	1	1	1	6	—	—	—	—	—	—	—	16	1	—
30—	—	—	—	—	7	—	—	—	—	—	1	1	10	4	—
35—	1	—	1	—	8	—	—	—	1	—	—	—	27	6	—
40—	—	—	1	2	4	1	—	—	—	—	—	—	32	8	—
45—	—	—	—	2	4	—	—	—	—	—	—	—	37	10	—
50—	2	1	1	—	6	—	—	—	—	—	1	1	38	18	—
55—	1	—	1	—	2	—	—	—	—	1	—	—	43	13	—
60—	1	—	1	2	1	—	—	—	—	1	—	—	49	26	—
65—	1	1	—	—	—	—	—	—	—	2	—	—	52	16	—
70—	—	1	—	—	2	—	—	—	—	3	—	—	30	12	—
75—	—	4	1	—	1	—	—	—	—	1	—	—	28	13	—
80—	1	—	—	—	—	—	—	—	—	—	—	—	18	9	—
85 and over	—	1	—	—	—	—	—	—	—	—	1	—	7	2	—

*E918, Accident caused by radiation, —; E920, Foreign body entering eye and adnexa, —; E930, High and low air pressure, —.

†E916, E917, E924. See footnotes to these causes in Table 18A.

TABLE 17—continued

Cases with	E932 Excessive cold		E933 Hunger, thirst, and exposure		E934 Cataclysm		E935 Lightning		E936 Other and unspecified accidents		E940-E946* E940-E946 Complications due to non- therapeutic medical and surgical procedures		E950-E959 Therapeutic misadventure and late complications of therapeutic procedures		E950 Therapeutic misadventure in surgical treatment	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
145	11	9	24	10	7	2	7	2	145	41	4	5	27	23	22	19
1	1	—	—	—	—	—	—	—	5	4	2	1	—	—	—	—
—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—
—	—	—	—	—	1	—	—	—	5	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	19	—	—	1	—	—	—	—
—	—	—	—	—	—	—	—	—	17	—	—	—	—	—	—	—
—	—	—	1	—	1	—	1	—	12	—	1	—	—	—	—	—
—	—	—	—	—	2	—	—	—	14	1	1	1	2	—	1	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	1	—	5	1	—	—	—	—	—	—
—	—	—	—	—	—	1	—	—	9	2	—	—	1	—	1	—
—	—	—	2	—	—	—	1	1	7	1	—	—	—	—	—	—
—	—	—	1	—	1	1	—	—	4	2	—	—	—	2	—	—
—	—	—	3	—	1	—	2	—	7	—	—	—	1	1	—	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	3	—	—	—	—	1	6	—	—	—	4	1	3	1
—	1	—	1	3	—	—	—	—	9	2	—	—	3	6	3	5
—	—	—	2	—	—	—	1	—	3	3	—	—	5	3	5	3
—	3	1	5	—	1	—	—	—	8	4	—	—	3	3	3	3
—	1	6	1	2	—	—	—	—	5	2	—	—	2	3	1	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	3	—	3	2	—	—	—	—	5	9	—	—	3	3	3	2
—	1	1	2	1	—	—	—	—	1	8	—	—	2	1	1	1

Cause of death	E951-E959*		E960		E961*		E963, E964*		E970-E979		E970		E971		E972	
	E960-E965		Late effect of motor vehicle accident		Late effect of other accidental injury		Late effects of injuries due to war operations		Suicide and self-inflicted injury		Suicide and self-inflicted poisoning by analgesic and soporific substances		Suicide and self-inflicted poisoning by other solid and liquid substances		Suicide and self-inflicted poisoning by gases in domestic use	
Age at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	153	29	9	4	44	23	100	2	3198	2084	314	388	104	54	1347	1183
0-4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-9	1	1	1	1	—	—	—	—	3	2	—	—	—	—	—	—
10-14	—	—	—	—	—	—	—	—	34	15	3	2	1	2	3	2
15-19	2	—	1	—	1	—	—	—	89	37	10	5	5	3	38	21
20-24	2	1	1	—	1	1	—	—	123	62	9	9	6	1	53	41
25-29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30-34	7	1	—	1	4	—	3	—	168	89	14	13	6	1	74	53
35-39	5	—	2	—	1	—	2	—	175	98	22	15	6	2	73	61
40-44	6	—	—	—	5	—	1	—	232	129	30	29	2	3	100	67
45-49	12	2	3	—	4	1	5	1	307	221	33	46	12	2	137	124
50-54	—	—	1	—	3	—	—	—	384	289	46	54	17	11	142	166
55-59	24	—	—	—	—	—	18	—	406	283	46	51	12	7	156	145
60-64	43	4	—	1	6	2	38	1	364	266	35	47	12	3	141	151
65-69	21	1	—	—	4	1	17	—	310	255	27	42	10	10	123	158
70-74	14	—	—	—	3	1	11	—	280	176	20	35	7	5	125	98
75-79	9	5	—	1	4	4	5	—	196	111	13	23	6	4	97	63
80-84	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	3	5	—	—	3	5	—	—	96	44	5	13	2	—	55	22
	—	7	—	—	—	7	—	—	31	7	1	4	—	—	18	2

*E940, Generalized vaccinia following vaccination, 0; E941, Postvaccinacnecephalitis, 0, 0, 3; E942, Other complications of smallpox vaccination, —; E943, Post-immunizations jaundice and hepatitis, —; E944, Other complications of erythralic inoculation, 15, 25, 1, 10; E945, Complications of anesthesia for nontherapeutic purpose, 25; E946, Other complications due to nontherapeutic medical and surgical procedures, —; E951, Therapeutic misadventure in infusion of transfusion, —; E952, Therapeutic misadventure in local applications, 45; E953, Therapeutic misadventure in administration of drugs or biologicals, 25, 50; E954, Therapeutic misadventure in anesthesia, 75; E955, Other and unspecified therapeutic misadventure, 55, 75, 85, 60, 80; E956, Late complication of surgical operation, —; E957, Late complication of amputation stump, —; E958, Late complication of irradiation, —; E959, Late complication of other forms of treatment, —; E961, Late effect of accidental poisoning, —; E963, Late effect of self-inflicted injury, —; E964, Late effect of injury purposely inflicted by another person (not in war), —.

TABLE 17—continued

Causes of death	E973		E974		E975		E976		E977		E978		E979		E980— Homicide, injury purpo inflict other p (not in
	Suicide and self-inflicted poisoning by other gases		Suicide and self-inflicted injury by hanging and strangulation		Suicide and self-inflicted injury by submersion (drowning)		Suicide and self-inflicted injury by firearms and explosives		Suicide and self-inflicted injury by cutting and piercing instruments		Suicide and self-inflicted injury by jumping from high place		Suicide and self-inflicted injury by other and unspecified means		
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All Ages	45	8	562	117	271	213	210	9	138	35	63	43	144	34	90
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
15—	—	1	11	1	3	—	1	—	1	—	—	—	2	—	6
20—	1	—	17	1	4	5	8	—	—	—	2	1	4	1	4
25—	2	—	19	1	4	3	18	—	1	—	1	4	10	3	8
30—	6	—	28	6	8	5	12	2	7	5	3	1	10	3	4
35—	5	—	33	3	8	10	15	1	1	4	3	1	9	1	6
40—	4	1	37	10	19	12	14	—	4	—	3	1	19	6	5
45—	10	2	50	10	19	22	14	—	14	5	5	4	13	6	5
50—	4	2	80	22	33	23	22	2	16	2	11	3	13	4	5
55—	2	1	83	20	30	39	40	2	13	7	8	7	16	4	3
60—	4	—	58	19	41	32	25	2	17	5	9	3	22	4	4
65—	6	1	57	6	32	26	15	—	21	5	9	6	10	1	4
70—	1	—	41	9	33	23	17	—	20	1	5	4	11	1	—
75—	—	—	31	5	22	9	6	—	15	1	3	6	3	—	1
80—	—	—	15	4	8	4	3	—	6	—	—	1	2	—	—
85 and over	—	—	2	—	7	—	—	—	2	—	1	1	—	—	—

Causes of death	E980 Non-accidental poisoning by another person		E981 Assault by firearm and explosive		E982 Assault by cutting and piercing instruments		E983 Assault by other means		E984, E985 E990-E999*	
	Injury resulting from operations of war									
Ages at death	M	F	M	F	M	F	M	F	M	F
All Ages	21	14	10	10	10	15	49	52	—	—
0—	3	—	—	—	1	—	8	6	—	—
1—	3	—	—	—	—	—	2	2	—	—
2—	2	1	—	—	—	—	2	—	—	—
3—	2	—	—	—	—	1	—	—	—	—
4—	1	2	—	—	—	—	—	3	—	—
5—	6	2	—	1	—	—	3	2	—	—
10—	2	2	—	1	—	1	—	1	—	—
15—	1	—	2	1	2	1	1	2	—	—
20—	—	—	—	—	1	1	3	1	—	—
25—	—	1	2	1	1	3	5	3	—	—
30—	—	1	—	—	1	—	3	3	—	—
35—	—	—	3	2	1	—	5	6	—	—
40—	—	1	—	1	—	3	5	3	—	—
45—	1	—	1	3	1	2	2	2	—	—
50—	—	1	1	—	—	1	4	3	—	—
55—	—	—	—	—	1	2	2	5	—	—
60—	—	—	—	—	—	—	4	1	—	—
65—	—	—	1	—	—	—	3	3	—	—
70—	—	—	—	—	—	—	—	3	—	—
75—	—	2	—	—	1	—	—	2	—	—
80—	—	1	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	1	—	—

*E984, Injury by intervention of police, —; E985, Execution, —; E990, Injury due to war operations by gas and chemicals, —; E991, Injury due to war operations by gunshot—; E992, Injury due to war operations by grenade and land mine, —; E993, Injury due to war operations by bomb, —; E994, Injury due to war operations by marine mine depth charge, and torpedo, —; E995, Injury due to war operations by explosion of artillery shell, —; E996, Injury due to war operations by explosion of undetermined origin, —; E997, Injury due to war operations by aircraft destruction, —; E998, Injury due to war operations by other and unspecified means, —; E999, Injury due to war operations but occurring after cessation of hostilities, —.

LE 18A—Accidental Poisoning and other Non-Transport Accidents } England and Wales by Place of Occurrence, Age and Sex, 1956

(E870-E936)

The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners. "Open Verdicts" are normally included with accidental deaths.

Deaths from poisoning will be analysed periodically in the Statistical Review, Part III, Commentary, to distinguish individual poisons stated to be responsible. These details can be obtained on request from the General Register Office.

See Explanatory notes on page v.

	Total		At Work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 870. Accidental poisoning by morphine and other opium derivatives.																
ages	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15-44 yrs.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45-64 yrs.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
E 871. Accidental poisoning by barbituric acid and derivatives.																
ages	91	132	—	—	43	75	—	—	2	3	1	2	3	—	42	52
15-44 yrs.	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
45-64 yrs.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	24	24	—	—	10	9	—	—	1	1	—	—	1	—	12	14
15-44 yrs.	41	69	—	—	20	42	—	—	1	1	1	1	—	—	17	25
45-64 yrs.	25	39	—	—	12	24	—	—	—	1	—	1	2	—	13	13
E 872. Accidental poisoning by aspirin and salicylates.																
ages	18	21	—	—	6	11	—	—	—	—	1	—	—	—	11	10
15-44 yrs.	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
45-64 yrs.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	13	12	—	—	2	7	—	—	—	—	1	—	—	—	11	3
15-44 yrs.	3	5	—	—	3	3	—	—	—	—	—	—	—	—	—	5
45-64 yrs.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
E 873.*																
E 874. Accidental poisoning by other analgesic and soporific drugs.																
ages	5	6	—	—	3	5	—	—	—	1	—	—	—	—	2	—
15-44 yrs.	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
45-64 yrs.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	1	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—
15-44 yrs.	3	4	—	—	2	3	—	—	—	1	—	—	—	—	1	—
45-64 yrs.	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
E 875, E876, E877.*																
E 878. Accidental poisoning by other and unspecified drugs.																
ages	14	11	—	—	7	10	—	—	—	—	—	—	—	—	7	1
15-44 yrs.	5	2	—	—	4	2	—	—	—	—	—	—	—	—	1	—
45-64 yrs.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	3	3	—	—	1	3	—	—	—	—	—	—	—	—	4	—
15-44 yrs.	3	5	—	—	2	4	—	—	—	—	—	—	—	—	1	1
45-64 yrs.	1	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—
E 879.*																
E 880. Accidental poisoning by alcohol.																
ages	13	4	—	—	6	1	—	—	2	—	—	—	2	—	3	3
15-44 yrs.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45-64 yrs.	3	1	—	—	—	—	—	—	2	—	—	—	—	—	1	1
65 & over	7	1	—	—	4	1	—	—	—	—	—	—	2	—	1	—
15-44 yrs.	3	2	—	—	2	—	—	—	—	—	—	—	—	—	1	2

3. Accidental poisoning by bromides:- 1F, 15-44 yrs., "Home;" E 875. Accidental poisoning by sulphonamides:-
E 876. Accidental poisoning by strychnine:- 2F, 0-4 yrs., "Home," 1F, 15-44 yrs., "Home;" E 877. Accidental
poisoning by belladonna, hyoscine and atropine:- Nil; E 879. Accidental poisoning by noxious foodstuffs:- 1M, 15-44 yrs.,
other specified places."

TABLE 18A—continued

Age-groups	Total		At Work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
E 881. Accidental poisoning by petroleum products.															
All Ages	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 882. Accidental poisoning by industrial solvents.															
All Ages	3	2	—	—	1	1	—	—	1	—	—	1	1	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
15—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	2	2	—	—	1	1	—	—	1	—	—	1	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 883. Accidental poisoning by corrosive aromatics, acids and caustic alkalis.															
All Ages	4	6	—	—	2	4	—	—	—	—	—	1	—	—	2
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	3	—	—	—	2	—	—	—	—	—	—	—	—	—
65 & over	3	3	—	—	1	2	—	—	—	—	—	1	—	—	2
E 884, E 885, E 886, E 887*.															
E 888. Accidental poisoning by other and unspecified solid and liquid substances.															
All Ages	12	3	—	—	4	1	—	—	—	—	—	2	2	—	6
0—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	6	1	—	—	1	—	—	—	—	—	—	1	2	—	3
45—	4	—	—	—	1	—	—	—	—	—	—	—	—	—	—
65 & over	2	1	—	—	2	—	—	—	—	—	—	1	—	—	3
E 890. Accidental poisoning by utility (illuminating) gas.															
All Ages	301	440	10	—	272	424	5	—	5	5	1	2	2	—	16
0—	7	4	—	—	6	4	—	—	—	—	—	—	—	—	1
5—	8	8	—	—	8	8	—	—	—	—	—	—	—	—	—
15—	57	38	2	—	49	35	—	—	2	1	—	1	1	—	5
45—	80	88	4	—	69	84	2	—	1	—	—	—	—	—	7
65 & over	149	302	4	—	140	293	3	—	2	4	1	1	—	—	3
E 891. Accidental poisoning by motor vehicle exhaust gas.															
All Ages	15	—	—	—	12	—	—	—	1	—	—	—	2	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	4	—	—	—	3	—	—	—	1	—	—	—	—	—	—
45—	9	—	—	—	7	—	—	—	—	—	—	—	—	—	—
65 & over	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—
E 892. Accidental poisoning by other carbon monoxide gas.															
All Ages	29	11	11	1	13	10	8	1	3	—	—	—	3	—	2
0—	—	3	—	—	—	3	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	10	3	4	1	4	2	4	1	1	—	—	—	1	—	—
45—	9	2	4	—	4	2	3	—	2	—	—	—	—	—	—
65 & over	10	3	3	—	5	3	1	—	—	—	—	—	2	—	2

*E 884. Accidental poisoning by mercury and its compounds:- 1M, 15-44 yrs., "Industrial place and premises," ("At work"); E 885. Accidental poisoning by lead and its compounds:- 2M, 0-4 yrs., "Home," 1M, 65 yrs., and over, "Industrial place and premises," ("At work"); E 886. Accidental poisoning by arsenic and antimony and their compounds:- 1M, 15-44 yrs., "Home," 1M, 65 yrs., and over, "Industrial place and premises," ("At work"); E 887. Accidental poisoning by fluorides:- 1F, 15-44 yrs., "Other specified places" ("At work").

TABLE 18A—continued

Age-groups	Total		At Work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F

E 893.*

E 894. Accidental poisoning by other specified gases and vapours.

Ages	14	1	8	—	5	1	7	—	—	—	—	—	1	—	1	—
—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
—	8	—	6	—	2	—	6	—	—	—	—	—	—	—	—	—
& over	5	1	2	—	2	1	1	—	—	—	—	—	1	—	1	—

E 895.*

	Total		At Work		Home		Industrial place and premises		Street and highway		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F

E 900. Fall on stairs.

Ages	412	536	10	5	342	485	3	6	3	5	18	16	41	17	5	7
—	2	1	—	—	2	1	—	—	—	1	—	—	1	—	—	—
—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	26	11	1	1	18	9	1	1	1	—	—	—	6	1	—	—
& over	70	49	7	—	45	45	2	1	2	—	3	—	16	2	2	1
	313	474	2	4	277	430	—	4	—	4	15	16	18	14	3	6

E 901. Fall from ladders.

Ages	82	11	52	—	36	10	17	—	3	—	1	—	17	1	8	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—
—	20	—	17	—	5	—	6	—	2	—	—	—	5	—	2	—
& over	31	—	26	—	8	—	6	—	1	—	—	—	11	—	5	—
	30	10	9	—	22	10	5	—	—	—	1	—	1	—	1	—

E 902. Other falls from one level to another.

Ages	457	254	211	4	120	135	144	—	17	—	49	89	109	19	18	11
—	15	13	—	—	12	12	—	—	1	—	1	—	1	1	—	—
—	25	7	—	—	1	1	1	—	3	—	—	—	19	6	1	—
—	156	7	116	1	16	2	84	—	4	—	1	1	44	3	7	1
& over	110	26	83	1	24	11	52	—	1	—	4	7	27	4	2	4
	151	201	12	2	67	109	7	—	8	—	43	81	18	5	8	6

E 903. Fall on same level.

Ages	482	1024	9	3	158	603	3	1	191	179	111	212	14	20	5	9
—	1	1	—	—	1	—	—	—	1	1	—	—	—	—	—	—
—	2	1	—	—	—	—	—	—	1	1	—	—	1	—	—	—
—	13	3	2	—	1	2	1	—	10	1	—	—	1	—	—	—
& over	47	55	4	2	13	23	2	1	25	19	4	8	3	3	—	1
	419	964	3	1	143	578	—	—	155	157	107	204	9	17	5	8

E 904. Unspecified falls.

Ages	691	1634	17	5	415	1194	14	3	6	2	138	227	32	22	86	186
—	6	2	—	—	3	1	—	—	—	—	—	—	1	1	2	—
—	4	3	—	—	1	—	1	—	—	—	—	—	—	2	2	1
—	32	8	5	1	8	5	3	—	1	1	2	—	7	1	11	1
& over	53	45	5	2	29	25	4	2	3	—	7	7	3	3	7	8
	596	1576	7	2	374	1163	6	1	2	1	129	220	21	15	64	176

93. Accidental poisoning by cyanide gas:- 1M, 15-44 yrs., "Industrial place and premises," ("At work"); E 895. Accidental poisoning by unspecified gases and vapours:- Nil.

TABLE 18A—continued

Age-groups	Total		At Work		Home		Mine and quarry		Industrial place and premises		Street and highway		Other specified places		Place not specified
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
E 910. Blow from falling object.															
All Ages	285	20	246	—	11	6	132	—	94	1	13	8	32	5	3
0—	7	1	—	—	4	—	—	—	—	1	1	—	2	—	—
5—	17	4	—	—	1	1	—	—	4	—	4	—	8	3	—
15—	140	4	136	—	—	—	70	—	54	—	4	4	11	—	1
45—	108	6	102	—	2	2	59	—	34	—	4	2	7	2	2
65 & over	13	5	8	—	4	3	3	—	2	—	—	2	4	—	—

	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
E 911. Accident caused by vehicle.															
All Ages	67	—	66	—	—	—	—	—	60	—	7	—	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	24	—	23	—	—	—	—	—	23	—	1	—	—	—	—
45—	35	—	35	—	—	—	—	—	30	—	5	—	—	—	—
65 & over	8	—	8	—	—	—	—	—	7	—	1	—	—	—	—

E 912. Accident caused by machinery.															
All Ages	233	10	213	2	2	1	51	3	41	—	112	1	24	5	3
0—	4	1	—	—	—	—	4	1	—	—	—	—	—	—	—
5—	9	3	—	—	—	—	7	1	—	—	—	—	2	2	—
15—	122	2	119	2	—	—	25	—	21	—	61	1	13	1	2
45—	89	2	86	—	2	1	11	1	19	—	47	—	9	—	1
65 & over	9	2	8	—	—	—	4	—	1	—	4	—	—	2	—

E 913. Accident caused by cutting and piercing instruments.															
All Ages	15	3	4	—	9	3	—	—	—	—	—	—	3	—	3
0—	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15—	4	—	2	—	2	—	—	—	—	—	—	—	2	—	—
45—	3	1	2	—	1	1	—	—	—	—	—	—	1	—	1
65 & over	4	2	—	—	2	2	—	—	—	—	—	—	—	—	2

E 914. Accident caused by electric current.															
All Ages	109	14	63	—	29	12	4	—	5	—	34	—	31	2	6
0—	4	1	—	—	1	1	—	—	—	—	—	—	3	—	—
5—	7	—	—	—	1	—	—	—	—	—	—	—	5	—	1
15—	76	4	46	—	21	3	3	—	3	—	26	—	18	1	5
45—	20	7	17	—	4	7	1	—	2	—	8	—	5	—	—
65 & over	2	2	—	—	2	1	—	—	—	—	—	—	—	1	—

E 915. Accident caused by explosion of pressure vessel.															
All Ages	7	1	6	—	1	1	—	—	2	—	3	—	1	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	7	1	6	—	1	1	—	—	2	—	3	—	1	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 18A—continued

Age-groups	Total		At Work		Home		Mine and quarry		Industrial place and premises		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 916. Accident caused by fire and explosion of combustible material.																
Ages	233†	439†	54	15	167	412	4	—	42	13	3	5	16	5	1	4
0—	20	59	—	—	17	53	—	—	—	—	—	—	3	1	—	—
5—	11	44	—	—	10	44	—	—	—	—	—	—	—	—	—	—
15—	47	38	31	11	14	26	1	—	26	9	—	—	1	—	—	—
45—	40	52	18	4	18	48	1	—	14	4	—	—	5	3	1	—
65 & over	115	246	5	—	108	236	2	—	2	—	2	5	6	1	—	4

E 917. Accident caused by hot substance, corrosive liquid, and steam.																
Ages	70†	80†	22	1	41	66	1	—	21	—	4	9	3	2	—	3
0—	17	14	—	—	17	13	—	—	—	—	—	1	—	1	—	—
5—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	13	4	11	—	—	1	1	—	10	—	—	3	1	—	—	1
45—	14	5	10	—	4	2	—	—	10	—	—	2	—	—	—	—
65 & over	26	55	1	1	19	50	—	—	1	—	4	3	2	1	—	1

E 918.*

Age-groups	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 919. Accident caused by firearm.																
Ages	74	3	27	—	12	3	16	—	15	—	3	—	19	—	9	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	10	—	—	—	4	—	2	—	—	—	—	—	2	—	2	—
15—	33	2	8	—	5	2	3	—	6	—	1	—	15	—	3	—
45—	26	—	16	—	2	—	8	—	8	—	2	—	2	—	4	—
65 & over	5	1	3	—	1	1	3	—	1	—	—	—	—	—	—	—

E 920.*

Age-groups	Total		At Work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 921. Inhalation and ingestion of food causing obstruction or suffocation.																
Ages	249	185	3	—	183	127	2	—	7	1	19	33	13	3	25	21
0—	164	108	—	—	144	94	—	—	—	—	3	6	4	2	13	6
5—	2	6	—	—	1	1	—	—	1	1	—	—	—	1	—	3
15—	28	18	—	—	12	6	—	—	—	—	6	10	6	—	4	2
45—	37	26	3	—	17	13	2	—	4	—	6	10	3	—	5	3
65 & over	18	27	—	—	9	13	—	—	2	—	4	7	—	—	3	7

E 922. Inhalation and ingestion of other object causing obstruction or suffocation.																
Ages	16	11	1	—	10	8	—	—	—	—	3	2	2	—	1	1
0—	7	7	—	—	7	7	—	—	—	—	—	—	—	—	—	—
5—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15—	2	2	1	—	—	—	—	—	—	—	1	2	1	—	—	—
45—	4	1	—	—	1	—	—	—	—	—	1	—	1	—	1	—
65 & over	3	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—

E 916. Including burns by clothing:- domestic fire M21, F114, gas fire M2, F38, electric fire M3, F50, other M36, F94. Burns by falling into fire:- open fire M19, F20, gas fire M2, F1, electric fire M2, other M19, F15. Conflagration M55, F52. Other and unspecified means, M74, F55.

E 917. Including scalds, M33, F49.

E 918. Accident caused by radiation:- Nil. E 920. Foreign body entering eye and adnexa:- Nil.

TABLE 18A—continued

Age-groups	Total		At Work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
E 923. Foreign body entering other orifice.															
All Ages	9	15	—	—	5	3	—	—	—	—	1	6	—	—	3
0—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—	1	3	—	—	—	—	—	—	—	—	1	2	—	—	—
15—	1	4	—	—	—	—	—	—	—	—	—	2	—	—	1
45—	4	1	—	—	3	—	—	—	—	—	—	1	—	—	1
65 & over	2	7	—	—	1	3	—	—	—	—	—	1	—	—	1
E 924. Accidental mechanical suffocation in bed and cradle.															
All Ages	118†	95†	—	—	115	90	—	—	—	—	3	2	—	2	—
0—	109	88	—	—	107	83	—	—	—	—	2	2	—	2	—
5—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15—	4	3	—	—	3	3	—	—	—	—	1	—	—	—	—
45—	3	4	—	—	3	4	—	—	—	—	—	—	—	—	—
65 & over	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
E 925. Accidental mechanical suffocation in other and unspecified circumstances.															
All Ages	55	1	42	—	8	1	7	—	—	—	—	—	41	—	—
0—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—
5—	5	—	—	—	2	—	1	—	—	—	—	—	2	—	—
15—	33	1	28	—	3	1	6	—	—	—	—	—	24	—	—
45—	13	—	12	—	1	—	—	—	—	—	—	—	12	—	—
65 & over	3	—	2	—	—	—	—	—	—	—	—	—	3	—	—
	Total		At Work		Home		Street and highway		Public building		Residential institution		Other specified places		Place not specified
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
E 926. Lack of care of infants under 1 year of age.															
All Ages	28	16	—	—	16	7	—	—	—	1	1	1	7	2	4
0—	28	16	—	—	16	7	—	—	—	1	1	1	7	2	4
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Total		At Work		Home		Farm		Place for recreation and sport		Street and highway		Other specified places		Place not specified
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
E 927.*															
E 928. Other accidents caused by animals.															
All Ages	12	3	5	1	—	—	5	2	1	—	3	1	2	—	1
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—
15—	1	1	1	—	—	—	1	1	—	—	—	—	—	—	—
45—	2	1	1	—	—	—	1	—	—	—	1	1	—	—	—
65 & over	7	1	3	1	—	—	3	1	—	—	2	—	1	—	1
	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
E 929. Accidental drowning and submersion.															
All Ages	637	188	18	1	38	29	9	4	7	1	13	1	565	150	5
0—	63	19	—	—	10	9	1	1	1	—	3	1	47	8	1
5—	129	21	—	—	2	—	1	—	2	—	2	—	121	21	1
15—	143	29	5	—	3	1	1	—	1	1	1	—	137	25	—
45—	167	67	11	1	12	8	1	3	3	—	6	—	145	56	—
65 & over	135	52	2	—	11	11	5	—	—	—	1	—	115	40	3

†E 924. Including accidental mechanical suffocation:— In bed, M54, F39; In cot, cradle, etc. M64, F56.

*E 927. Accident caused by bites and stings of venomous animals and insects:— 1M, 15-44 yrs., "Other specified places," ("At work"), 1F, 5-14 yrs., "Other specified places," 1F, 45-64 yrs., "Home," 1F, 45-64 yrs., "Other specified places," 1F, 65 yrs., and over, "Other specified places."

TABLE 18A—continued

E- ups	Total		At Work		Home		Farm		Industrial place and premises		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 930.*																
E 931. Excessive heat and insolation.																
yes	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
& over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

E 932. Excessive cold.																
yes	11	9	—	—	6	5	—	1	—	—	2	—	2	1	1	2
	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
& over	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	9	9	—	—	6	5	—	1	—	—	2	—	1	1	—	2

E 933. Hunger, thirst, and exposure.																
yes	24	10	—	—	6	5	—	1	—	—	2	—	13	3	3	1
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—
& over	8	3	—	—	1	1	—	1	—	—	—	—	6	1	1	—
	13	7	—	—	5	4	—	—	—	—	—	—	6	2	2	1

E 934. Cataclysm.																
yes	7	2	1	—	2	—	—	—	—	—	2	2	3	—	—	—
	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	3	1	—	—	—	—	—	—	—	—	1	1	2	—	—	—
& over	2	1	1	—	1	—	—	—	—	—	1	1	—	—	—	—
	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

	Total		At Work		Home		Industrial place and premises		Place for recreation and sport		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 935. Lightning.																
yes	7	2	2	—	—	—	—	—	1	—	1	1	5	1	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	1	1	—	—	—	—	—	—	—	—	—	3	1	—	—
& over	1	—	1	—	—	—	—	—	1	—	1	—	2	—	—	—
	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

E 936. Other and unspecified accidents.																
yes	145	41	21	2	39	14	16	—	15	—	12	6	35	11	28	10
	9	6	—	—	5	4	—	—	3	—	2	—	1	—	3	1
	24	—	—	—	11	—	1	—	—	—	—	—	6	—	1	—
	64	5	11	1	18	4	7	—	12	—	5	—	17	—	5	1
& over	26	4	9	—	1	2	7	—	—	—	3	—	5	1	10	1
	22	26	1	1	4	4	1	—	—	—	2	6	6	9	9	7

10. High and low air pressure:— Nil.

E 870—E 936. Non-transport accidents.—Total.

Total	At Work		Home		Farm		Mine and quarry		Indust- rial place and premises		Place for recrea- tion and sport		Street and highway		Public building		Resident- ial institu- tion		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
5062 5255	1126	41	2147	3769	122	13	329	2	558	27	45	16	274	209	132	64	369	623	776	186	310	346

TABLE 18B—Deaths from Violent Causes according to Nature of Injury, Sex and Age, 1956

England and Wales

(N 800 — N 999)

Notes :—(a) Headings to which no deaths were assigned during the year have been omitted from the table.

(b) See note at head of Table 18A.

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	
N800—N999	TOTAL	M F	12992 8878	330 227	332 229	573 237	1390 232	1366 312	1336 450	1810 848	1922 1114	1745 1514	1669 2422
N800—N809	Fracture of skull, spine, and trunk	M	84	1	—	9	12	9	9	14	11	6	9
N 800	Fracture of vault of skull	F	28	1	5	3	—	1	—	3	3	—	5
N 801	Fracture of base of skull	M	638	1	17	48	130	119	76	84	71	55	32
N 802	Fracture of face bones	F	176	—	11	12	20	19	12	17	14	37	24
N 803	Fracture of face bones	M	35	—	—	—	4	4	4	6	3	7	1
N 803	Other and unqualified skull fractures	F	15	—	—	—	—	1	1	1	—	—	—
N 804	Multiple fractures involving skull or face with other bones	M	1690	10	71	131	312	247	186	216	207	169	113
N 804	Multiple fractures involving skull or face with other bones	F	535	6	43	54	52	27	40	67	59	88	84
N 805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	M	678	—	17	34	120	106	81	77	87	91	58
N 805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	F	218	—	5	7	10	7	15	15	34	64	4
N 806	Fracture and fracture dislocation of vertebral column with spinal cord lesion	M	204	—	4	7	22	27	25	34	23	21	3
N 806	Fracture and fracture dislocation of vertebral column with spinal cord lesion	F	79	—	2	3	7	5	2	6	12	12	2
N 807	Fracture of rib(s) and sternum	M	94	—	2	1	10	12	12	9	21	9	10
N 807	Fracture of rib(s) and sternum	F	26	—	—	2	2	1	3	—	6	5	—
N 808	Fracture of pelvis	M	178	1	—	3	8	3	13	30	32	28	4
N 808	Fracture of pelvis	F	87	—	—	1	—	—	1	3	6	16	4
N 809	Multiple, and ill-defined fractures of trunk	M	123	—	2	5	9	7	14	15	12	25	2
N 809	Multiple, and ill-defined fractures of trunk	F	95	—	2	2	—	2	—	3	2	16	4
N810—N819	Fracture of upper limb	M	194	—	2	4	11	24	12	25	34	36	3
N 810	Fracture of clavicle	F	121	—	—	2	1	3	5	5	13	34	3
N 811	Fracture of scapula	M	1	—	—	—	—	—	—	—	—	1	—
N 811	Fracture of scapula	F	7	—	—	—	—	—	—	—	—	1	—
N 812	Fracture of humerus	M	2	—	—	—	—	—	—	—	—	—	—
N 812	Fracture of humerus	F	51	—	—	—	—	—	—	—	—	—	—
N 813	Fracture of radius and ulna	M	89	—	—	—	—	—	1	2	5	13	2
N 813	Fracture of radius and ulna	F	4	—	—	—	—	—	—	2	3	14	3
N 814	Fracture of carpal bone(s)	M	8	—	—	—	—	—	—	—	—	2	—
N 814	Fracture of carpal bone(s)	F	2	—	—	—	—	—	—	—	—	1	—
N 818	Other, multiple, and ill-defined fractures of upper limb	M	24	—	—	—	1	1	—	—	—	4	—
N 818	Other, multiple, and ill-defined fractures of upper limb	F	6	—	—	—	—	—	—	—	—	—	—
N 819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	M	21	—	—	2	1	—	3	3	4	2	—
N 819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	F	16	—	—	—	1	—	—	—	1	5	—
N820—N829	Fracture of lower limb	M	432	—	—	—	1	—	—	4	11	76	21
N 820	Fracture of neck of femur	F	1176	—	—	—	1	—	—	5	29	153	58
N 821	Fracture of other and unspecified parts of femur	M	521	—	—	—	4	5	4	10	24	106	23
N 822	Fracture of patella	F	1208	—	—	—	—	—	1	5	19	166	56
N 823	Fracture of tibia and fibula	M	11	—	—	—	—	—	2	—	—	2	—
N 823	Fracture of tibia and fibula	F	6	—	—	—	—	—	—	—	1	9	13
N 824	Fracture of ankle	M	59	—	1	2	1	4	4	5	8	14	13
N 824	Fracture of ankle	F	88	—	—	—	—	1	2	4	13	2	4
N 825	Fracture of one or more tarsal and metatarsal bones	M	23	—	—	—	—	—	2	1	2	—	—
N 825	Fracture of one or more tarsal and metatarsal bones	F	1	—	—	—	1	—	—	—	—	—	—
N 827	Other, multiple, and ill-defined fractures of lower limb	M	14	—	—	1	3	2	—	3	1	2	—
N 828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	F	21	—	—	—	—	—	—	—	—	—	—
N 828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	M	91	—	1	4	9	6	5	8	11	17	23
N 828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	F	103	—	—	2	—	—	1	—	4	29	46
N 829	Fracture of unspecified bones	M	20	—	—	—	4	2	5	3	2	3	—
N 829	Fracture of unspecified bones	F	10	—	—	—	1	1	1	—	1	2	—
N830—N839	Dislocation without fracture	M	—	—	—	—	—	—	—	—	—	—	—
N 830	Dislocation of jaw	F	—	—	—	—	—	—	—	—	—	—	—
N 831	Dislocation of shoulder	M	2	—	—	—	—	—	1	—	—	—	—
N 832	Dislocation of elbow	F	10	—	—	—	—	—	—	—	1	—	—
N 833	Dislocation of hip	M	1	—	—	—	—	—	—	—	—	—	—
N 835	Dislocation of hip	F	—	—	—	—	—	—	—	—	—	—	—
N 836	Dislocation of knee	M	—	—	—	—	—	—	—	—	—	—	—
N 837	Dislocation of ankle	F	—	—	—	—	—	—	—	—	—	—	—
N 839	Other, multiple, and ill-defined dislocations	M	—	—	—	—	—	—	—	—	—	—	—
N 839	Other, multiple, and ill-defined dislocations	F	36	—	—	—	5	4	6	8	2	8	—
			12	1	—	—	1	—	—	2	2	4	—

TABLE 18B—continued

International Classification Number	Nature of Injury	All Ages	0	1	5	15	25	35	45	55	65	75	85 and over
840-N848	Sprains and strains of joints and adjacent muscles												
N 840	Sprains and strains of shoulder and upper arm	{M F	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
N 843	Sprains and strains of hip and thigh	{M F	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
N 844	Sprains and strains of knee and leg	{M F	2 —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —
850-N856	Head injury (excluding skull fracture)												
N 850	Open wound of scalp	{M F	33 27	— —	2 —	2 —	1 —	2 —	6 —	3 —	4 2	2 6	8 10
N 851	Contusion and hæmatoma of scalp	{M F	13 25	1 —	— —	— —	1 —	— —	— 1	1 —	3 3	3 2	— 4
N 852	Concussion	{M F	52 38	— —	1 3	1 —	10 —	6 —	— 1	4 —	3 2	6 4	11 17
N 853	Cerebral laceration and contusion	{M F	267 105	2 1	7 6	14 6	55 7	32 8	29 7	37 10	32 10	21 20	31 30
N 854	Subarachnoid, subdural, and extradural hæmorrhage following injury (without mention of cerebral laceration or contusion)	{M F	113 72	3 1	3 2	6 —	7 2	8 —	6 1	9 2	18 9	22 19	27 27
N 855	Other and unspecified intracranial hæmorrhage following injury (without mention of cerebral laceration or contusion)	{M F	94 46	1 1	1 2	4 3	23 2	9 2	7 —	13 3	12 3	10 12	10 14
N 856	Head injury of other and unspecified nature	{M F	344 119	2 2	16 6	23 12	49 9	48 5	41 5	45 9	57 23	35 22	23 19
860-N869	Internal injury of chest, abdomen, and pelvis												
N 860	Traumatic pneumothorax and hæmorrhax	{M F	79 20	— —	— —	2 —	8 —	9 —	15 2	21 3	10 6	10 1	3 1
N 861	Injury to heart and lung	{M F	185 39	— —	2 —	7 —	29 —	32 —	28 —	33 —	28 —	21 —	4 —
N 862	Injury to other and unspecified intrathoracic organs	{M F	240 48	— —	3 —	10 —	35 —	52 —	39 —	37 —	39 —	16 —	7 —
N 863	Injury to gastro-intestinal tract	{M F	39 7	— —	2 —	— —	5 —	6 —	8 —	6 —	5 —	3 —	4 —
N 864	Injury to liver	{M F	64 13	— —	4 —	8 —	13 —	11 —	8 —	11 —	4 —	5 —	— —
N 865	Injury to spleen	{M F	24 12	— —	1 —	1 —	6 —	5 —	3 —	1 —	3 —	1 —	3 —
N 866	Injury to kidney	{M F	13 1	— —	1 —	— —	4 —	— —	2 —	1 —	1 —	— —	— —
N 867	Injury to pelvic organs	{M F	17 3	— —	1 —	1 —	2 —	1 —	1 —	5 —	2 —	1 —	3 —
N 868	Injury to other and unspecified intra-abdominal organs	{M F	74 12	1 —	7 —	9 —	17 —	14 —	8 —	10 —	4 —	3 —	1 —
N 869	Internal injury unspecified or involving intrathoracic with intra-abdominal organs	{M F	198 31	— —	3 6	8 4	38 4	45 —	28 1	35 5	30 4	7 3	4 —
870-N879	Laceration and open wound of face, neck, and trunk												
N 870	Open wound of eye and orbit	{M F	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 872	Open wound of ear	{M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
N 873	Other and unspecified laceration of face	{M F	12 8	— —	2 —	2 —	— —	— —	— —	3 —	2 —	— —	— —
N 874	Open wound of neck	{M F	173 38	1 —	— —	1 —	6 —	15 —	15 —	39 —	37 —	37 —	20 —
N 875	Open wound of chest	{M F	24 1	— —	— —	1 —	1 —	6 —	4 —	7 —	12 —	6 —	— —
N 876	Open wound of back	{M F	2 1	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —
N 878	Open wound of genital organs, including traumatic amputation	{M F	— 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
N 879	Multiple and unspecified open wounds of face, neck, and trunk	{M F	14 —	— —	1 —	2 —	— —	3 —	— —	1 —	4 —	3 —	— —

TABLE 18B—continued

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	8 and over
N880-N888	Laceration and open wound of upper limb												
N 880	Open wound of shoulder and upper arm	{M F	3 —	— —	1 —	— —	1 —	— —	— —	— —	1 —	— —	— —
N 881	Open wound of elbow and forearm, and wrist not involving tendons	{M F	13 2	— —	1 —	— —	1 —	— 1	1 —	— 1	6 —	4 —	— —
N 883	Open wound of hand, except finger(s)	{M F	2 —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —
N 884	Open wound of finger(s)	{M F	2 1	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —
N 885	Multiple and unspecified open wounds of one upper limb	{M F	3 —	— —	— —	— —	— —	— —	— —	— —	2 —	1 —	— —
N 886	Traumatic amputation of thumb(s)	{M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
N 888	Traumatic amputation of arm and hand	{M F	4 —	— —	— —	2 —	— —	— —	1 —	1 —	— —	— —	— —
N890-N898	Laceration and open wound of lower limb												
N 890	Open wound of hip and thigh	{M F	5 —	— —	— —	1 —	— —	— —	3 —	1 —	— —	— —	— —
N 891	Open wound of knee, leg (except thigh), and ankle not involving tendons	{M F	12 4	— —	1 —	— —	3 —	3 1	2 1	1 —	2 —	1 —	— —
N 893	Open wound of foot, except toe(s)	{M F	— 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
N 897	Traumatic amputation of foot	{M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 898	Traumatic amputation of leg	{M F	6 1	— 1	— —	— —	1 —	1 —	2 —	2 —	— —	— —	— —
N900-N908	Laceration and open wounds of multiple location												
N 900	Multiple open wounds of both upper limbs	{M F	2 5	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —
N 902	Multiple open wounds of both upper and lower limb(s)	{M F	1 —	— —	— —	1 —	— —	— —	1 —	— —	2 —	1 —	— —
N 905	Multiple open wounds of both head and trunk	{M F	2 1	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —
N 906	Multiple open wounds of both trunk and limb	{M F	10 2	— —	1 —	2 —	— —	1 —	— —	1 —	1 —	2 —	— —
N 90X	Multiple open wounds of head, trunk and limbs	{M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 907	Multiple open wounds of face with other sites	{M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 908	Multiple open wounds of unspecified location	{M F	102 27	— —	2 1	18 2	13 5	10 2	21 6	23 4	9 3	6 3	— —
N910-N918	Superficial Injury												
N 910	Superficial injury of face and neck	{M F	4 —	— —	— —	— —	— —	— —	— —	— —	1 —	3 —	— —
N 912	Superficial injury of shoulder and upper arm	{M F	— 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
N 913	Superficial injury of elbow, forearm, and wrist	{M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 916	Superficial injury of hip, thigh, leg, and ankle	{M F	5 1	— —	1 —	— —	— —	1 —	— —	1 —	2 —	— —	— —
N 918	Superficial injury of other, multiple, and unspecified sites	{M F	— 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
N920-N929	Contusion and crushing with intact skin surface												
N 920	Contusion of face and neck, except eye(s)	{M F	6 7	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —
N 921	Contusion of eye and orbit	{M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 922	Contusion of trunk	{M F	16 8	— —	— —	— —	— —	1 —	1 —	2 —	4 —	7 —	— —
N 923	Contusion of shoulder and upper arm	{M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 924	Contusion of elbow, forearm, and wrist	{M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 927	Contusion of hip, thigh, leg, and ankle	{M F	6 21	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 928	Contusion of foot and toe(s)	{M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 929	Contusion of other, multiple, and unspecified sites	{M F	9 15	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

TABLE 18B—continued

International Classification Number	Nature of Injury	All Ages	0	1	5	15	25	35	45	55	65	75	85 and over
N930-N936													
	Effects of foreign body entering through orifice												
N 933	Foreign body in pharynx and larynx	M 265 F 187	156 97	19 17	2 7	6 3	15 8	9 8	18 13	19 11	8 12	12 7	1 4
N 934	Foreign body in bronchus and lung	M 4 F 4	— 1	1 2	— 1	— —	1 —	— —	2 —	— —	— —	— —	— —
N 935	Foreign body in digestive tract	M 11 F 21	— —	— —	1 2	— 2	1 1	2 1	4 —	— 1	1 2	1 9	— —
N 936	Foreign body in genito-urinary tract	M 1 F 1	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —
N940-N949													
	Burns												
N 941	Burn confined to face, head, and neck	M 8 F 17	— —	— —	— —	— —	— —	— —	— —	1 1	1 2	5 10	1 4
N 942	Burn confined to trunk	M 18 F 30	— —	2 —	— —	— —	1 —	1 —	4 1	5 3	2 6	3 11	3 11
N 943	Burn confined to upper limb(s), except wrist and hand	M 7 F 9	— —	2 —	— —	— —	— —	— —	— —	— 1	2 2	1 5	2 1
N 944	Burn confined to wrist(s) and hand(s)	M 2 F 2	— —	1 —	— —	— —	— —	— —	— —	— 1	— —	— —	— —
N 945	Burn confined to lower limb(s)	M 21 F 23	— —	— 1	— 1	— —	— —	1 2	1 2	2 1	3 11	3 11	3 3
N 946	Burn involving face, head, and neck, with limb(s)	M 19 F 18	— —	2 —	— —	— —	1 —	2 —	1 —	1 2	3 6	1 1	1 1
N 947	Burn involving trunk with limb(s)	M 62 F 135	— —	7 21	4 14	1 5	2 3	3 9	5 14	4 19	15 34	6 13	15 13
N 948	Burn involving face, head, and neck, with trunk and limb(s)	M 61 F 107	— —	8 2	3 14	6 2	5 7	4 9	7 1	8 5	6 18	11 33	3 9
N 949	Burn involving other and unspecified parts	M 67 F 133	3 2	7 19	1 15	2 7	9 5	9 2	8 5	4 10	6 23	10 30	3 15
N950-N959													
	Injury to nerves and spinal cord without bone injury												
N 958	Spinal cord lesion without evidence of spinal bone injury	M 27 F 8	— —	— —	1 —	1 —	2 —	5 1	2 1	9 3	2 1	5 2	— —
N960-N979													
	Effects of poisons												
N 960	Poisoning by noxious food-stuffs	M 1 F 14	— —	— —	— —	— —	— —	1 2	— 1	— 5	— 3	— 2	— 1
N 961	Poisoning by alcohol	M 4 F 6	— —	— —	— —	— 1	1 1	1 1	— 1	— 1	— 1	— 1	— —
N 963	Poisoning by industrial solvents	M 4 F 4	— —	— —	— —	— —	— —	— —	— 3	— —	— —	— —	— —
N 964	Poisoning by corrosive aromatics, acids, and caustic alkalis	M 53 F 40	— —	— —	1 —	3 —	7 2	9 2	9 7	16 11	8 14	— 3	— 1
N 965	Poisoning by mercury and its compounds	M 3 F 3	— —	— —	— —	1 —	— —	1 —	1 —	— —	— —	— —	— —
N 966	Poisoning by lead and its compounds	M 3 F 3	— —	2 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
N 967	Poisoning by arsenic and antimony, and their compounds	M 2 F 3	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —
N 968	Poisoning by carbon monoxide	M 1783 F 1688	8 4	13 9	21 15	71 39	164 106	212 159	343 324	357 361	327 339	225 281	42 51
N 969	Poisoning by other gases and vapours	M 90 F 28	— —	4 1	1 1	4 3	4 1	7 1	7 3	35 2	20 5	8 6	— 3
N 970	Poisoning by morphine and other opium derivatives	M 4 F 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 971	Poisoning by barbituric acid and derivatives	M 320 F 419	— —	1 —	— —	12 6	20 21	56 47	69 101	83 114	52 84	26 41	1 5
N 972	Poisoning by aspirin and salicylates	M 92 F 111	— —	1 —	— —	— —	6 2	12 8	30 13	24 26	8 32	5 15	— 1
N 973	Poisoning by bromides	M 1 F 18	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
N 974	Poisoning by other analgesic and soporific drugs	M 18 F 18	— —	1 —	— —	— —	3 1	2 2	4 3	5 6	2 3	— 1	— 1
N 976	Poisoning by strychnine	M 4 F 6	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
N 978	Poisoning by venom	M 1 F 3	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
N 979	Poisoning by other and unspecified substances	M 64 F 23	1 —	5 3	— —	2 3	10 1	7 4	21 4	14 3	3 3	1 2	— —

TABLE 18B—continued

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	0—
N980-N989	Effects of weather, exposure, and related conditions												
N 980	Effects of reduced temperature.. {M 11 1 — — — — — — 1 4 4 F 11 — — — — — — — 1 1 7												
N 981	Effects of heat and insolation .. {M — 1 1 — — — — — — — — — F — — — — — — — — — — — — —												
N 984	Effects of lightning {M 7 — — — — 1 1 2 1 1 — F 2 — — — — — — 1 — 1 — —												
N 985	Effects of hunger.. .. {M 5 — — 1 — — — — 1 1 1 1 F — — — — — — — — — — — — —												
N 987	Effects of exposure, not else- {M 21 — — — — — 1 2 3 4 6 3 where classified {F 9 — — — — — — — 2 2 4												
N990-N999	Other and unspecified injuries and reactions												
N 990	Drowning {M 1025 3 64 143 103 61 99 144 170 148 76 F 411 6 16 22 17 13 39 74 111 77 34												
N 991	Asphyxia and strangulation .. {M 768 117 3 20 50 66 87 137 140 97 49 F 244 87 10 2 4 12 21 37 43 17 11												
N 992	Electrocution {M 115 — 4 7 30 26 22 11 10 4 1 F 13 — — 1 — — — 3 1 2 5 1												
N 994	Other general effects of external causes {M 14 14 — — — — — — — — — F 12 11 — — — — — 1 — — — —												
N 995	Certain early complications of trauma {M 2 — — — — — 1 — — — — 1 F — — — — — — — — — — — — —												
N 996	Injury of other and unspecified nature {M 454 1 6 10 79 48 52 59 77 59 53 F 148 — 5 8 4 8 6 17 21 20 39												
N 997	Reactions and complications due to nontherapeutic medical and surgical procedures {M 4 2 — — 1 1 — — — — — F 5 1 2 1 — 1 — — — — —												
N 999	Adverse reaction to other therapeutic procedure .. {M 27 — — 1 — — 2 1 1 7 8 5 F 23 — — — — — — — 3 7 6 6												

External Cause of Injury (Intermediate List)

Nature of Injury (Intermediate List)	Total	AE 138	AE 139	AE 140	AE 141	AE 142	AE 143	AE 144	AE 145	AE 146	AE 147	AE 148	AE 149	AE 150
		Motor vehicle accidents	Other transport accidents	Acciden- tal poison- ing	Acciden- tal falls	Accident caused by mach- inery	Accident caused by fire and ex- plosion of com- bustible material	Accident caused by hot sub- stance, liquid, steam, & radia- tion	Accident caused by fire- arm	Acciden- tal drown- ing and sub- mersion	All other acciden- tal causes	Suicide and self- inflicted injury	Homi- cide & injury pos- sibly inflicted by other persons (not in war)	Injury resulting from opera- tions of war
Total	12,992 8,878	3,739 1,297	719 94	525 643	2,124 3,459	233 10	233 439	70 80	74 3	637 188	1,250 488	3,198 2,084	90 91	100 2
AN 138		2,046	245	—	508	75	4	—	10	—	146	65	24	2
AN 139		658 339 185	36 55 6	—	215 245 202	6 31 1	—	—	—	—	14 89 5	22 30 9	20	3
AN 140		176	24	—	1,005	4	1	—	—	—	28	5	—	—
AN 141		2,787 91 8 3	15 1 —	—	2,645 18 19	—	—	—	1	—	32 7 8	2	—	—
AN 142		—	1	—	3	—	—	—	—	—	—	—	1	—
AN 143		441 158	65 14	—	152 216	14 1	4	—	16	—	58 19	142 12	16	8
AN 144		490	91	—	57	71	2	—	21	—	148	31	10	12
AN 145		118 52 22	3 33 3	—	33 20 15	1 10 1	1 2	—	21	—	8 16 3	9 220 40	11 5 9	1 19
AN 146		8	—	—	36	—	—	—	1	—	9	—	1	—
AN 147		56 281	6 1	—	48 2	—	—	—	—	—	2 277 213	—	—	—
AN 148		2	9	—	—	—	176	70	—	—	1	6	1	—
AN 149		464 2,458 2,356	1 9 4	—	—	—	379 43 57	80	—	—	1 1 3	3 1,810 1,635	21 14	48
AN 150		175 56	185 12	—	78 66	28	1	—	5	637 188	469 188	882 352	12 24	8 1

TABLE 19—Causes of Death by Sex, at Different Periods of Life, 1956
Classified in accordance with the International Abbreviated List,
with certain sub-divisions.

(See notes at foot of this page and page 192)

Abbreviated List No.	Causes of Death	England and Wales											
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age							75 & over
						1-	5-	15-	25-	45-	65-		
	ALL CAUSES	M 267904 F 253427	6899 4880	2730 2045	1317 1059	1525 1021	2540 1240	11496 8831	71903 45071	75172 63062	94327 12621		
B1	Tuberculosis of respiratory system	M 3534 F 1319	— —	4 1	7 5	5 1	28 58	571 501	1727 390	887 220	30 14		
B2	Tuberculosis, other forms	M 270 F 252	— —	5 3	18 14	15 11	12 21	70 58	99 81	26 35	2 2		
B3	Syphilis and its sequelæ	M 922 F 452	1 1	1 —	— —	— 2	2 3	49 19	371 130	328 162	1 13		
B4	Typhoid fever	M — F 2	— —	1 —	— —	— —	— —	— 1	— —	— —	— —		
B5	Cholera	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
B6	Dysentery, all forms	M 17 F 16	— 1	1 —	6 1	— 1	2 —	1 1	1 2	2 1	— —		
B7	Scarlet fever and streptococcal sore throat	M (8)23 F (6)20	— 1	1 1	3 1	1 1	— (2)3	(3)7 (1)2	(4)7 (3)6	1 2	(1)1 (1)1		
B8	Diphtheria	M (3)5 F (2)3	— —	— —	1 1	— —	— —	(1)1 (1)1	(1)1 (1)1	(1)1 (1)1	(1)1 (1)1		
B9	Whooping cough	M (1)42 F (2)53	1 —	25 37	12 11	1 (1)3	— —	— —	(1)1 —	(1)1 —	(1)1 —		
B10	Meningococcal infections	M 109 F 80	3 1	42 25	33 24	7 6	7 2	4 6	7 11	5 3	— —		
B11	Plague	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
B12	Acute poliomyelitis	M 68 F 46	1 —	1 3	4 6	17 7	6 3	36 26	3 1	— —	— —		
B13	Smallpox	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
B14	Measles	M (1)15 F (1)15	— —	4 —	4 (1)10	(1)4 3	1 —	— 1	— —	— —	1 1		
B15	Typhus and other rickettsial diseases	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
B16	Malaria	M 3 F 1	— —	— —	— —	— —	— —	2 1	1 —	— —	— —		
B17	All other diseases classified as infective and parasitic	M 500 F 508	12 10	35 17	22 22	37 31	15 20	79 83	189 162	54 77	— —		
B18	Malignant neoplasm : (140-205)	M 48935 F 43775	4 3	22 14	158 143	262 206	275 197	2301 2865	19262 15522	15387 12387	112 124		
	stomach (151)	M 7747 F 6206	— —	— —	— —	— —	— 6	— 180	— 1520	— 1998	— 250		
	trachea, bronchus and lung (162, 163)	M 15615 F 2571	— —	— —	— 1	1 2	6 6	613 158	8647 1118	4813 779	15 5		
	breast (170)	M 69 F 8580	— —	— —	— —	— —	— 4	— 789	— 3761	— 2114	— 19		
	uterus (171-174)	M 3946 F —	— —	— —	— —	— —	— 7	— 386	— 1822	— 1059	— 6		
	Leukæmia and aleukæmia (204)	M 1229 F 1086	— 1	4 6	76 58	101 99	78 53	176 133	361 326	248 247	18 10		
B19	Other malign. and lymphatic neoplasms (Rem. of 140-205)	M 24275 F 21386	4 2	18 8	82 84	160 105	188 121	1240 1219	7310 6975	7661 6190	76 66		
B19	Benign and unspecified neoplasms	M 740 F 904	6 4	9 4	19 9	19 33	21 19	119 139	324 390	146 157	— —		
B20	Diabetes mellitus	M 1108 F 2134	— —	2 1	5 2	7 7	12 11	81 50	255 427	376 786	3 8		
B21	Anæmias	M 567 F 1166	2 —	6 2	3 1	7 10	7 8	19 45	94 168	163 336	20 59		
B22	Vascular lesions affecting central nervous system	M 31034 F 43453	4 —	13 9	2 4	26 24	54 38	505 533	9757 6350	9157 12113	147 243		
B23	Nonmeningococcal meningitis	M 216 F 171	17 20	57 33	28 24	9 6	7 6	18 11	50 33	18 22	— —		
B24	Rheumatic fever	M 102 F 106	1 —	— 1	1 1	24 22	13 20	20 22	29 22	11 13	— —		
B25	Chronic rheumatic heart disease	M 3049 F 5161	— —	— —	— —	— 13	— 74	— 552	— 1283	— 677	— 4		

Note :—The figures shown throughout this table for B40 (Complications of pregnancy, childbirth and puerperium) include some cases where the interval between maternal condition and death was stated to exceed 1 year. These deaths are also shown separately at the foot of the page where they occur.

England and Wales, Standard Regions, Wales, Conurbations, Urban
and Rural Aggregates outside conurbations.

Abbreviated List No.	Causes of Death	England and Wales—continued										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							75 & over
					1—	5—	15—	25—	45—	65—		
5	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M 46921	—	1	1	—	12	1338	16800	16077	12692	
		F 27869	—	—	2	1	3	193	4740	10153	12777	
		F 27083	—	2	1	3	6	140	2097	6134	18700	
		F 38066	—	2	1	1	6	77	1581	6440	29958	
7	Other diseases of heart	M 4272	1	6	8	6	26	138	964	1310	1813	
		F 4760	—	7	1	6	16	86	651	1336	2657	
		M 5639	—	—	1	—	5	56	1206	1981	2390	
	Hypertension with heart disease	F 7051	—	—	—	—	1	32	942	2307	3769	
9 (Pt.)	Hypertension without mention of heart	M 3659	—	—	—	—	5	127	952	1105	1470	
		F 4049	—	—	—	—	4	67	674	1199	2105	
		M 7372	2	—	2	4	16	114	997	1909	4328	
	Other circulatory diseases (450-468)	F 8748	—	1	2	1	19	125	787	1910	5903	
	Influenza	M 1272	4	20	8	8	10	50	322	335	515	
		F 1354	1	5	11	8	7	29	198	282	813	
		M 1114	—	874	169	60	64	277	1976	2744	4980	
	Pneumonia	F 11227	—	621	147	66	42	239	1114	2306	6692	
(Pt.)	Bronchitis	M 19852	15	178	77	19	15	210	5925	6985	6428	
		F 9818	10	108	40	15	11	141	1327	2563	5603	
		M 3464	11	38	29	30	19	167	1321	1084	765	
	Other diseases of respiratory system (470-475, 510-527)	F 1648	13	28	26	27	25	125	353	297	754	
	Ulcer of stomach and duodenum	M 3778	3	1	—	1	8	198	1290	1292	1072	
		F 1564	1	2	—	1	—	45	299	465	751	
		M 522	—	4	14	42	16	66	164	111	105	
	Appendicitis	F 331	—	—	11	19	10	22	84	87	98	
	Intestinal obstruction and hernia	M 1481	74	38	16	6	7	61	351	393	535	
		F 1585	60	22	11	2	6	50	297	472	665	
		M 883	—	166	25	10	11	71	202	187	211	
	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F 1228	—	109	21	7	20	100	219	308	444	
	Cirrhosis of liver	M 618	2	3	3	5	8	56	299	159	83	
		F 535	—	—	6	3	4	36	228	167	91	
		M 2651	3	7	17	51	101	394	875	565	638	
	Nephritis and nephrosis	F 2195	—	6	6	39	79	256	604	562	643	
	Hyperplasia of prostate	M 3852	—	—	—	—	—	—	228	1010	2614	
		F 399	—	—	—	—	63	324	8	2	2	
		F 399	—	—	—	—	63	324	8	2	2	
	Complications of pregnancy, childbirth & puerperium	M 2442	1080	622	144	97	77	143	188	52	39	
		F 2133	917	596	146	74	42	115	161	49	33	
		M 2679	2647	30	2	—	—	—	—	—	—	
	Birth injuries, postnatal asphyxia & atelectasis	F 1692	1670	21	1	—	—	—	—	—	—	
{	Diarrhoea of newborn (764)	M 27	27	—	—	—	—	—	—	—	—	
		F 21	21	—	—	—	—	—	—	—	—	
		M 532	526	6	—	—	—	—	—	—	—	
	Other infections of newborn (763, 765-768)	F 336	333	3	—	—	—	—	—	—	—	
(Rem.)	Other dis. of early infancy & immaturity unqualified	M 2348	2303	40	5	—	—	—	—	—	—	
		F 1738	1708	29	—	1	—	—	—	—	—	
		M 3208	15	14	—	—	9	13	38	186	2933	
	Senility without mention of psychosis, ill-defined and unknown causes	F 5537	5	8	1	—	1	12	25	220	5265	
	All other diseases (Remainder 001-795)	M 7954	70	186	137	151	199	740	2355	2056	2060	
		F 11028	53	145	118	126	166	835	2956	2960	3669	
		M 3739	1	1	143	262	792	940	839	374	387	
	Motor vehicle accidents	F 1297	—	3	82	110	114	166	296	255	271	
8	All other accidents	M 5865	55	261	177	297	465	1035	1354	749	1472	
		F 5404	43	175	138	115	60	190	585	822	3276	
		M 3198	—	—	—	3	123	698	1461	590	323	
	Suicide and self-inflicted injury	F 2084	—	—	—	2	52	378	1059	431	162	
9	Homicide and operations of war	M 190	8	4	12	11	10	29	78	32	6	
		F 93	4	2	9	10	6	28	22	6	6	
		M 7010	12	11	171	347	966	1547	1655	836	1465	
	Fractures, head injuries and internal injuries	F 4785	2	10	94	130	127	218	501	803	2900	
8	Burns	M 265	2	1	29	8	14	39	47	42	83	
		F 464	—	4	64	44	14	20	50	77	191	
		M 2458	—	9	27	23	100	520	1028	432	319	
	Effects of poisons	F 2356	—	6	15	16	56	376	1010	467	410	
0	All other injuries	M 3259	50	245	105	195	310	596	1002	435	321	
		F 1273	45	160	56	47	35	148	401	167	214	
	"Delayed" maternal deaths (see page 190)	25	—	—	—	—	—	15	6	2	2	

TABLE 19—continued

Abbreviated List No.	Causes of Death		Northern Region											
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age								75 over
						1-	5-	15-	25-	45-	65-			
	ALL CAUSES	{ M F	19642 17020	589 466	269 183	91 84	98 81	214 92	944 713	5383 3299	5413 4624	607 74		
B1	Tuberculosis of respiratory system	{ M F	276 97	— —	— —	1 —	— —	6 4	57 43	143 29	56 14	— —		
B2	Tuberculosis, other forms	{ M F	22 20	— —	1 1	1 2	1 —	2 2	6 6	6 7	— —	4 —		
B3	Syphilis and its sequelæ	{ M F	65 25	— —	— —	— —	— —	— —	2 1	29 7	26 12	— —		
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
B6	Dysentery, all forms	{ M F	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —		
B7	Scarlet fever and streptococcal sore throat	{ M F	— (1)2	— —	— —	— —	— —	— —	— (1)1	— —	— —	— —		
B8	Diphtheria	{ M F	— (1)2	— —	— —	— —	1 —	— —	— —	— —	— —	— —		
B9	Whooping cough	{ M F	2 (2)5	— —	1 —	2 —	(1)1 —	— —	— —	— —	— (1)1	— —		
B10	Meningococcal infections	{ M F	7 6	— —	4 —	4 —	— —	1 —	— —	1 1	— —	— —		
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
B12	Acute poliomyelitis	{ M F	4 2	— —	— —	1 —	1 —	— —	3 1	— —	— —	— —		
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
B14	Measles	{ M F	1 1	— —	1 —	— —	1 —	— —	— —	— —	— —	— —		
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
B17	All other diseases classified as infective and parasitic	{ M F	37 38	1 —	6 1	2 —	2 2	1 3	8 4	14 13	1 7	— —		
B18	Malignant neoplasm: (140-205)	{ M F	3366 2890	— —	1 —	9 10	12 15	18 12	172 206	1358 1057	1020 870	— —		
	stomach (151)	{ M F	660 513	— —	— —	— —	— —	— —	26 13	235 135	240 169	— —		
	trachea, bronchus and lung (162, 163)	{ M F	951 134	— —	— —	— —	— —	2 —	34 12	565 60	272 43	— —		
	breast (170)	{ M F	5 462	— —	— —	— —	— —	— —	— 52	4 181	— 130	— —		
	uterus (171-174)	{ M F	323	— —	— —	— —	— —	— —	38 167	— —	81 —	— —		
	Leukæmia and aleukæmia (204)	{ M F	76 78	— —	— 1	1 6	5 8	5 3	13 12	20 25	17 15	— —		
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M F	1674 1380	— —	1 —	8 4	7 7	11 8	99 79	534 489	491 432	— —		
	Benign and unspecified neoplasms	{ M F	53 71	— —	1 —	1 2	3 5	2 1	10 8	21 32	10 8	— —		
	Diabetes mellitus	{ M F	60 128	— —	1 —	— —	1 —	3 —	6 1	13 26	20 61	— —		
	Anæmias	{ M F	32 70	— —	1 1	— 1	— 2	— —	2 —	5 12	11 26	— —		
B22	Vascular lesions affecting central nervous system	{ M F	2686 3174	— —	2 1	— —	— 2	6 6	32 42	485 490	861 1015	— —		
B23	Nonmeningococcal meningitis	{ M F	12 16	— 1	5 3	2 3	— 1	— —	2 1	3 6	— —	— —		
B24	Rheumatic fever	{ M F	12 11	— —	— —	1 —	3 3	3 3	2 4	1 —	1 —	— —		
B25	Chronic rheumatic heart disease	{ M F	228 369	— —	— —	— —	— —	6 11	47 73	97 144	46 84	— —		

Note:—Epidemic diseases. The deaths assigned in this table to the following categories of the International Statistical Classification include some where the interval between onset of the disease and death was stated to exceed 12 months:—040-043, 050, 055, 056, 058, 084-087, 100-108.

Where any such deaths occur in this table they are distinguished separately, in brackets and in italics, alongside the figures in which they are included.

TABLE 19—continued

Abbreviated List No.	Causes of Death	Northern Region—continued											
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age							
						1—	5—	15—	Years				75 & over
								25—	45—	65—			
26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M 3688 F 2174 M 1823 F 2365	— — — —	— — — —	— — — —	— — — —	— — 2 —	1 3 8 1	133 19 491 116	1317 491 144 464	1298 862 435 464	939 802 1231 1775	
27	Other diseases of heart	M 341 F 323	— —	— 2	— —	— —	— 1	2 1	12 8	82 47	100 87	145 177	
28	Hypertension with heart disease	M 351 F 438	— —	— —	— —	— —	— —	— 3	80 75	129 137	139 189		
29	Hypertension without mention of heart	M 205 F 239	— —	— —	— —	— —	— —	1 6	7 46	40 69	55 118	102 118	
46 (Pt.)	Other circulatory diseases (450-468)	M 579 F 582	— —	— —	— —	— —	2 1	1 1	4 9	69 43	130 122	373 406	
30	Influenza	M 73 F 73	— —	1 1	— —	1 —	— —	3 1	21 12	17 18	30 41		
31	Pneumonia	M 718 F 590	— —	100 66	7 11	2 6	6 1	22 24	152 66	159 115	270 301		
32	Bronchitis	M 1296 F 499	— 3	8 5	7 1	1 —	2 1	16 13	449 86	451 145	362 245		
46(Pt.)	Other diseases of respiratory system (470-475, 510-527)	M 261 F 121	1 1	7 —	2 1	2 5	3 4	10 21	108 14	72 19	56 56		
33	Ulcer of stomach and duodenum	M 235 F 97	— —	— —	— —	— —	— —	2 4	23 25	84 31	68 37	58 37	
34	Appendicitis	M 23 F 23	— —	— —	— 1	— 3	1 1	3 3	11 5	1 9	3 4		
35	Intestinal obstruction and hernia	M 77 F 102	4 9	4 4	— —	— —	— —	1 2	19 24	17 28	30 34		
36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M 53 F 79	— —	10 9	— 1	— 1	1 3	7 9	10 21	12 15	13 20		
37	Cirrhosis of liver	M 45 F 46	— —	— —	— —	— 1	— 1	6 4	16 20	15 14	8 6		
38	Nephritis and nephrosis	M 208 F 139	1 —	2 —	2 —	3 1	10 4	35 25	73 40	38 37	44 32		
39	Hyperplasia of prostate	M 272	—	—	—	—	—	—	17	69	186		
40	Complications of pregnancy, childbirth & puerperium	F 44	—	—	—	—	6	38	—	—	—		
41	Congenital malformations	M 213 F 199	118 100	47 47	9 15	6 6	6 6	12 10	11 12	2 1	2 2		
42	Birth injuries, postnatal asphyxia & atelectasis	M 163 F 113	161 112	2 1	— —	— —	— —	— —	— —	— —	— —		
43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M 2 F 3 M 37 F 33	2 3 37 32	— — — 1	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —		
44	Other dis. of early infancy & immaturity unqualified	M 252 F 193	249 191	3 2	— —	— —	— —	— —	— —	— —	— —		
45	Senility without mention of psychosis, ill-defined and unknown causes	M 226 F 349	2 —	3 2	— —	— —	1 —	1 1	5 7	15 28	199 311		
46 (Rem.)	All other diseases (Remainder 001-795)	M 547 F 686	6 3	18 8	6 5	9 8	20 11	55 68	172 202	138 195	123 186		
BE47	Motor vehicle accidents	M 283 F 80	— —	1 —	23 8	19 12	59 6	59 7	68 21	26 10	28 16		
BE48	All other accidents	M 563 F 386	8 10	40 26	15 15	19 7	34 2	123 10	148 38	67 63	109 215		
BE49	Suicide and self-inflicted injury	M 231 F 116	— —	— —	— —	— —	11 1	50 26	107 63	42 22	21 4		
BE50	Homicide and operations of war	M 11 F 1	— —	— —	— —	1 —	— —	1 —	5 1	1 —	2 —		
BN47	Fractures, head injuries and internal injuries	M 582 F 323	3 —	1 —	23 7	23 12	73 6	132 10	157 34	65 5	105 197		
BN48	Burns	M 26 F 34	— —	— —	— 10	— 2	— 2	— —	6 6	5 4	7 10		
BN49	Effects of poisons	M 158 F 119	— —	— 1	— —	— 1	— 1	4 22	70 61	23 19	15 14		
BN50	All other injuries	M 322 F 107	5 10	40 25	15 5	15 5	27 —	49 11	95 22	43 15	33 14		
	"Delayed" maternal deaths (see page 190)	1	—	—	—	—	—	1	—	—	—		

TABLE 19—continued

Abbreviated List No.	Causes of Death	Tyneside Conurbation											
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age							7 or over
						Years							
						1-	5-	15-	25-	45-	65-		
	ALL CAUSES	{ M 5108 F 4521	146 118	58 42	24 18	22 17	39 23	234 216	1502 903	1433 1226			
B1	Tuberculosis of respiratory system	{ M 80 F 32	—	—	—	—	—	3 2	19 16	44 8	12 5		
B2	Tuberculosis, other forms	{ M 5 F 6	—	1	—	—	1	—	3	2 1	2		
B3	Syphilis and its sequelæ	{ M 14 F 8	—	—	—	—	—	—	—	3 3	7 3		
B4	Typhoid fever	{ M — F —	—	—	—	—	—	—	—	—	—		
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—		
B6	Dysentery, all forms	{ M — F —	—	—	—	—	—	—	—	—	—		
B7	Scarlet fever and streptococcal sore throat	{ M — F —	—	—	—	—	—	—	—	—	—		
B8	Diphtheria	{ M — F —	—	—	—	—	—	—	—	—	—		
B9	Whooping cough	{ M — F —	—	—	—	—	—	—	—	—	—		
B10	Meningococcal infections	{ M (1)2 F 2	—	1	—	1	—	—	1	—	(1)1		
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—		
B12	Acute poliomyelitis	{ M — F 1	—	—	—	1	—	—	—	—	—		
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—		
B14	Measles	{ M — F —	—	—	—	—	—	—	—	—	—		
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—		
B16	Malaria	{ M — F —	—	—	—	—	—	—	—	—	—		
B17	All other diseases classified as infective and parasitic	{ M 4 F 10	—	—	—	1	—	2	1	2	2		
B18	Malignant neoplasm : (140-205) stomach (151)	{ M 961 F 754	—	1	5	3	4	53	405	292			
		{ M 169 F 147	—	—	2	2	2	54	287	229			
		{ M 306 F 48	—	—	—	—	—	13	177	93			
		{ M 1 F 105	—	—	—	—	—	16	41	28			
	trachea, bronchus and lung (162, 163) breast (170)	{ M 94 F 1	—	—	—	—	—	11	54	19			
		{ M 23 F 17	—	—	—	1	1	1	3	7	3		
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M 462 F 343	—	1	5	1	3	27	151	134			
		{ M 10 F 19	—	—	—	1	1	4	2	2			
	Benign and unspecified neoplasms	{ M 15 F 31	—	—	—	—	—	—	2	3	4		
		{ M 7 F 16	—	1	—	—	2	—	—	—	3 9		
	B19	Diabetes mellitus	{ M 15 F 31	—	—	—	—	—	2	3	4		
B20	Anæmias	{ M 7 F 16	—	1	—	—	—	—	—	3 9			
B21	Vascular lesions affecting central nervous system	{ M 652 F 774	—	—	—	—	3	5	128	210			
B22	Nonmeningococcal meningitis	{ M 2 F 5	—	1	1	—	—	11	131	235			
B23	Rheumatic fever	{ M 1 F 4	—	—	—	—	1	2	—	—	—		
B24	Chronic rheumatic heart disease	{ M 64 F 106	—	—	—	2	—	16	25	13			
B25													

TABLE 19—continued

Abbreviated st No.	Causes of Death	Tyneside Conurbation—continued										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							75 & over
				1—	5—	15—	25—	45—	65—			
(Pl.)	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	976	—	—	—	—	33	366	328	249	
		F	564	—	—	—	—	6	136	223	199	
		M	407	—	—	1	—	2	42	100	262	
		F	550	—	—	—	1	—	22	122	405	
	Other diseases of heart	M	74	—	—	—	—	3	25	18	28	
		F	80	—	1	—	1	6	14	17	41	
	Hypertension with heart disease	M	91	—	—	—	—	1	21	34	35	
		F	128	—	—	—	—	—	18	52	58	
	Hypertension without mention of heart	M	62	—	—	—	—	3	8	18	33	
		F	83	—	—	—	—	—	17	27	39	
Other circulatory diseases (450-468)	M	154	—	—	2	—	1	17	33	101		
	F	186	—	—	—	1	5	10	36	134		
(Pl.)	Influenza	M	15	—	—	—	—	—	5	4	6	
		F	19	—	—	—	—	—	3	3	13	
	Pneumonia	M	193	—	13	1	—	4	56	45	73	
		F	197	—	12	1	1	8	25	35	115	
	Bronchitis	M	421	—	1	1	—	5	144	146	124	
		F	169	—	1	—	—	5	25	53	84	
	Other diseases of respiratory system (470-475, 510-527)	M	62	1	1	—	—	2	22	18	18	
		F	48	—	—	1	—	7	4	7	29	
	Ulcer of stomach and duodenum	M	48	—	—	—	—	5	12	16	15	
		F	29	—	—	—	—	2	6	10	11	
Appendicitis	M	3	—	—	—	—	2	1	—	—		
	F	6	—	—	1	—	1	1	2	1		
(Pl.)	Intestinal obstruction and hernia	M	18	2	—	—	—	—	7	2	7	
		F	29	3	1	—	—	—	5	7	13	
	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	17	—	4	—	—	1	4	3	4	
		F	20	—	1	1	—	6	7	2	3	
	Cirrhosis of liver	M	16	—	—	—	—	2	5	4	5	
		F	16	—	—	1	—	3	6	4	2	
	Nephritis and nephrosis	M	45	1	1	1	—	3	6	15	11	
		F	40	—	—	—	1	9	10	9	7	
	Hyperplasia of prostate	M	62	—	—	—	—	—	5	15	42	
		F	—	—	—	—	—	—	—	—	—	
(Pl.)	Complications of pregnancy, childbirth & puerperium	M	11	—	—	—	—	1	10	—	—	
		F	—	—	—	—	—	—	—	—	—	
	Congenital malformations	M	57	35	11	2	—	2	5	1	1	
		F	47	24	12	2	—	1	2	4	1	
	Birth injuries, postnatal asphyxia & atelectasis	M	40	40	—	—	—	—	—	—	—	
		F	29	28	1	—	—	—	—	—	—	
	Diarrhoea of newborn (764)	M	1	1	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	
	Other infections of newborn (763, 765-768)	M	7	7	—	—	—	—	—	—	—	
		F	8	8	—	—	—	—	—	—	—	
(Pl.)	Other dis. of early infancy & immaturity unqualified	M	56	56	—	—	—	—	—	—	—	
		F	51	51	—	—	—	—	—	—	—	
	Senility without mention of psychosis, ill-defined and unknown causes	M	45	2	—	—	—	—	2	4	37	
		F	89	—	1	—	—	—	—	9	79	
	All other diseases (Remainder 001-795)	M	136	—	7	2	2	11	41	42	31	
		F	181	1	1	3	5	14	55	54	47	
	Motor vehicle accidents	M	54	—	—	4	6	9	8	7	11	
		F	25	—	—	1	3	1	4	6	5	
	All other accidents	M	150	1	16	7	6	22	42	23	24	
		F	102	3	9	3	1	4	10	18	54	
(Pl.)	Suicide and self-inflicted injury	M	80	—	—	—	—	3	20	15	7	
		F	44	—	—	—	—	1	9	10	3	
	Homicide and operations of war	M	2	—	—	—	—	—	1	1	—	
		F	—	—	—	—	—	—	—	—	—	
	Fractures, head injuries and internal injuries	M	126	—	—	5	6	14	19	32	24	
		F	81	—	—	1	2	1	5	9	14	
	Burns	M	7	—	—	—	—	—	2	2	1	
		F	9	—	—	2	—	—	—	2	3	
	Effects of poisons	M	70	—	—	—	—	2	21	30	11	
		F	51	—	—	—	—	1	11	21	10	
All other injuries	M	83	1	16	5	6	5	9	22	10		
	F	30	3	9	1	2	—	1	5	6		

TABLE 19—continued

East and West Ridings Region													
Abbreviated List No.	Causes of Death		Age										
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							75 & over
						1-	5-	15-	25-	45-	65-		
	ALL CAUSES	{ M 25897 F 23581	734	286	155	155	230	1148	7220	7461	850		
B1	Tuberculosis of respiratory system	{ M 363 F 131	—	—	—	—	3	63	176	94	21		
B2	Tuberculosis, other forms	{ M 35 F 31	—	2	4	5	2	7	15	9	3		
B3	Syphilis and its sequelæ	{ M 89 F 60	—	—	—	—	—	9	41	28	19		
B4	Typhoid fever	{ M — F —	—	—	—	—	—	—	—	—	—		
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—		
B6	Dysentery, all forms	{ M 5 F 1	—	1	2	—	—	—	—	—	1		
B7	Scarlet fever and streptococcal sore throat	{ M 2 F 3	—	1	—	—	—	1	—	—	1		
B8	Diphtheria	{ M (J)1 F —	—	—	—	—	—	(J)1	—	—	—		
B9	Whooping cough	{ M (J)4 F 6	—	—	3	1	—	—	(J)1	—	—		
B10	Meningococcal infections	{ M 18 F 4	1	6	5	2	—	1	2	1	1		
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—		
B12	Acute poliomyelitis	{ M 2 F 4	—	—	—	1	1	—	—	—	—		
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—		
B14	Measles	{ M — F 1	—	—	1	—	—	—	—	—	—		
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—		
B16	Malaria	{ M — F —	—	—	—	—	—	—	—	—	—		
B17	All other diseases classified as infective and parasitic	{ M 42 F 39	2	2	—	3	2	10	17	5	5		
B18	Malignant neoplasm : (140-205)	{ M 4434 F 3912	1	3	19	24	18	215	1761	1435	9		
	stomach (151)	{ M 752 F 565	—	1	7	27	18	279	1443	1092	10		
	trachea, bronchus and lung (162, 163)	{ M 1404 F 220	—	—	—	—	—	72	800	407	69		
	breast (170)	{ M 9 F 684	—	—	—	—	1	14	92	5	3		
	uterus (171-174)	{ M 364 F —	—	—	—	—	—	65	292	176	94		
	Leukæmia and aleukæmia (204)	{ M 101 F 88	—	—	9	10	8	12	21	25	19		
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M 2168 F 1991	1	3	10	14	10	97	652	736	6		
	Benign and unspecified neoplasms	{ M 68 F 62	1	2	2	3	1	12	28	15	5		
	Diabetes mellitus	{ M 110 F 209	—	—	1	2	—	10	24	39	91		
	Anæmias	{ M 54 F 94	—	—	—	—	1	2	8	20	25		
B22	Vascular lesions affecting central nervous system	{ M 3185 F 4150	2	1	—	7	3	58	586	1064	14		
B23	Nonmeningococcal meningitis	{ M 24 F 15	4	6	1	1	1	1	9	4	22		
B24	Rheumatic fever	{ M 6 F 10	—	—	—	3	—	—	3	—	—		
B25	Chronic rheumatic heart disease	{ M 281 F 528	—	—	—	2	6	66	127	46	95		

TABLE 19—continued

Abbreviated list No.	Causes of Death	East and West Ridings Region—continued											
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age							
						1—	5—	15—	Years				
6	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	4816	—	—	—	—	—	141	1833	1656	1186	
		F	2837	—	—	—	—	—	24	499	1102	1212	
		M	2454	—	—	—	—	—	11	226	621	1596	
		F	3220	—	—	—	—	—	6	170	632	2412	
7	Other diseases of heart	M	366	—	—	1	—	—	9	101	117	133	
		F	415	—	—	—	1	—	11	66	143	194	
8	Hypertension with heart disease	M	571	—	—	—	—	2	2	129	216	222	
		F	692	—	—	—	—	—	4	100	241	347	
9	Hypertension without mention of heart	M	270	—	—	—	—	1	9	72	77	111	
		F	287	—	—	—	—	—	5	47	81	154	
6 (Pt.)	Other circulatory diseases (450-468)	M	730	—	—	—	—	3	7	82	180	458	
		F	949	—	—	—	—	1	8	82	181	677	
0	Influenza	M	115	—	2	1	—	1	6	35	25	45	
		F	113	—	2	1	1	2	7	18	33	49	
1	Pneumonia	M	1108	—	99	25	8	7	18	216	272	463	
		F	1018	—	68	20	4	6	26	115	233	546	
2	Bronchitis	M	2158	1	31	9	3	2	21	692	761	638	
		F	992	1	14	5	2	1	28	153	267	521	
6 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	273	1	6	2	3	4	19	107	85	46	
		F	133	2	7	1	—	9	38	21	54		
3	Ulcer of stomach and duodenum	M	308	—	—	—	—	2	27	113	85	81	
		F	115	—	—	—	—	—	3	26	38	48	
4	Appendicitis	M	42	—	—	—	2	1	8	15	9	7	
		F	24	—	—	—	1	1	1	7	5	9	
5	Intestinal obstruction and hernia	M	133	10	3	2	2	1	4	34	30	47	
		F	136	4	2	5	—	—	8	25	41	51	
6	Gastritis, enteritis and diarrhoea except	M	100	—	34	2	2	1	5	27	17	12	
	diarrhoea of newborn	F	104	—	18	1	1	3	6	17	24	34	
7	Cirrhosis of liver	M	53	—	1	1	—	2	5	26	11	7	
		F	47	—	—	—	—	—	3	18	18	8	
8	Nephritis and nephrosis	M	277	—	—	3	6	8	43	101	58	58	
		F	266	—	1	3	3	11	26	73	88	61	
9	Hyperplasia of prostate	M	328	—	—	—	—	—	—	25	97	206	
0	Complications of pregnancy, childbirth & puerperium	F	38	—	—	—	—	9	29	—	—	—	
1	Congenital malformations	M	211	103	40	19	9	8	12	14	3	3	
		F	206	100	58	9	2	4	13	13	4	3	
2	Birth injuries, postnatal asphyxia & atelectasis	M	264	259	4	1	—	—	—	—	—	—	
		F	178	173	4	1	—	—	—	—	—	—	
3	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	4	4	—	—	—	—	—	—	—	—	
		F	2	2	—	—	—	—	—	—	—	—	
		M	64	64	—	—	—	—	—	—	—	—	
		F	32	32	—	—	—	—	—	—	—	—	
4	Other dis. of early infancy & immaturity unqualified	M	269	268	1	—	—	—	—	—	—	—	
		F	168	167	1	—	—	—	—	—	—	—	
5	Senility without mention of psychosis, ill-defined and unknown causes	M	264	1	2	—	—	2	—	1	19	239	
		F	447	1	1	1	—	—	1	1	20	422	
6 (Rem.)	All other diseases (Remainder 001-795)	M	691	9	22	15	12	22	69	193	187	162	
		F	995	3	13	11	8	30	82	254	289	305	
E47	Motor vehicle accidents	M	363	—	—	17	28	66	104	85	35	28	
		F	125	—	—	8	13	11	22	30	21	20	
E48	All other accidents	M	626	5	18	18	31	44	102	161	88	159	
		F	579	1	12	19	12	3	23	66	96	347	
E49	Suicide and self-inflicted injury	M	291	—	—	—	1	11	65	123	58	33	
		F	198	—	—	—	—	7	24	103	50	14	
E50	Homicide and operations of war	M	25	—	—	1	2	—	5	11	6	—	
		F	5	1	—	2	—	—	1	1	—	—	
N47	Fractures, head injuries and internal injuries	M	732	—	1	22	37	82	164	185	95	146	
		F	504	—	—	10	17	12	26	55	90	294	
N48	Burns	M	24	—	—	3	1	—	4	4	7	5	
		F	44	—	—	8	5	1	3	7	4	16	
N49	Effects of poisons	M	256	—	—	—	5	9	62	98	47	35	
		F	244	—	1	1	2	6	25	114	52	43	
N50	All other injuries	M	293	5	17	11	19	30	46	93	38	34	
		F	115	2	11	10	1	2	16	24	21	28	
"Delayed" maternal deaths (see page 190)			2	—	—	—	—	—	2	—	—	—	

TABLE 19—continued

Abbreviated List No.	Causes of Death	West Yorkshire Conurbation										
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M 11232 F 10846	273 188	118 80	56 40	54 33	79 54	508 372	3284 2082	3265 2950	3591 5041	
B1	Tuberculosis of respiratory system	{ M 121 F 57	— —	— —	— —	— —	— —	1 1	21 20	60 22	26 7	
B2	Tuberculosis, other forms	{ M 12 F 15	— —	1 —	2 4	— 1	— 1	— 1	5 4	4 1	— —	
B3	Syphilis and its sequelæ	{ M 37 F 27	— —	— —	— —	— —	— —	— 6	— 1	17 11	10 9	
B4	Typhoid fever	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B5	Cholera	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	{ M 2 F 1	— —	— —	— 1	— —	— —	— —	— —	— —	— 1	
B7	Scarlet fever and streptococcal sore throat	{ M — F 3	— —	— 1	— —	— —	— —	— —	— —	— 1	— 1	
B8	Diphtheria	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B9	Whooping cough	{ M 1 F 3	— —	— 2	1 1	— —	— —	— —	— —	— —	— —	
B10	Meningococcal infections	{ M 5 F 1	— —	— 1	— —	1 —	1 —	— —	— —	— —	— —	
B11	Plague	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	{ M — F 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	
B13	Smallpox	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B14	Measles	{ M — F 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	
B15	Typhus and other rickettsial diseases	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B16	Malaria	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B17	All other diseases classified as infective and parasitic	{ M 15 F 16	1 —	— —	— —	— —	— 1	5 5	4 5	4 1	— —	
	Malignant neoplasm : (140-205)	{ M 1846 F 1749	— —	3 —	8 3	5 7	6 8	95 109	743 652	610 508	37 46	
	stomach (151)	{ M 302 F 267	— —	— —	— —	— —	— 1	16 13	116 62	119 97	5 9	
B18	trachea, bronchus and lung (162, 163)	{ M 574 F 101	— —	— —	— —	— —	— 1	35 8	334 39	166 35	3 1	
	breast (170)	{ M 6 F 303	— —	— —	— —	— —	— —	— 26	— 126	— 76	— 7	
	uterus (171-174)	{ M 167 F —	— —	— —	— —	— —	— —	10 96	44 —	— —	— —	
	Leukæmia and aleukæmia (204)	{ M 31 F 30	— —	— —	4 1	1 3	2 1	4 7	5 10	5 4	5 —	
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M 933 F 881	— —	3 2	4 4	4 4	4 5	40 45	285 319	317 252	27 25	
B19	Benign and unspecified neoplasms	{ M 36 F 24	1 —	1 —	1 —	1 1	— —	8 4	15 12	8 5	— —	
B20	Diabetes mellitus	{ M 38 F 80	— —	— —	— —	— —	1 —	2 1	10 17	12 40	1 2	
B21	Anæmias	{ M 24 F 34	— —	— —	— —	— —	— —	— 3	6 9	6 9	— 1	
B22	Vascular lesions affecting central nervous system	{ M 1454 F 1972	1 —	— —	— —	3 1	— 3	27 22	281 289	479 609	66 104	
B23	Nonmeningococcal meningitis	{ M 9 F 4	1 —	3 1	— —	— 1	— —	1 —	3 2	— —	— —	
B24	Rheumatic fever	{ M 2 F 1	— —	— —	— —	— —	— —	1 —	— —	2 —	— —	
B25	Chronic rheumatic heart disease	{ M 121 F 252	— —	— —	— —	— —	3 1	36 49	50 118	21 49	— —	

TABLE 19—continued

Abbreviated List No.	Causes of Death		West Yorkshire Conurbation—continued									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age						
						1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	2317	—	—	—	—	—	76	945	774	522
		{ F	1426	—	—	—	—	6	247	546	627	
		{ M	994	—	—	—	—	8	94	251	641	
		{ F	1453	—	—	—	—	2	90	263	1098	
B27	Other diseases of heart	{ M	166	—	—	—	—	1	6	46	56	
B28	Hypertension with heart disease	{ F	200	—	—	—	1	—	6	40	70	
		{ M	285	—	—	—	—	—	59	109	83	
B29	Hypertension without mention of heart	{ F	324	—	—	—	—	—	3	49	129	
		{ M	120	—	—	—	1	3	36	35	45	
B46 (Pt.)	Other circulatory diseases (450-468)	{ F	115	—	—	—	—	—	3	21	34	
		{ M	226	—	—	—	1	3	26	54	60	
		{ F	364	—	—	—	—	5	37	69	142	
B30	Influenza	{ M	39	—	2	—	—	1	11	13	12	
B31	Pneumonia	{ F	53	—	1	1	—	2	7	15	26	
		{ M	554	—	52	12	2	3	10	104	139	
B32	Bronchitis	{ F	539	—	26	6	2	1	8	63	119	
		{ M	972	1	5	2	—	9	328	335	292	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ F	452	—	3	—	1	—	12	71	133	
		{ M	106	—	—	1	—	3	8	38	31	
		{ F	55	—	4	—	2	—	5	15	15	
B33	Ulcer of stomach and duodenum	{ M	138	—	—	—	—	2	8	54	34	
B34	Appendicitis	{ F	60	—	—	—	—	—	3	12	18	
		{ M	15	—	—	—	—	2	7	3	3	
B35	Intestinal obstruction and hernia	{ F	3	—	—	—	—	—	1	1	1	
		{ M	58	6	—	1	—	1	2	13	10	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	{ F	63	—	1	3	—	5	11	21	25	
		{ M	48	—	17	2	—	2	14	9	4	
B37	Cirrhosis of liver	{ F	52	—	9	—	1	—	4	8	9	
		{ M	25	—	—	—	—	—	3	13	5	
B38	Nephritis and nephrosis	{ F	25	—	—	—	—	—	11	9	4	
		{ M	103	—	—	—	4	4	17	37	21	
B39	Hyperplasia of prostate	{ F	111	—	—	2	—	5	8	34	40	
		{ M	124	—	—	—	—	—	—	12	33	
B40	Complications of pregnancy, childbirth & puerperium	F	17	—	—	—	—	4	13	—	—	
B41	Congenital malformations	{ M	87	47	14	7	—	2	7	7	1	
		{ F	71	42	15	4	1	—	5	3	—	
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	88	87	1	—	—	—	—	—	—	
		{ F	65	62	3	—	—	—	—	—	—	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	—	—	—	—	—	—	—	—	—	
		{ F	—	—	—	—	—	—	—	—	—	
		{ M	25	25	—	—	—	—	—	—	—	
B44	Other dis. of early infancy & immaturity unqualified	{ F	20	20	—	—	—	—	—	—	—	
		{ M	101	100	1	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ F	60	60	—	—	—	—	—	—	—	
		{ M	98	—	2	—	—	1	—	—	7	
B46 (Rem.)	All other diseases (Remainder 001-795)	{ F	176	—	—	—	—	—	1	8	88	
		{ M	313	2	8	5	5	9	32	86	90	
BE47	Motor vehicle accidents	{ F	503	2	7	5	4	18	38	121	144	
		{ M	143	—	—	7	9	22	47	35	14	
BE48	All other accidents	{ F	49	—	—	1	7	4	7	12	8	
		{ M	226	2	6	5	18	12	33	57	38	
BE49	Suicide and self-inflicted injury	{ F	254	—	5	8	2	2	12	33	42	
		{ M	126	—	—	—	1	6	23	62	21	
BE50	Homicide and operations of war	{ F	93	—	—	—	—	1	12	53	20	
		{ M	12	—	—	—	2	—	2	5	3	
		{ F	2	1	—	1	—	—	—	—	—	
BN47	Fractures, head injuries and internal injuries	{ M	272	—	1	9	15	24	65	72	37	
BN48	Burns	{ F	215	—	—	3	8	5	10	27	37	
		{ M	14	—	—	2	1	—	2	1	4	
BN49	Effects of poisons	{ F	17	—	—	4	—	—	2	2	2	
		{ M	124	—	—	—	4	6	27	48	20	
BN50	All other injuries	{ F	120	—	—	1	1	2	12	60	22	
		{ M	97	2	5	1	10	10	11	38	15	
		{ F	46	1	5	3	—	—	7	9	9	

TABLE 19—continued

Abbreviated List No.	Causes of Death	North Western Region										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							75 & over
1-	5-				15-	25-	45-	65-				
	ALL CAUSES	{ M 41535 F 40142	1145 810	491 385	209 190	232 167	344 192	1825 1443	12333 7780	12063 10825	12893 18350	
B1	Tuberculosis of respiratory system	{ M 600 F 239	—	—	4 1	1 13	2 101	95 70	308 36	150 18	40 18	
B2	Tuberculosis, other forms	{ M 45 F 39	—	1	4 1	5 2	1 6	10 6	11 11	7 6	7 7	
B3	Syphilis and its sequelæ	{ M 146 F 68	—	—	—	—	1 1	10 7	73 16	47 21	15 23	
B4	Typhoid fever	{ M — F 1	—	—	—	—	—	1	—	—	—	
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M — F 2 3	—	—	1 1	—	—	—	—	—	1 2	
B7	Scarlet fever and streptococcal sore throat	{ M (1)2 F (1)2	—	—	1	—	(1)2	—	(1)1	—	—	
B8	Diphtheria	{ M — F —	—	—	—	—	—	—	—	—	—	
B9	Whooping cough	{ M 10 F 8	—	8 7	2 1	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 20 F 20	1	9 10	6 6	1	1	1 2	1 2	—	—	
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 21 F 11	—	1 1	1 2	2	3	13 8	1	—	—	
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 2 F (1)1	—	—	(1)1	2	—	—	—	—	—	
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M — F 1	—	—	—	—	—	—	1	—	—	
B17	All other diseases classified as infective and parasitic	{ M 88 F 77	2	7 5	4 6	10 5	1 5	14 12	28 24	12 11	10 9	
B18	Malignant neoplasm: (140-205)	{ M 7256 F 6624	—	2 1	20 23	31 29	47 33	354 417	3051 2491	2265 1982	1486 1648	
	stomach (151)	{ M — F 1190	—	—	—	—	—	48	500	383	259	
		{ M — F 1039	—	—	—	—	—	1	26	282	362	
	trachea, bronchus and lung (162, 163)	{ M 2481 F 450	—	—	—	1	1	115	1404	751	209	
	breast (170)	{ M 9 F 1218	—	—	—	—	—	1	106	548	322	
	uterus (171-174)	{ M — F 657	—	—	—	—	3	63	319	187	85	
	Leukæmia and aleukæmia (204)	{ M 169 F 143	—	—	10 6	17 13	11 9	27 15	50 51	29 31	25 18	
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M 3407 F 3117	—	2 1	10 17	13 16	35 18	163 178	1096 1080	1097 939	991 868	
	Benign and unspecified neoplasms	{ M 104 F 140	2 2	1 2	2 3	3 5	3 3	19 19	49 71	13 19	12 17	
	Diabetes mellitus	{ M 153 F 385	—	—	1 1	— 2	2 1	11 9	37 87	55 133	47 152	
B21	Anæmias	{ M 113 F 262	—	—	1	—	1	7	16	40	48	
B22	Vascular lesions affecting central nervous system	{ M 4968 F 7128	1	2 1	— 1	5 7	10 2	83 102	1113 1121	1615 2150	2139 3744	
B23	Nonmeningococcal meningitis	{ M 37 F 22	2 3	12 4	5 6	—	2 1	3 1	7 2	5 4	1 1	
B24	Rheumatic fever	{ M 22 F 12	—	—	—	6 2	4 2	3 3	4 1	4 3	1 3	
B25	Chronic rheumatic heart disease	{ M 476 F 907	—	—	—	2 4	18 20	97 157	220 399	85 191	54 136	

TABLE 19—continued

Abbreviated List No.	Causes of Death	North Western Region—continued											
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age							75 & over
						1—	5—	15—	25—	45—	65—		
326	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	7326	—	1	—	—	2	240	3058	2479	1546	
	Degenerative heart disease (421, 422)	F	4256	—	—	—	—	1	38	886	1686	1645	
		M	4205	—	—	—	—	—	24	408	1061	2712	
		F	5997	—	—	—	1	1	19	305	1154	4517	
327	Other diseases of heart	M	692	—	2	2	2	1	24	187	224	250	
		F	845	—	1	—	1	4	12	145	270	412	
328	Hypertension with heart disease	M	780	—	—	—	—	—	7	195	281	297	
		F	991	—	—	—	—	—	5	161	342	483	
329	Hypertension without mention of heart	M	457	—	—	—	—	1	21	123	146	166	
		F	509	—	—	—	—	—	8	91	182	228	
346 (Pt.)	Other circulatory diseases (450-468)	M	1166	—	—	—	—	1	26	167	333	639	
		F	1308	—	—	—	—	1	21	130	311	845	
330	Influenza	M	158	1	5	1	1	8	51	47	43	89	
		F	175	—	—	2	2	4	27	51	89	—	
331	Pneumonia	M	1591	—	186	37	12	6	44	306	405	595	
		F	1697	—	121	23	8	4	37	199	406	899	
332	Bronchitis	M	3620	2	23	8	3	2	45	1213	1390	934	
		F	1872	2	26	3	1	3	25	317	588	907	
346 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	447	1	6	2	6	—	34	201	121	76	
		F	227	1	4	1	2	5	26	54	40	94	
333	Ulcer of stomach and duodenum	M	530	2	—	—	—	1	29	198	182	118	
		F	209	1	—	—	—	—	11	48	69	80	
334	Appendicitis	M	75	—	1	1	7	—	9	28	17	12	
		F	47	—	—	3	6	2	7	9	10	10	
335	Intestinal obstruction and hernia	M	256	10	4	4	1	2	12	75	79	69	
		F	256	8	5	2	—	1	10	56	89	85	
336	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	129	—	26	3	1	2	3	36	26	32	
		F	185	—	21	2	—	2	17	36	50	57	
337	Cirrhosis of liver	M	96	—	1	—	—	—	6	54	19	12	
		F	83	—	—	—	1	3	5	38	29	11	
338	Nephritis and nephrosis	M	385	—	—	2	4	23	44	122	96	94	
		F	371	—	—	1	8	10	41	111	102	98	
339	Hyperplasia of prostate	M	509	—	—	—	—	—	—	32	182	295	
340	Complications of pregnancy, childbirth & puerperium	F	55	—	—	—	—	8	46	1	—	—	
341	Congenital malformations	M	367	171	94	23	16	8	20	23	8	4	
		F	367	153	110	28	14	7	18	22	8	7	
342	Birth injuries, postnatal asphyxia & atelectasis	M	434	427	6	1	—	—	—	—	—	—	
		F	268	265	3	—	—	—	—	—	—	—	
343	Diarrhoea of newborn (764)	M	3	3	—	—	—	—	—	—	—	—	
		F	4	4	—	—	—	—	—	—	—	—	
	Other infections of newborn (763, 765-768)	M	87	84	3	—	—	—	—	—	—	—	
		F	42	42	—	—	—	—	—	—	—	—	
344	Other dis. of early infancy & immaturity unqualified	M	422	412	8	2	—	—	—	—	—	—	
		F	319	314	5	—	—	—	—	—	—	—	
345	Senility without mention of psychosis, ill-defined and unknown causes	M	598	3	2	—	—	1	1	5	51	535	
		F	939	2	1	—	—	—	2	2	57	875	
346 (Rem.)	All other diseases (Remainder 001-795)	M	1190	11	31	27	21	31	124	364	319	262	
		F	1711	6	31	12	20	17	117	492	466	550	
347	Motor vehicle accidents	M	511	—	—	20	37	83	129	116	64	62	
		F	204	—	1	23	14	12	27	39	43	45	
348	All other accidents	M	866	9	49	23	50	56	137	192	126	224	
		F	891	7	25	35	33	14	26	93	162	496	
349	Suicide and self-inflicted injury	M	524	—	—	—	—	22	112	231	104	55	
		F	346	—	—	—	—	7	58	176	74	31	
350	Homicide and operations of war	M	45	1	—	1	2	2	6	27	5	1	
		F	19	—	—	3	1	2	7	3	3	—	
347	Fractures, head injuries and internal injuries	M	995	1	2	22	49	103	208	224	149	237	
		F	746	—	1	24	17	16	34	65	142	447	
348	Burns	M	33	—	—	3	2	3	3	8	4	10	
		F	88	—	—	17	13	4	3	6	21	24	
349	Effects of poisons	M	444	—	2	4	3	20	89	186	84	56	
		F	406	—	—	5	2	6	62	163	97	71	
350	All other injuries	M	474	9	45	15	35	37	84	148	62	39	
		F	220	7	25	15	16	9	19	77	22	30	
	"Delayed" maternal deaths (see page 190)		2	—	—	—	—	—	2	—	—	—	

TABLE 19—continued

Abbreviated List No.	Causes of Death	South East Lancashire Conurbation										
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						75 & over
				1—	5—	15—	25—	45—	65—			
	ALL CAUSES	{ M 15596 F 15285	447	190	84	94	109	706	4805	4544	4617	
			284	140	64	63	74	524	3127	4157	6852	
B1	Tuberculosis of respiratory system	{ M 226 F 83	—	—	1	—	1	45	109	52	18	
B2	Tuberculosis, other forms	{ M 20 F 21	—	—	1	3	4	31	25	12	11	
			—	—	—	—	5	2	6	4	2	
B3	Syphilis and its sequelæ	{ M 75 F 21	—	—	—	—	1	7	39	20	8	
B4	Typhoid fever	{ M F	—	—	—	—	—	1	6	8	6	
B5	Cholera	{ M F	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M 2 F 2	—	—	1	—	—	—	—	—	1	
			—	—	1	—	—	—	—	—	1	
B7	Scarlet fever and streptococcal sore throat	{ M F	—	—	—	—	(1)2	—	—	—	—	
B8	Diphtheria	{ M F	—	—	—	—	—	—	—	—	—	
B9	Whooping cough	{ M 1 F 2	—	1	—	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 8 F 9	—	5	3	—	—	—	—	—	—	
			—	5	4	—	—	—	—	—	—	
B11	Plague	{ M F	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 10 F 8	—	1	2	1	2	7	—	—	—	
			—	—	—	—	—	5	—	—	—	
B13	Smallpox	{ M F	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 2 F	—	—	—	2	—	—	—	—	—	
			—	—	—	—	—	—	—	—	—	
B15	Typhus and other rickettsial diseases	{ M F	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M F	1	—	—	—	—	—	1	—	—	
B17	All other diseases classified as infective and parasitic	{ M 27 F 25	1	3	1	2	2	4	11	3	2	
			—	—	3	—	—	4	10	3	3	
	Malignant neoplasm : (140-205)	{ M 2769 F 2574	—	—	8	12	16	126	1206	875	526	
	stomach (151)	{ M 455 F 395	—	1	6	13	19	156	984	769	626	
			—	—	—	—	—	14	197	150	94	
			—	—	—	—	—	7	111	140	137	
	trachea, bronchus and lung (162, 163)	{ M 974 F 189	—	—	—	—	1	49	559	295	70	
	breast (170)	{ M 4 F 485	—	—	—	—	1	10	83	65	30	
	uterus (171-174)	{ M F	—	—	—	—	1	38	223	124	99	
			—	—	—	—	1	31	127	62	29	
	Leukæmia and aleukæmia (204)	{ M 59 F 58	—	—	4	10	1	10	16	9	9	
			—	—	1	6	4	6	19	11	11	
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	{ M 1277 F 1197	—	1	4	2	14	53	434	418	352	
			—	—	5	7	12	64	421	367	320	
B19	Benign and unspecified neoplasms	{ M 42 F 61	2	—	2	1	2	6	19	5	5	
			2	—	—	2	2	5	29	12	9	
B20	Diabetes mellitus	{ M 59 F 143	—	—	1	—	—	6	15	21	16	
			—	—	—	2	—	5	38	42	56	
B21	Anæmias	{ M 48 F 101	—	—	1	—	—	3	4	18	22	
			—	—	—	1	—	4	21	30	45	
B22	Vascular lesions affecting central nervous system	{ M 1842 F 2724	1	1	—	1	4	37	411	591	796	
B23	Nonmeningococcal meningitis	{ M 15 F 5	1	6	1	—	1	40	423	830	1425	
			1	—	2	—	—	1	3	2	—	
B24	Rheumatic fever	{ M 9 F 3	—	—	—	3	—	3	2	1	—	
			—	—	—	—	1	1	—	1	—	
B25	Chronic rheumatic heart disease	{ M 202 F 362	—	—	—	2	9	42	97	36	16	
			—	—	—	2	7	60	166	68	59	

TABLE 19—continued

Abbreviated List No.	Causes of Death		South East Lancashire Conurbation—continued										
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age							
						1—	5—	15—	25—	45—	65—	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2587	—	1	—	—	—	95	1112	860	519	
F		1510	—	—	—	—	15	341	581	573			
M		1470	—	—	—	—	9	137	372	952			
F		2254	—	—	—	—	7	123	461	1663			
B27	Other diseases of heart	M	267	—	1	1	1	10	66	94	93		
B28	Hypertension with heart disease	F	325	—	1	—	—	5	66	105	145		
M		242	—	—	—	—	2	70	93	77			
		F	304	—	—	—	—	1	53	112	138		
B29	Hypertension without mention of heart	M	182	—	—	—	1	8	54	61	58		
B46 (Pt.)	Other circulatory diseases (450-468)	F	198	—	—	—	—	1	38	79	80		
M		500	—	—	—	—	9	69	144	278			
F		606	—	—	—	—	7	60	130	409			
B30	Influenza	M	57	—	2	—	—	3	23	18	11		
B31	Pneumonia	F	69	—	—	1	—	3	12	19	34		
M		594	—	79	16	5	—	15	113	160	206		
F		575	—	43	6	3	1	15	70	156	281		
B32	Bronchitis	M	1593	1	10	3	1	17	569	603	389		
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	888	1	4	1	1	12	150	308	411		
M		170	—	2	2	3	—	11	89	38	25		
F		88	1	1	—	—	1	8	23	15	39		
B33	Ulcer of stomach and duodenum	M	214	1	—	—	—	18	85	66	43		
B34	Appendicitis	F	92	—	—	—	—	3	27	25	37		
M		31	—	—	—	—	2	11	9	5			
F		18	—	—	2	3	—	1	3	6	3		
B35	Intestinal obstruction and hernia	M	96	3	2	1	1	4	24	29	31		
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	110	4	1	2	—	3	29	28	43		
M		45	—	4	2	—	1	16	8	13			
F		88	—	7	2	—	2	6	16	27	28		
B37	Cirrhosis of liver	M	36	—	—	—	1	1	2	4	3		
		F	37	—	—	—	—	2	20	10	5		
B38	Nephritis and nephrosis	M	119	—	—	1	1	6	19	35	35	22	
		F	94	—	—	1	1	4	7	37	23	21	
B39	Hyperplasia of prostate	M	182	—	—	—	—	—	17	74	91		
B40	Complications of pregnancy, childbirth & puerperium	F	19	—	—	—	—	2	17	—	—		
B41	Congenital malformations	M	138	65	36	9	6	1	9	10	2	—	
		F	144	58	47	10	5	3	3	12	3	3	
B42	Birth injuries, postnatal asphyxia & atelectasis	M	176	173	3	—	—	—	—	—	—	—	
		F	102	101	1	—	—	—	—	—	—	—	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	1	1	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	
		M	33	31	2	—	—	—	—	—	—	—	
		F	14	14	—	—	—	—	—	—	—	—	
B44	Other dis. of early infancy & immaturity unqualified	M	159	156	1	2	—	—	—	—	—	—	
		F	102	100	2	—	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	199	1	1	—	—	—	1	—	13	183	
		F	353	—	—	—	—	—	—	—	16	337	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	439	6	7	11	9	8	44	151	118	85	
		F	599	1	12	4	7	4	44	193	170	164	
BE47	Motor vehicle accidents	M	162	—	—	8	18	22	32	39	18	25	
BE48	All other accidents	F	74	—	—	6	3	3	7	20	18	17	
		M	297	4	23	8	16	19	46	60	49	72	
		F	320	1	11	11	16	4	11	47	58	161	
BE49	Suicide and self-inflicted injury	M	230	—	—	—	—	10	56	95	45	24	
BE50	Homicide and operations of war	F	147	—	—	—	—	2	28	75	27	15	
		M	19	—	—	—	1	1	2	12	3	—	
		F	9	—	—	—	—	—	2	4	2	1	
3N47	Fractures, head injuries and internal injuries	M	324	—	1	7	20	28	64	76	50	78	
3N48			F	246	—	—	8	4	5	12	33	49	135
		M	12	—	—	2	1	2	1	—	1	5	
		F	29	—	—	2	6	1	2	1	7	10	
3N49	Effects of poisons	M	202	—	2	1	1	9	45	80	38	26	
3N50	All other injuries	F	177	—	—	2	2	2	27	77	35	32	
		M	170	4	20	6	13	13	26	50	26	12	
		F	98	1	11	5	7	3	9	33	13	16	
	"Delayed" maternal deaths (see page 190)		2	—	—	—	—	—	2	—	—	—	

TABLE 19—continued

Abbreviated List No.	Causes of Death	Merseyside Conurbation										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						75 & over	
1—	5—				15—	25—	45—	65—				
	ALL CAUSES	M 7969 F 7564	278 213	124 100	41 48	41 33	70 47	371 310	2424 1388	2286 1981	2334 3444	
B1	Tuberculosis of respiratory system	M 162 F 66	—	—	3 1	1 —	1 4	21 30	76 17	50 14	10 3	
B2	Tuberculosis, other forms	M 7 F 3	—	—	—	—	—	2 1	—	2 —	3 2	
B3	Syphilis and its sequelæ	M 25 F 14	—	—	—	—	—	1 1	11 5	10 3	3 5	
B4	Typhoid fever	M 1 F —	—	—	—	—	—	1 —	—	—	—	
B5	Cholera	M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	M — F —	—	—	—	—	—	—	—	—	—	
B7	Scarlet fever and streptococcal sore throat	M — F —	—	—	—	—	—	—	—	—	—	
B8	Diphtheria	M — F —	—	—	—	—	—	—	—	—	—	
B9	Whooping cough	M 6 F 2	—	5 1	1 1	—	—	—	—	—	—	
B10	Meningococcal infections	M 4 F 3	—	2 —	1 1	—	—	1 1	—	—	—	
B11	Plague	M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	M — F 1	—	—	—	—	—	1 1	—	—	—	
B13	Smallpox	M — F —	—	—	—	—	—	—	—	—	—	
B14	Measles	M — F —	—	—	—	—	—	—	—	—	—	
B15	Typhus and other rickettsial diseases	M — F —	—	—	—	—	—	—	—	—	—	
B16	Malaria	M — F —	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	M 19 F 23	—	2 2	1 1	3 2	1 3	2 3	2 5	4 5	4 2	
B18	Malignant neoplasm : (140-205)	M 1546 F 1302	—	—	4 7	8 4	9 5	75 88	668 491	481 388	301 319	
	stomach (151)	M 224 F 203	—	—	—	—	—	11 8	96 53	72 69	45 73	
	trachea, bronchus and lung (162, 163)	M 589 F 108	—	—	—	—	—	23 8	337 56	175 24	54 20	
	breast (170)	M 3 F 233	—	—	—	—	—	—	1 23	2 104	— 69	
	uterus (171-174)	M — F 109	—	—	—	—	—	7 53	— 53	— 37	— 1	
	Leukæmia and aleukæmia (204)	M 35 F 31	—	—	2 2	4 1	1 3	3 1	11 9	5 9	9 6	
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	M 695 F 618	—	—	2 5	4 3	8 2	38 41	223 216	227 180	193 171	
	Benign and unspecified neoplasms	M 17 F 26	—	1 —	—	—	1 2	3 1	10 4	1 15	1 3	
	Diabetes mellitus	M 20 F 74	—	—	—	—	1 —	2 1	5 14	6 28	3 31	
	B21	Anæmias	M 14 F 39	—	—	—	—	—	1 1	4 4	5 11	2 23
B22	Vascular lesions affecting central nervous system	M 827 F 1113	—	—	—	1 3	2 —	22 19	205 162	264 327	333 602	
B23	Nonmeningococcal meningitis	M 9 F 7	—	2 3	2 1	—	1 —	2 —	1 1	1 —	—	
B24	Rheumatic fever	M 2 F 4	—	—	1 —	—	1 1	—	—	—	—	
B25	Chronic rheumatic heart disease	M 87 F 198	—	—	—	—	—	5 4	22 38	39 92	15 38	

TABLE 19—continued

Abbreviated List No.	Causes of Death		Morseyside Conurbation—continued									
			Years									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age						
					1—	5—	15—	25—	45—	65—	75 & over	
26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	1411	—	—	—	—	1	47	586	480	297
		F	879	—	—	—	—	1	10	173	356	339
		M	690	—	—	—	—	—	1	69	171	449
		F	869	—	—	—	—	—	—	32	157	680
27	Other diseases of heart	M	148	—	—	1	—	—	6	41	41	5
		F	175	—	—	—	—	—	3	20	52	100
28	Hypertension with heart disease	M	206	—	—	—	—	—	3	51	68	84
		F	242	—	—	—	—	—	2	28	73	139
29	Hypertension without mention of heart	M	96	—	—	—	—	—	4	27	14	51
		F	116	—	—	—	—	—	2	19	34	61
346 (Pt.)	Other circulatory diseases (450-468)	M	167	—	—	—	—	—	6	30	51	80
		F	162	—	—	—	—	1	6	16	40	99
330	Influenza	M	17	—	1	—	—	—	—	3	6	7
		F	23	—	—	—	—	—	—	1	7	15
331	Pneumonia	M	440	—	49	2	3	3	8	75	116	184
		F	594	—	41	5	1	2	6	52	131	356
332	Bronchitis	M	733	—	9	1	—	1	12	238	285	187
		F	340	1	14	—	—	2	5	54	92	172
346 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	79	—	3	—	—	—	9	31	16	20
		F	51	—	—	—	—	—	7	12	8	24
333	Ulcer of stomach and duodenum	M	88	1	—	—	—	—	4	32	28	23
		F	35	—	—	—	—	—	—	6	13	16
334	Appendicitis	M	10	—	—	—	2	—	1	4	2	1
		F	10	—	—	—	—	1	1	3	2	3
335	Intestinal obstruction and hernia	M	51	5	1	—	—	—	2	13	20	10
		F	46	2	3	—	—	1	—	9	16	15
336	Gastritis, enteritis and diarrhoea except	M	26	—	8	—	—	—	1	7	5	5
	diarrhoea of newborn	F	32	—	2	—	—	—	5	6	10	9
337	Cirrhosis of liver	M	16	—	1	—	—	1	—	9	5	—
		F	16	—	—	—	—	—	—	7	6	3
338	Nephritis and nephrosis	M	74	—	—	1	1	8	9	24	19	12
		F	84	—	—	—	2	2	14	20	20	26
339	Hyperplasia of prostate	M	73	—	—	—	—	—	—	4	19	50
340	Complications of pregnancy, childbirth & puerperium	F	13	—	—	—	—	1	11	1	—	—
341	Congenital malformations	M	87	47	18	5	3	2	3	5	2	2
		F	87	41	20	10	3	1	7	3	—	2
342	Birth injuries, postnatal asphyxia & atelectasis	M	135	134	1	—	—	—	—	—	—	—
		F	81	80	1	—	—	—	—	—	—	—
343	Diarrhoea of newborn (764)	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
		M	21	20	1	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	17	17	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
344	Other dis. of early infancy & immaturity unqualified	M	66	64	2	—	—	—	—	—	—	—
		F	67	65	2	—	—	—	—	—	—	—
345	Senility without mention of psychosis, ill-defined and unknown causes	M	43	1	1	—	—	—	—	3	3	35
		F	99	—	—	—	—	—	—	1	5	93
346 (Rem.)	All other diseases (Remainder 001-795)	M	204	3	8	7	4	4	25	54	50	49
		F	376	3	6	3	5	5	15	75	99	165
BE47	Motor vehicle accidents	M	104	—	—	8	8	13	31	24	12	8
		F	43	—	—	6	5	7	8	4	8	5
BE48	All other accidents	M	170	3	9	4	6	13	24	42	24	45
		F	181	3	4	11	5	4	3	19	23	109
BE49	Suicide and self-inflicted injury	M	63	—	—	—	—	2	20	26	10	5
		F	46	—	—	—	—	2	13	19	10	2
BE50	Homicide and operations of war	M	5	—	—	—	—	—	1	4	—	—
		F	4	—	—	1	—	—	2	1	—	—
BN47	Fractures, head injuries and internal injuries	M	210	—	1	9	12	21	43	46	31	47
		F	161	—	—	5	4	8	8	10	24	102
BN48	Burns	M	4	—	—	—	1	—	—	—	—	1
		F	26	—	—	10	2	2	—	3	3	6
BN49	Effects of poisons	M	57	—	—	—	—	2	13	28	10	4
		F	55	—	—	—	—	2	12	21	14	6
BN50	All other injuries	M	71	3	8	3	1	5	20	20	5	6
		F	32	3	4	3	4	1	6	9	—	2

TABLE 19—continued

Abbreviated List No.	Causes of Death		North Midland Region									
			All Ages	Age								
				Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M F	19915 18303	555 384	235 172	113 72	115 67	183 92	836 674	5025 3227	5458 4486	7395 9129
B1	Tuberculosis of respiratory system	{ M F	217 93	— —	— —	— 1	1 1	1 2	33 38	109 28	50 21	23 13
B2	Tuberculosis, other forms	{ M F	12 29	— —	— —	1 —	3 1	2 3	3 6	3 10	— 5	2 4
B3	Syphilis and its sequelæ	{ M F	55 35	— —	— —	— —	— —	— —	5 16	16 13	21 12	13 10
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	1 2	— —	— —	— —	— —	— —	— 1	— 1	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	(1)1 —	— —	— —	— —	— —	— —	(1)1 —	— —	— —	— —
B8	Diphtheria	{ M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
B9	Whooping cough	{ M F	4 3	— —	3 3	— —	1 —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	9 2	— —	4 1	2 —	1 1	— —	— —	1 —	1 —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	1 1	— —	— —	1 —	— —	— —	1 —	— —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	1 2	— —	1 —	2 —	— —	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	33 39	1 1	1 1	4 1	2 3	1 1	3 8	10 10	7 5	4 9
B18	Malignant neoplasm : (140-205)	{ M F	3507 2971	1 —	1 —	9 8	25 10	12 16	184 202	1343 1092	1102 834	830 809
		{ M F	573 386	— —	— —	— —	— —	— —	27 14	213 89	191 124	142 159
		{ M F	1009 160	— —	— —	— —	— —	— —	60 14	549 62	310 54	90 28
	trachea, bronchus and lung (162, 163)	{ M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
		{ M F	638 254	— —	— —	— —	— —	— —	60 24	298 112	161 65	119 53
	breast (170)	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
		{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	uterus (171-174)	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
		{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Leukæmia and aleukæmia (204)	{ M F	73 86	— —	— —	4 4	10 5	— 3	13 12	25 24	13 22	8 16
		{ M F	1851 1447	1 —	1 —	5 4	15 4	12 12	84 78	555 507	588 408	590 434
B19	Benign and unspecified neoplasms	{ M F	57 49	— —	2 —	2 2	1 2	2 2	8 6	27 15	10 11	5 11
B20	Diabetes mellitus	{ M F	92 177	— —	— —	— —	— 1	— —	11 4	23 36	25 75	33 61
B21	Anæmias	{ M F	49 84	1 —	— —	1 —	1 —	— 2	1 3	14 19	9 23	22 37
B22	Vascular lesions affecting central nervous system	{ M F	2490 3259	— —	3 1	— —	1 —	7 1	38 43	436 857	759 1888	1246 1888
B23	Nonmeningococcal meningitis	{ M F	15 13	— 2	5 1	4 2	— —	— —	4 6	1 2	1 —	— —
B24	Rheumatic fever	{ M F	5 8	— —	— —	— —	— 4	— 1	2 —	2 1	1 1	— 2
B25	Chronic rheumatic heart disease	{ M F	207 316	— —	— —	— —	— —	4 6	48 56	79 135	47 70	1 49

TABLE 19—continued

Abbreviated List No.		Causes of Death		North Midland Region—continued									
				Age									75 & over
				All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
					1—	5—	15—	25—	45—	65—			
326	{	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	3252	—	—	—	—	80	1133	1083	956	
		F	1905	—	—	1	—	—	15	340	714	834	
		M	2202	—	—	—	1	—	15	173	501	1513	
		F	2872	—	—	—	—	1	12	122	528	2209	
327	{	Other diseases of heart	M	377	—	2	—	—	3	78	109	177	
			F	394	—	1	—	—	9	49	90	243	
328	{	Hypertension with heart disease	M	459	—	—	—	—	2	99	163	195	
			F	504	—	—	—	1	2	61	166	274	
329	{	Hypertension without mention of heart	M	337	—	—	—	—	7	83	102	145	
			F	317	—	—	—	—	3	63	89	162	
346 (Pt.)	{	Other circulatory diseases (450-468)	M	606	—	—	1	—	10	61	147	386	
			F	632	—	—	—	2	10	53	155	412	
330	{	Influenza	M	74	1	—	—	—	2	13	27	31	
			F	94	—	—	—	—	1	8	23	62	
331	{	Pneumonia	M	792	—	63	20	2	27	132	190	353	
			F	803	—	46	12	4	22	80	169	466	
332	{	Bronchitis	M	1283	1	20	4	1	9	381	445	422	
			F	638	2	8	4	2	13	101	159	348	
346 (Pt.)	{	Other diseases of respiratory system (470-475, 510-527)	M	190	2	3	4	1	15	58	61	45	
			F	131	2	5	2	3	11	25	28	55	
333	{	Ulcer of stomach and duodenum	M	261	1	—	—	—	8	91	92	69	
			F	102	—	1	—	—	1	17	26	57	
334	{	Appendicitis	M	38	—	2	3	3	4	13	7	5	
			F	14	—	—	1	—	—	4	4	5	
335	{	Intestinal obstruction and hernia	M	129	4	4	1	—	6	27	39	47	
			F	108	7	3	—	—	3	19	25	51	
336	{	Gastritis, enteritis and diarrhoea except	M	62	—	11	1	2	5	17	12	14	
		diarrhoea of newborn	F	76	—	13	1	—	6	12	20	24	
337	{	Cirrhosis of liver	M	54	—	—	—	1	5	24	16	8	
			F	41	—	—	1	1	3	23	6	6	
338	{	Nephritis and nephrosis	M	212	—	1	1	1	9	37	69	42	
			F	182	—	1	—	2	22	57	38	60	
339	{	Hyperplasia of prostate	M	284	—	—	—	—	—	10	77	197	
340	{	Complications of pregnancy, childbirth & puerperium	F	33	—	—	—	6	26	1	—	—	
341	{	Congenital malformations	M	210	92	55	17	8	6	13	11	4	
			F	179	78	49	8	5	4	13	16	4	
342	{	Birth injuries, postnatal asphyxia & atelectasis	M	224	220	4	—	—	—	—	—	—	
			F	135	135	—	—	—	—	—	—	—	
343	{	Diarrhoea of newborn (764)	M	3	3	—	—	—	—	—	—	—	
			F	2	2	—	—	—	—	—	—	—	
	{	Other infections of newborn (763, 765-768)	M	46	45	1	—	—	—	—	—	—	
			F	26	26	—	—	—	—	—	—	—	
344	{	Other dis. of early infancy & immaturity unqualified	M	177	171	6	—	—	—	—	—	—	
			F	122	120	2	—	—	—	—	—	—	
345	{	Senility without mention of psychosis, ill-defined and unknown causes	M	273	—	1	—	—	—	3	15	254	
			F	431	—	—	—	—	2	1	12	416	
346 (Rem.)	{	All other diseases (Remainder 001-795)	M	566	5	14	12	9	45	169	159	140	
			F	775	5	18	9	9	70	189	197	265	
347	{	Motor vehicle accidents	M	317	—	—	5	24	76	74	29	33	
			F	112	—	1	9	13	12	18	19	15	
348	{	All other accidents	M	478	6	28	19	25	35	76	111	61	
			F	439	4	17	7	6	3	15	54	268	
349	{	Suicide and self-inflicted injury	M	239	—	—	—	1	5	41	125	43	
			F	148	—	—	—	—	4	28	69	24	
350	{	Homicide and operations of war	M	12	1	—	—	—	1	3	6	1	
			F	5	—	—	—	1	—	3	—	—	
347	{	Fractures, head injuries and internal injuries	M	507	2	—	10	29	91	113	154	122	
			F	403	—	4	9	16	12	20	48	232	
348	{	Burns	M	27	—	1	3	3	1	5	3	8	
			F	35	—	—	4	2	2	2	7	16	
349	{	Effects of poisons	M	157	—	1	2	2	5	31	71	15	
			F	151	—	—	—	—	4	23	64	27	
350	{	All other injuries	M	273	5	26	9	16	20	47	88	33	
			F	115	4	14	3	2	1	17	37	29	

TABLE 19—continued

Abbreviated List No.	Causes of Death	Midland Region										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						75 & over	
				1-	5-	15-	25-	45-	65-			
	ALL CAUSES	{ M 25462 F 22849	772 527	294 230	148 114	162 118	272 131	1273 896	7224 4390	6982 5543	8335 10900	
B1	Tuberculosis of respiratory system	{ M 422 F 134	—	1	—	1	7	68	220	104	21	
B2	Tuberculosis, other forms	{ M 33 F 16	—	1	2	1	2	9	12	4	3	
B3	Syphilis and its sequelæ	{ M 69 F 33	—	—	—	—	1	4	28	29	7	
B4	Typhoid fever	{ M — F —	1	—	—	—	—	—	14	8	9	
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M — F —	—	—	—	—	—	—	—	—	—	
B7	Scarlet fever and streptococcal sore throat	{ M (2)3 F 2	—	—	1	—	—	(1)2	(1)1	—	—	
B8	Diphtheria	{ M — F (1)1	—	—	—	—	—	—	—	(1)1	—	
B9	Whooping cough	{ M 8 F 8	1	5	2	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 11 F 6	1	4	3	1	1	1	1	1	1	
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 2 F 1	—	—	1	—	—	1	1	—	—	
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M — F 2	—	—	2	—	—	—	—	—	—	
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M — F —	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 50 F 70	2	2	3	5	3	7	19	5	4	
B18	Malignant neoplasm : (140-205)	{ M 4722 F 4062	1	2	20	32	32	248	1990	1440	958	
	stomach (151)	{ M 763 F 622	—	—	14	30	14	309	1498	1113	1081	
	trachea, bronchus and lung (162, 163)	{ M 1503 F 208	—	—	—	—	—	71	890	434	108	
	breast (170)	{ M 8 F 831	—	—	—	—	—	14	94	73	27	
	uterus (171-174)	{ M — F 375	—	—	—	—	—	90	355	202	184	
B19	Leukæmia and aleukæmia (204)	{ M 121 F 114	—	—	10	10	10	20	41	18	12	
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M 2327 F 1912	—	2	10	22	21	126	752	726	668	
			1	6	12	10	130	654	536	565	565	
B20	Benign and unspecified neoplasms	{ M 70 F 88	3	1	4	—	—	9	32	11	10	
B21	Diabetes mellitus	{ M 103 F 211	—	—	1	1	1	7	28	35	30	
B22	Anæmias	{ M 46 F 136	—	3	—	—	—	2	9	13	15	
B23	Vascular lesions affecting central nervous system	{ M 2899 F 3802	—	1	1	2	5	66	591	918	1311	
B24	Nonmeningococcal meningitis	{ M 24 F 17	2	6	3	1	1	4	2	3	—	
B25	Rheumatic fever	{ M 15 F 12	—	—	—	3	1	7	3	1	—	
B26	Chronic rheumatic heart disease	{ M 324 F 467	—	—	—	2	8	67	134	67	40	

TABLE 19—continued

Abbreviated List No.		Causes of Death		Midland Region—continued										
				Age									75 & over	
				All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							
							1—	5—	15—	25—	45—	65—		
26	{	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	3880	—	—	—	—	—	2	116	1454	1329	979
			F	2143	—	—	—	—	14	402	759	968		
			M	2644	—	—	—	1	17	229	626	1771		
			F	3496	—	—	—	—	6	175	628	2687		
27		Other diseases of heart	M	427	—	—	3	—	6	20	100	131	167	
			F	445	—	—	—	1	8	72	135	228		
28		Hypertension with heart disease	M	580	—	—	—	—	—	12	141	192	235	
			F	627	—	—	—	—	—	3	102	210	312	
29		Hypertension without mention of heart	M	325	—	—	—	—	1	17	91	99	117	
46 (Pt.)	{	Other circulatory diseases (450–468)	F	335	—	—	—	—	1	6	57	115	156	
			M	534	—	—	—	—	11	94	136	293		
			F	694	—	—	—	2	12	80	147	453		
30		Influenza	M	137	—	7	2	2	4	3	42	23	54	
			F	108	—	1	2	—	—	3	22	27	53	
31		Pneumonia	M	982	—	92	12	5	10	40	226	236	361	
			F	866	—	70	14	12	7	20	104	153	486	
32		Bronchitis	M	2069	3	9	8	3	3	29	656	739	619	
			F	929	—	10	6	1	2	12	137	263	498	
46 (Pt.)	{	Other diseases of respiratory system (470–475, 510–527)	M	376	2	1	3	—	2	18	159	118	73	
			F	169	2	1	2	4	1	10	34	30	85	
33		Ulcer of stomach and duodenum	M	392	—	—	—	—	1	18	160	108	105	
34	{	Appendicitis	F	147	—	—	—	—	4	36	42	65		
			M	59	—	—	2	8	2	11	17	11		
			F	27	—	—	—	1	2	2	10	3	9	
35		Intestinal obstruction and hernia	M	132	7	6	6	—	—	6	35	35	37	
			F	147	5	3	1	1	—	6	34	49	48	
36		Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	90	—	21	4	2	—	7	15	18	23	
			F	123	—	13	2	2	1	13	28	24	40	
37		Cirrhosis of liver	M	61	1	—	—	1	—	4	29	19	7	
			F	73	—	—	3	—	—	6	34	23	7	
38		Nephritis and nephrosis	M	248	—	1	1	7	10	45	89	43	52	
			F	209	—	2	—	9	10	24	56	45	63	
39		Hyperplasia of prostate	M	311	—	—	—	—	—	—	30	87	194	
40		Complications of pregnancy, childbirth & puerperium	F	48	—	—	—	—	6	40	2	—	—	
41		Congenital malformations	M	245	105	78	12	6	9	15	15	1	4	
			F	234	107	71	17	8	4	13	10	3	1	
42		Birth injuries, postnatal asphyxia & atelectasis	M	315	315	—	—	—	—	—	—	—	—	
			F	191	191	—	—	—	—	—	—	—	—	
43	{	Diarrhoea of newborn (764) Other infections of newborn (763, 765–768)	M	4	4	—	—	—	—	—	—	—	—	
			F	2	2	—	—	—	—	—	—	—		
			M	78	78	—	—	—	—	—	—	—		
			F	47	47	—	—	—	—	—	—	—		
44		Other dis. of early infancy & immaturity unqualified	M	242	235	5	2	—	—	—	—	—	—	
			F	160	158	2	—	—	—	—	—	—	—	
45		Senility without mention of psychosis, ill-defined and unknown causes	M	419	—	—	—	—	—	3	2	19	395	
			F	718	1	—	—	—	—	1	1	28	687	
46 (Rem.)	{	All other diseases (Remainder 001–795)	M	769	11	15	15	15	14	94	244	197	164	
			F	968	4	11	10	10	17	83	262	249	322	
E47		Motor vehicle accidents	M	405	—	—	15	28	99	104	89	35	35	
			F	139	—	1	13	15	12	19	30	27	22	
E48	{	All other accidents	M	601	2	32	22	36	37	111	91	84	186	
			F	511	1	25	19	6	3	15	58	55	329	
E49		Suicide and self-inflicted injury	M	316	—	—	—	—	9	66	138	60	43	
			F	216	—	—	—	1	4	36	117	47	11	
E50	{	Homicide and operations of war	M	21	—	2	1	—	2	4	7	5	—	
			F	9	—	1	1	—	—	4	3	—	—	
N47		Fractures, head injuries and internal injuries	M	771	—	2	17	38	119	177	160	84	174	
			F	464	—	1	13	17	12	20	51	62	288	
N48	{	Burns	M	31	—	—	4	1	3	2	3	9	9	
			F	52	—	2	10	3	—	1	6	9	21	
N49		Effects of poisons	M	274	—	2	3	3	9	57	106	46	48	
			F	230	—	—	3	1	4	36	106	42	38	
N50	{	All other injuries	M	267	2	30	14	22	16	49	56	45	33	
			F	129	1	24	7	1	3	17	45	16	15	

"Delayed" maternal deaths
(see page 190)

TABLE 19—continued

Abbreviated List No.	Causes of Death	West Midlands Conurbation											
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age							75 & over
						1—	5—	15—	25—	45—	65—		
	ALL CAUSES	{ M F	12642 11107	375 252	157 112	75 52	66 55	116 71	673 453	3822 2200	3422 2706	3936 5206	
B1	Tuberculosis of respiratory system	{ M F	226 60	— —	— —	— —	1 —	7 9	35 25	125 18	50 4	8 2	
B2	Tuberculosis, other forms	{ M F	20 5	— —	1 —	— —	— —	2 1	8 —	7 2	1 —	1 —	
B3	Syphilis and its sequelæ	{ M F	32 16	— —	— —	— —	— —	— —	1 —	16 9	12 3	3 4	
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B7	Scarlet fever and streptococcal sore throat	{ M F	(1)2 2	— —	— —	1 —	— —	— —	1 —	(1)1 1	— —	— —	
B8	Diphtheria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B9	Whooping cough	{ M F	6 7	1 —	4 7	1 —	— —	— —	— —	— —	— —	— —	
B10	Meningococcal infections	{ M F	6 3	— —	2 1	3 —	— —	— 1	1 —	— —	— —	— 1	
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	{ M F	1 1	— —	— —	— —	— —	— —	1 1	— —	— —	— —	
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B14	Measles	{ M F	— 2	— —	— —	2 —	— —	— —	— —	— —	— —	— —	
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B17	All other diseases classified as infective and parasitic	{ M F	24 34	1 2	— 1	1 2	1 2	— 1	5 5	12 9	2 3	2 5	
B18	Malignant neoplasm: (140-205)	{ M F	2450 2031	— 1	— 1	8 6	18 13	18 5	144 160	1084 756	723 582	454 507	
	stomach (151)	{ M F	379 327	— —	— —	— —	— —	— —	19 13	162 108	125 98	7 108	
	trachea, bronchus and lung (162, 163)	{ M F	830 123	— —	— —	— —	— —	— —	45 8	502 56	227 42	56 1	
	breast (170)	{ M F	7 423	— —	— —	— —	— —	— —	1 46	4 187	1 108	1 8	
	uterus (171-174)	{ M F	197	— —	— —	— —	— —	— —	22 83	83 57	57 3	3	
	Leukæmia and aleukæmia (204)	{ M F	59 44	— —	— 1	4 1	5 7	6 2	7 4	21 14	11 11	— —	
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M F	1175 917	— 1	— —	4 5	13 6	12 3	72 67	395 308	359 266	320 26	
	Benign and unspecified neoplasms	{ M F	32 44	2 —	— —	3 —	— 2	— 2	3 6	15 26	3 3	— —	
	Diabetes mellitus	{ M F	55 108	— —	— —	— —	— 1	1 2	5 6	16 17	18 39	1 4	
	B21	Anæmias	{ M F	22 61	— —	1 —	— —	— —	— 1	2 2	4 7	6 21	— 3
B22	Vascular lesions affecting central nervous system	{ M F	1443 1791	— —	1 —	1 1	1 1	2 4	35 25	299 310	449 499	65 95	
B23	Nonmeningococcal meningitis	{ M F	14 9	2 2	3 1	1 1	1 —	— 2	3 2	3 1	1 1	— —	
B24	Rheumatic fever	{ M F	8 8	— —	— —	— 1	1 2	1 —	4 1	2 3	— 1	— 2	
B25	Chronic rheumatic heart disease	{ M F	161 232	— —	— —	— —	— 2	3 1	40 39	65 102	27 51	2 —	

TABLE 19—continued

Abbreviated List No.	Causes of Death	West Midlands Conurbation—continued											
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age							
						Years							
						1—	5—	15—	25—	45—	65—	75 & over	
326	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	1844	—	—	—	—	—	62	746	609	427	
		F	993	—	—	—	—	—	11	205	327	450	
		M	1117	—	—	—	—	—	9	105	272	731	
		F	1637	—	—	—	—	—	4	85	306	1242	
327	Other diseases of heart	M	216	—	—	2	—	3	12	56	65	78	
328	Hypertension with heart disease	M	232	—	—	—	1	1	3	41	69	117	
		F	314	—	—	—	—	—	9	73	106	126	
		F	338	—	—	—	—	—	3	62	107	166	
329	Hypertension without mention of heart	M	177	—	—	—	—	—	8	49	56	64	
346 (Pt.)	Other circulatory diseases (450-468)	F	160	—	—	—	—	—	4	26	60	70	
		M	226	—	—	—	—	—	7	35	51	133	
		F	309	—	—	—	—	2	6	31	72	198	
330	Influenza	M	64	—	3	1	—	3	3	23	13	18	
331	Pneumonia	F	39	—	1	—	—	—	1	8	13	16	
		M	541	—	54	8	3	5	26	141	131	173	
		F	418	—	33	5	9	2	8	58	70	233	
332	Bronchitis	M	1191	1	5	3	2	2	16	408	420	334	
346 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	516	—	8	3	—	1	7	78	155	264	
		M	148	1	1	3	—	1	10	61	34	37	
		F	92	2	—	—	—	1	3	17	15	54	
333	Ulcer of stomach and duodenum	M	228	—	—	—	—	1	12	100	57	58	
334	Appendicitis	F	86	—	—	—	—	—	3	20	23	40	
		M	29	—	—	1	3	2	3	10	4	6	
		F	10	—	—	—	1	—	—	3	3	3	
335	Intestinal obstruction and hernia	M	70	4	4	3	—	—	4	18	19	18	
336	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	83	5	1	—	—	—	4	19	26	28	
		M	48	—	14	3	1	—	3	6	9	12	
		F	53	—	7	1	1	1	6	9	9	19	
337	Cirrhosis of liver	M	34	—	—	—	—	—	3	16	12	3	
		F	37	—	—	1	—	—	—	20	12	4	
338	Nephritis and nephrosis	M	109	—	1	—	3	2	21	44	20	18	
		F	83	—	—	—	5	4	13	20	20	21	
339	Hyperplasia of prostate	M	140	—	—	—	—	—	—	8	46	86	
340	Complications of pregnancy, childbirth & puerperium	F	22	—	—	—	—	1	20	1	—	—	
341	Congenital malformations	M	117	49	38	7	3	3	7	6	1	3	
		F	108	50	31	7	6	3	5	5	—	1	
342	Birth injuries, postnatal asphyxia & atelectasis	M	160	160	—	—	—	—	—	—	—	—	
		F	84	84	—	—	—	—	—	—	—	—	
343	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	2	2	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	
		M	40	40	—	—	—	—	—	—	—	—	
		F	18	18	—	—	—	—	—	—	—		
344	Other dis. of early infancy & immaturity unqualified	M	110	106	4	—	—	—	—	—	—	—	
		F	87	87	—	—	—	—	—	—	—	—	
345	Senility without mention of psychosis, ill-defined and unknown causes	M	235	—	—	—	—	—	2	1	15	217	
		F	364	—	—	—	—	—	1	—	24	339	
346 (Rem.)	All other diseases (Remainder 001-795)	M	345	4	5	6	3	6	46	110	100	65	
		F	478	1	5	5	3	13	42	129	119	161	
347	Motor vehicle accidents	M	177	—	—	9	10	37	40	42	17	22	
		F	71	—	—	5	5	8	5	17	17	14	
348	All other accidents	M	285	2	15	10	13	13	44	42	42	104	
		F	259	—	14	11	2	2	9	26	30	165	
349	Suicide and self-inflicted injury	M	159	—	—	—	—	2	36	69	28	24	
350	Homicide and operations of war	F	112	—	—	—	1	3	21	59	22	6	
		M	14	—	2	1	—	2	2	4	3	—	
		F	4	—	—	—	—	—	—	—	—	—	
347	Fractures, head injuries and internal injuries	M	345	—	1	10	13	46	62	70	47	96	
348	Burns	F	230	—	—	6	6	8	7	27	36	140	
		M	10	—	—	1	—	—	1	—	1	7	
		F	25	—	1	4	—	—	1	2	4	13	
349	Effects of poisons	M	166	—	2	2	1	3	34	62	30	32	
350	All other injuries	F	136	—	—	1	1	3	23	60	23	25	
		M	114	2	14	7	9	5	25	25	12	15	
		F	55	—	13	5	1	2	8	13	6	7	
	"Delayed" maternal deaths (see page 190)		3	—	—	—	—	—	2	1	—	—	

TABLE 19—continued

Abbreviated List No.	Causes of Death	Eastern Region										
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
						1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M F	19374 18561	466 339	166 143	89 70	121 75	217 78	814 568	4373 2863	5272 4375	7856 10050
B1	Tuberculosis of respiratory system	{ M F	172 62	— —	— —	— —	— —	1 4	26 17	84 21	43 13	18 7
B2	Tuberculosis, other forms	{ M F	13 14	— —	— —	— —	1 —	1 2	3 6	7 2	1 3	1 —
B3	Syphilis and its sequelae	{ M F	53 29	— —	— —	— —	— —	— —	— —	17 14	27 8	9 7
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	(1)1 (2)3	— 1	— —	— —	— —	— —	— —	(1)1 (2)2	— —	— —
B8	Diphtheria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B9	Whooping cough	{ M F	3 5	— —	2 4	1 —	— —	— —	— —	— —	— —	— 1
B10	Meningococcal infections	{ M F	6 5	— —	2 2	3 2	— —	1 —	— —	— —	1 —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	7 3	— —	— —	— —	2 1	1 1	3 1	1 —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	— 2	— —	— —	2 —	— —	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	33 20	— —	1 —	2 —	4 2	1 —	6 2	13 10	4 2	5 1
B18	Malignant neoplasm : (140-205) stomach (151)	{ M F	3499 3244	1 —	— 3	13 13	20 16	21 11	163 209	1220 1042	1077 939	984 1011
		{ M F	538 427	— —	— —	— —	— —	— —	15 15	171 85	193 121	159 206
		{ M F	1042 187	— —	— —	— —	— —	— 1	36 14	545 69	325 63	136 40
		{ M F	3 669	— —	— —	— —	— —	— —	52 24	292 109	168 63	1 48
	trachea, bronchus and lung (162, 163) breast (170) uterus (171-174)	{ M F	187 3	— —	— —	— —	— —	— —	— —	1 —	1 —	1 —
		{ M F	244 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
		{ M F	97 82	— —	— 2	9 4	8 3	10 3	14 13	22 25	17 15	17 12
		{ M F	1819 1635	1 —	— 1	4 9	12 8	11 7	98 91	481 462	541 509	671 548
B19	Benign and unspecified neoplasms	{ M F	59 73	— —	— 2	— 1	1 1	1 —	9 14	28 32	13 13	7 9
B20	Diabetes mellitus	{ M F	100 127	— —	— —	— 1	— —	— 1	8 1	15 20	35 51	40 55
B21	Anæmias	{ M F	44 65	— —	— —	— —	— —	— —	1 3	4 11	14 22	25 29
B22	Vascular lesions affecting central nervous system	{ M F	2327 3244	— —	— —	— —	2 3	2 —	36 34	343 401	701 864	1243 1942
B23	Nonmeningococcal meningitis	{ M F	19 12	1 —	5 4	5 3	— —	— —	— 2	— 1	— 1	— 1
B24	Rheumatic fever	{ M F	2 4	— —	— —	— —	1 2	— 1	— 3	— 28	— 69	— 56
B25	Chronic rheumatic heart disease	{ M F	185 295	— —	— —	— —	— 1	— —	— 40	— 107	— 71	— 76

TABLE 19—continued

Abbreviated List No.	Causes of Death		Eastern Region—continued									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	3380	—	—	—	—	1	74	1004	1201	1100
		F	2074	—	—	—	—	10	267	730	1067	
		M	2098	—	—	1	—	14	114	429	1540	
		F	2838	—	—	—	—	3	96	435	2304	
B27	Other diseases of heart	M	331	1	1	—	1	1	9	54	95	169
		F	349	—	—	—	—	1	5	39	90	214
B28	Hypertension with heart disease	M	468	—	—	—	—	1	4	92	156	215
		F	557	—	—	—	—	—	2	57	165	333
B29	Hypertension without mention of heart	M	262	—	—	—	—	—	7	64	91	100
		F	293	—	—	—	—	—	4	53	78	158
B46 (Pt.)	Other circulatory diseases (450-468)	M	562	—	—	—	—	6	11	72	146	327
		F	610	—	1	—	—	2	10	56	122	419
B30	Influenza	M	137	—	1	1	2	—	5	27	36	65
		F	145	—	—	—	2	—	1	19	26	97
B31	Pneumonia	M	907	—	42	12	7	5	22	136	207	476
		F	915	—	40	9	1	—	14	72	158	621
B32	Bronchitis	M	1047	—	12	4	2	1	9	265	344	410
		F	578	—	6	4	3	1	7	60	102	395
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	196	—	2	3	2	1	10	66	59	53
		F	121	—	3	2	3	1	5	33	23	51
B33	Ulcer of stomach and duodenum	M	280	—	—	—	—	—	17	81	84	98
		F	129	—	—	—	1	—	4	24	42	58
B34	Appendicitis	M	34	—	—	—	3	1	3	12	7	8
		F	29	—	—	1	1	1	1	5	14	6
B35	Intestinal obstruction and hernia	M	97	7	3	—	—	—	3	17	25	42
		F	86	2	—	—	—	3	—	8	24	49
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	65	—	12	2	—	—	7	18	14	12
		F	87	—	6	—	—	1	9	10	26	35
B37	Cirrhosis of liver	M	34	—	—	1	—	—	4	13	12	4
		F	38	—	—	1	—	—	3	15	12	7
B38	Nephritis and nephrosis	M	178	—	—	—	4	10	22	56	39	47
		F	134	—	—	—	4	4	18	30	34	44
B39	Hyperplasia of prostate	M	333	—	—	—	—	—	—	24	69	240
B40	Complications of pregnancy, childbirth & puerperium	F	26	—	—	—	—	3	20	1	1	1
B41	Congenital malformations	M	175	84	49	3	3	4	13	12	3	4
		F	138	58	38	10	6	4	6	7	6	3
B42	Birth injuries, postnatal asphyxia & atelectasis	M	164	163	1	—	—	—	—	—	—	—
		F	106	104	2	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	4	4	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	30	30	—	—	—	—	—	—	—	—
		F	31	31	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	168	165	3	—	—	—	—	—	—	—
		F	133	130	3	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	263	—	—	—	—	—	1	4	17	241
		F	453	1	1	—	—	—	—	1	12	438
B46 (Rem.)	All other diseases (Remainder 001-795)	M	626	5	16	10	20	15	48	172	164	176
		F	801	5	11	11	16	18	59	211	185	285
BE47	Motor vehicle accidents	M	340	—	—	10	24	77	112	63	21	33
		F	88	—	—	1	6	14	14	21	15	17
BE48	All other accidents	M	425	5	14	18	20	50	70	97	43	108
		F	429	5	17	7	4	3	6	34	61	292
BE49	Suicide and self-inflicted injury	M	236	—	—	—	1	11	65	99	35	25
		F	158	—	—	—	—	1	37	80	25	15
BE50	Homicide and operations of war	M	10	—	—	1	2	—	1	2	3	1
		F	6	—	—	1	1	—	1	—	1	2
BN47	Fractures, head injuries and internal injuries	M	560	—	—	12	30	94	149	120	47	108
		F	392	—	—	2	8	13	15	34	61	259
BN48	Burns	M	19	—	—	2	—	1	3	2	3	8
		F	40	—	—	4	—	2	1	4	7	22
BN49	Effects of poisons	M	134	—	—	5	3	6	29	55	15	21
		F	153	—	—	1	1	1	29	66	25	30
BN50	All other injuries	M	298	5	14	10	14	37	67	84	37	30
		F	96	5	17	2	2	2	13	31	9	15
	"Delayed" maternal deaths (see page 190)		6	—	—	—	—	—	3	1	1	1

TABLE 19—continued

Abbreviated List No.	Causes of Death		London and South Eastern Region									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
						1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M F	63031 63019	1339 957	518 364	252 223	336 241	502 260	2601 2045	17056 10546	17684 14963	22743 33420
B1	Tuberculosis of respiratory system	{ M F	826 302	—	1	2	—	4	129	356	224	110
B2	Tuberculosis, other forms	{ M F	61 53	—	—	3 1	—	6 1	96 19	84 28	64 7	50 3
B3	Syphilis and its sequelæ	{ M F	279 142	—	—	—	—	9	94	99	77	7
B4	Typhoid fever	{ M F	1	—	1	—	—	—	4	24	60	52
B5	Cholera	{ M F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M F	3 6	1	—	1	—	1	—	—	1	5
B7	Scarlet fever and streptococcal sore throat	{ M F	(2)6 (J)2	—	1	—	—	—	(J)1	(J)3	—	1
B8	Diphtheria	{ M F	(J)1 (J)2	—	—	1	—	—	—	(J)1	—	—
B9	Whooping cough	{ M F	1 9	—	1	—	—	—	—	—	—	—
B10	Meningococcal infections	{ M F	19 21	—	8 6	5 3	1 4	3 1	—	2 4	—	—
B11	Plague	{ M F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M F	21 20	—	2	2	9 3	1 2	11 11	—	—	—
B13	Smallpox	{ M F	—	—	—	—	—	—	—	—	—	—
B14	Measles	{ M F	1 4	—	—	1 1	—	—	1	—	1	—
B15	Typhus and other rickettsial diseases	{ M F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	{ M F	—	—	—	—	—	—	1	—	—	—
B17	All other diseases classified as infective and parasitic	{ M F	115 124	2 1	10 4	4 3	5 7	3 2	19 15	46 47	11 23	15 22
B18	Malignant neoplasm : (140-205)	{ M F	12959 11759	—	6 5	41 41	73 53	57 57	582 742	5112 4020	4126 3267	2962 3572
	stomach (151)	{ M F	1691 1393	—	—	—	—	—	51 34	645 334	554 453	440 570
	trachea, bronchus and lung (162, 163)	{ M F	4628 844	—	—	—	—	1 1	161 37	2416 354	1510 251	540 200
	breast (170)	{ M F	23 2450	—	—	—	—	—	1 228	9 1070	9 573	4 576
	uterus (171-174)	{ M F	970	—	—	—	—	3 1	3 89	1070 422	573 258	576 200
	Leukæmia and aleukæmia (204)	{ M F	337 315	—	1 1	19 14	20 24	16 15	43 32	111 78	77 81	50 69
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M F	6280 5787	—	5 4	22 27	53 28	39 35	326 322	1931 1762	1976 1651	1928 1957
B19	Benign and unspecified neoplasms	{ M F	200 249	—	1 1	2 1	7 4	8 6	28 38	87 106	48 51	19 41
B20	Diabetes mellitus	{ M F	268 461	—	1 1	1 1	1 1	3 3	19 12	64 97	91 135	88 211
B21	Anæmias	{ M F	104 231	1	1	1	4 1	1 2	17 10	26 26	53 49	11 143
B22	Vascular lesions affecting central nervous system	{ M F	6223 9876	1	3	—	5 5	9 10	101 110	1214 1298	1881 2510	3009 5942
B23	Nonmeningococcal meningitis	{ M F	48 51	4 5	9 4	3 4	5 2	1 1	13 4	6 8	7 12	11 —
B24	Rheumatic fever	{ M F	20 20	—	—	—	2 2	3 2	3 5	9 3	3 5	— 11
B25	Chronic rheumatic heart disease	{ M F	716 1367	—	—	—	2 1	10 13	111 172	290 566	175 314	128 301

TABLE 19—continued

Abbreviated List No.	Causes of Death	London and South Eastern Region—continued										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							75 & over
					1—	5—	15—	25—	45—	65—		
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M 11457	—	—	1	—	4	324	3929	3848	3351	
		F 7121	—	—	—	—	2	42	971	2444	3662	
		M 5506	—	—	—	—	2	23	351	1081	4049	
		F 8979	—	1	1	—	2	6	257	1219	7493	
B27	Other diseases of heart	M 952	—	1	2	2	5	22	211	291	418	
		F 1083	—	2	—	—	5	17	121	281	657	
B28	Hypertension with heart disease	M 1300	—	—	—	—	1	15	235	432	617	
		F 1843	—	—	—	—	—	6	190	553	1094	
B29	Hypertension without mention of heart	M 1012	—	—	—	—	1	32	285	296	398	
		F 1274	—	—	—	—	1	19	192	357	705	
B46 (Pt.)	Other circulatory diseases (450-468)	M 1575	1	—	—	2	2	27	238	422	883	
		F 2223	—	—	1	—	5	26	194	497	1500	
B30	Influenza	M 222	1	—	1	2	—	13	57	61	87	
		F 270	—	—	2	3	—	7	44	41	173	
B31	Pneumonia	M 2968	—	147	33	15	9	52	460	736	1516	
		F 3363	—	97	30	21	8	51	288	666	2202	
B32	Bronchitis	M 5208	8	47	17	3	3	47	1397	1770	1916	
		F 2778	2	29	11	3	—	26	293	652	1762	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M 741	2	4	8	5	5	24	258	236	199	
		F 426	3	5	13	5	3	23	85	80	209	
B33	Ulcer of stomach and duodenum	M 1095	—	1	—	1	1	42	344	361	345	
		F 481	—	—	—	—	—	8	64	138	271	
B34	Appendicitis	M 139	—	1	4	8	5	18	36	28	39	
		F 92	—	—	3	3	1	3	25	30	27	
B35	Intestinal obstruction and hernia	M 389	18	9	3	2	1	19	78	104	155	
		F 434	12	3	1	1	—	13	70	123	211	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M 222	—	26	6	1	5	20	45	50	69	
		F 347	—	14	7	—	5	26	53	89	153	
B37	Cirrhosis of liver	M 152	—	—	—	1	1	13	82	33	22	
		F 110	—	—	1	—	1	8	39	30	31	
B38	Nephritis and nephrosis	M 569	1	—	4	11	16	92	210	107	128	
		F 429	—	1	—	6	14	46	112	112	138	
B39	Hyperplasia of prostate	M 861	—	—	—	—	—	—	46	210	605	
B40	Complications of pregnancy, childbirth & puerperium	F 76	—	—	—	—	10	65	1	—	—	
B41	Congenital malformations	M 531	195	139	34	26	18	32	59	16	12	
		F 415	147	116	28	29	7	22	42	14	10	
B42	Birth injuries, postnatal asphyxia & atelectasis	M 530	522	8	—	—	—	—	—	—	—	
		F 342	336	6	—	—	—	—	—	—	—	
B43	Diarrhoea of newborn (764)	M 4	4	—	—	—	—	—	—	—	—	
		F 3	3	—	—	—	—	—	—	—	—	
	Other infections of newborn (763, 765-768)	M 93	91	2	—	—	—	—	—	—	—	
		F 62	61	1	—	—	—	—	—	—	—	
B44	Other dis. of early infancy & immaturity unqualified	M 459	451	7	1	—	—	—	—	—	—	
		F 368	362	6	—	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M 433	6	3	—	—	4	4	4	17	395	
		F 891	—	—	—	—	1	2	8	24	856	
B46 (Rem.)	All other diseases (Remainder 001-795)	M 1928	15	38	24	31	47	171	558	476	568	
		F 2811	14	30	33	37	23	188	700	759	1027	
BE47	Motor vehicle accidents	M 783	—	—	17	53	139	189	180	103	102	
		F 316	—	—	8	16	26	26	83	70	87	
BE48	All other accidents	M 1179	13	41	28	55	92	197	282	156	315	
		F 1191	7	23	18	23	19	61	131	173	736	
BE49	Suicide and self-inflicted injury	M 815	—	—	—	—	33	188	365	148	81	
		F 562	—	—	—	1	18	111	269	112	51	
BE50	Homicide and operations of war	M 37	3	2	5	4	3	5	10	4	1	
		F 28	—	1	2	4	4	7	6	—	4	
BN47	Fractures, head injuries and internal injuries	M 1423	4	2	21	65	174	302	339	185	331	
		F 1062	—	1	14	21	27	43	120	179	657	
BN48	Burns	M 54	1	—	7	—	—	8	12	4	22	
		F 81	—	—	4	7	1	8	8	10	43	
BN49	Effects of poisons	M 701	—	4	9	5	32	139	294	131	87	
		F 703	—	1	2	9	25	124	281	129	132	
BN50	All other injuries	M 636	11	37	13	42	61	130	192	91	59	
		F 251	7	22	8	7	14	30	80	37	46	
	"Delayed" maternal deaths (see page 190)	3	—	—	—	—	—	2	1	—	—	

TABLE 19—continued

Abbreviated List No.	Causes of Death	Greater London										
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
				1-	5-	15-	25-	45-	65-			
	ALL CAUSES	{ M F	45735 44535	999 730	369 258	180 161	246 159	361 206	2008 1595	13222 7877	12900 10658	15450 22891
B1	Tuberculosis of respiratory system	{ M F	676 230	—	1	2 2	—	2 5	100 75	283 68	195 46	93 34
B2	Tuberculosis, other forms	{ M F	46 35	—	—	1	1	—	13 11	22 14	6 4	3 4
B3	Syphilis and its sequelæ	{ M F	239 104	—	—	—	—	—	8 3	83 16	83 45	65 40
B4	Typhoid fever	{ M F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	{ M F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M F	2 3	—	—	1	—	—	—	—	1	3
B7	Scarlet fever and streptococcal sore throat	{ M F	(2)4 (1)2	—	1	—	—	—	(1)1	(1)2	—	1
B8	Diphtheria	{ M F	(1)1 (1)2	—	—	1	—	—	—	(1)1 (1)1	—	—
B9	Whooping cough	{ M F	1 7	—	1 4	—	—	—	—	—	—	—
B10	Meningococcal infections	{ M F	17 17	—	8 5	5 3	1 4	1	—	2 3	1	—
B11	Plague	{ M F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M F	10 8	—	2	1	6	—	4 4	—	—	—
B13	Smallpox	{ M F	—	—	—	—	—	—	—	—	—	—
B14	Measles	{ M F	1 2	—	—	1 1	—	—	—	—	1	—
B15	Typhus and other rickettsial diseases	{ M F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	{ M F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	{ M F	78 98	2	3 3	3 3	3 6	2 2	14 10	35 40	7 18	9 16
B18	Malignant neoplasm : (140-205)	{ M F	9762 8581	—	6 3	28 35	62 37	45 46	470 605	3994 3007	3083 2335	2074 2512
	stomach (151)	{ M F	1274 1033	—	—	—	—	1 1	44 25	515 260	414 339	300 408
	trachea, bronchus and lung (162, 163)	{ M F	3638 649	—	—	—	—	—	135 33	1930 277	1163 187	410 150
	breast (170)	{ M F	16 1757	—	—	—	—	1 3	1 186	7 803	6 381	2 384
	uterus (171-174)	{ M F	699	—	—	—	—	1 72	— 296	— 296	— 180	— 150
	Leukæmia and aleukæmia (204)	{ M F	255 232	—	1 1	16 10	19 19	14 11	37 27	87 54	53 60	28 50
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M F	4579 4211	—	5 2	12 25	43 17	30 29	253 262	1455 1317	1447 1188	1334 1370
	Benign and unspecified neoplasms	{ M F	149 195	—	1 1	1 1	7 3	4 4	24 29	67 85	30 38	15 33
	Diabetes mellitus	{ M F	199 344	—	1 —	1 1	1 —	1 1	13 11	53 70	67 105	62 156
	Anæmias	{ M F	70 160	—	1 —	1 —	3 —	1 1	— 8	13 19	18 33	33 99
B22	Vascular lesions affecting central nervous system	{ M F	4270 6601	1	3	—	4 5	7 7	79 83	893 952	1315 1676	1968 3877
B23	Nonmeningococcal meningitis	{ M F	37 37	3 3	5 2	1 2	4 —	1 —	12 4	4 6	7 10	9 9
B24	Rheumatic fever	{ M F	15 15	—	—	—	1 2	2 1	3 3	7 2	2 5	— 2
B25	Chronic rheumatic heart disease	{ M F	560 1089	—	—	—	1 1	9 11	94 143	231 460	128 245	97 229

TABLE 19—continued

Abbreviated List No.		Causes of Death		Greater London—continued									
				Age									75 & over
				All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
					1—	5—	15—	25—	45—	65—			
B26	{	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	8406	—	—	1	—	1	256	3062	2765	2321
			F	5116	—	—	—	—	2	34	719	1767	2594
			M	3257	—	—	—	—	2	16	231	657	2351
			F	5580	—	1	—	—	1	3	147	771	4657
B27		Other diseases of heart	M	658	—	—	1	2	2	17	148	201	287
			F	775	—	2	—	—	5	11	84	213	460
B28		Hypertension with heart disease	M	948	—	—	—	—	1	11	182	313	441
			F	1382	—	—	—	—	4	145	401	832	
B29		Hypertension without mention of heart	M	799	—	—	—	—	24	236	240	299	
			F	968	—	—	—	1	15	148	288	516	
B46 (Pt.)	{	Other circulatory diseases (450–468)	M	1093	1	—	—	2	2	21	181	294	592
			F	1589	—	—	—	4	21	147	355	1062	
B30		Influenza	M	152	—	—	—	—	11	43	37	59	
			F	161	—	—	—	—	6	30	28	95	
B31		Pneumonia	M	2203	—	103	25	6	34	352	563	1114	
			F	2511	—	74	26	15	32	214	502	1643	
B32		Bronchitis	M	4200	7	40	11	1	34	1167	1432	1505	
			F	2245	1	26	8	2	19	243	524	1422	
B46 (Pt.)	{	Other diseases of respiratory system (470–475, 510–527)	M	525	1	3	6	3	15	197	159	138	
			F	303	3	3	9	4	3	16	58	60	147
B33		Ulcer of stomach and duodenum	M	805	—	1	—	—	35	253	258	257	
			F	375	—	—	—	—	6	44	109	216	
B34		Appendicitis	M	99	—	1	3	6	2	14	27	22	24
			F	68	—	—	2	3	1	2	16	23	21
B35		Intestinal obstruction and hernia	M	285	10	6	2	—	15	63	76	113	
			F	310	11	3	1	1	9	55	81	149	
B36		Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	152	—	19	2	1	4	11	35	39	41
			F	258	—	9	3	—	22	42	64	114	
B37		Cirrhosis of liver	M	115	—	—	—	—	8	66	26	14	
			F	83	—	—	1	—	7	32	19	23	
B38		Nephritis and nephrosis	M	418	1	—	3	10	75	160	78	77	
			F	289	—	—	—	4	39	78	79	75	
B39		Hyperplasia of prostate	M	602	—	—	—	—	—	36	153	413	
B40		Complications of pregnancy, childbirth & puerperium	F	61	—	—	—	—	9	52	—	—	
B41		Congenital malformations	M	391	141	96	27	24	12	24	45	11	
			F	314	123	81	19	19	4	17	34	9	8
B42		Birth injuries, postnatal asphyxia & atelectasis	M	414	408	6	—	—	—	—	—	—	—
			F	263	259	4	—	—	—	—	—	—	—
B43	{	Diarrhoea of newborn (764)	M	4	4	—	—	—	—	—	—	—	—
			F	3	3	—	—	—	—	—	—	—	—
			M	68	66	2	—	—	—	—	—	—	—
B43	{	Other infections of newborn (763, 765–768)	F	46	45	1	—	—	—	—	—	—	
			M	—	—	—	—	—	—	—	—	—	—
B44		Other dis. of early infancy & immaturity unqualified	M	330	325	5	—	—	—	—	—	—	
			F	270	265	5	—	—	—	—	—	—	
B45		Senility without mention of psychosis, ill-defined and unknown causes	M	254	6	2	—	—	2	2	4	10	228
			F	582	—	—	—	—	—	6	17	557	
B46 (Rem.)	{	All other diseases (Remainder 001–795)	M	1346	11	26	19	21	32	129	391	334	383
			F	1977	10	18	21	24	16	133	510	518	727
BE47		Motor vehicle accidents	M	571	—	—	11	42	99	137	134	74	74
			F	249	—	—	4	10	22	20	69	56	68
BE48		All other accidents	M	849	10	27	19	31	65	139	228	108	222
			F	777	5	10	9	12	16	49	99	126	451
BE49		Suicide and self-inflicted injury	M	629	—	—	—	—	31	152	277	109	60
			F	426	—	—	—	—	1	16	80	86	36
BE50		Homicide and operations of war	M	25	2	1	4	2	3	5	6	2	—
			F	24	—	1	2	4	2	6	6	—	3
BN47		Fractures, head injuries and internal injuries	M	1036	3	2	14	49	128	225	249	131	235
			F	706	—	1	10	13	23	34	93	131	401
BN48		Burns	M	39	1	—	5	—	—	4	12	2	15
			F	63	—	—	2	5	1	6	7	9	33
BN49		Effects of poisons	M	568	—	3	6	3	27	113	238	109	69
			F	540	—	—	—	5	21	92	223	101	98
BN50		All other injuries	M	431	8	23	9	23	43	91	146	51	37
			F	167	5	10	3	4	11	23	58	27	26

"Delayed" maternal deaths
(see page 190)

TABLE 19—continued

Abbreviated List No.	Causes of Death		Southern Region									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M F	16194 15783	401 275	147 102	79 66	86 48	194 71	578 448	3805 2445	4472 3725	6432 8603
B1	Tuberculosis of respiratory system	{ M F	168 71	—	1	—	—	2 2	26 20	77 20	42 13	20 10
B2	Tuberculosis, other forms	{ M F	14 9	—	1	2	2	1 1	4 1	3 2	3 3	1 2
B3	Syphilis and its sequelæ	{ M F	51 17	—	—	—	—	1	2 2	20 2	15 6	13 7
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	1 1	— —	— —	1 —	— —	— —	— —	— 1	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	2 3	— —	— —	— —	1 —	— —	1 —	— 1	1 —	— 1
B8	Diphtheria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B9	Whooping cough	{ M F	3 3	— —	2 1	2 1	— —	— —	— —	— —	— —	— 1
B10	Meningococcal infections	{ M F	4 3	— —	2 2	1 2	— —	1 —	— —	— —	— 1	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	4 3	1 —	— —	1 1	1 —	— —	1 1	1 —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	(1)2 2	— —	— —	— 1	(1)1 1	— —	— —	— —	— —	— 1
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	30 39	2 1	2 2	— 2	2 —	2 —	3 9	14 9	1 6	4 10
	Malignant neoplasm : (140-205)	{ M F	2952 2714	— —	2 1	12 8	12 7	27 16	100 155	1071 838	962 773	766 916
	stomach (151)	{ M F	411 363	— —	— —	— —	— —	1 6	155 9	142 69	141 102	121 183
	trachea, bronchus and lung (162, 163)	{ M F	938 161	— —	— —	— —	— —	1 1	17 8	508 70	307 51	105 31
	breast (170)	{ M F	4 —	— —	— —	— —	— —	— —	— —	1 2	2 1	— —
B18	uterus (171-174)	{ M F	526 254	— —	— —	— —	— —	1 —	33 24	213 111	130 81	150 37
	Leukæmia and aleukæmia (204)	{ M F	92 66	— —	1 —	8 5	6 3	6 3	10 7	25 21	22 19	1 8
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M F	1507 1344	— —	1 1	4 3	6 4	19 11	67 74	395 354	490 390	525 507
B19	Benign and unspecified neoplasms	{ M F	37 65	— —	— —	1 —	— 5	— —	8 6	20 23	4 13	4 18
B20	Diabetes mellitus	{ M F	57 127	— —	— —	— —	1 —	1 1	3 1	10 28	18 36	24 61
B21	Anæmias	{ M F	39 52	— —	— —	— —	2 —	2 1	— —	5 3	11 14	19 34
B22	Vascular lesions affecting central nervous system	{ M F	1919 2823	— —	1 1	1 1	1 1	4 —	22 39	303 364	592 733	995 1684
B23	Nonmeningococcal meningitis	{ M F	11 8	1 3	4 1	1 3	— —	— —	— —	2 1	— —	— —
B24	Rheumatic fever	{ M F	6 7	— 1	— —	— —	1 1	— —	1 —	3 4	— 1	— 41
B25	Chronic rheumatic heart disease	{ M F	171 261	— —	— —	— —	— —	3 1	14 23	67 115	46 62	41 60

TABLE 19—continued

Abbreviated List No.	Causes of Death	Southern Region—continued											
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age							
						1—	5—	15—	Years				75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2857	—	—	—	—	—	84	901	948	924	
		F	1834	—	—	—	—	—	7	233	619	975	
		M	1746	—	—	—	—	—	7	123	356	1260	
		F	2441	—	—	—	—	—	4	79	350	2008	
B27	Other diseases of heart	M	297	—	—	—	—	2	11	56	83	141	
B28	Hypertension with heart disease	F	316	—	—	—	—	1	1	34	86	194	
		M	323	—	—	—	—	1	1	58	107	156	
		F	436	—	—	—	—	1	1	47	131	257	
B29	Hypertension without mention of heart	M	224	—	—	—	—	3	43	75	103		
B46 (Pt.)	Other circulatory diseases (450–468)	F	217	—	—	—	—	3	37	61	115		
		M	476	—	—	—	—	5	65	115	291		
		F	520	—	—	1	—	8	49	109	353		
B30	Influenza	M	110	1	—	1	—	2	2	15	35	54	
B31	Pneumonia	F	105	—	—	1	—	2	2	17	16	69	
		M	721	—	44	6	3	3	19	108	180	358	
		F	773	—	33	13	3	4	10	65	157	488	
B32	Bronchitis	M	951	—	9	7	2	—	11	232	339	351	
B46 (Pt.)	Other diseases of respiratory system (470–475, 510–527)	F	444	—	2	1	1	—	4	50	111	275	
		M	197	1	3	2	2	1	7	66	55	60	
		F	96	2	1	1	2	2	5	16	17	50	
B33	Ulcer of stomach and duodenum	M	234	—	—	—	—	1	10	59	87	77	
B34	Appendicitis	F	110	—	1	—	—	4	4	23	28	54	
		M	48	—	—	1	—	3	7	9	15	9	
		F	19	—	—	1	1	1	—	4	4	8	
B35	Intestinal obstruction and hernia	M	89	6	2	—	—	2	4	16	20	39	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	104	6	—	—	—	2	1	13	30	52	
		M	55	—	11	1	1	—	8	9	10	15	
		F	83	—	4	3	1	4	4	14	18	35	
B37	Cirrhosis of liver	M	43	—	—	—	1	—	4	20	14	4	
		F	31	—	—	—	—	1	1	9	15	5	
B38	Nephritis and nephrosis	M	148	—	1	1	2	5	21	37	36	45	
		F	110	—	—	—	2	6	14	26	25	37	
B39	Hyperplasia of prostate	M	255	—	—	—	—	—	—	10	59	186	
B40	Complications of pregnancy, childbirth & puerperium	F	18	—	—	—	—	4	13	1	—	—	
B41	Congenital malformations	M	145	61	36	9	6	7	5	15	4	2	
		F	119	46	33	8	—	—	6	19	4	3	
B42	Birth injuries, postnatal asphyxia & atelectasis	M	171	169	2	—	—	—	—	—	—	—	
		F	98	96	2	—	—	—	—	—	—	—	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765–768)	M	2	2	—	—	—	—	—	—	—	—	
		F	1	1	—	—	—	—	—	—	—	—	
		M	32	32	—	—	—	—	—	—	—	—	
		F	23	23	—	—	—	—	—	—	—	—	
B44	Other dis. of early infancy & immaturity unqualified	M	119	117	2	—	—	—	—	—	—	—	
		F	95	91	3	—	1	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	189	1	2	—	—	1	2	8	6	169	
		F	353	—	1	—	—	—	1	2	6	343	
B46 (Rem.)	All other diseases (Remainder 001–795)	M	531	1	9	5	10	7	35	153	139	172	
		F	669	2	6	8	4	10	47	183	173	236	
BE47	Motor vehicle accidents	M	249	—	—	14	16	61	57	60	23	18	
BE48	All other accidents	F	93	—	—	3	8	7	13	20	20	22	
		M	332	2	13	9	17	42	58	66	35	90	
		F	332	3	9	7	6	3	9	30	52	213	
BE49	Suicide and self-inflicted injury	M	167	—	—	—	—	11	31	75	37	13	
BE50	Homicide and operations of war	F	127	—	—	—	—	3	24	61	32	7	
		M	11	3	—	1	—	1	—	5	1	—	
		F	8	1	—	—	2	—	3	2	—	—	
BN47	Fractures, head injuries and internal injuries	M	418	1	—	15	22	75	88	88	46	83	
BN48	Burns	F	310	1	1	4	8	9	18	29	53	187	
		M	15	1	—	3	—	1	2	2	4	2	
		F	35	—	—	3	4	—	1	4	6	17	
BN49	Effects of poisons	M	127	—	—	2	1	7	23	56	23	15	
BN50	All other injuries	F	141	—	3	1	—	3	21	60	29	24	
		M	199	3	13	4	10	32	33	60	23	21	
		F	74	3	5	2	4	1	9	20	16	14	

TABLE 19—continued

Abbreviated List No.	Causes of Death	South Western Region										
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years					75 & over	
				1—	5—	15—	25—	45—	65—			
	ALL CAUSES	{ M F	19306 19279	410 279	131 107	90 70	125 65	212 85	743 559	4732 3114	5349 4501	7514 10499
B1	Tuberculosis of respiratory system	{ M F	210 74	— —	1 1	— —	— —	— 1	39 26	102 14	60 18	8 14
B2	Tuberculosis, other forms	{ M F	19 24	— —	— —	1 3	2 2	1 1	5 7	5 5	2 3	3 3
B3	Syphilis and its sequelae	{ M F	63 26	— —	— —	— —	— —	— 4	— 30	— 15	— 14	— 5
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— 1	— 7	— 13	— 13	— 5
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	(1)5 1	— —	— —	1 —	1 —	— —	1 —	1 —	— —	(1)1 —
B8	Diphtheria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
B9	Whooping cough	{ M F	5 1	— —	4 —	— —	— —	— —	— —	— —	— —	1 —
B10	Meningococcal infections	{ M F	2 7	— —	1 2	1 2	— —	— —	1 1	1 —	— —	— 1
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	2 1	— —	— —	— —	1 —	— —	1 1	— —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	4 —	— —	1 —	1 —	1 —	1 —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	41 35	— 1	— 1	4 1	4 4	— 2	4 6	22 11	4 6	3 3
B18	Malignant neoplasm : (140-205)	{ M F	3307 3029	— —	4 —	11 11	13 10	29 11	155 177	1233 1068	1031 821	831 931
	stomach (151)	{ M F	538 384	— —	— —	— —	— —	— —	14 9	184 83	199 114	141 178
	trachea, bronchus and lung (162, 163)	{ M F	885 124	— —	— —	— —	— —	— —	30 7	527 62	252 25	76 30
	breast (170)	{ M F	3 —	— —	— —	— —	— —	— —	— —	— —	1 —	2 —
	uterus (171-174)	{ M F	626 266	— —	— —	— —	— —	— 1	52 27	279 110	145 75	150 53
	Leukæmia and aleukæmia (204)	{ M F	94 72	— —	2 —	3 4	6 4	10 5	10 10	27 20	16 19	20 10
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M F	1787 1557	— —	2 —	8 7	7 6	19 5	101 72	495 514	563 443	592 510
B19	Benign and unspecified neoplasms	{ M F	45 67	— —	— —	2 1	— 2	2 —	6 11	17 29	11 11	7 13
B20	Diabetes mellitus	{ M F	96 153	— —	— —	— —	— —	1 —	3 8	26 23	35 52	31 70
B21	Anæmias	{ M F	41 82	— —	1 —	— —	— 2	1 —	4 2	4 7	8 23	23 48
B22	Vascular lesions affecting central nervous system	{ M F	2255 3349	— —	— 1	— —	2 —	4 3	35 39	436 502	698 881	1080 1923
B23	Nonmeningococcal meningitis	{ M F	12 8	1 1	2 1	1 —	1 1	1 —	3 —	2 3	1 1	— —
B24	Rheumatic fever	{ M F	7 7	— —	— —	— —	2 3	1 1	2 —	2 —	— 1	— —
B25	Chronic rheumatic heart disease	{ M F	224 292	— —	— —	— —	4 —	5 4	26 32	102 98	53 82	34 76

TABLE 19—continued

Abbreviated List No.	Causes of Death		South Western Region—continued									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	3245	—	—	—	—	—	68	1056	1156	965
		F	1996	—	—	1	—	—	14	303	678	1000
		M	2584	—	1	—	—	—	15	163	567	1838
		F	3626	—	—	—	—	1	4	126	570	2925
B27	Other diseases of heart	M	293	—	—	—	—	1	10	51	96	135
		F	374	—	—	—	1	1	10	45	95	222
B28	Hypertension with heart disease	M	422	—	—	1	—	—	6	84	155	176
		F	537	—	—	—	—	—	3	75	161	298
B29	Hypertension without mention of heart	M	277	—	—	—	—	—	8	72	81	116
		F	277	—	—	—	—	—	6	42	82	147
B46 (Pt.)	Other circulatory diseases (450-468)	M	654	1	—	1	—	2	6	83	169	392
		F	762	—	—	—	—	4	14	61	160	523
B30	Influenza	M	183	—	1	1	—	1	5	49	48	78
		F	210	—	—	3	2	3	3	19	39	142
B31	Pneumonia	M	834	—	40	7	6	9	18	148	217	389
		F	831	—	35	7	4	3	23	85	169	505
B32	Bronchitis	M	950	—	3	8	—	1	11	264	309	354
		F	571	—	2	3	1	2	4	62	114	383
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	310	—	2	3	8	—	15	110	101	71
		F	134	—	—	—	5	4	10	26	25	64
B33	Ulcer of stomach and duodenum	M	239	—	—	—	—	—	9	79	71	80
		F	112	—	—	—	—	—	4	22	27	59
B34	Appendicitis	M	38	—	—	2	2	1	1	14	8	10
		F	30	—	—	1	3	—	3	8	5	10
B35	Intestinal obstruction and hernia	M	99	4	1	—	—	—	3	29	17	45
		F	117	3	1	1	—	—	1	26	37	48
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	66	—	6	4	1	1	5	14	21	14
		F	87	—	5	3	1	—	3	14	26	35
B37	Cirrhosis of liver	M	48	—	—	—	—	2	5	21	13	7
		F	36	—	—	—	—	—	19	9	9	8
B38	Nephritis and nephrosis	M	206	1	—	1	6	6	24	60	52	56
		F	161	—	—	2	1	8	9	42	41	58
B39	Hyperplasia of prostate	M	337	—	—	—	—	—	—	12	72	253
B40	Complications of pregnancy, childbirth & puerperium	F	27	—	—	—	—	5	19	1	1	1
B41	Congenital malformations	M	160	61	36	11	9	8	14	13	6	2
		F	120	53	33	7	1	3	8	9	3	3
B42	Birth injuries, postnatal asphyxia & atelectasis	M	197	196	1	—	—	—	—	—	—	—
		F	113	113	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
		M	41	41	—	—	—	—	—	—	—	—
B43	Other infections of newborn (763, 765-768)	F	22	21	1	—	—	—	—	—	—	—
		M	—	—	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	105	102	3	—	—	—	—	—	—	—
		F	78	78	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	215	—	1	—	—	—	—	3	8	203
		F	470	—	1	—	—	—	1	—	15	453
B46 (Rem.)	All other diseases (Remainder 001-795)	M	590	1	10	8	16	9	53	176	158	159
		F	850	5	11	13	8	12	66	226	236	273
BE47	Motor vehicle accidents	M	264	—	—	9	17	85	58	49	19	27
		F	78	—	—	5	5	6	13	14	17	18
BE48	All other accidents	M	381	2	12	11	28	33	72	89	45	89
		F	368	3	12	5	9	7	10	46	49	227
BE49	Suicide and self-inflicted injury	M	219	—	—	—	—	7	48	107	39	18
		F	133	—	—	—	—	3	19	73	28	10
BE50	Homicide and operations of war	M	11	—	—	1	1	—	1	4	3	1
		F	3	1	—	—	—	—	1	—	1	—
BN47	Fractures, head injuries and internal injuries	M	472	—	3	12	30	96	108	100	44	79
		F	320	—	—	5	5	9	15	35	53	198
BN48	Burns	M	32	—	1	—	—	—	1	3	3	7
		F	19	—	2	2	4	1	1	3	3	12
BN49	Effects of poisons	M	130	—	—	1	1	5	24	52	24	23
		F	143	—	—	1	1	3	19	63	29	27
BN50	All other injuries	M	257	2	9	7	15	23	46	94	35	26
		F	90	4	10	2	4	2	8	32	10	18
"Delayed" maternal deaths (see page 190)			3	—	—	—	—	—	1	—	1	1

TABLE 19—continued

Abbreviated List No.	Causes of Death	Wales I (South East)										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							
1-	5-				15-	25-	45-	65-	75 & over			
	ALL CAUSES	{ M 12462 F 10192	364 255	148 111	57 51	68 44	113 73	532 446	3492 2137	3594 2650	4094 4425	
B1	Tuberculosis of respiratory system	{ M 188 F 85	—	—	—	2	1	28	100	46	11	
B2	Tuberculosis, other forms	{ M 6 F 12	—	—	1	—	1	2	4	1	—	
B3	Syphilis and its sequelæ	{ M 37 F 11	1	1	—	—	2	16	14	3	4	
B4	Typhoid fever	{ M 11 F 11	—	—	—	—	—	—	—	—	—	
B5	Cholera	{ M 1 F 1	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M 2 F 1	—	—	1	1	—	—	1	—	—	
B7	Scarlet fever and streptococcal sore throat	{ M 1 F (1)2	—	—	—	—	(1)1	1	—	—	1	
B8	Diphtheria	{ M 1 F 1	—	—	—	—	—	—	—	—	—	
B9	Whooping cough	{ M 1 F 4	—	1	2	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 12 F 4	—	2	6	1	—	1	1	2	—	
B11	Plague	{ M 1 F 1	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 1 F 1	—	—	—	—	—	1	—	—	—	
B13	Smallpox	{ M 1 F 1	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 2 F 1	—	—	1	—	—	—	—	1	—	
B15	Typhus and other rickettsial diseases	{ M 1 F 1	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M 1 F 1	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 23 F 22	3	4	1	2	2	2	5	2	2	
B18	Malignant neoplasm : (140-205)	{ M 2028 F 1713	1	—	1	14	10	85	795	638	484	
	stomach (151)	{ M 411 F 344	—	—	6	4	5	121	665	486	426	
	trachea, bronchus and lung (162, 163)	{ M 566 F 56	—	—	—	—	1	14	318	182	51	
	breast (170)	{ M 4 F 322	—	—	—	—	—	7	30	10	9	
	uterus (171-174)	{ M 170 F 170	—	—	—	—	1	41	154	71	56	
	Leukæmia and aleukæmia (204)	{ M 47 F 29	—	—	1	7	1	8	13	12	5	
B19	Other malign. & lymphatic neoplasms (Rem. of 140-205)	{ M 1000 F 792	1	—	3	7	8	49	300	310	325	
	Benign and unspecified neoplasms	{ M 30 F 33	—	1	1	1	1	6	11	7	2	
B20	Diabetes mellitus	{ M 47 F 116	—	—	—	1	—	2	11	17	16	
B21	Anæmias	{ M 28 F 55	—	—	—	1	1	4	6	7	14	
B22	Vascular lesions affecting central nervous system	{ M 1414 F 1731	—	1	—	1	2	26	300	457	628	
B23	Nonmeningococcal meningitis	{ M 10 F 6	2	2	3	1	1	24	300	515	888	
B24	Rheumatic fever	{ M 7 F 12	—	—	—	3	1	—	1	1	1	
B25	Chronic rheumatic heart disease	{ M 185 F 278	—	—	—	1	10	41	78	41	14	
						3	5	57	122	55	36	

TABLE 19—continued

Abbreviated List No.	Causes of Death		Wales I (South East)—continued									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
						1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2179	—	—	—	—	2	62	821	764	530
		F	1075	—	—	—	—	—	8	272	388	407
		M	1252	—	1	—	1	—	6	130	314	800
		F	1517	—	1	—	—	—	7	96	334	1079
B27	Other diseases of heart	M	134	—	—	—	—	1	9	30	50	44
		F	127	—	—	—	—	—	2	22	33	67
B28	Hypertension with heart disease	M	274	—	1	—	1	—	3	68	110	93
		F	290	—	—	—	—	—	1	59	115	115
B29	Hypertension without mention of heart	M	209	—	—	—	—	—	16	62	63	68
		F	196	—	—	—	—	1	7	30	57	101
B46 (Pt.)	Other circulatory diseases (450-468)	M	348	—	—	—	—	—	5	46	94	203
		F	322	—	—	—	—	1	3	29	79	210
B30	Influenza	M	38	—	2	—	—	—	2	8	11	15
		F	35	1	—	—	—	—	—	9	6	19
B31	Pneumonia	M	373	—	47	5	—	2	10	67	104	138
		F	263	—	40	6	1	—	9	27	64	111
B32	Bronchitis	M	1017	—	13	3	1	1	10	307	354	328
		F	384	—	5	—	1	—	7	55	124	192
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	403	—	2	—	1	—	13	157	157	73
		F	61	—	2	3	—	—	3	23	10	20
B33	Ulcer of stomach and duodenum	M	140	—	—	—	—	—	10	54	47	29
		F	44	—	—	—	—	—	1	9	20	14
B34	Appendicitis	M	18	—	—	—	1	—	—	8	4	4
		F	17	—	—	—	—	1	—	7	1	8
B35	Intestinal obstruction and hernia	M	56	4	2	—	—	—	2	15	18	15
		F	71	2	—	1	—	—	2	17	20	29
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	33	—	7	1	—	1	4	10	5	5
		F	39	—	3	1	1	1	5	11	7	10
B37	Cirrhosis of liver	M	21	1	1	1	—	—	2	9	5	2
		F	21	—	—	—	1	—	2	8	8	2
B38	Nephritis and nephrosis	M	141	—	—	1	4	3	24	45	34	30
		F	143	—	—	—	3	6	26	43	26	39
B39	Hyperplasia of prostate	M	249	—	—	—	—	—	—	15	63	171
B40	Complications of pregnancy, childbirth & puerperium	F	25	—	—	—	—	5	20	—	—	—
B41	Congenital malformations	M	139	64	37	7	4	3	5	13	4	2
		F	115	51	34	14	3	1	4	7	1	—
B42	Birth injuries, postnatal asphyxia & atelectasis	M	159	158	1	—	—	—	—	—	—	—
		F	107	105	2	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	1	1	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
		M	19	19	—	—	—	—	—	—	—	—
		F	17	17	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	103	101	2	—	—	—	—	—	—	—
		F	72	69	3	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	222	—	—	—	—	—	1	2	12	207
		F	325	—	1	—	—	—	—	2	13	309
B46 (Rem.)	All other diseases (Remainder 001-795)	M	346	5	12	6	7	13	28	103	88	84
		F	539	5	5	6	2	13	42	166	148	152
BE47	Motor vehicle accidents	M	154	1	—	10	11	29	39	38	11	15
		F	49	—	—	3	5	6	5	11	11	8
BE48	All other accidents	M	303	3	10	9	12	26	64	91	32	56
		F	185	1	5	3	6	2	10	26	30	102
BE49	Suicide and self-inflicted injury	M	102	—	—	—	—	2	20	61	13	6
		F	57	—	—	—	—	3	11	34	5	4
BE50	Homicide and operations of war	M	7	—	—	—	—	—	3	1	3	—
		F	9	1	—	—	1	—	3	3	1	—
BN47	Fractures, head injuries and internal injuries	M	333	1	—	13	19	39	78	94	32	57
		F	183	1	1	3	6	8	13	23	30	98
BN48	Burns	M	13	—	—	2	—	2	3	2	—	4
		F	17	—	—	1	4	—	—	2	6	4
BN49	Effects of poisons	M	58	—	—	1	—	2	13	30	9	3
		F	51	—	—	—	—	2	11	27	7	4
BN50	All other injuries	M	162	3	10	3	4	14	32	65	18	13
		F	49	1	4	2	2	1	5	22	4	8

TABLE 19—continued

Abbreviated List No.	Causes of Death		Wales II (Remainder)									
			Age									
			All Ages	Under 4 week	4 wks. and under 1 yr.	Years						
						1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M F	5086 4698	124 98	45 29	34 16	27 23	59 25	202 151	1260 832	1424 1156	1911 2368
B1	Tuberculosis of respiratory system	{ M F	92 31	—	—	1 —	—	1 —	7 8	52 10	18 5	13 7
B2	Tuberculosis, other forms	{ M F	10 5	—	—	— 1	—	1 —	—	4 2	5 1	—
B3	Syphilis and its sequelæ	{ M F	16 6	—	—	—	—	—	2 1	7 3	7 1	—
B4	Typhoid fever	{ M F	— —	—	—	—	—	—	—	—	—	—
B5	Cholera	{ M F	— —	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M F	— 1	—	—	—	—	—	1 —	—	—	—
B7	Scarlet fever and streptococcal sore throat	{ M F	— —	—	—	—	—	—	—	—	—	—
B8	Diphtheria	{ M F	— —	—	—	—	—	—	—	—	—	—
B9	Whooping cough	{ M F	1 1	—	1 1	—	—	—	—	—	—	—
B10	Meningococcal infections	{ M F	1 2	—	—	1 1	—	—	—	—	—	—
B11	Plague	{ M F	— —	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M F	3 —	—	—	—	1 —	—	2 —	—	—	—
B13	Smallpox	{ M F	— —	—	—	—	—	—	—	—	—	—
B14	Measles	{ M F	2 —	—	1 —	1 —	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	{ M F	— —	—	—	—	—	—	—	—	—	—
B16	Malaria	{ M F	— —	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	{ M F	8 5	1	—	1 —	1 —	3 —	— —	1 1	2 1	1 1
B18	Malignant neoplasm : (140-205)	{ M F	905 857	—	1 —	3 2	6 5	4 4	43 48	328 308	291 210	229 280
	stomach (151)	{ M F	220 170	—	—	—	—	— 1	4 7	78 39	83 41	55 82
	trachea, bronchus and lung (162, 163)	{ M F	208 27	—	—	—	—	—	3 2	125 14	63 5	17 6
	breast (170)	{ M F	154 69	—	—	—	—	—	10 7	79 35	36 12	29 15
	uterus (171-174)	{ M F	— —	—	—	—	—	—	—	—	—	—
	Leukæmia and aleukemia (204)	{ M F	22 13	—	—	2 1	2 3	1 1	6 2	6 3	2 3	3 —
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M F	455 424	—	1 —	1 1	4 2	3 2	30 20	119 138	143 113	154 148
	Benign and unspecified neoplasms	{ M F	17 7	—	—	2 —	—	1 —	4 3	4 —	4 —	2 —
	Diabetes mellitus	{ M F	22 40	—	—	—	—	— 1	1 1	4 11	6 11	11 16
	Anæmias	{ M F	17 35	—	—	—	1 —	—	— 1	6 7	4 9	7 17
B22	Vascular lesions affecting central nervous system	{ M F	668 917	—	—	—	—	2 —	8 11	110 121	211 282	337 503
B23	Nonmeningococcal meningitis	{ M F	4 3	—	1 1	— 1	—	—	1 —	—	1 —	—
B24	Rheumatic fever	{ M F	— 3	—	—	—	—	—	—	—	—	—
B25	Chronic rheumatic heart disease	{ M F	52 81	—	—	—	—	1 2	7 7	20 35	15 13	9 22

TABLE 19—continued

Abbreviated List No.	Causes of Death		Wales II (Remainder)—continued									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	841	—	—	—	—	—	16	294	315	216
		F	454	—	—	—	—	—	2	76	171	205
		M	569	—	—	—	—	—	36	36	143	390
		F	715	—	—	—	—	—	1	39	126	549
B27	Other diseases of heart	M	62	—	—	—	—	—	4	14	14	30
		F	89	—	—	—	—	—	3	11	26	49
B28	Hypertension with heart disease	M	111	—	—	—	—	—	1	25	40	45
		F	136	—	—	—	—	—	2	15	52	67
B29	Hypertension without mention of heart	M	81	—	—	—	—	—	—	17	20	44
		F	105	—	—	—	—	—	—	16	28	61
B46 (Pt.)	Other circulatory diseases (450-468)	M	142	—	—	—	—	—	2	20	37	83
		F	146	—	—	—	—	—	4	10	27	105
B30	Influenza	M	25	—	1	—	—	1	1	4	5	13
		F	26	—	—	—	—	1	—	3	2	19
B31	Pneumonia	M	150	—	14	5	—	—	5	25	38	61
		F	108	—	5	2	2	2	3	13	16	67
B32	Bronchitis	M	253	—	3	2	—	—	2	69	83	94
		F	133	—	1	2	—	—	2	13	38	77
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	70	1	2	—	—	2	2	31	19	13
		F	29	—	—	—	—	2	2	5	4	16
B33	Ulcer of stomach and duodenum	M	64	—	—	—	—	—	5	27	20	12
		F	18	—	—	—	—	—	1	5	4	8
B34	Appendicitis	M	8	—	—	—	1	—	2	1	4	—
		F	9	—	—	—	3	—	2	—	2	2
B35	Intestinal obstruction and hernia	M	24	—	—	—	—	—	—	6	9	9
		F	24	2	1	—	—	—	3	5	6	7
B36	Gastritis, enteritis and diarrhoea except	M	8	—	2	1	—	—	—	1	2	2
	diarrhoea of newborn	F	18	—	3	—	—	—	2	3	9	1
B37	Cirrhosis of liver	M	11	—	—	—	—	—	2	5	2	2
		F	9	—	—	—	—	—	1	5	3	—
B38	Nephritis and nephrosis	M	79	—	2	1	3	1	7	13	20	32
		F	51	—	1	—	—	4	5	14	14	13
B39	Hyperplasia of prostate	M	113	—	—	—	—	—	—	7	25	81
B40	Complications of pregnancy, childbirth & puerperium	F	9	—	—	—	—	1	8	—	—	—
B41	Congenital malformations	M	46	26	11	—	4	—	2	2	1	—
		F	41	24	7	2	—	2	2	4	—	—
B42	Birth injuries, postnatal asphyxia & atelectasis	M	58	57	1	—	—	—	—	—	—	—
		F	41	40	1	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	5	5	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	32	32	—	—	—	—	—	—	—	—
		F	30	28	2	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	106	2	—	—	—	—	—	1	7	96
		F	161	—	—	—	—	—	1	—	5	155
B46 (Rem.)	All other diseases (Remainder 001-795)	M	170	1	1	9	1	8	18	51	31	50
		F	223	1	1	—	4	2	13	71	63	68
BE47	Motor vehicle accidents	M	70	—	—	3	5	18	13	17	8	6
		F	13	—	—	1	3	2	2	2	2	1
BE48	All other accidents	M	111	—	4	5	4	16	25	26	12	19
		F	93	1	4	3	3	1	5	9	16	51
BE49	Suicide and self-inflicted injury	M	58	—	—	—	—	1	12	30	11	4
		F	23	—	—	—	—	1	4	14	4	—
BE50	Homicide and operations of war	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
BN47	Fractures, head injuries and internal injuries	M	135	—	—	4	5	20	28	34	21	23
		F	78	—	1	3	3	4	4	7	14	43
BN48	Burns	M	7	—	—	—	1	1	2	—	—	1
		F	9	—	—	1	—	—	—	2	—	6
BN49	Effects of poisons	M	19	—	—	—	—	1	7	10	—	1
		F	15	—	—	—	—	1	4	5	5	—
BN50	All other injuries	M	78	—	4	4	3	13	13	27	10	4
		F	27	1	3	—	3	—	3	11	3	3

TABLE 19—continued

Abbreviated List No.	Causes of Death	Conurbations										
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
					1—	5—	15—	25—	45—	65—	75 & over	
	ALL CAUSES	{ M 98282 F 93858	2518 1785	1016 732	460 383	523 360	774 475	4500 3470	29059 17577	27850 23678	31582 45398	
B1	Tuberculosis of respiratory system	{ M 1491 F 528	—	1	6	2	15	241	697	385	144	
B2	Tuberculosis, other forms	{ M 110 F 85	—	—	3	4	2	197	158	88	57	
		{ M 110 F 85	—	3	5	2	7	32	41	15	11	
B3	Syphilis and its sequelæ	{ M 422 F 190	—	—	—	—	1	23	169	142	87	
B4	Typhoid fever	{ M 1 F 1	—	—	—	—	—	6	50	71	63	
		{ M 1 F 1	—	—	—	—	—	1	—	—	—	
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M 6 F 6	—	—	—	3	—	—	—	1	2	
		{ M 6 F 6	—	—	—	1	—	—	—	1	4	
B7	Scarlet fever and streptococcal sore throat	{ M (3)6 F (2)9	—	1	—	—	—	(1)2	(2)3	—	—	
B8	Diphtheria	{ M (1)1 F (1)2	—	1	—	—	—	—	(1)3	1	1	
		{ M (1)1 F (1)2	—	—	—	1	—	—	(1)1	—	—	
B9	Whooping cough	{ M 15 F (1)23	1	11	3	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 41 F 35	—	16 21	6 13	—	—	—	—	(1)1	—	
		{ M 41 F 35	—	12	9	2	1	1	3	4	1	
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 22 F 20	—	—	—	7	2	13	—	—	—	
		{ M 22 F 20	—	3	4	1	1	11	—	—	—	
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 3 F 5	—	—	—	1	2	—	—	—	—	
		{ M 3 F 5	—	—	—	4	—	—	—	1	—	
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M 1 F —	—	—	—	—	—	—	1	—	—	
		{ M 1 F —	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 167 F 206	4 3	8 6	7 9	9 10	4 10	30 28	65 71	20 32	20 37	
	Malignant neoplasm : (140-205)	{ M 19334 F 16991	—	10 5	61 59	108 76	98 85	963 1172	8100 6177	6064 4811	3930 4604	
	stomach (151)	{ M 2803 F 2372	—	—	—	—	1	112	1155	939	596	
		{ M 2803 F 2372	—	—	—	—	2	70	628	801	871	
	trachea, bronchus and lung (162, 163)	{ M 6911 F 1218	—	—	—	—	1	300	3839	2119	652	
	breast (170)	{ M 37 F 3306	—	—	—	—	3	71	534	367	242	
B18	uterus (171-174)	{ M 37 F 3306	—	—	—	—	—	2	16	15	4	
		{ M 37 F 3306	—	—	—	—	—	4	335	1484	786	
		{ M 37 F 3306	—	—	—	—	—	2	153	709	399	
	Leukemia and aleukemia (204)	{ M 462 F 412	—	1	30	41	25	66	147	89	63	
	Other malign. & lymphatic neoplasms (Rem. of 140-205)	{ M 9121 F 8167	—	2	16	37	22	48	113	98	76	
		{ M 9121 F 8167	—	9	31	67	71	483	2943	2902	2615	
		{ M 9121 F 8167	2	3	43	38	52	495	2709	2360	2465	
B19	Benign and unspecified neoplasms	{ M 286 F 369	5 3	3 1	7 2	10 11	7 9	48 50	128 177	49 63	29 53	
B20	Diabetes mellitus	{ M 386 F 780	—	1	2	2	3	30	102	128	118	
		{ M 386 F 780	—	—	1	3	4	25	164	270	313	
B21	Anæmias	{ M 185 F 411	—	3	2	3	1	6	31	59	80	
		{ M 185 F 411	—	—	—	3	2	18	62	110	216	
B22	Vascular lesions affecting central nervous system	{ M 10488 F 14975	3	5	1	10	18	205	2217	3308	4721	
B23	Nonmeningococcal meningitis	{ M 86 F 67	7 7	20 8	2 7	5 1	3 3	8 4	22 14	8 13	8 10	
B24	Rheumatic fever	{ M 37 F 35	—	—	—	6	5	10	13	3	—	
		{ M 37 F 35	—	1	1	6	4	8	5	8	2	
B25	Chronic rheumatic heart disease	{ M 1195 F 2239	—	—	—	7	29	250	507	240	162	
		{ M 1195 F 2239	—	—	—	4	28	354	981	469	403	

TABLE 19—continued

Abbreviated List No.	Causes of Death		Conurbations—continued									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	17541	—	1	1	—	2	569	6817	5816	4335
		F	10488	—	—	—	—	3	82	1821	3800	4782
		M	7935	—	—	—	1	2	45	678	1823	5386
		F	12343	—	1	—	—	2	16	499	2080	9745
B27	Other diseases of heart	M	1529	—	1	5	3	7	54	382	475	602
		F	1787	—	4	—	3	9	34	265	526	946
B28	Hypertension with heart disease	M	2086	—	—	—	—	1	26	456	723	880
		F	2718	—	—	—	—	—	13	355	874	1476
B29	Hypertension without mention of heart	M	1436	—	—	—	—	2	50	410	424	550
		F	1640	—	—	—	—	1	22	269	522	826
B46 (Pt.)	Other circulatory diseases (450-468)	M	2366	1	—	—	4	3	47	358	627	1326
		F	3216	—	—	—	—	8	50	301	702	2155
B30	Influenza	M	344	—	8	1	2	3	18	108	91	113
		F	364	—	2	3	2	—	12	61	85	199
B31	Pneumonia	M	4525	—	350	64	19	18	97	841	1154	1982
		F	4834	—	229	49	31	11	77	482	1013	2942
B32	Bronchitis	M	9110	10	70	21	4	6	93	2854	3221	2831
		F	4610	3	56	13	4	3	60	621	1265	2585
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	1090	3	10	12	8	7	55	438	296	261
		F	637	6	8	9	5	5	46	129	120	309
B33	Ulcer of stomach and duodenum	M	1521	2	1	—	—	5	82	536	459	436
		F	677	—	—	—	—	—	17	115	198	347
B34	Appendicitis	M	187	—	1	4	15	4	24	60	40	39
		F	115	—	—	5	7	2	5	27	37	32
B35	Intestinal obstruction and hernia	M	578	30	13	7	1	2	27	138	156	204
		F	641	25	10	6	1	1	21	128	179	270
B36	Gastritis, enteritis and diarrhoea except	M	336	—	66	9	2	6	19	82	73	79
	diarrhoea of newborn	F	503	—	35	7	2	7	49	88	121	194
B37	Cirrhosis of liver	M	242	—	1	—	1	3	18	134	56	29
		F	214	—	—	2	1	1	12	96	60	42
B38	Nephritis and nephrosis	M	868	2	2	6	19	37	147	315	184	156
		F	701	—	3	12	30	90	199	191	176	—
B39	Hyperplasia of prostate	M	1183	—	—	—	—	—	—	82	340	761
B40	Complications of pregnancy, childbirth & puerperium	F	143	—	—	—	—	18	123	2	—	—
B41	Congenital malformations	M	877	384	213	57	36	20	52	78	18	19
		F	771	338	206	52	34	12	39	61	13	16
B42	Birth injuries, postnatal asphyxia & atelectasis	M	1013	1002	11	—	—	—	—	—	—	—
		F	624	614	10	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	8	8	—	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—
		M	194	189	5	—	—	—	—	—	—	—
		F	123	122	1	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	822	807	13	2	—	—	—	—	—	—
		F	637	628	9	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	874	10	6	—	—	3	5	10	52	788
		F	1663	—	1	—	—	—	3	8	79	1572
B46 (Rem.)	All other diseases (Remainder 001-795)	M	2783	26	61	50	42	61	287	833	734	689
		F	4114	18	49	39	46	61	286	1083	1104	1428
BE47	Motor vehicle accidents	M	1211	—	—	47	93	202	296	282	142	149
		F	511	—	—	23	33	45	51	128	112	119
BE48	All other accidents	M	1977	22	96	53	90	131	308	471	284	522
		F	1893	12	53	38	28	88	234	297	1090	—
BE49	Suicide and self-inflicted injury	M	1287	—	—	—	1	54	307	564	228	133
		F	868	—	—	—	2	25	163	434	175	69
BE50	Homicide and operations of war	M	77	2	3	5	5	6	12	32	12	—
		F	43	1	1	4	4	4	16	9	1	3
BN47	Fractures, head injuries and internal injuries	M	2313	3	6	54	115	261	478	545	320	531
		F	1639	—	1	33	37	50	76	199	291	952
BN48	Burns	M	86	1	—	11	3	2	10	17	9	33
		F	169	—	1	24	13	4	11	17	28	71
BN49	Effects of poisons	M	1187	—	7	9	9	49	253	486	218	156
		F	1079	—	—	3	9	31	177	462	205	192
BN50	All other injuries	M	966	20	86	31	62	81	182	301	119	84
		F	428	13	52	20	18	17	54	127	61	66
"Delayed" maternal deaths (see page 190)			6	—	—	—	—	—	5	1	—	—

TABLE 19—continued

Abbreviated List No.	Causes of Death	Urban areas (outside Conurbations) with populations of 100,000 and over										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							75 & over
					1-	5-	15-	25-	45-	65-		
	ALL CAUSES	{ M 35638 F 33245	959 627	376 268	165 136	197 116	269 162	1491 1215	10149 6028	10345 8439	11687 16254	
B1	Tuberculosis of respiratory system	{ M 552 F 196	—	1	—	1	2	94	283	134	37	
B2	Tuberculosis, other forms	{ M 39 F 32	—	—	3	4	—	9	14	4	5	
B3	Syphilis and its sequelae	{ M 112 F 57	—	—	—	—	—	2	50	44	16	
B4	Typhoid fever	{ M — F —	—	—	—	—	1	4	21	14	17	
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M 4 F 3	—	1	2	—	—	—	—	—	1	
B7	Scarlet fever and streptococcal sore throat	{ M (J)5 F 2	—	—	1	—	—	(J)1	1	1	1	
B8	Diphtheria	{ M — F (J)1	—	—	—	1	—	—	—	(J)1	—	
B9	Whooping cough	{ M — F 3	—	3	—	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 21 F 6	—	6 2	7 2	4	1	1	2	2	—	
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 2 F 2	—	—	—	1	—	1	1	—	—	
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M — F 2	—	—	2	—	—	—	—	—	—	
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M — F 1	—	—	—	—	—	1	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 77 F 67	4 1	4	3 3	7 5	2 2	6 9	33 18	8 13	10 16	
B18	Malignant neoplasm : (140-205)	{ M 6705 F 5872	2	1	23 11	28 25	39 27	302 407	2717 2086	2143 1681	1450 1635	
	stomach (151)	{ M 1128 F 890	—	—	—	—	1	39	450	378	260	
	trachea, bronchus and lung (162, 163)	{ M 2242 F 344	—	—	—	—	2	84	1267	673	216	
	breast (170)	{ M 4 F 1124	—	—	—	—	—	1	107	65	—	
	uterus (171-174)	{ M 550 F —	—	—	—	—	3	57	474	290	245	
	Leukemia and aleukemia (204)	{ M 166 F 134	—	—	11 3	15 9	12 7	27 23	42 45	36 31	23 16	
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M 3165 F 2830	2	1	12 8	13 16	24 15	152 164	957 963	1053 786	951 878	
	Benign and unspecified neoplasms	{ M 77 F 114	—	—	3 1	1 6	3 3	9 23	39 47	16 17	6 16	
	Diabetes mellitus	{ M 135 F 273	—	—	—	—	1 2	8 6	32 42	53 115	41 108	
	Anæmias	{ M 68 F 150	—	—	1 1	2	2	—	12	22	31	
B22	Vascular lesions affecting central nervous system	{ M 4066 F 5827	—	3	1	5	7	73	793	1330	1854	
B23	Nonmeningococcal meningitis	{ M 33 F 30	4 4	9 8	5 3	—	2 1	1 3	7 6	4 1	1 1	
B24	Rheumatic fever	{ M 13 F 18	1	—	—	3	2	4	2	—	1	
B25	Chronic rheumatic heart disease	{ M 430 F 746	—	—	—	4 2	6 6	81 119	189 325	94 165	56 129	

TABLE 19—continued

Abbreviated List No.	Causes of Death	Urban areas (outside Conurbations) with populations of 100,000 and over—continued										
			All Ages	Under 4 weeks	4 wks' and under 1 yr.	Age						
						1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M F M F	6326 3700 3375 4784	— — — —	— — — 1	— — — —	— — — —	2 — — 1	184 20 20 9	2403 634 323 184	2150 1382 791 838	1587 1664 2241 375
B27	Other diseases of heart	M F	529 569	— —	— —	1 —	— —	4 1	19 12	134 74	154 150	217 33
B28	Hypertension with heart disease	M F	828 1029	— —	— —	1 —	— —	— —	8 5	197 125	307 323	315 576
B29	Hypertension without mention of heart	M F	430 502	— —	— —	— —	— —	16 12	105 84	136 150	173 255	
B46 (Pt.)	Other circulatory diseases (450-468)	M F	1109 1250	— —	— —	2 —	— —	3 3	14 11	148 103	312 269	630 864
B30	Influenza	M F	137 151	1 —	1 —	2 4	1 —	13 5	42 24	39 32	37 85	
B31	Pneumonia	M F	1538 1494	— —	129 103	17 18	10 9	6 10	33 32	308 154	420 322	615 846
B32	Bronchitis	M F	2735 1256	— —	24 16	8 6	2 2	1 —	32 19	853 181	999 337	816 693
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	517 218	1 3	11 3	4 2	2 5	1 4	28 13	197 50	166 39	107 99
B33	Ulcer of stomach and duodenum	M F	471 187	— —	— —	— —	— —	28 7	155 54	169 50	119 76	
B34	Appendicitis	M F	55 42	— —	1 —	1 1	7 1	6 2	15 12	12 7	12 18	
B35	Intestinal obstruction and hernia	M F	158 198	7 9	6 1	1 3	— —	2 6	6 32	42 56	35 26	59 91
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	113 151	— —	21 16	2 4	2 —	11 11	30 29	26 33	21 58	
B37	Cirrhosis of liver	M F	81 86	2 —	1 —	— —	1 2	4 6	4 39	16 28	8 9	
B38	Nephritis and nephrosis	M F	349 306	— —	1 —	1 1	10 4	14 14	56 39	125 78	66 74	76 96
B39	Hyperplasia of prostate	M	502	—	—	—	—	—	36	147	319	
B40	Complications of pregnancy, childbirth & puerperium	F	49	—	—	—	8	40	—	—	—	1
B41	Congenital malformations	M F	318 280	151 129	77 69	12 19	12 4	10 3	16 21	23 25	9 10	8 —
B42	Birth injuries, postnatal asphyxia & atelectasis	M F	374 218	369 216	3 1	2 1	— —	— —	— —	— —	— —	— —
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M F M F	4 2 76 43	4 2 76 43	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —
B44	Other dis. of early infancy & immaturity unqualified	M F	329 207	321 203	8 4	— —	— —	— —	— —	— —	— —	— —
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	297 522	2 —	1 2	— —	— —	— 1	3 3	18 16	273 500	
B46(Rem.)	All other diseases (Remainder 001-795)	M F	1021 1415	6 8	24 15	11 13	25 20	82 105	322 360	292 376	239 503	
BE47	Motor vehicle accidents	M F	445 172	— —	1 —	29 14	38 15	74 17	107 22	98 35	53 37	45 32
BE48	All other accidents	M F	746 723	7 6	41 23	19 20	33 11	43 1	127 21	181 84	81 106	214 451
BE49	Suicide and self-inflicted injury	M F	398 278	— —	— —	— —	— —	10 6	80 53	173 138	90 64	45 17
BE50	Homicide and operations of war	M F	36 11	1 —	1 —	3 2	— 2	1 —	8 5	17 1	4 —	1 1
BN47	Fractures, head injuries and internal injuries	M F	874 650	1 —	1 2	31 16	50 19	87 17	181 27	216 63	100 105	207 401
BN48	Burns	M F	34 62	— —	— 2	3 9	1 5	— —	8 1	11 7	6 12	5 26
BN49	Effects of poisons	M F	338 334	— —	2 1	3 4	1 —	12 4	66 57	139 150	67 67	48 51
BN50	All other injuries	M F	379 138	7 6	40 18	14 7	19 4	29 3	67 16	103 38	55 23	45 22

"Delayed" maternal deaths
(see page 190)

4

TABLE 19—continued

Abbreviated List No.	Causes of Death	Urban areas (outside Conurbations) with populations of 50,000 and under 100,000										
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age						
						Years						
						1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M 20597 F 20479	552 424	233 183	103 71	109 73	177 96	903 665	5356 3423	5820 5008	7344 10536	
B1	Tuberculosis of respiratory system	{ M 263 F 109	—	—	—	—	—	2 5	40 41	142 31	62 20	1 1
B2	Tuberculosis, other forms	{ M 21 F 25	—	1	3	1 1	—	1 2	5 9	8 7	1 3	1 3
B3	Syphilis and its sequelæ	{ M 71 F 39	1	—	—	—	1	—	5 2	25 13	28 10	12 13
B4	Typhoid fever	{ M F	1	1	—	—	—	—	—	—	—	—
B5	Cholera	{ M F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M F	1	—	—	1	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	{ M (I)2 F 1	—	—	—	—	—	—	1	(I)1	—	—
B8	Diphtheria	{ M (I)1 F	—	—	—	—	—	—	(I)	—	1	—
B9	Whooping cough	{ M 8 F 4	—	4	2	1	—	—	—	—	—	1
B10	Meningococcal infections	{ M 11 F 9	2	3	1	1	—	1	1	2	1	—
B11	Plague	{ M F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M 6 F 3	—	—	—	3	—	—	3 3	—	—	—
B13	Smallpox	{ M F	—	—	—	—	—	—	—	—	—	—
B14	Measles	{ M F	—	—	—	—	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	{ M F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	{ M F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	{ M 40 F 29	1	2	3	2	1	10	16	4	4	
	Malignant neoplasm : (140-205)	{ M 3773 F 3477	—	1	6	19	20	177	1456	1151	943	
	stomach (151)	{ M 611 F 491	—	—	—	—	—	20	207	1008	1017	
	trachea, bronchus and lung (162, 163)	{ M 1122 F 201	—	—	—	1	—	47	625	342	107	
B18	breast (170)	{ M 2 F 691	—	—	—	—	—	11	81	72	37	
	uterus (171-174)	{ M 281 F	—	—	—	—	1	54	287	167	183	
	Leukæmia and aleukæmia (204)	{ M 94 F 92	—	1	2	8	5	9	39	18	13	
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M 1944 F 1721	—	1	4	10	15	102	575	592	645	
B19	Benign and unspecified neoplasms	{ M 61 F 68	—	1	2	2	1	12	25	17	1	
B20	Diabetes mellitus	{ M 80 F 184	—	1	1	—	—	4	15	27	31	
B21	Anæmias	{ M 39 F 105	—	1	—	—	—	1	4	10	24	
B22	Vascular lesions affecting central nervous system	{ M 2417 F 3666	—	1	—	3	4	48	451	772	1138	
B23	Nonmeningococcal meningitis	{ M 10 F 14	2	1	1	1	—	32	478	1007	2144	
B24	Rheumatic fever	{ M 8 F 5	—	—	—	3	1	—	—	4	—	
B25	Chronic rheumatic heart disease	{ M 194 F 346	—	—	—	1	5	34	78	46	30	
						1	3	58	126	77	81	

TABLE 19—continued

Abbreviated List No.	Causes of Death	Urban areas (outside Conurbations) with populations of 50,000 and under 100,000—continued										
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age						
						1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{M	3686	—	—	—	—	1	95	1217	1353	1020
		{F	2298	—	—	—	—	14	377	855	1052	
		{M	2218	—	1	—	—	9	167	516	1525	
		{F	3199	—	—	—	—	10	114	474	2601	
B27	Other diseases of heart	{M	311	—	1	—	—	2	9	67	101	13
B28	Hypertension with heart disease	{F	394	—	1	—	—	1	9	55	97	231
		{M	422	—	—	—	—	3	91	155	173	
B29	Hypertension without mention of heart	{F	529	—	—	—	—	2	67	155	305	
		{M	258	—	—	—	1	11	72	73	101	
B46 (Pt.)	Other circulatory diseases (450-468)	{F	289	—	—	—	—	6	49	72	162	
		{M	559	1	—	—	2	8	73	157	318	
		{F	641	—	—	—	1	5	59	142	434	
		{M	237	—	—	—	1	14	99	62	51	
B30	Influenza	{F	131	—	4	1	2	13	25	25	59	
B31	Pneumonia	{M	866	—	60	15	3	4	19	67	167	531
		{F	843	—	70	28	4	8	23	151	174	385
B32	Bronchitis	{M	1395	2	17	5	2	2	17	402	495	453
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{F	720	2	8	—	1	2	15	106	163	423
		{M	237	3	3	—	4	1	14	99	62	51
		{F	131	—	4	1	2	2	13	25	25	59
		{M	303	—	—	—	—	—	19	110	101	73
B33	Ulcer of stomach and duodenum	{F	116	—	—	—	—	—	6	21	37	52
		{M	46	—	1	—	2	5	8	18	5	7
B34	Appendicitis	{F	30	—	—	1	1	1	3	6	10	8
B35	Intestinal obstruction and hernia	{M	115	5	1	1	1	—	7	26	30	44
		{F	129	7	2	1	—	—	4	24	38	53
B36	Gastritis, enteritis and diarrhoea except	{M	72	—	11	3	1	2	13	16	12	14
		{F	92	—	7	1	1	1	9	17	30	26
B37	Cirrhosis of liver	{M	49	—	—	1	1	—	7	16	14	10
		{F	35	—	—	—	—	—	3	14	13	5
B38	Nephritis and nephrosis	{M	210	—	1	2	1	5	25	83	38	55
		{F	182	—	—	—	4	7	16	47	50	58
B39	Hyperplasia of prostate	M	316	—	—	—	—	—	—	20	74	222
B40	Complications of pregnancy, childbirth & puerperium	F	32	—	—	—	—	10	22	—	—	—
B41	Congenital malformations	{M	203	86	61	11	8	6	16	9	4	2
		{F	166	66	55	5	2	5	12	12	5	4
B42	Birth injuries, postnatal asphyxia & atelectasis	{M	169	166	3	—	—	—	—	—	—	—
		{F	116	115	1	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{M	5	5	—	—	—	—	—	—	—	—
		{F	5	5	—	—	—	—	—	—	—	—
		{M	56	56	—	—	—	—	—	—	—	—
		{F	34	33	1	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{M	212	209	3	—	—	—	—	—	—	—
		{F	181	179	2	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{M	214	1	2	—	—	—	1	2	10	198
		{F	410	2	2	—	—	—	2	3	17	384
B46 (Rem.)	All other diseases (Remainder 001-795)	{M	622	4	17	15	10	12	68	176	157	163
		{F	897	6	12	9	10	10	52	235	253	310
BE47	Motor vehicle accidents	{M	272	—	—	9	11	53	64	81	25	29
BE48	All other accidents	{F	105	—	1	9	9	6	14	21	23	22
		{M	453	7	25	12	24	29	82	101	63	110
BE49	Suicide and self-inflicted injury	{F	478	6	13	9	8	5	15	40	73	309
		{M	251	—	—	—	—	12	56	106	52	25
BE50	Homicide and operations of war	{F	201	—	—	—	—	5	35	92	50	19
		{M	16	1	—	—	2	—	—	8	4	1
		{F	7	—	—	1	2	—	1	2	—	—
		{M	248	—	—	—	—	—	—	—	—	—
BN47	Fractures, head injuries and internal injuries	{M	506	2	2	10	19	54	111	128	73	107
BN48	Burns	{F	420	—	1	8	10	6	18	39	74	264
		{M	23	1	—	—	1	2	5	1	6	7
BN49	Effects of poisons	{F	40	—	1	4	4	3	—	5	7	16
		{M	215	—	—	1	4	12	43	88	40	27
BN50	All other injuries	{F	245	—	—	1	1	6	40	89	57	51
		{M	248	5	23	10	13	26	43	79	25	24
		{F	86	6	12	6	4	1	7	22	8	20
		{M	248	—	—	—	—	—	—	—	—	—

TABLE 19—continued

Abbreviated List No.	Causes of Death	Urban areas (outside Conurbations) with populations under 50,000										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							
					1-	5-	15-	25-	45-	65-	75 & over	
	ALL CAUSES	{ M 61149 F 57844	1600 1115	622 495	311 248	354 254	557 259	2446 1914	15444 9958	17001 14375	22814 29226	
B1	Tuberculosis of respiratory system	{ M 703 F 266	—	— 1	—	2	5	117	352	166	61	
B2	Tuberculosis, other forms	{ M 53 F 50	—	1	5	4	12	112	63	48	30	
B3	Syphilis and its sequelae	{ M 168 F 92	—	1	—	—	1	8	73	56	29	
B4	Typhoid fever	{ M — F —	—	—	—	—	—	2	21	40	27	
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M 3 F 2	1	—	—	—	1	1	1	—	1	
B7	Scarlet fever and streptococcal sore throat	{ M (1)3 F (2)5	—	—	1	—	—	1	(1)1	—	1	
B8	Diphtheria	{ M — F —	—	—	—	—	—	—	—	—	—	
B9	Whooping cough	{ M (1)11 F (1)13	—	6 8	4 1	—	—	—	(1)1	—	—	
B10	Meningococcal infections	{ M 17 F 19	1	5 6	7 6	—	2	2	3	2 1	1	
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 23 F 7	1	—	4	4	2	11	1	—	—	
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 8 F 5	—	3	2	1	1	1	—	1	—	
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M — F —	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 119 F 104	2 3	19 8	9 6	12 6	2 3	18 22	34 30	9 14	14 12	
B18	Malignant neoplasm : (140-205)	{ M 10450 F 9743	1 1	9 6	39 36	55 59	52 26	486 605	3870 3356	3314 2761	2624 2893	
	stomach (151)	{ M 1757 F 1372	—	—	—	—	—	62 36	616 332	472 429	458 575	
	trachea, bronchus and lung (162, 163)	{ M 3089 F 474	—	—	—	—	2	116	1666	998	307	
	breast (170)	{ M 20 F 1939	—	—	—	—	—	1	9	3	7	
	uterus (171-174)	{ M 909 F —	—	—	—	—	1	169	857	472	441	
								82	428	231	167	
	Leukæmia and aleukæmia (204)	{ M 266 F 247	—	3 2	17 22	23 31	17 8	35 29	76 67	58 58	37 29	
	Other malign. & lymphatic neoplasms (Rem. of 140-205)	{ M 5318 F 4802	1	6 4	22 14	32 27	33 17	272 259	1503 1471	1634 1429	1815 1581	
B19	Benign and unspecified neoplasms	{ M 176 F 192	—	1	6 2	4 9	5 5	29 34	75 67	37 30	19 44	
B20	Diabetes mellitus	{ M 283 F 492	—	—	1	2	3	19	60	101	97	
B21	Anæmias	{ M 144 F 293	1	1	—	3	2	6	22	42	67	
B22	Vascular lesions affecting central nervous system	{ M 7795 F 10639	—	1 4	— 1	6 4	15 7	96 119	1422 1522	2443 3041	3812 5941	
B23	Nonmeningococcal meningitis	{ M 53 F 38	4 5	18 9	11 4	1 4	1 —	4 2	9 8	3 3	2 3	
B24	Rheumatic fever	{ M 25 F 35	—	—	1	7	1	5	8	2	1	
B25	Chronic rheumatic heart disease	{ M 648 F 1047	—	—	—	3	21	110	281	143	90	

TABLE 19—continued

Abbreviated List No.	Causes of Death	Urban areas (outside Conurbations) with populations under 50,000—continued									
		Age									
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
					1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M 10722 F 6330 M 6895 F 9362	— — — —	— — 1 —	— 1 1 1	— — 2 1	— — 2 1	7 46 30 20	277 1104 506 397	3685 2316 1548 1567	3708 2863 4805 7375
B27	Other diseases of heart	M 1007 F 1075	1 —	1 1	1 —	2 3	7 1	23 18	221 150	311 304	440 598
B28	Hypertension with heart disease	M 1206 F 1490	— —	— —	— —	— —	1 2	13 207	232 523	432 755	528 755
B29	Hypertension without mention of heart	M 815 F 866	— —	— —	— —	— —	2 1	27 13	205 138	252 459	329 459
B46 (Pt.)	Other circulatory diseases (450-468)	M 1750 F 1884	— —	— —	— 1	— —	5 4	24 29	240 157	419 414	1062 1279
B30	Influenza	M 364 F 374	2 —	7 —	3 1	2 4	3 4	7 5	74 48	94 72	172 240
B31	Pneumonia	M 2216 F 2054	— —	200 139	32 37	12 11	15 8	68 53	391 203	520 420	978 1183
B32	Bronchitis	M 3960 F 1871	1 —	37 16	19 11	3 3	3 1	45 22	1195 247	1371 481	1286 1088
B46(Pt.)	Other diseases of respiratory system (470-475, 510-527)	M 844 F 337	2 2	10 8	5 2	9 9	5 4	35 24	318 83	302 59	158 146
B33	Ulcer of stomach and duodenum	M 808 F 305	— —	— 1	— —	1 —	3 —	40 9	277 54	260 98	227 143
B34	Appendicitis	M 126 F 80	— —	1 —	7 4	10 7	3 2	16 8	37 19	27 16	25 24
B35	Intestinal obstruction and hernia	M 325 F 359	16 11	7 6	4 1	2 —	2 2	10 14	73 54	95 124	116 147
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M 206 F 257	— —	37 27	6 5	3 2	3 8	17 16	40 45	41 68	59 86
B37	Cirrhosis of liver	M 134 F 107	— —	— —	1 2	2 —	— 1	11 12	58 41	42 33	20 18
B38	Nephritis and nephrosis	M 639 F 563	— —	1 2	5 2	11 9	22 15	90 71	183 163	145 140	182 161
B39	Hyperplasia of prostate	M 1000	—	—	—	—	—	—	44	244	712
B40	Complications of pregnancy, childbirth & puerperium	F 98	—	—	—	—	17	78	3	—	—
B41	Congenital malformations	M 552 F 497	238 185	140 158	35 43	26 19	23 17	31 29	43 30	9 9	7 7
B42	Birth injuries, postnatal asphyxia & atelectasis	M 618 F 413	610 408	8 5	— —	— —	— —	— —	— —	— —	— —
B43	Diarrhoea of newborn (764)	M 5 F 8	5 8	— —	— —	— —	— —	— —	— —	— —	— —
B43	Other infections of newborn (763, 765-768)	M 112 F 72	111 72	1 —	— —	— —	— —	— —	— —	— —	— —
B44	Other dis. of early infancy & immaturity unqualified	M 586 F 404	573 395	11 9	2 —	— —	— —	— —	— —	— —	— —
B45	Senility without mention of psychosis, ill-defined and unknown causes	M 931 F 1548	2 1	2 2	— 1	— —	2 1	1 3	14 6	44 50	866 1484
B46(Rem.)	All other diseases (Remainder 001-795)	M 1780 F 2461	16 7	42 38	30 28	34 28	50 37	139 202	548 690	435 658	486 773
BE47	Motor vehicle accidents	M 763 F 262	1 —	— —	28 20	50 17	155 15	214 37	161 63	78 45	76 65
BE48	All other accidents	M 1394 F 1251	12 10	51 41	39 27	76 34	99 33	256 122	343 174	180 174	338 801
BE49	Suicide and self-inflicted injury	M 670 F 453	— —	— —	— —	2 —	23 8	144 74	313 247	116 90	72 34
BE50	Homicide and operations of war	M 39 F 21	1 1	— —	3 1	3 2	2 2	4 5	18 5	5 4	3 1
BN47	Fractures, head injuries and internal injuries	M 1522 F 1087	3 1	— 3	33 19	70 25	188 17	355 45	366 93	177 169	330 715
BN48	Burns	M 61 F 101	— —	— —	7 12	1 14	6 3	9 3	13 9	8 15	17 45
BN49	Effects of poisons	M 490 F 482	— —	— 3	5 4	5 6	19 8	107 214	216 96	75 84	63 84
BN50	All other injuries	M 793 F 317	11 10	51 35	25 13	55 8	66 6	147 34	240 121	119 33	79 57
	"Delayed" maternal deaths (see page 190)	6	—	—	—	—	—	3	3	—	—

TABLE 19—continued

Abbreviated List No.	Causes of Death		Rural Districts									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
						1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M 52238 F 48001	1270	483	278	342	763	2156	11895	14156	20895	
			929	367	221	218	248	1567	8085	11562	24804	
B1	Tuberculosis of respiratory system	{ M 525 F 220	—	2	1	—	4	79	253	140	46	
B2	Tuberculosis, other forms	{ M 47 F 60	—	3	2	2	8	77	67	39	27	
			—	—	4	7	3	11	21	7	3	
B3	Syphilis and its sequelæ	{ M 145 F 74	—	—	—	1	1	5	25	58	26	
B4	Typhoid fever	{ M F	—	—	—	—	—	—	—	27	15	
B5	Cholera	{ M F	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M 3 F 5	—	—	—	1	1	1	1	1	1	
			—	—	—	—	—	—	—	—	2	
B7	Scarlet fever and streptococcal sore throat	{ M (2)7 F (2)3	—	—	1	1	(1)2	(1)2	1	(1)2	(1)2	
B8	Diphtheria	{ M F	—	—	1	—	—	—	—	—	(1)1	
B9	Whooping cough	{ M 8 F 10	—	4	3	—	—	—	—	—	1	
B10	Meningococcal infections	{ M 10 F 19	1	6	3	—	—	—	—	—	—	
			—	2	5	1	3	1	2	2	—	
B11	Plague	{ M F	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 15 F 14	—	1	2	2	8	2	—	—	—	
			—	—	—	4	7	—	—	—	—	
B13	Smallpox	{ M F	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M (1)4 F (1)3	—	1	1	(1)1	—	—	—	—	—	
			—	—	(1)2	1	—	—	—	—	1	
B15	Typhus and other rickettsial diseases	{ M F	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M F	—	—	—	—	—	1	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 97 F 102	1	2	3	7	6	15	41	13	9	
			3	3	1	6	4	17	36	16	16	
	Malignant neoplasm : (140-205)	{ M 8673 F 7692	1	1	29	52	66	373	3119	2715	2317	
	stomach (151)	{ M 1448 F 1081	—	2	32	29	39	474	2701	2126	2289	
			—	—	—	—	1	36	479	506	426	
			—	—	—	—	4	36	231	303	507	
	trachea, bronchus and lung (162, 163)	{ M 2251 F 334	—	—	—	1	1	66	1250	681	253	
	breast (170)	{ M 6 F 1520	—	—	—	—	—	22	156	91	63	
			—	—	—	—	—	1	1	1	3	
B18	uterus (171-174)	{ M 690 F 690	—	—	—	—	—	116	659	399	346	
			—	—	—	—	—	59	314	186	131	
	Leukæmia and aleukæmia (204)	{ M 241 F 201	—	1	15	14	19	39	57	47	49	
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M 4727 F 3866	1	1	13	38	45	231	1332	1480	1586	
			—	1	16	16	19	218	1270	1109	1217	
B19	Benign and unspecified neoplasms	{ M 140 F 161	1	4	1	2	5	21	57	27	22	
			—	2	3	6	2	26	63	30	29	
B20	Diabetes mellitus	{ M 224 F 405	—	—	1	2	5	20	46	67	83	
			—	—	1	1	2	9	80	158	154	
B21	Anæmias	{ M 131 F 207	1	2	—	1	2	6	25	30	64	
			—	1	—	4	—	8	26	57	111	
B22	Vascular lesions affecting central nervous system	{ M 6268 F 8346	1	3	—	2	10	83	1034	1904	3231	
B23	Nonmeningococcal meningitis	{ M 34 F 22	—	10	6	2	1	4	1214	2237	4779	
			2	7	4	—	—	1	2	5	1	
B24	Rheumatic fever	{ M 19 F 13	—	—	—	5	4	1	6	2	1	
B25	Chronic rheumatic heart disease	{ M 582 F 783	—	—	—	2	13	77	228	154	108	
			—	—	—	1	10	117	296	199	160	

TABLE 19—continued

Abbreviated List No.	Causes of Death	Rural Districts—continued											
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age							
						Years							
						1—	5—	15—	25—	45—	65—	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	8646	—	—	—	—	—	213	2678	3050	2705	
		F	5053	—	—	1	1	—	31	804	1800	2416	
		M	6660	—	—	—	—	2	36	423	1456	4743	
		F	8378	—	—	—	—	2	22	387	1481	6486	
B27	Other diseases of heart	M	896	—	3	1	1	6	33	160	269	42	
		F	935	—	1	1	—	4	13	107	259	42	
B28	Hypertension with heart disease	M	1097	—	—	—	—	3	6	230	364	550	
		F	1285	—	—	—	—	—	8	188	432	494	
B29	Hypertension without mention of heart	M	720	—	—	—	—	—	23	160	220	317	
B46 (Pt.)	Other circulatory diseases (450-468)	F	752	—	—	—	—	1	14	134	200	403	
		M	1588	—	—	—	—	3	21	178	394	992	
		F	1757	—	1	1	1	3	30	167	383	1171	
B30	Influenza	M	349	1	3	2	3	2	7	80	90	161	
		F	354	—	1	2	1	1	4	54	74	217	
B31	Pneumonia	M	2022	—	125	28	15	17	56	285	476	1020	
		F	1979	—	90	28	12	9	58	208	384	1190	
B32	Bronchitis	M	2652	2	30	24	8	3	23	621	899	1042	
		F	1361	1	12	10	5	5	25	172	317	814	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	776	2	4	8	7	5	35	269	258	188	
		F	325	2	5	12	6	10	29	66	54	141	
B33	Ulcer of stomach and duodenum	M	675	1	—	—	—	—	29	212	216	217	
		F	279	1	1	—	1	—	6	55	82	133	
B34	Appendicitis	M	108	—	—	2	8	3	12	34	27	22	
		F	64	—	—	—	3	3	5	20	17	16	
B35	Intestinal obstruction and hernia	M	305	16	11	3	2	1	11	72	77	112	
		F	258	8	3	—	1	3	5	59	75	104	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	156	—	31	5	2	—	11	34	35	38	
		F	225	—	24	4	2	4	15	40	56	80	
B37	Cirrhosis of liver	M	112	—	1	1	—	1	16	46	31	16	
		F	93	—	—	2	—	—	3	38	33	17	
B38	Nephritis and nephrosis	M	585	1	2	3	10	23	76	169	132	169	
		F	443	—	4	—	10	13	40	117	107	152	
B39	Hyperplasia of prostate	M	851	—	—	—	—	—	—	46	205	600	
B40	Complications of pregnancy, childbirth & puerperium	F	77	—	—	—	—	10	61	3	2	1	
B41	Congenital malformations	M	492	221	131	29	15	18	28	35	12	3	
		F	419	199	108	27	15	5	14	33	12	6	
B42	Birth injuries, postnatal asphyxia & atelectasis	M	505	500	5	—	—	—	—	—	—	—	
		F	321	317	4	—	—	—	—	—	—	—	
B43	Diarrhoea of newborn (764)	M	5	5	—	—	—	—	—	—	—	—	
		F	3	3	—	—	—	—	—	—	—	—	
		M	94	94	—	—	—	—	—	—	—	—	
	Other infections of newborn (763, 765-768)	F	64	63	1	—	—	—	—	—	—	—	
B44	Other dis. of early infancy & immaturity unqualified	M	399	393	5	1	—	—	—	—	—	—	
		F	309	303	5	—	1	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	892	—	3	—	—	4	6	9	62	808	
		F	1394	2	1	—	—	—	3	5	58	1325	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1748	18	42	31	45	51	164	476	438	483	
		F	2141	14	31	27	29	38	190	588	569	655	
BE47	Motor vehicle accidents	M	1048	—	—	30	70	308	259	217	76	88	
		F	247	—	2	16	36	31	42	49	38	33	
BE48	All other accidents	M	1295	7	48	54	74	163	262	258	141	288	
		F	1059	9	45	29	24	17	33	105	172	625	
BE49	Suicide and self-inflicted injury	M	592	—	—	—	—	24	111	305	104	48	
		F	284	—	—	—	—	8	53	148	52	23	
BE50	Homicide and operations of war	M	22	3	—	1	1	1	5	3	7	1	
		F	11	2	1	1	—	—	1	5	1	—	
BN47	Fractures, head injuries and internal injuries	M	1795	3	2	43	93	376	422	400	166	290	
		F	989	1	3	18	39	37	52	107	164	568	
BN48	Burns	M	61	—	1	8	2	4	7	5	13	21	
		F	92	—	—	15	8	4	5	12	15	33	
BN49	Effects of poisons	M	228	—	—	9	4	8	51	99	32	25	
		F	216	—	2	3	—	7	35	95	42	32	
BN50	All other injuries	M	873	7	45	25	46	108	157	279	117	89	
		F	304	10	43	10	13	8	37	93	42	48	
	"Delayed" maternal deaths (see page 190)		9	—	—	—	—	—	4	2	2	1	

TABLE 20—Suspended

TABLE 21—Causes of Death by Sex, 1956, classified in accordance with the Abridged List and Supplementary Abridged List (see statement below)

Note (1):—Publication of Table 20 has been suspended. Instead, Table 21 has been enlarged to include a cause analysis according to the Abridged List as well as the Supplementary Abridged List, but with no age details. A further cause analysis by detail of age is given for England and Wales, Standard Regions, Conurbations and National Aggregates by type of area in Table 19.

All details which prior to this change appeared in Table 20 and also figures (based on the Abridged List, without age detail) for administrative areas not separately shown in Table 21 are available at the General Register Office.

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar General in consultation with the Ministry of Health, and its relation to the detailed International Classification.

No.	Registrar General's Abridged List.	Corresponding number in the Detailed International Classification.
1.	Tuberculosis, respiratory	001-008.
2.	Tuberculosis, other	010-019.
3.	Syphilitic disease	020-029.
4.	Diphtheria	055.*
5.	Whooping cough	056.*
6.	Meningococcal infections	057.
7.	Acute poliomyelitis	080.
8.	Measles	085.*
9.	Other infective and parasitic diseases	030-054, 058-074, 081-084, 086-138.*
10.	Malignant neoplasm, stomach	151.
11.	Malignant neoplasm, lung, bronchus	162, 163.
12.	Malignant neoplasm, breast	170.
13.	Malignant neoplasm, uterus	171-174.
14.	Other malignant and lymphatic neoplasms	140-150, 152-161, 164, 165, 175-203, 205.
15.	Leukæmia, aleukæmia	204.
16.	Diabetes	260.
17.	Vascular lesions of nervous system	330-334.
18.	Coronary disease, angina	420.
19.	Hypertension with heart disease	440-443.
20.	Other heart disease	410-416, 421-434.
21.	Other circulatory disease	444-468.
22.	Influenza	480-483.
23.	Pneumonia	490-493, 763.
24.	Bronchitis	500-502.
25.	Other diseases of respiratory system	470-475, 510-527.
26.	Ulcer of stomach and duodenum	540, 541.
27.	Gastritis, enteritis and diarrhœa	543, 571, 572, 764.
28.	Nephritis and nephrosis	590-594.
29.	Hyperplasia of prostate	610.
30.	Pregnancy, childbirth, abortion	640-689.*
31.	Congenital malformations	750-759.
32.	Other defined and ill-defined diseases	210-254, 270-326, 340-402, 530-539, 542, 544-570, 573-587, 600-609, 611-637, 690-749, 760-762, 765-795.
33.	Motor vehicle accidents	E810-835.
34.	All other accidents	E800-802, 840-962.
35.	Suicide	E963, 970-979.
36.	Homicide and operations of war	E964, 965, 980-999.

* See notes (2) and (3) at head of page 237.

{England and Wales, Standard Regions, Wales, Conurbations, London A.C., City of London, Metropolitan and County Boroughs, Administrative Counties

Note (2):—*Epidemic diseases*: The deaths assigned in this table to the following categories of the International Statistical Classification include some where the interval between onset of the disease and death was stated to exceed 12 months:— 040-043, 050, 055, 056, 058, 084-087, 100-108. Where any such deaths occur in this table they are distinguished separately, in italicised brackets, alongside the figures in which they are included.

Note (3):—*Maternal deaths*. The deaths assigned in this table to maternal causes (I.S.C. Nos. 640-689) include some where the interval between the maternal condition and death was stated to exceed 12 months. Such deaths are distinguished in footnotes where they occur, as "Delayed" maternal deaths.

See also explanatory notes on page v.

THE SUPPLEMENTARY LIST OF SUBDIVISIONS OF THE ABRIDGED LIST OF CAUSES OF DEATH and its relation to the detailed International Classification.

No.	Registrar General's Supplementary Abridged List.	Detailed International Classification No.
2 (1)	Tuberculosis of meninges and nervous system	010.
9 (1)	Typhoid fever	040.*
9 (2)	Scarlet fever	050.*
9 (3)	Streptococcal sore throat	051.
9 (4)	Erysipelas, septicæmia, pyæmia	052, 053.
9 (5)	Acute infectious encephalitis	082.
9 (6)	Smallpox	084.*
9 (7)	Infectious hepatitis	092.
14 (1)	Malignant neoplasm, mouth and pharynx ..	140-148.
14 (2)	" " œsophagus	150.
14 (3)	" " intestine and rectum ..	152-154.
14 (4)	" " larynx	161.
13 (1)	" " cervix uteri	171.
14 (5)	Hodgkin's disease	201.
14 (6)	Lymphosarcoma, reticulosarcoma	200.
32 (1)	Thyrotoxicosis	252.
32 (2)	Otitis media and mastoiditis	391-393.
32 (3)	Rheumatic fever	400-402.
20 (1)	Chronic rheumatic heart disease	410-416.
21 (1)	Hypertension without mention of heart ..	444-447.
32 (4)	Appendicitis	550-553.
32 (5)	Intestinal obstruction and hernia	560, 561, 570.
32 (6)	Cirrhosis of liver	581.
32 (7)	Cholelithiasis, cholecystitis	584, 585.
30 (1)	Maternal sepsis (not abortion)	640, 641, 681, 682, 684.
30 (2)	Toxæmias of pregnancy and puerperium ..	642, 685, 686.
30 (3)	Abortion	650-652.
32 (8)	Birth injury	760, 761.
32 (9)	Post-natal asphyxia and atelectasis	762.
23 (1)	Pneumonia of newborn	763.
32 (11)	Ophthalmia, pemphigus, sepsis of newborn ..	765-768.
32 (12)	Hæmolytic disease of newborn	770.
32 (13)	Immaturity (without other disease peculiar to early infancy)	774, 776.
32 (14)	Senility without psychosis	794.
32 (15)	Ill-defined and unknown cause	780-789, 790-793, 795.

* See notes (2) and (3) at head of page.

TABLE 21—continued England and Wales, Standard Regions and Conurbations

Abridged List of Causes of Death (See first page of Table)			England and Wales	Northern			East & West Ridings			North Western				Midland			
				Total	Tyne-side Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western	North Midland	Total	West Midlands Conurbation	Remainder of
1	Tuberculosis, respiratory	M	3534	276	80	196	363	121	242	600	226	162	212	217	422	226	1
		F	1319	97	32	65	131	57	74	239	83	66	90	93	134	60	
2	Tuberculosis, other	M	270	22	5	17	35	12	23	45	20	7	18	12	33	20	
		F	252	20	6	14	31	15	16	39	21	3	15	29	16	5	
3	Syphilitic disease	M	922	65	14	51	89	37	52	146	75	25	46	55	68	32	
		F	452	25	8	17	60	27	33	68	21	14	33	35	33	16	
4	Diphtheria	M	(3)5	(1)2	—	(1)2	(1)1	—	(1)1	—	—	—	—	1	—	—	
		F	(2)3	—	—	—	—	—	—	—	—	—	—	—	(1)1	—	
5	Whooping cough	M	(1)42	2	—	2	(1)4	1	(1)3	10	1	6	3	4	8	6	
		F	(2)53	(2)5	(1)2	(1)3	6	3	8	8	2	2	4	3	8	7	
6	Meningococcal infections	M	109	7	1	6	18	5	13	20	8	4	8	9	11	6	
		F	80	6	2	4	4	1	3	20	9	3	8	2	6	3	
7	Acute poliomyelitis	M	68	4	—	4	2	—	2	21	10	1	10	1	2	1	
		F	46	2	1	4	4	1	3	11	8	1	2	1	1	1	
8	Measles	M	(1)15	1	—	1	—	—	2	2	—	—	(1)1	1	—	—	
		F	(1)15	1	—	1	1	1	(1)1	—	—	—	(1)1	2	2	2	
9	Other infective, etc., diseases	M	8)543	38	4	34	49	17	32	(1)93	30	19	(1)44	(1)36	(2)53	(1)26	(1)26
		F	6)547	(1)42	10	(1)32	43	20	23	(1)83	(1)29	24	30	41	72	36	36
10	Malignant neoplasm: stomach	M	7747	660	169	491	752	302	450	1190	455	224	511	573	763	379	379
		F	6206	513	147	366	565	267	298	1039	395	203	441	386	622	327	327
11	lung, bronchus	M	15615	951	306	645	1404	574	830	2481	974	589	918	1009	1503	830	6
		F	2571	134	48	86	220	101	119	450	189	108	153	160	208	123	4
12	breast	M	69	5	1	4	9	6	3	9	4	3	2	1	8	7	
		F	8580	462	105	357	684	303	381	1218	485	233	500	638	831	423	4
13	uterus	F	3946	323	94	229	364	167	197	657	250	109	298	254	375	197	1
14	Other malignant and lymphatic neoplasms	M	24275	1674	462	1212	2168	933	1235	3407	1277	695	1435	1851	2327	1175	11
		F	21386	1380	343	1037	1991	881	1110	3117	1197	618	1302	1447	1912	917	9
15	Leukæmia, aleukæmia	M	1229	76	23	53	101	31	70	169	59	35	75	73	121	59	
		F	1086	78	17	61	88	30	58	143	58	31	54	86	114	44	
16	Diabetes	M	1108	60	15	45	110	38	72	153	59	20	74	92	103	55	
		F	2134	128	31	97	209	80	129	385	143	74	168	177	211	108	
17	Vascular lesions of nervous system	M	31034	2686	652	2034	3185	1454	1731	4968	1842	827	2299	2490	2899	1443	14
		F	43453	3174	774	2400	4150	1972	2178	7128	2724	1113	3291	3259	3802	1791	20
18	Coronary disease, angina	M	46921	3688	976	2712	4816	2317	2499	7326	2587	1411	3328	3252	3880	1844	20
		F	27869	2174	564	1610	2837	1426	1411	4256	1510	879	1867	1905	2143	993	1
19	Hypertension with heart disease	M	5639	351	91	260	571	285	286	780	242	206	332	459	580	314	
		F	7051	438	128	310	692	324	368	991	304	242	445	504	627	338	
20	Other heart disease	M	34404	2392	545	1847	3101	1281	1820	5373	1939	925	2509	2786	3395	1494	10
		F	27869	3057	736	2321	4163	1905	2258	7749	2941	1242	3566	3582	4408	2101	2
21	Other circulatory disease	M	11031	784	216	568	1000	346	654	1623	682	263	678	943	859	403	
		F	12797	821	269	552	1236	479	757	1817	804	278	735	949	1029	469	
22	Influenza	M	1272	73	15	58	115	39	76	158	57	17	84	74	137	64	
		F	1354	73	19	54	113	53	60	175	69	23	83	94	108	39	
23	Pneumonia	M	11646	754	200	554	1169	578	591	1670	621	459	590	834	1059	580	
		F	11531	621	205	416	1048	558	490	1735	587	610	538	822	910	434	
24	Bronchitis	M	19852	1296	421	875	2158	972	1186	3620	1593	733	1294	1283	2069	1191	
		F	9818	499	169	330	992	452	540	1872	888	340	644	638	929	516	
25	Other diseases of respiratory system	M	3464	261	62	199	273	106	167	447	170	79	198	190	376	148	
		F	1648	121	48	73	133	55	78	227	88	51	88	131	169	92	
26	Ulcer of stomach and duodenum	M	3778	235	48	187	308	138	170	530	214	88	228	261	392	228	
		F	1564	97	29	68	115	60	55	209	92	35	82	102	147	86	
27	Gastritis, enteritis and diarrhoea	M	910	55	18	37	104	48	56	132	46	26	60	65	94	50	
		F	1249	82	20	62	106	52	54	189	88	32	69	78	125	53	
28	Nephritis and nephrosis	M	2651	208	45	163	277	103	174	385	119	74	192	212	248	109	
		F	2195	139	40	99	266	111	155	371	94	84	193	182	209	83	
29	Hyperplasia of prostate	M	3852	272	62	210	328	124	204	509	182	73	254	284	311	140	
30	Pregnancy, childbirth, abortion*	F	399	44	11	33	38	17	21	55	19	13	23	33	48	22	
31	Congenital malformations	M	2442	213	57	156	211	87	124	367	138	87	142	210	245	117	
		F	2133	199	47	152	206	71	135	367	144	87	136	179	234	108	
32	Other defined and ill-defined dis.	M	20465	1443	334	1109	1871	770	1101	3355	1256	569	1530	1591	2153	1060	13
		F	24825	1682	445	1237	2178	959	1219	4063	1493	772	1798	1787	2540	1267	13
33	Motor vehicle accidents	M	3739	283	54	229	363	143	220	511	162	104	245	317	405	177	
		F	1297	80	25	55	125	49	76	204	74	43	87	112	139	71	
34	All other accidents	M	5865	563	150	413	626	226	400	866	297	170	399	478	601	285	
		F	5404	386	102	284	579	254	325	891	320	181	390	439	511	259	
35	Suicide	M	3198	231	80	151	291	126	165	524	230	63	231	239	316	159	
		F	2084	116	44	72	198	93	105	346	147	46	153	148	216	112	
36	Homicide, operations of war	M	190	11	2	9	25	12	13	45	19	5	21	12	21	14	
		F	93	1	—	1	5	2	3	19	9	4	6	5	9	4	
"Delayed" maternal deaths (See page 237)			25	1	—	1	2	—	2	2	2	—	—	1	5	3	

TABLE 21—continued England and Wales, Standard Regions and Conurbations

Supplementary Abridged List of Causes of Death (See first page of Table)		England and Wales			Northern			East & West Ridings			North Western				Midland			
		M	F	Total	Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western	North Midland	Total	West Midlands Conurbation	Remainder of Midland
1) Tub. of meninges and nervous system	M	39	4	1	3	5	1	4	10	4	—	6	2	4	2	2	2	2
1) Typhoid fever	F	52	3	2	1	9	5	4	12	8	—	4	3	3	3	1	1	1
	M	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
2) Scarlet fever	M	(8)8	—	—	—	—	—	—	(7)1	—	—	(7)1	—	(7)1	(2)2	(7)1	(7)1	(7)1
3) Streptococcal sore throat	F	(6)7	(7)1	—	(7)1	—	—	—	(7)1	—	—	(7)1	—	(7)1	(7)1	(7)1	(7)1	(7)1
	M	15	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	13	1	—	1	3	3	2	1	1	1	—	—	—	—	1	1	—
4) Erysipelas, septicaemia, pyaemia	M	65	4	—	4	9	3	6	6	6	3	3	5	3	6	4	2	2
5) Acute infectious encephalitis	F	48	4	1	3	3	1	1	10	3	3	2	3	2	9	8	1	1
	M	58	4	—	4	4	1	—	17	4	3	10	4	2	8	8	7	7
	F	48	5	2	3	1	—	1	5	3	—	2	—	2	9	5	4	4
6) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7) Infectious hepatitis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	116	6	1	5	9	4	5	18	5	8	5	8	5	10	12	6	6
	F	156	13	5	8	12	4	8	24	5	12	7	7	8	21	8	8	13
1) Malig. neoplasm, mouth and pharynx	M	1234	98	32	66	111	53	58	203	74	49	80	77	110	52	58	58	58
2) Malig. neoplasm, oesophagus	F	654	39	8	31	65	24	41	110	31	22	57	51	61	25	36	36	36
	M	1378	89	23	66	104	53	51	205	78	48	79	90	127	61	66	66	66
	F	959	55	14	41	78	34	44	131	50	25	56	53	72	22	50	50	50
3) Malig. neoplasm, intestine and rectum	M	7089	532	133	399	670	280	390	1018	409	192	417	603	700	357	343	343	343
4) Malig. neoplasm, larynx	F	7953	521	138	383	787	347	440	1215	486	226	503	538	742	384	358	358	358
	M	675	9	12	36	60	21	39	118	37	29	52	53	57	31	26	26	26
	F	169	8	3	6	16	8	31	15	5	11	9	11	11	2	9	9	9
1) Malig. neoplasm, cervix uteri	F	2511	232	70	162	243	116	127	433	163	73	197	169	230	119	111	111	111
5) Hodgkin's disease	M	507	28	5	23	44	17	27	79	25	12	42	34	49	25	24	24	24
	F	309	29	7	22	29	12	17	47	19	10	18	17	18	5	13	13	13
6) Lymphosarcoma, reticulosarcoma	M	459	42	9	33	32	12	20	47	11	19	17	31	53	27	26	26	26
1) Thyrotoxicosis	F	372	28	5	23	30	17	13	33	13	8	12	23	44	19	25	25	25
	M	50	2	2	5	2	3	7	3	7	1	6	3	5	2	3	3	3
	F	300	14	7	7	17	8	9	36	10	8	18	23	43	27	16	16	16
2) Otitis media and mastoiditis	M	148	16	4	12	16	7	9	15	6	3	6	10	23	14	9	9	9
3) Rheumatic fever	F	79	5	1	4	8	5	3	19	7	2	10	5	8	3	5	5	5
	M	102	12	1	11	6	2	4	22	9	2	11	5	15	8	7	7	7
	F	106	11	4	7	10	1	9	12	3	4	5	8	12	8	4	4	4
1) Chronic rheumatic heart disease	M	3049	228	64	164	281	121	160	476	202	87	187	207	324	161	163	163	163
1) Hypertension without mention of heart	F	5161	369	106	263	528	252	276	907	362	198	347	316	467	232	235	235	235
	M	3659	205	62	143	270	120	150	457	182	96	179	337	325	177	148	148	148
	F	4049	239	83	156	287	115	172	509	198	116	195	317	335	160	175	175	175
4) Appendicitis	M	522	23	3	20	42	15	27	75	31	10	34	38	59	29	30	30	30
5) Intestinal obstruction and hernia	F	331	23	6	17	24	3	21	47	18	10	19	14	27	10	17	17	17
	M	1481	77	18	59	133	58	75	256	96	51	109	129	132	70	62	62	62
	F	1585	102	29	73	136	63	73	256	110	46	100	108	147	83	64	64	64
6) Cirrhosis of liver	M	618	45	16	29	53	25	28	96	36	16	44	54	61	34	27	27	27
7) Cholelithiasis, cholecystitis	F	535	46	16	30	47	25	22	83	37	16	30	41	73	37	36	36	36
	M	466	32	8	24	50	23	27	61	19	14	28	31	53	23	30	30	30
	F	984	68	20	48	119	71	48	160	55	30	75	65	78	48	30	30	30
1) Maternal sepsis (not abortion)	F	50	7	2	5	3	1	2	6	3	2	1	5	10	4	6	6	6
2) Toxæmia of pregnancy and puerperium	F	112	14	2	12	10	5	5	19	7	7	5	8	15	6	9	9	9
3) Abortion	F	72	7	2	5	6	2	4	9	2	2	5	6	8	4	4	4	4
8) Birth injury	M	1157	83	21	62	90	31	59	194	83	56	55	93	149	69	80	80	80
9) Post-natal asphyxia and atelectasis	F	728	64	21	43	58	30	28	115	39	33	43	57	79	37	42	42	42
	M	1522	80	19	61	174	57	117	240	93	79	68	131	166	91	75	75	75
	F	964	49	8	41	120	35	85	153	63	48	42	78	112	47	65	65	65
1) Pneumonia of newborn	M	502	36	7	29	61	24	37	79	27	19	33	42	77	39	38	38	38
11) Ophth., pemphigus, sepsis of newborn	F	304	31	8	23	30	19	11	38	12	16	10	19	44	16	28	28	28
	M	30	1	—	1	3	1	2	8	6	2	—	4	1	1	—	—	—
	F	32	2	—	2	1	1	1	4	2	1	1	7	3	2	1	1	1
12) Hemolytic disease of newborn	M	182	10	1	9	22	12	10	36	18	7	11	10	19	5	14	14	14
13) Immaturity (without other dis. peculiar to early infancy)	F	171	11	2	9	19	8	11	37	15	10	12	12	7	2	5	5	5
	M	1827	205	46	159	203	80	123	336	112	56	168	133	180	82	98	98	98
	F	1355	157	42	115	135	52	83	248	71	52	125	100	133	72	61	61	61
14) Senility without psychosis	M	3049	209	40	169	251	92	159	572	193	36	343	262	413	231	182	182	182
15) Ill-defined and unknown cause	F	5419	333	85	248	441	174	267	921	348	94	479	424	714	362	352	352	352
	M	159	17	5	12	13	6	7	26	6	7	13	11	6	4	2	2	2
	F	118	16	4	12	16	2	4	18	5	5	8	7	4	2	2	2	2

TABLE 21—continued Standard Regions and Conurbations. Urban and Rural Aggregates.

Abridged List of Causes of Death (See first page of Table)			London & South Eastern				Wales (including Monmouthshire)			Areas outside Conurbations						
			Eastern	Total	Greater London	Remainder of South Eastern	Southern	South Western	Total	Wales I (South East)	Wales II (Remainder)	Conurbations	Urban areas with populations of 100,000 and over	Urban areas with poplns. of 50,000 & under 100,000	Urban areas with populations under 50,000	Rural Districts
1	Tuberculosis, respiratory	M	172	826	676	150	168	210	280	188	92	1491	552	263	703	525
2	Tuberculosis, other	M	62	302	230	72	71	74	116	85	31	528	196	109	266	220
		F	13	61	46	15	14	19	16	6	10	110	39	21	53	74
		F	14	53	35	18	9	24	17	12	5	85	32	25	50	60
3	Syphilitic disease	M	53	279	239	40	51	63	53	37	16	422	112	71	168	149
4	Diphtheria	M	29	142	104	38	17	26	17	11	6	190	57	39	92	74
		F	—	(1)	(1)	—	—	—	—	—	—	(1)	1	(1)	—	(1)
		F	—	(1)	(1)	—	—	—	—	—	—	(1)	1	—	—	—
5	Whooping cough	M	3	1	1	—	3	5	2	1	1	15	—	8	(1)11	8
		F	5	9	7	2	3	1	5	4	1	(1)23	3	4	(1)13	10
6	Meningococcal infections	M	6	19	17	2	4	2	13	12	1	41	21	11	17	19
		F	5	21	17	4	3	7	6	4	2	35	6	9	19	11
7	Acute poliomyelitis	M	7	21	10	11	4	2	4	1	3	22	2	6	23	15
		F	3	20	8	12	3	1	—	—	—	20	2	3	7	14
8	Measles	M	—	1	1	—	(1)	4	4	2	2	3	—	—	8	(1)
		F	2	4	2	2	2	—	—	—	—	5	2	5	5	(1)
9	Other infective, etc., diseases	M	(1)35	2124	(2)84	40	34	(1)46	35	26	9	(3)180	(1)87	(1)43	(1)125	(2)108
		F	(2)23	(1)134	(1)103	31	43	(1)30	36	(1)25	5	(2)222	73	31	(2)111	(2)110
10	Malignant neoplasm: stomach	M	538	1691	1274	417	411	538	631	411	220	2803	1128	611	1757	1448
		F	427	1393	1033	360	363	384	514	344	170	2372	890	491	1372	1081
11	lung, bronchus	M	1042	4628	3638	990	938	885	774	566	208	6911	2242	1122	3089	2251
		F	187	844	649	195	161	124	83	56	27	1218	344	201	474	334
12	breast	M	3	23	16	7	4	3	4	4	—	37	4	2	20	6
		F	669	2450	1757	693	526	626	476	322	154	3306	1124	691	1939	1520
13	uterus	M	24	970	699	271	254	266	239	170	69	1516	550	281	909	690
14	Other malignant and lymphatic neoplasms	M	1819	6280	4579	1701	1507	1787	1455	1000	455	9121	3165	1944	5318	4702
		F	1635	5787	4211	1576	1344	1557	1216	792	424	8167	2830	1721	4802	3861
15	Leukæmia, aleukæmia	M	97	337	255	82	92	94	69	47	22	462	166	94	266	24
		F	82	315	232	83	66	72	42	29	13	412	134	92	247	20
16	Diabetes	M	100	268	199	69	57	96	69	47	22	386	135	80	283	22
		F	127	461	344	117	127	153	156	116	40	780	273	184	492	40
17	Vascular lesions of nervous system	M	2327	6223	4270	1953	1919	2255	2082	1414	668	10488	4066	2417	7795	6261
		F	3244	9876	6601	3275	2823	3349	2648	1731	917	14975	5827	3666	10639	8341
18	Coronary disease, angina	M	3380	11457	8406	3051	2857	3245	3020	2179	841	17541	6326	3686	10722	864
		F	2074	7121	5116	2005	1834	1996	1529	1075	454	10488	3700	2298	6330	505
19	Hypertension with heart disease	M	468	1300	948	352	323	422	385	274	111	2086	828	422	1206	109
		F	557	1843	1382	461	436	537	426	290	136	2718	1029	529	1490	128
20	Other heart disease	M	2614	7174	4475	2699	2214	3101	2254	1571	683	10659	4334	2723	8550	813
		F	3482	11429	7444	3985	3018	4292	2807	1922	885	16369	6099	3939	11484	1009
21	Other circulatory disease	M	824	2587	1892	695	700	931	780	557	223	3802	1539	817	2565	230
		F	903	3497	2557	940	737	1039	769	518	251	4856	1752	930	2750	250
22	Influenza	M	137	222	152	70	110	183	63	38	25	344	137	78	364	34
		F	145	270	161	109	105	210	61	35	26	364	151	111	374	35
23	Pneumonia	M	936	3055	2265	790	753	872	544	391	153	4703	1613	897	2323	211
		F	942	3418	2551	867	796	850	389	280	109	4945	1535	897	2120	203
24	Bronchitis	M	1047	5208	4200	1008	951	950	1270	1017	253	9110	2735	1395	3960	265
		F	578	2778	2245	533	444	517	384	133	610	4610	1256	720	1871	136
25	Other diseases of respiratory system	M	196	741	525	216	197	310	473	403	70	1090	517	237	844	77
		F	121	426	303	123	96	134	90	61	29	637	218	131	337	32
26	Ulcer of stomach and duodenum	M	280	1095	805	290	234	239	204	140	64	1521	471	303	808	67
		F	129	481	375	106	110	112	62	44	18	677	187	116	305	27
27	Gastritis, enteritis and diarrhœa	M	69	226	156	70	57	66	42	34	8	344	117	77	211	16
		F	89	350	261	89	84	87	59	41	18	506	153	97	265	22
28	Nephritis and nephrosis	M	178	569	418	151	148	206	220	141	79	868	349	210	639	58
		F	134	429	289	140	110	161	194	143	51	701	306	182	563	44
29	Hyperplasia of prostate	M	333	861	602	259	255	337	362	249	113	1183	502	316	1000	85
30	Pregnancy, childbirth, abortion*	M	26	76	61	15	18	27	34	25	9	143	49	32	98	7
31	Congenital malformations	M	175	531	391	140	145	160	185	139	46	877	318	203	552	49
		F	138	415	314	101	119	120	156	115	41	771	280	166	497	41
32	Other defined and ill-defined dis.	M	1511	4408	3120	1288	1283	1400	1450	1001	449	7109	2507	1547	4903	439
		F	1804	5606	3966	1640	1501	1861	1803	1258	545	8902	3002	1993	5936	499
33	Motor vehicle accidents	M	340	783	571	212	249	264	224	154	70	1211	445	272	763	104
		F	88	316	249	67	93	78	62	49	13	511	172	105	262	24
34	All other accidents	M	425	1179	849	330	332	381	414	303	111	1977	746	453	1394	129
		F	429	1191	777	414	332	368	278	185	93	1893	723	478	1251	105
35	Suicide	M	236	815	629	186	167	219	160	102	58	1287	398	251	670	59
		F	158	562	426	136	127	133	80	57	23	868	278	201	453	28
36	Homicide, operations of war	M	10	37	25	12	11	11	7	7	—	77	36	16	39	2
		F	6	28	24	4	8	3	9	9	—	43	11	7	21	1
** "Delayed" maternal deaths (see page 237)			6	3	1	2	2	3	—	—	—	6	4	—	6	—

TABLE 21—continued Standard Regions and Conurbations. Urban and Rural Aggregates.

Supplementary Abridged List of Causes of Death (See first page of Table)		London & South Eastern					Southern	South Western	Wales (including Monmouthshire)			Conurbations	Areas outside Conurbation.				Rural Districts	
		Eastern	Total	Greater London	Remainder of South Eastern				Total	Wales I (South East)	Wales II (Remainder)		Urban areas with populations of 100,000 and over	Urban areas with poplns. of 50,000 & under 100,000	Urban areas with populations under 50,000			
1) Tub. of meninges and nervous system	M	—	8	5	3	2	3	1	1	—	13	5	5	12	4			
	F	3	7	4	3	2	6	4	3	—	20	4	4	6	18			
2) Typhoid fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—			
	F	—	1	—	1	—	—	—	—	—	—	—	1	—	—			
3) Scarlet fever	M	(1)1	(2)2	(2)2	—	—	(1)1	—	—	—	(3)3	(1)1	(1)1	(1)1	(2)2			
	F	(2)2	(1)1	(1)1	—	—	—	(1)1	(1)1	—	(2)3	(2)3	(2)2	(2)2	(2)2			
4) Streptococcal sore throat	M	—	—	2	2	2	4	1	1	—	3	4	1	2	5			
	F	1	4	1	—	3	1	1	1	—	6	2	1	3	1			
5) Erysipelas, septicaemia, pyaemia	M	8	16	9	7	2	2	8	7	1	17	14	10	12	12			
	F	2	10	7	3	4	3	1	1	—	26	2	3	7	10			
6) Acute infectious encephalitis	M	1	14	10	4	2	5	2	2	—	19	7	3	20	9			
	F	3	13	11	2	3	5	2	1	1	21	7	2	13	5			
7) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
8) Infectious hepatitis	M	7	36	26	10	8	5	5	5	—	50	17	10	26	13			
	F	6	43	36	7	13	9	7	7	—	70	24	8	29	25			
9) Malig. neoplasm, mouth and pharynx	M	90	301	213	88	79	88	77	52	25	473	163	107	262	229			
	F	59	148	111	37	41	33	47	31	16	221	112	52	143	126			
10) Malig. neoplasm, oesophagus	M	98	374	256	118	84	98	109	71	38	519	160	98	324	277			
	F	75	238	163	75	70	89	98	60	38	308	129	77	210	235			
11) Malig. neoplasm, intestine and rectum	M	520	1660	1211	449	439	504	443	301	142	2582	879	524	1629	1475			
	F	575	2046	1471	575	502	570	457	292	165	3052	1046	646	1826	1383			
12) Malig. neoplasm, larynx	M	43	172	133	39	39	45	40	30	10	263	111	62	143	96			
	F	9	32	22	10	9	17	26	19	7	55	28	12	41	33			
13) Malig. neoplasm, cervix uteri	F	146	584	424	160	162	150	162	120	42	965	382	175	567	422			
14) Hodgkin's disease	M	35	145	109	36	26	36	31	22	9	193	71	42	104	97			
	F	26	100	79	21	15	16	12	9	3	132	31	29	61	56			
15) Lymphosarcoma, reticulosarcoma	M	39	128	100	28	28	37	22	14	8	178	62	31	91	97			
	F	33	101	69	32	34	22	24	18	6	131	60	23	74	84			
16) Thyrotoxicosis	M	7	9	4	5	5	3	4	4	—	9	10	7	14	10			
	F	26	50	35	15	23	40	28	14	14	95	30	15	63	97			
17) Otitis media and mastoiditis	M	10	35	26	9	7	8	6	2	2	60	14	13	29	32			
	F	3	19	13	6	4	3	5	5	—	31	9	8	21	10			
18) Rheumatic fever	M	2	20	15	5	6	7	7	7	—	37	13	8	25	19			
	F	4	20	15	5	7	7	15	12	3	35	18	5	35	13			
19) Chronic rheumatic heart disease	M	185	716	560	156	171	224	237	185	52	1195	430	194	648	582			
	F	295	1367	1089	278	261	292	359	278	81	2239	746	346	1047	783			
20) Hypertension without mention of heart	M	262	1012	799	213	224	277	290	209	81	1436	430	258	815	720			
	F	293	1274	968	306	217	277	301	196	105	1640	502	289	866	752			
21) Appendicitis	M	34	139	99	40	48	38	26	18	8	187	55	46	126	108			
	F	29	92	68	24	19	30	26	17	9	115	42	30	80	64			
22) Intestinal obstruction and hernia	M	97	389	285	104	89	99	80	56	24	578	158	115	325	305			
	F	86	434	310	124	104	117	95	71	24	641	198	129	359	258			
23) Cirrhosis of liver	M	34	152	115	37	43	48	32	21	11	242	81	49	134	112			
	F	38	110	83	27	31	36	30	21	9	214	86	35	107	93			
24) Cholelithiasis, cholecystitis	M	37	104	77	27	30	38	30	21	9	164	64	26	106	106			
	F	63	226	157	69	56	73	76	53	23	381	131	91	212	169			
25) Maternal sepsis (not abortion)	F	3	2	2	—	4	3	7	5	2	14	7	4	8	17			
26) Toxaemias of pregnancy and puerperium	F	9	17	12	5	4	9	7	6	1	39	12	5	32	24			
27) Abortion	F	3	22	19	3	5	3	3	3	—	31	8	5	18	10			
28) Birth injury	M	74	223	174	49	81	87	83	66	17	434	151	77	273	222			
	F	46	143	115	28	51	47	68	54	14	275	89	48	180	136			
29) Post-natal asphyxia and atelectasis	M	90	307	240	67	90	110	134	93	41	579	223	92	345	283			
	F	60	199	148	51	47	66	80	53	27	349	129	68	233	185			
30) Pneumonia of newborn	M	29	87	62	25	32	38	21	18	3	178	75	54	107	88			
	F	27	55	40	15	23	19	18	17	1	111	41	31	66	55			
31) Ophthalmia pemphigus, sepsis of newborn	M	1	6	6	—	—	3	3	1	2	16	1	2	5	6			
	F	4	7	6	1	—	3	—	—	—	12	2	3	6	9			
32) Hemolytic disease of newborn	M	18	44	29	15	5	7	11	10	1	72	26	15	38	31			
	F	17	42	35	7	8	7	11	7	4	72	24	13	32	30			
33) Immaturity (without other dis. peculiar to early infancy)	M	131	358	260	98	91	81	109	85	24	636	258	166	454	313			
	F	92	287	208	79	74	58	71	52	19	497	156	143	311	248			
34) Senility without psychosis	M	247	399	230	169	174	206	316	214	102	822	285	202	888	852			
	F	446	863	563	300	342	458	477	319	158	1626	507	397	1518	1371			
35) Ill-defined and unknown cause	M	16	34	24	10	15	9	12	8	4	52	12	12	43	40			
	F	7	28	19	9	11	12	9	6	3	37	15	13	30	23			

TABLE 21—continued—London A.C., City of London, Metropolitan Boroughs

Abridged List of Causes of Death (See first page of Table)		London Administrative County	City of London	Battersea	Bermondsey	Bethnal Green	Camberwell	Chelsea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead
1	Tuberculosis, respiratory	M 321 F 102	2	8	7	4	21	1	12	4	9	9	16	13	—
2	Tuberculosis, other	M 19 F 13	—	6	3	1	3	—	3	1	3	3	2	4	4
3	Syphilitic disease	M 110 F 47	1	4	—	1	2	4	2	3	4	4	6	—	—
4	Diphtheria	M 4 F (1)2	—	4	1	—	4	—	—	2	—	—	—	4	—
5	Whooping cough	M 5 F 6	—	—	—	—	1	—	—	—	—	—	—	—	—
6	Meningococcal infections	M 6 F 9	—	—	—	—	—	—	—	—	—	—	—	1	1
7	Acute poliomyelitis	M 4 F 2	—	1	1	—	—	—	—	—	—	—	—	—	1
8	Measles	M 2 F 2	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Other infective, etc., diseases	M (1)34 F (1)39	1	1	—	—	(1)2	1	—	1	1	1	—	—	1
10	Malignant neoplasm: stomach	M 540 F 437	—	18	10	10	29	8	11	3	13	12	35	16	16
11	lung, bronchus	M 1,636 F 278	7	49	25	19	77	25	54	17	68	54	76	64	28
12	breast	M 9 F 727	—	8	2	7	2	6	7	6	9	4	3	9	6
13	uterus	M 315 F 315	—	17	5	7	44	21	25	1	21	13	40	12	26
14	Other malignant and lymphatic neoplasms	M 1,945 F 1,837	6	67	28	36	98	39	62	17	70	52	83	52	41
15	Leukæmia, aleukæmia	M 102 F 94	—	4	1	3	3	2	3	1	8	3	6	3	3
16	Diabetes	M 84 F 158	—	3	—	5	1	1	—	2	3	7	4	4	3
17	Vascular lesions of nervous system	M 1,593 F 2,565	2	66	20	17	88	43	29	9	44	36	62	60	38
18	Coronary disease, angina	M 3,387 F 2,167	9	99	51	57	140	50	85	43	109	80	184	112	127
19	Hypertension with heart disease	M 426 F 601	1	10	6	1	30	9	12	1	11	14	13	16	13
20	Other heart disease	M 1,855 F 2,882	—	67	28	13	103	58	68	14	66	49	94	55	23
21	Other circulatory disease	M 795 F 1,134	2	109	34	32	137	60	92	22	107	54	145	97	60
22	Influenza	M 60 F 60	—	4	—	1	6	—	2	1	—	3	1	2	—
23	Pneumonia	M 1,023 F 1,162	5	32	21	17	39	15	36	9	31	37	39	29	18
24	Bronchitis	M 2,036 F 1,113	3	83	41	35	132	23	47	25	70	48	112	75	27
25	Other diseases of respiratory system	M 229 F 126	2	13	3	4	10	6	3	1	8	6	6	8	4
26	Ulcer of stomach and duodenum	M 385 F 155	1	9	8	10	21	10	10	5	11	5	14	6	12
27	Gastritis, enteritis and diarrhœa	M 71 F 112	—	2	1	1	4	—	1	—	3	1	2	1	—
28	Nephritis and nephrosis	M 184 F 125	1	6	3	2	5	3	9	1	3	9	10	9	4
29	Hyperplasia of prostate	M 262 F 27	—	3	2	5	13	5	7	1	10	9	15	10	6
30	Pregnancy, childbirth, abortion*	M 27 F 134	—	3	—	—	1	—	2	—	—	—	1	—	1
31	Congenital malformations	M 164 F 134	—	7	2	4	7	5	6	1	8	4	3	10	1
32	Other defined and ill-defined dis.	M 1,356 F 1,698	2	48	19	18	67	25	26	13	66	28	58	51	37
33	Motor vehicle accidents	M 208 F 109	—	7	3	4	11	2	3	—	6	3	7	14	2
34	All other accidents	M 397 F 331	3	11	4	5	19	6	7	1	3	17	8	24	5
35	Suicide	M 301 F 179	1	11	8	6	17	4	6	1	12	3	11	10	10
36	Homicide, operations of war	M 15 F 13	—	—	—	—	7	3	1	—	—	—	1	1	—
**"Delayed" maternal deaths (see page 237)			—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 21—continued—London A.C., City of London, Metropolitan Boroughs

Supplementary Abridged List of Causes of Death (See first page of Table)		London Administrative County	City of London	Battersea	Bermondsey	Bethnal Green	Camberwell	Chelsea	Deptford	Finbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead
2(1) Tub. of meninges and nervous system	M	3	—	—	—	2	—	—	—	—	—	—	—	—	—
9(1) Typhoid fever	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(2) Scarlet fever	M	(J)1	—	—	—	—	(J)1	—	—	—	—	—	—	—	—
	F	(J)1	—	—	—	—	—	—	—	—	—	—	—	—	—
9(3) Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(4) Erysipelas, septicaemia, pyaemia	M	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9(5) Acute infectious encephalitis	M	4	—	1	—	—	—	—	—	1	—	—	—	—	—
	F	4	—	—	—	—	—	—	—	—	—	—	—	—	—
9(6) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7) Infectious hepatitis	M	16	—	—	—	—	1	1	—	1	—	1	—	—	1
	F	17	—	—	—	—	—	—	—	1	—	—	4	—	1
4(1) Malig. neoplasm, mouth and pharynx	M	111	—	4	1	—	4	1	9	—	1	4	5	2	—
	F	56	—	—	1	1	1	1	2	—	1	1	6	2	3
4(2) Malig. neoplasm, oesophagus	M	119	1	4	—	2	2	2	5	—	2	6	1	8	3
	F	80	—	5	—	1	3	5	—	1	5	3	4	2	8
4(3) Malig. neoplasm, intestine and rectum	M	504	2	17	7	12	24	10	14	4	21	18	16	19	12
	F	627	1	16	14	9	38	19	16	6	27	12	35	20	28
4(4) Malig. neoplasm, larynx	M	58	—	2	1	—	5	—	3	—	5	1	1	—	—
	F	11	—	1	—	—	—	—	—	—	1	—	—	1	—
3(1) Malig. neoplasm, cervix uteri	F	205	—	4	5	2	10	6	4	1	3	4	10	5	6
4(5) Hodgkin's disease	M	46	—	5	—	—	1	—	2	1	2	3	4	—	—
	F	30	—	1	—	—	—	1	—	—	—	1	2	—	2
4(6) Lymphosarcoma, reticulosarcoma	M	50	1	1	1	1	2	2	1	—	1	1	3	1	—
	F	33	—	—	—	—	1	—	—	—	—	—	2	1	2
2(1) Thyrotoxicosis	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	16	—	—	—	—	—	1	—	—	—	—	—	2	—
2(2) Otitis media and mastoiditis	M	15	—	—	—	—	—	—	—	—	1	1	—	2	—
	F	7	—	—	—	—	—	—	—	—	—	—	—	—	—
2(3) Rheumatic fever	M	8	—	—	—	—	2	—	—	—	—	—	—	1	—
	F	6	—	1	—	—	—	—	—	—	—	1	—	—	1
10(1) Chronic rheumatic heart disease	M	251	—	8	7	5	17	4	4	2	9	4	12	7	5
	F	470	—	15	11	15	21	10	13	7	22	10	24	11	17
1(1) Hyperten. without mention of heart	M	358	—	11	11	8	18	6	15	2	13	9	13	14	10
	F	455	—	16	11	11	33	13	14	4	20	7	12	13	16
2(4) Appendicitis	M	48	—	3	1	1	4	2	2	—	3	—	4	1	—
	F	33	—	1	1	—	1	—	—	—	2	1	7	—	1
2(5) Intestinal obstruc. and hernia	M	125	—	8	2	2	8	4	2	1	3	2	5	3	3
	F	140	1	2	3	5	8	2	5	1	3	5	6	4	7
2(6) Cirrhosis of liver	M	58	—	4	1	—	1	—	1	—	4	4	—	2	1
	F	38	—	2	2	1	2	2	1	—	1	—	—	—	1
2(7) Cholelithiasis, cholecystitis	M	42	—	1	1	—	7	—	—	—	3	1	2	—	—
	F	67	—	2	1	—	6	1	2	—	2	1	3	3	4
10(1) Maternal sepsis (not abortion)	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10(2) Toxæmias of pregnancy and puerperium	F	3	—	—	—	—	—	—	1	—	—	—	—	—	—
10(3) Abortion	F	11	—	1	—	—	—	—	1	—	—	—	1	—	1
12(8) Birth injury	M	86	1	6	2	2	5	1	2	1	4	—	2	2	1
	F	52	1	1	1	1	1	2	—	2	—	1	2	—	4
12(9) Post-natal asphyxia and atelectasis	M	115	—	3	3	2	8	3	4	4	4	1	7	1	7
	F	75	—	2	3	1	9	2	—	1	2	2	2	4	3
3(1) Pneumonia of newborn	M	25	—	2	—	—	—	—	1	1	—	2	—	1	1
	F	25	—	—	—	1	—	—	1	1	—	—	1	—	—
2(11) Ophth., pemphigus, sepsis of newborn	M	4	—	—	—	—	—	—	—	—	—	—	—	—	1
	F	3	—	—	—	—	—	—	—	—	—	—	—	—	—
12(12) Haemolytic disease of newborn	M	12	1	—	—	2	—	—	—	—	—	—	—	1	—
	F	20	—	1	—	1	—	—	—	—	—	—	—	—	—
12(13) Immaturity (without other dis. peculiar to early infancy)	M	117	—	10	1	2	6	1	5	4	7	1	5	7	2
	F	97	—	4	4	3	6	2	1	2	9	1	5	3	1
12(14) Senility without psychosis	M	102	—	3	—	—	2	—	1	—	4	—	1	2	1
	F	231	—	3	3	1	5	9	—	—	11	1	8	9	3
12(15) Ill-defined and unknown cause	M	14	—	1	—	—	—	—	—	—	—	—	1	1	1
	F	10	—	—	—	—	1	—	—	—	—	1	—	—	1

TABLE 21—continued—Metropolitan and County Boroughs

Abridged List of Causes of Death (See first page of Table)		Holborn	Islington	Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth	Westminster	Woolwich	Barnsey	Barrow-in-Furness	Bath	Birkenhead
1	Tuberculosis, respiratory	M	1	26	12	18	24	9	5	20	2	16	12	2	34	14	11	10	10	2	19
2	Tuberculosis, other	F	1	8	7	4	5	—	3	4	1	5	5	1	10	2	6	1	3	2	6
3	Syphilitic disease	M	—	10	5	6	6	4	5	11	1	1	7	1	12	2	5	3	1	1	5
4	Diphtheria	F	—	3	4	1	2	1	1	1	1	1	2	—	7	1	2	1	1	2	1
5	Whooping cough	M	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1
6	Meningococcal infections	F	—	1	1	1	—	—	—	—	—	1	—	—	1	—	3	2	1	1	2
7	Acute poliomyelitis	M	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	1	—	—	1
8	Measles	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
9	Other infective, etc. diseases	M	1	2	3	2	3	—	1	3	—	—	2	—	7	2	1	2	1	—	1
10	Malignant neoplasm: stomach	F	1	4	1	2	1	2	(1)	4	1	7	1	—	10	10	2	2	1	—	3
11	lung, bronchus	M	19	119	55	105	96	54	40	84	26	54	60	15	189	40	66	15	16	28	48
12	breast	F	1	22	18	19	12	5	9	17	3	10	10	2	41	51	7	6	4	8	1
13	uterus	M	6	48	34	36	41	22	20	20	12	18	21	11	135	25	31	11	9	19	26
14	Other malignant and lymphatic neoplasms	F	26	19	22	21	8	2	11	13	3	5	11	5	60	6	14	7	8	15	15
15	Leukemia, aleukemia	M	17	123	80	121	118	43	37	55	76	42	66	54	31	272	67	92	29	43	57
16	Diabetes	F	11	102	113	113	113	54	39	52	70	24	47	46	20	299	41	71	28	51	79
17	Vascular lesions of nervous system	M	—	5	2	6	5	3	1	2	3	1	2	3	2	18	9	2	1	3	4
18	Coronary disease, angina	F	—	5	1	12	6	1	1	7	—	2	2	3	3	11	1	2	4	3	3
19	Hypertension with heart disease	M	1	8	2	4	8	—	2	3	—	1	5	—	11	1	4	2	1	2	2
20	Other heart disease	F	14	90	59	103	123	49	27	80	59	39	54	48	19	200	42	73	57	61	92
21	Other circulatory disease	M	12	148	132	179	177	102	35	59	100	49	75	59	43	376	58	89	59	47	125
22	Influenza	F	28	218	145	207	254	120	62	111	142	50	95	136	56	391	100	126	64	81	145
23	Pneumonia	M	15	151	136	112	131	92	47	91	103	50	53	65	32	229	47	94	29	34	111
24	Bronchitis	F	3	29	8	29	35	11	4	3	12	6	15	19	6	41	11	27	13	4	30
25	Other diseases of respiratory system	M	3	41	28	51	46	14	8	39	23	10	13	19	11	67	13	20	6	5	34
26	Ulcer of stomach and duodenum	M	13	108	65	114	139	29	71	46	13	68	45	23	372	30	52	72	96	56	117
27	Gastritis, enteritis and diarrhoea	F	12	209	134	172	201	70	38	90	51	25	93	59	38	597	47	95	88	100	150
28	Nephritis and nephrosis	M	3	61	31	67	50	25	21	16	30	11	27	23	8	93	25	25	19	13	20
29	Hyperplasia of prostate	F	5	60	58	62	63	32	20	26	48	28	34	32	18	169	14	45	15	26	34
30	Pregnancy, childbirth, abortion*	M	—	3	5	4	1	1	—	3	1	3	2	—	16	4	3	2	6	1	—
31	Congenital malformations	F	9	85	43	83	70	27	18	17	50	30	39	44	12	103	16	49	18	31	53
32	Other defined and ill-defined dis.	M	8	92	63	85	63	38	22	19	48	43	40	33	16	128	24	48	15	28	51
33	Motor vehicle accidents	F	6	72	51	84	61	36	36	27	50	34	28	36	27	106	20	52	21	12	46
34	All other accidents	M	1	12	10	11	20	5	5	11	15	5	13	7	2	18	9	12	5	11	11
35	Suicide	F	1	9	8	15	8	2	3	2	4	1	8	3	4	13	3	5	1	3	5
36	Homicide, operations of war	M	2	24	22	18	32	19	10	8	21	14	11	10	7	39	9	17	8	6	12
37		F	1	21	10	9	6	4	5	3	7	3	6	5	3	12	6	3	1	2	5
38		M	1	6	5	7	2	4	—	5	1	2	3	1	12	2	4	4	—	2	2
39		F	1	9	4	7	9	4	7	7	4	2	3	5	11	4	2	2	—	2	2
40		M	1	13	8	13	11	3	4	5	8	4	5	6	3	27	4	5	4	1	4
41		F	—	2	9	7	9	4	4	5	1	3	6	5	5	16	3	6	3	3	7
42		M	1	15	10	12	26	10	4	9	16	5	6	6	3	30	6	17	2	10	7
43		F	2	5	1	—	1	1	1	—	3	—	—	5	1	—	—	—	1	2	2
44		M	3	9	4	15	7	7	3	3	10	3	8	9	3	10	7	5	8	8	4
45		F	5	9	3	5	10	3	3	6	10	1	6	5	2	10	3	5	6	5	10
46		M	15	89	56	97	96	59	21	29	50	15	37	42	15	185	36	61	31	17	31
47		F	12	105	88	102	86	75	36	36	61	22	64	46	20	296	38	68	28	33	101
48		M	1	20	12	11	12	14	8	4	9	4	3	6	5	23	8	6	8	5	7
49		F	2	9	11	5	4	3	4	3	2	—	3	—	3	4	5	4	1	2	7
50		M	3	28	13	19	23	24	8	9	30	3	13	26	2	34	22	11	13	12	15
51		F	2	23	15	15	13	21	1	18	11	3	11	14	4	44	10	15	14	13	16
52		M	1	23	22	20	15	15	6	6	10	4	8	3	6	24	23	15	2	7	16
53		F	2	11	18	7	12	11	1	10	3	—	3	1	1	18	8	9	—	1	4
54		M	—	—	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55		F	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

*"Delayed" maternal deaths (see page 237)

TABLE 21—continued—Metropolitan and County Boroughs

Supplementary Abridged List of Causes of Death (See first page of Table)		Holborn	Islington	Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth	Westminster	Woolwich	Barnsley	Barrow-in-Furness	Bath	Birkenhead
(1) Tub. of meninges and nervous system	M	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(1) Typhoid fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(2) Scarlet fever	M	—	—	—	—	—	—	—	(J)1	—	—	—	—	—	—	—	—	—	—	—	—
(3) Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(4) Erysipelas, septicæmia pyæmia	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(5) Acute infectious encephalitis	M	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
(6) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(7) Infectious hepatitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	2	1	1	1	—	1	1	2	—	—	—	—	3	1	1	—	1	—	2
(41) Malig. neoplasm, mouth and pharynx	M	1	9	6	8	8	4	3	2	4	3	1	2	1	20	4	4	—	3	4	6
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(42) Malig. neoplasm, œsophagus	M	1	6	4	4	5	2	1	5	6	4	4	12	3	13	8	6	—	1	1	3
	F	—	2	8	4	4	—	—	1	1	—	1	3	—	15	1	2	—	—	2	3
(43) Malig. neoplasm, intestine and rectum	M	3	26	24	34	35	12	15	16	23	8	14	11	5	68	10	24	13	7	17	24
	F	2	30	40	35	39	15	11	12	24	16	18	13	8	93	9	21	5	11	19	18
(44) Malig. neoplasm, larynx	M	—	6	2	—	2	2	1	4	2	3	—	1	1	10	2	1	—	3	2	5
	F	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(31) Malig. neoplasm, cervix uteri	F	—	15	12	15	13	5	2	7	12	3	3	5	3	39	1	10	3	4	4	11
(45) Hodgkin's disease	M	—	1	6	6	1	1	—	2	4	—	—	—	2	2	1	1	3	—	1	1
	F	—	1	3	2	—	—	—	—	—	—	2	2	2	3	4	2	—	—	—	—
(46) Lymphosarcoma, reticulosarcoma	M	—	3	2	1	2	2	1	2	1	1	3	3	2	4	2	6	—	2	—	2
	F	—	1	4	3	2	1	—	1	—	—	1	1	2	4	4	2	—	—	—	1
(21) Thyrotoxicosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	1	1	—	2	—	2	—	—	—	1	—	1	2	—	3	—	—	3	1
(22) Otitis media and mastoiditis	M	—	2	1	1	1	1	—	1	1	—	—	1	—	1	1	—	—	1	—	—
	F	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(23) Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	2	—	—	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—
(31) Chronic rheumatic heart disease	M	3	25	6	12	22	5	11	2	13	3	11	12	3	24	8	7	4	6	6	15
	F	2	33	27	33	36	8	16	8	17	4	15	18	9	40	11	17	13	7	10	17
(11) Hyperten. without mention of heart	M	2	34	15	29	17	13	8	8	9	4	11	12	2	36	14	3	3	3	5	4
	F	3	35	16	26	27	12	6	10	24	13	17	14	10	48	3	21	3	3	6	8
(24) Appendicitis	M	—	2	1	7	2	2	—	—	—	1	2	—	—	6	3	2	—	1	1	—
	F	—	—	2	2	2	1	—	—	—	—	—	—	—	—	1	2	—	1	—	—
(25) Intestinal obstruc. and hernia	M	1	8	6	11	4	7	4	3	6	2	2	3	1	15	4	5	—	3	5	5
	F	3	5	12	4	8	4	1	5	2	8	3	1	1	16	3	7	2	6	1	8
(26) Cirrhosis of liver	M	—	2	3	6	3	3	1	4	2	—	3	2	1	4	3	3	1	—	1	1
	F	—	1	4	4	2	2	3	1	—	—	1	—	1	6	3	1	—	—	2	2
(27) Cholelithiasis, cholecystitis	M	—	2	1	3	4	1	2	1	1	1	—	2	1	3	2	1	—	1	1	3
	F	—	6	3	5	3	5	1	1	3	—	2	3	—	7	3	2	1	3	2	5
(41) Maternal sepsis (not abortion)	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(42) Toxemias of pregnancy and puerperium	F	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	2
(43) Abortion	F	—	1	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
(28) Birth injury	M	—	8	4	9	6	7	1	—	—	—	—	—	—	2	—	—	—	—	—	—
	F	—	3	7	8	3	1	3	—	5	—	1	1	—	7	4	4	4	1	2	2
(29) Post-natal asphyxia and atelectasis	M	—	19	3	8	11	4	2	1	5	2	—	2	2	4	2	—	—	—	2	5
	F	1	11	4	4	1	2	1	3	6	—	1	2	1	3	1	2	2	2	2	6
(31) Pneumonia of newborn	M	—	4	2	2	2	1	1	1	1	—	—	1	—	2	—	—	1	4	—	2
	F	—	4	1	2	3	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—
(211) Ophth., pemphigus, sepsis of newborn	M	—	1	1	—	—	1	—	—	—	—	1	2	—	—	—	—	—	—	—	1
	F	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(212) Hæmolytic disease of newborn	M	—	4	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(213) Immaturity (without other dis. peculiar to early infancy)	M	1	1	5	6	7	5	3	2	3	—	1	8	—	17	3	4	4	3	—	10
	F	2	3	5	5	6	7	4	—	3	—	5	2	—	12	1	1	4	2	2	10
(214) Senility without psychosis	M	—	—	1	5	4	6	—	—	1	—	6	—	1	57	1	4	4	7	—	9
	F	—	5	11	7	4	6	—	—	—	14	—	2	—	112	4	6	1	—	2	24
(215) Ill-defined and unknown cause	M	—	1	1	4	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1
	F	—	—	—	2	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—

TABLE 21—continued—County Boroughs

Abridged List of Causes of Death (See first page of Table)		Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton upon Trent	Bury	Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington	Derby	Dewsbury
1	Tuberculosis, respiratory	M 115	6	20	9	5	8	18	12	23	5	4	1	3	3	8	29	20	11	13	1
		F 30	2	8	5	3	6	8	4	15	5	1	2	—	4	2	9	5	3	1	1
2	Tuberculosis, other	M 12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F 3	1	1	1	—	3	2	1	1	—	1	—	—	1	2	1	1	2	1	1
3	Syphilitic disease	M 18	—	6	4	—	5	8	—	9	2	—	3	—	5	1	3	7	2	3	1
		F 7	3	5	1	1	—	—	1	5	1	1	—	—	—	—	—	—	—	—	—
4	Diphtheria	M 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M 4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
		F 4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Meningococcal infections	M 3	—	—	1	1	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—
		F 1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
7	Acute poliomyelitis	M 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Measles	M 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Other infective, etc., diseases	M 12	3	1	1	1	5	—	5	7	4	—	2	—	1	—	(D) 4	2	—	3	2
		F 15	—	1	1	2	2	7	4	2	—	3	1	—	—	2	5	—	—	1	1
10	Malignant neoplasm: stomach	M 190	28	21	33	12	29	50	29	91	22	7	11	4	11	11	40	38	14	25	16
		F 142	21	33	26	9	29	48	30	51	24	7	6	3	7	11	31	22	14	22	8
11	lung, bronchus	M 432	46	67	61	29	60	116	67	152	27	14	7	16	7	20	85	109	30	74	21
		F 65	8	13	17	2	15	17	16	23	7	7	3	1	4	19	51	23	3	3	3
12	breast	M 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	uterus	M 217	22	35	35	10	53	61	51	97	17	17	6	3	11	7	38	54	15	30	8
		F 115	15	23	19	4	20	27	24	34	12	4	9	3	2	3	20	30	8	13	3
14	Other malignant and lymphatic neoplasms	M 620	59	101	107	29	109	164	107	256	49	35	33	19	35	27	119	152	40	72	26
		F 467	67	105	77	26	108	168	107	207	27	27	15	42	32	32	98	145	45	67	28
15	Leukemia, aleukemia	M 33	2	4	5	1	6	9	6	11	3	2	2	—	—	1	5	9	—	2	1
		F 22	2	2	1	1	4	8	2	8	2	—	—	1	—	—	9	10	2	4	1
16	Diabetes	M 29	5	10	8	1	6	6	3	14	3	1	1	1	1	3	6	8	4	2	—
		F 60	6	9	9	4	11	7	8	19	7	4	4	2	4	—	12	8	1	5	—
17	Vascular lesions of nervous system	M 754	127	145	164	45	118	207	120	285	91	52	46	19	58	40	114	172	75	90	55
		F 932	168	224	221	63	232	313	226	473	154	56	73	26	87	61	149	296	83	129	65
18	Coronary disease, angina	M 941	135	238	201	64	205	433	211	448	126	31	71	26	94	60	250	244	95	107	74
		F 547	76	150	146	36	161	279	125	292	87	17	49	21	54	35	121	162	60	134	44
19	Hypertension with heart disease	M 163	24	14	25	8	19	70	24	75	12	2	12	7	10	4	27	23	11	18	13
		F 184	23	31	17	12	42	79	44	101	17	4	18	4	8	18	18	41	9	18	13
20	Other heart disease	M 712	109	154	96	32	135	219	180	386	88	78	55	17	69	41	121	164	71	96	47
		F 1,084	166	273	201	63	245	311	263	511	105	53	84	36	79	56	156	291	93	148	56
21	Other circulatory disease	M 210	22	63	46	11	42	63	41	158	21	11	20	14	15	13	34	62	21	43	23
		F 277	26	69	56	11	51	64	47	220	17	20	39	19	17	23	37	87	21	51	34
22	Influenza	M 27	2	2	4	1	3	5	3	2	2	1	2	2	4	3	—	6	1	—	—
		F 14	5	6	1	—	2	9	3	30	5	2	1	1	3	3	1	5	—	2	2
23	Pneumonia	M 320	29	23	36	22	38	154	53	150	19	8	12	4	19	12	57	52	12	45	15
		F 247	22	30	31	29	48	86	59	142	21	10	6	5	10	18	38	67	16	87	10
24	Bronchitis	M 599	70	90	104	33	54	186	88	180	55	19	28	7	23	28	96	139	38	65	34
		F 267	34	38	70	16	17	80	44	96	41	7	15	3	10	6	31	90	11	23	16
25	Other diseases of respiratory system	M 74	11	10	15	5	14	21	11	50	5	2	1	4	3	4	27	13	1	11	6
		F 39	1	10	10	2	8	7	9	21	1	1	1	2	1	2	8	5	4	2	—
26	Ulcer of stomach and duodenum	M 122	9	16	12	4	14	29	14	38	7	7	6	4	5	5	12	24	3	14	3
		F 42	6	4	6	1	8	12	5	21	3	4	5	—	5	2	3	12	3	5	—
27	Gastritis, enteritis and diarrhoea	M 34	—	2	2	3	4	11	5	9	2	—	1	—	1	3	3	4	1	6	2
		F 21	2	5	4	4	7	10	2	14	2	3	—	—	3	2	5	4	3	3	1
28	Nephritis and nephrosis	M 51	8	6	14	4	8	13	10	29	4	3	1	2	5	3	21	13	8	10	1
		F 46	5	7	5	3	6	12	10	24	6	3	1	1	5	3	13	10	4	4	1
29	Hyperplasia of prostate	M 62	9	18	14	1	23	16	17	31	8	7	1	3	5	6	9	25	4	9	6
30	Pregnancy, childbirth, abortion*	M 11	—	1	—	—	1	2	1	2	—	—	—	—	1	1	2	—	1	—	—
31	Congenital malformations	M 56	5	5	12	7	6	13	2	36	4	3	3	3	2	2	13	9	9	7	2
		F 49	4	4	10	10	9	14	10	17	6	1	2	4	4	5	11	7	5	7	1
32	Other defined and ill-defined dis.	M 447	46	101	74	27	74	136	72	150	60	43	31	11	31	36	100	82	35	66	19
		F 572	68	121	93	28	125	189	90	177	70	72	36	16	38	40	107	138	58	72	20
33	Motor vehicle accidents	M 101	9	13	8	6	9	27	11	33	4	7	4	2	16	6	26	19	6	9	2
		F 41	5	8	8	2	6	19	5	12	3	2	2	1	3	12	5	3	3	4	1
34	All other accidents	M 137	16	18	26	11	20	33	24	36	15	3	11	4	12	7	32	20	8	25	10
		F 120	18	15	28	12	37	59	34	35	15	4	17	5	5	7	32	18	9	12	7
35	Suicide	M 84	9	14	25	3	9	16	21	32	17	3	10	2	2	5	16	11	2	7	4
		F 58	3	12	11	1	6	12	7	18	17	4	8	1	1	—	18	5	5	9	2
36	Homicide, operations of war	M 10	5	1	1	—	1	5	5	2	—	—	—	—	—	—	—	—	—	1	—
		F 2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

** "Delayed" maternal deaths
(see page 237)

TABLE 21—continued—County Boroughs

Supplementary Abridged List of Causes of Death (See first page of Table)		Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton upon Trent	Bury	Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington	Derby	Dewsbury
2(1) Tub. of meninges and nervous system	M F	1 1	— —	1 —	— —	— —	1 —	— —	— —	2 —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —
9(1) Typhoid fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
9(2) Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	(J)1 —	— —	— —	— —	— —
9(3) Streptococcal sore throat	M F	1 —	1 —	— —	— —	— —	1 1	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
9(4) Erysipelas, septicæmia, pyæmia	M F	1 2	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —
9(5) Acute infectious encephalitis	M F	27 3	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
9(6) Smallpox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
9(7) Infectious hepatitis	M F	3 3	1 —	1 —	— —	— —	1 —	2 —	2 1	1 —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	1 —	1 —
4(1) Malig. neoplasm, mouth and pharynx	M F	31 12	4 4	4 4	7 2	1 2	5 3	8 5	3 3	12 4	3 3	— —	3 2	2 —	1 —	2 —	7 6	8 6	1 2	5 2	2 —
4(2) Malig. neoplasm, cesophagus	M F	27 9	3 1	5 5	6 1	3 2	6 4	12 6	7 2	8 11	2 2	4 2	1 1	2 —	1 —	2 —	3 5	9 5	2 3	6 3	— 3
4(3) Malig. neoplasm, intestine and rectum	M F	183 195	17 36	33 37	31 35	7 8	31 43	51 62	22 33	63 73	11 13	10 9	13 11	1 —	7 17	12 18	32 45	39 48	12 14	18 21	7 10
4(4) Malig. neoplasm, larynx	M F	16 —	— 2	4 —	6 1	2 —	2 —	6 —	1 —	11 3	2 —	1 —	— —	5 —	4 —	17 —	45 5	48 5	14 2	21 1	— —
3(1) Malig. neoplasm, cervix uteri	F	61	8	13	14	3	13	17	12	28	8	3	5	3	2	2	14	21	7	9	2
4(5) Hodgkin's disease	M F	10 3	— —	2 2	2 —	— —	1 —	2 3	2 1	7 —	2 —	— —	1 —	1 —	1 —	1 —	5 3	1 —	2 3	2 —	— —
6(6) Lymphosarcoma, reticulosarcoma	M F	13 10	— 1	2 2	1 1	— 2	1 —	3 3	— 3	8 2	1 —	— —	— —	— —	— —	— —	3 2	5 —	2 1	— —	— —
2(1) Thyrotoxicosis	M F	1 11	2 —	— 1	— —	— —	— 6	— 2	— 2	— 2	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
2(2) Otitis media and mastoiditis	M F	7 2	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	1 —	— —
2(3) Rheumatic fever	M F	2 4	— —	— —	— —	— —	— —	1 —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
1(1) Chronic rheumatic heart disease	M F	89 136	8 12	7 19	7 26	4 11	10 27	20 37	10 19	43 58	7 17	2 8	3 6	1 6	3 4	3 7	25 36	14 22	5 4	7 16	6 9
(1) Hyperten. without mention of heart	M F	78 93	5 8	8 15	20 15	4 2	14 15	21 22	13 23	7 8	2 5	2 —	2 10	5 —	5 6	5 6	11 12	22 23	4 3	9 17	4 11
4(4) Appendicitis	M F	13 36	1 6	3 10	1 4	1 3	1 6	2 7	3 1	4 14	— 3	1 —	— 4	1 —	1 —	2 2	1 2	1 5	1 1	— —	— —
4(5) Intestinal obstruc. and hernia	M F	38 38	4 9	10 10	3 1	5 14	7 15	4 5	14 21	3 4	1 —	— —	4 —	1 3	2 —	2 3	4 9	5 5	4 3	6 —	1 —
6(6) Cirrhosis of liver	M F	18 21	1 —	8 —	3 —	— —	1 —	2 —	2 —	7 6	3 2	1 —	1 —	1 —	— —	1 —	1 —	4 —	1 —	1 —	— —
7(7) Cholelithiasis, cholecystitis	M F	13 26	1 2	1 7	1 5	1 —	4 6	2 13	3 4	5 9	1 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
1(1) Maternal sepsis (not abortion)	F	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
(2) Toxæmias of pregnancy and puerperium	F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(3) Abortion	F	2	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—
(8) Birth injury	M F	42 23	1 —	— —	4 2	3 3	9 7	5 14	3 3	2 —	1 —	— —	— —	— —	2 —	2 —	17 4	1 4	1 3	7 3	1 —
9(9) Post-natal asphyxia and atelectasis	M F	38 21	2 3	4 4	10 6	2 2	8 —	4 —	27 11	1 —	2 —	— —	1 —	2 —	1 —	1 —	2 —	7 —	2 —	3 —	3 —
1(1) Pneumonia of newborn	M F	19 9	2 —	1 —	— —	1 —	1 —	5 3	2 —	4 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
11(1) Ophth pemphigus, sepsis of newborn	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
12(1) Hemolytic disease of newborn	M F	2 2	— —	1 —	— —	— —	— —	5 —	1 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
13(1) Immaturity (without other dis. peculiar to early infancy)	M F	41 39	5 3	6 8	1 —	5 —	6 —	12 15	6 —	7 —	5 —	— —	1 —	3 —	2 —	13 —	12 —	11 —	7 —	4 —	1 —
4(4) Senility without psychosis	M F	28 76	7 21	24 38	5 11	1 —	10 22	9 25	6 5	2 12	24 27	20 40	1 —	— —	4 7	2 7	5 19	10 27	6 8	3 6	— 3
5(1) Ill-defined and unknown cause	M F	1 —	— —	1 —	1 —	1 —	2 —	2 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

TABLE 21—continued—County Boroughs

Abridged List of Causes of Death (See first page of Table)		Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester	Great Yarmouth	Grimsby	Halifax	Hastings	Huddersfield	Ipswich	Kingston upon Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough	
1	Tuberculosis, respiratory	M	8	4	3	8	11	11	3	3	12	9	8	13	8	33	34	20	5	103	67	18
		F	1	2	3	4	7	6	1	1	6	4	7	1	1	11	21	7	44	34	8	
2	Tuberculosis, other	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	1	1	1	2	1	1	1	1	—	1	—	—	3	6	5	—	4	5	
3	Syphilitic disease	M	5	1	1	3	1	4	2	2	1	1	—	4	8	10	5	—	14	17	5	
		F	2	—	—	—	—	—	—	—	—	—	3	2	5	10	—	—	9	—	—	
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	M	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	4	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Meningococcal infections	M	—	1	—	2	—	—	—	1	—	—	—	—	1	2	—	1	1	3	5	
		F	—	—	1	—	—	1	—	—	1	—	—	—	—	1	—	—	1	—	4	
7	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	5	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Other infective, etc., diseases	M	1	—	2	1	1	—	—	1	—	—	1	4	—	4	6	1	1	11	7	
		F	—	3	—	—	1	—	—	—	—	—	—	—	—	2	6	4	1	12	9	
10	Malignant neoplasm : stomach	M	14	7	6	23	22	16	11	15	13	19	12	27	21	72	78	52	12	120	116	
		F	8	6	4	19	12	13	6	10	16	21	15	20	18	53	73	41	9	111	124	
11	lung, bronchus	M	34	18	22	46	33	40	21	20	34	35	33	38	27	125	197	89	26	362	341	
		F	3	3	6	6	5	3	2	6	6	6	5	6	1	20	33	16	2	76	66	
12	breast	M	13	13	16	28	14	11	16	10	13	16	26	32	20	43	82	74	19	120	126	
		F	2	5	7	11	5	9	5	1	13	12	12	13	10	32	44	15	4	57	83	
14	Other malignant and lymphatic neoplasms	M	56	26	45	57	50	71	33	39	63	45	90	63	147	257	163	42	390	314	82	
		F	31	21	46	53	39	38	29	24	34	41	68	72	49	135	235	111	36	348	323	
15	Leukæmia, aleukæmia	M	3	—	—	5	3	1	2	3	2	2	3	3	5	7	5	4	1	19	19	
		F	—	1	1	5	2	—	1	—	2	2	1	2	3	6	8	—	2	21	18	
16	Diabetes	M	2	1	1	5	5	—	2	1	5	2	2	5	3	9	11	7	1	12	11	
		F	5	2	4	5	5	—	5	3	5	2	6	5	13	20	15	4	50	44	4	
17	Vascular lesions of nervous system	M	48	30	58	50	53	98	34	49	54	124	66	129	81	176	323	261	54	479	477	
		F	104	56	120	73	84	91	48	54	79	192	124	152	88	227	439	361	72	600	726	
18	Coronary disease, angina	M	100	50	71	102	86	123	50	69	84	137	85	159	118	249	638	236	78	738	656	
		F	42	22	70	65	44	63	34	33	45	113	58	122	82	135	340	173	46	488	387	
19	Hypertension with heart disease	M	10	7	6	13	8	14	2	15	20	9	23	22	26	61	27	11	11	52	9	
		F	9	7	11	15	19	14	3	13	11	21	30	14	41	76	51	12	126	84	19	
20	Other heart disease	M	56	47	78	81	72	74	79	41	56	97	105	107	88	251	257	215	59	566	545	
		F	55	50	132	111	122	98	87	61	69	141	209	181	89	318	415	314	79	688	812	
21	Other circulatory disease	M	23	10	12	24	13	25	13	15	33	16	18	23	20	46	79	52	23	148	170	
		F	21	17	24	27	20	39	9	17	29	33	21	46	24	47	121	57	22	157	214	
22	Influenza	M	5	1	2	2	5	1	6	2	1	1	1	4	5	5	14	2	3	9	19	
		F	1	3	3	—	4	4	3	4	2	—	4	1	6	4	15	14	1	10	16	
23	Pneumonia	M	18	15	12	35	14	31	16	12	38	26	16	27	32	94	192	54	20	281	181	
		F	14	5	15	28	17	24	15	7	28	30	21	30	25	83	156	59	10	395	176	
24	Bronchitis	M	48	40	14	67	27	66	32	24	28	70	26	50	26	162	321	104	26	462	485	
		F	26	13	6	27	27	26	14	22	15	22	33	30	65	148	58	12	203	291		
25	Other diseases of respiratory system	M	5	2	9	11	8	9	3	2	5	8	11	6	8	12	27	12	1	40	38	
		F	4	2	—	3	3	7	2	3	3	4	3	3	7	8	20	9	2	28	17	
26	Ulcer of stomach and duodenum	M	8	4	6	8	4	8	9	2	8	7	10	16	7	28	33	22	4	48	57	
		F	4	4	3	1	3	1	2	1	2	5	5	11	6	6	13	7	2	20	29	
27	Gastritis, enteritis and diarrhoea	M	1	1	1	5	1	3	1	1	1	7	2	3	3	6	17	2	—	11	14	
		F	1	2	4	4	2	1	2	1	4	4	1	1	7	15	4	1	15	30	—	
28	Nephritis and neophrsis	M	6	4	4	5	8	10	4	3	5	7	3	10	3	29	25	15	9	38	27	
		F	5	5	4	6	6	4	3	2	6	6	18	5	23	32	16	1	41	29	8	
29	Hyperplasia of prostate	M	8	5	7	11	12	14	5	7	14	5	15	5	3	23	19	5	40	49	19	
30	Pregnancy, childbirth, abortion*	M	2	—	—	—	—	2	1	1	1	1	—	3	—	4	5	2	1	7	3	
31	Congenital malformations	M	4	4	1	9	4	6	7	2	12	9	1	5	10	33	34	13	1	41	40	
		F	8	4	2	4	10	6	4	2	2	1	2	7	3	22	25	16	5	43	46	
32	Other defined and ill-defined dis.	M	40	17	21	44	30	51	23	17	63	47	41	73	46	104	228	102	38	327	336	
		F	54	20	39	41	66	66	29	34	73	42	52	79	39	121	288	125	42	445	421	
33	Motor vehicle accidents	M	5	6	2	4	4	4	4	2	9	10	6	14	11	23	46	24	8	61	50	
		F	4	—	—	2	2	7	2	2	1	—	1	7	7	9	8	1	30	22	3	
34	All other accidents	M	17	7	5	7	12	29	10	12	11	12	7	20	16	42	72	32	3	98	67	
		F	19	6	14	4	11	16	7	12	9	27	15	13	17	31	47	57	10	104	51	
35	Suicide	M	12	8	2	4	3	10	6	—	8	9	5	15	10	16	33	22	9	38	51	
		F	10	4	6	3	2	2	2	1	4	4	2	8	6	18	24	13	5	25	31	
36	Homicide, operations of war	M	2	—	—	—	—	—	—	—	—	—	—	—	—	3	4	1	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
** "Delayed" maternal deaths (see page 237)		—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	

TABLE 21—continued—County Boroughs

Supplementary Abridged List of Causes of Death (See first page of Table)		Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester	Great Yarmouth	Grimsbv	Halifax	Hastings	Huddersfield	Ipswich	Kingston upon Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough
2(1) Tub. of meninges and nervous system	M	—	—	1	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	2
9(1) Typhoid fever	F	—	—	—	—	1	—	—	—	—	—	—	—	—	1	2	—	—	—	2	
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9(2) Scarlet fever	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9(3) Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	
9(4) Erysipelas, septicaemia, pyaemia	M	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	2	
9(5) Acute infectious encephalitis	M	—	1	—	—	1	1	—	1	1	—	—	—	—	—	2	—	—	1	1	
	F	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	3	2	
9(6) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9(7) Infectious hepatitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1	1	5	1	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	6	1	
14(1) Malig. neoplasm, mouth and pharynx	M	2	—	2	4	5	3	—	1	4	5	—	6	—	9	17	12	2	28	20	
	F	1	—	3	3	—	1	2	2	—	3	—	2	1	7	4	4	—	12	12	
14(2) Malig. neoplasm, oesophagus	M	2	3	1	1	5	5	2	6	2	3	3	4	3	9	15	8	1	28	22	
	F	—	—	2	1	3	3	2	3	—	—	3	1	—	3	7	7	5	12	9	
14(3) Malig. neoplasm, intestine and rectum	M	19	9	12	18	13	24	8	14	20	13	9	24	21	41	85	39	13	105	95	
	F	18	9	18	21	11	20	13	7	20	11	27	28	17	54	102	39	15	122	132	
14(4) Malig. neoplasm, larynx	M	1	—	1	3	3	1	—	—	8	5	—	4	2	8	7	3	2	15	10	
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	—	—	3	—	
13(1) Malig. neoplasm, cervix uteri	F	1	3	5	7	1	7	3	—	9	9	6	11	6	22	29	9	3	40	54	
14(5) Hodgkin's disease	M	3	—	2	—	—	1	1	1	1	4	1	2	3	1	2	2	3	1	5	
	F	1	—	—	—	1	1	—	—	—	—	—	—	—	1	2	—	1	4	6	
14(6) Lymphosarcoma, reticulosarcoma	M	2	—	—	—	1	1	3	—	1	—	—	1	2	6	5	3	—	12	6	
	F	—	—	—	—	—	—	1	—	—	—	—	2	2	3	6	—	3	6	3	
32(1) Thyrotoxicosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	1	1	—	—	1	—	—	—	—	—	2	—	—	1	1	1	5	4	
12(2) Otitis media and mastoiditis	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	4	—	—	3	2	
	F	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	1	—	1	1	
32(3) Rheumatic fever	M	—	—	1	—	—	—	—	—	—	—	—	1	—	3	—	—	—	2	1	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20(1) Chronic rheumatic heart disease	M	5	4	7	10	1	15	2	4	4	7	2	11	5	29	38	20	2	53	60	
	F	6	8	12	10	7	13	3	4	10	12	7	21	11	44	78	39	10	115	110	
21(1) Hyperten. without mention of heart	M	9	7	3	9	4	9	7	6	7	6	5	10	11	6	34	22	15	67	49	
	F	6	5	12	11	6	16	5	5	9	4	5	8	7	14	35	22	12	73	51	
32(4) Appendicitis	M	2	2	—	2	—	1	1	—	2	2	3	1	—	3	6	1	2	4	5	
	F	—	—	—	—	—	2	—	1	—	—	—	—	—	2	—	—	—	8	7	
32(5) Intestinal obstruc. and hernia	M	1	1	3	6	2	2	1	1	5	4	3	2	4	10	20	9	—	28	24	
	F	2	5	4	1	2	2	1	1	7	11	2	7	3	10	20	8	2	19	28	
32(6) Cirrhosis of liver	M	—	—	4	—	1	—	1	—	2	—	2	3	—	2	7	7	1	10	7	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	4	11	5	3	10	9	
32(7) Cholelithiasis, cholecystitis	M	2	—	—	3	1	1	—	1	1	2	2	1	—	1	11	6	1	9	7	
	F	2	—	2	2	2	5	1	2	3	2	2	7	2	8	18	5	1	18	9	
30(1) Maternal sepsis (not abortion)	F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	
30(2) Toxæmia of pregnancy and puerperium	F	1	—	—	—	—	—	—	—	—	—	—	2	—	1	2	—	—	4	1	
30(3) Abortion	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—	
32(8) Birth injury	M	—	3	—	—	2	—	3	—	4	1	1	1	2	4	7	5	2	33	25	
	F	—	1	—	1	2	1	—	—	1	—	—	—	1	5	7	7	1	17	12	
32(9) Post-natal asphyxia and atelectasis	M	3	3	3	3	3	3	2	1	2	1	2	2	4	21	24	7	6	51	25	
	F	5	3	2	2	3	1	2	2	2	—	1	1	9	8	6	1	32	21	2	
23(1) Pneumonia of newborn	M	—	2	—	—	1	2	—	—	3	4	—	—	1	10	8	3	1	13	6	
	F	—	1	—	—	1	3	—	1	—	3	—	—	3	3	5	—	—	11	5	
32(11) Ophth., pemphigus, sepsis of newborn	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	
32(12) Hæmolytic disease of newborn	M	—	—	2	—	—	1	—	—	2	1	—	—	1	1	1	—	—	5	5	
	F	—	—	—	—	—	1	—	—	—	—	—	—	—	2	1	1	—	5	8	
32(13) Immaturity (without other dis. peculiar to early infancy)	M	7	—	2	1	9	2	1	11	4	—	2	5	8	10	29	7	3	25	47	
	F	2	—	1	3	5	4	2	8	—	2	2	3	3	9	19	5	1	27	22	
32(14) Senility without psychosis	M	5	—	1	1	5	9	2	3	12	3	3	24	2	2	32	5	10	9	34	
	F	16	3	8	17	17	2	7	20	3	1	13	24	2	5	70	14	12	39	105	
32(15) Ill-defined and unknown cause	M	—	—	—	—	—	2	1	1	—	—	—	—	—	1	2	2	—	4	1	
	F	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	3	—	

TABLE 21—continued—County Boroughs

Abridged List of Causes of Death (See first page of Table)		Newcastle upon Tyne	Northampton	Norwich	Nottingham	Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens	Salford	Sheffield	Smethwick	Southampton	Southend-on-Sea	Southport	South Shields
1	Tuberculosis, respiratory	M F	28 13	13 7	10 2	27 8	14 1	4 1	20 8	21 5	8 3	4 9	8 1	10 2	28 5	69 23	13 1	20 5	13 7	4 2	
2	Tuberculosis, other	M F	3 1	1 1	2 2	2 1	3 3	— 1	2 2	1 1	1 1	1 1	1 1	2 2	1 1	6 4	8 3	5 2	7 1	1 1	
3	Syphilitic disease	M F	4 3	3 3	3 3	6 2	5 1	3 3	1 3	5 2	3 1	3 1	3 2	— 1	6 2	8 3	— 1	7 1	4 2	3 3	
4	Diphtheria	M F	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	
5	Whooping cough	M F	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	
6	Meningococcal infections	M F	(1) 1	1 1	— 1	2 1	— 1	— 1	1 1	— 1	— 1	— 1	1 1	— 1	— 1	3 1	— 1	3 1	1 1	1 1	
7	Acute poliomyelitis	M F	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	
8	Measles	M F	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	2 1	1 1	— 1	— 1	— 1	— 1	
9	Other infective, etc., diseases	M F	— 4	1 3	— 1	5 4	2 1	1 3	3 3	1 2	2 1	1 1	2 2	1 2	1 2	8 3	1 2	1 2	2 2	1 2	
10	Malignant neoplasm: stomach	M F	55 47	22 15	27 24	47 28	22 28	15 35	35 43	25 23	20 18	12 14	11 12	26 37	37 22	93 60	13 19	28 23	15 12	27 30	
11	lung, bronchus	M F	111 16	37 5	36 6	111 20	46 13	31 8	84 8	44 14	40 8	29 2	33 2	53 5	92 12	240 27	22 1	78 22	81 16	45 8	39 4
12	breast	M F	1 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	
13	uterus	M F	35 31	17 5	28 6	56 24	18 15	32 16	44 26	17 31	16 9	11 6	11 11	35 15	73 39	71 31	41 21	43 38	24 12	17 17	
14	Other malignant and lymphatic neoplasms	M F	160 122	57 47	58 74	164 162	64 59	48 104	123 115	59 62	58 51	35 39	41 46	52 39	105 92	289 244	35 33	106 96	78 112	63 45	55 42
15	Leukæmia, aleukæmia	M F	7 6	4 3	3 5	10 5	3 2	1 4	5 4	12 4	1 1	3 3	2 2	3 3	14 2	14 14	2 2	7 2	5 4	4 3	
16	Diabetes	M F	3 13	2 4	6 2	1 18	5 11	4 5	2 6	3 9	1 11	1 5	1 7	2 10	4 8	12 17	— 3	1 8	3 5	1 6	2 3
17	Vascular lesions of nervous system	M F	226 259	91 116	67 284	82 214	55 131	139 201	159 207	91 126	75 138	84 118	48 68	60 71	87 118	341 482	39 38	125 142	128 147	91 91	
18	Coronary disease, angina	M F	372 205	134 67	124 77	258 148	131 66	120 79	251 118	237 77	137 67	113 57	115 33	111 64	150 100	545 310	82 33	82 140	238 147	218 105	144 59
19	Hypertension with heart disease	M F	28 40	16 24	26 29	46 51	4 22	9 23	27 28	53 57	12 23	7 11	16 11	14 21	65 99	150 15	46 17	25 47	25 17	18 29	
20	Other heart disease	M F	159 129	96 67	80 121	222 306	96 175	44 72	152 249	88 260	83 145	73 120	43 52	76 68	118 140	347 441	113 46	97 158	69 184	60 160	
21	Other circulatory disease	M F	82 104	23 12	26 82	99 59	42 32	23 75	59 66	27 29	30 36	35 41	34 29	38 12	192 37	10 264	34 47	30 61	30 37	32 32	
22	Influenza	M F	2 6	3 3	3 10	7 4	2 5	1 8	2 5	6 2	3 2	4 2	1 2	4 2	8 12	3 3	8 3	4 4	2 1	3 1	
23	Pneumonia	M F	79 61	20 16	53 36	81 111	47 46	101 29	61 74	32 89	59 23	25 42	25 38	25 16	63 68	130 95	6 8	42 39	49 69	20 30	
24	Bronchitis	M F	142 59	51 21	178 91	103 64	38 15	66 36	122 64	51 36	58 32	43 21	43 22	68 88	156 120	262 20	42 20	86 39	58 20	42 35	
25	Other diseases of respiratory system	M F	15 18	3 9	3 12	15 12	11 12	7 17	18 16	6 4	11 2	6 4	6 4	8 7	8 16	34 16	7 4	11 8	15 3	6 2	
26	Ulcer of stomach and duodenum	M F	13 17	10 3	10 6	22 4	5 6	12 4	28 4	8 2	4 5	5 3	8 1	19 6	34 10	12 8	12 3	8 5	9 11	10 6	
27	Gastritis, enteritis and diarrhœa	M F	6 6	2 6	1 2	8 13	2 8	2 3	3 3	10 5	4 3	4 5	4 5	4 5	4 7	10 8	2 1	4 5	3 8	3 5	
28	Nephritis and nephrosis	M F	14 16	1 3	3 5	21 16	6 8	15 2	9 11	8 15	2 6	1 3	1 6	13 9	4 20	27 5	15 4	5 4	2 2	6 6	
29	Hyperplasia of prostate	M F	19 6	11 2	20 2	12 4	6 4	11 1	24 13	15 1	3 1	9 1	9 1	14 2	15 4	46 2	4 2	9 2	14 2	11 1	
30	Pregnancy, childbirth, abortion*	M F	— 6	— 2	— 4	— 4	— 4	— 4	— 4	— 4	— 4	— 4	— 4	— 4	— 4	— 4	— 4	— 4	— 4	— 4	
31	Congenital malformations	M F	15 24	6 4	3 12	15 7	9 4	2 6	12 11	4 6	10 4	4 4	4 4	4 8	12 7	26 21	2 11	13 11	3 4	5 4	
32	Other defined and ill-defined dis.	M F	107 150	39 41	48 49	131 141	69 78	37 44	89 99	104 126	52 63	47 61	64 37	76 68	81 92	191 228	32 31	94 82	53 92	46 73	46 49
33	Motor vehicle accidents	M F	27 11	4 2	4 10	26 4	6 7	11 2	16 9	12 12	9 3	6 7	8 3	5 13	40 25	6 16	12 10	7 13	3 16	5 15	
34	All other accidents	M F	38 31	18 9	9 19	38 17	15 9	8 9	26 35	15 41	15 10	15 14	13 12	18 18	25 61	61 49	19 16	23 28	18 27	15 8	
35	Suicide	M F	31 18	9 6	12 9	15 13	19 10	4 6	9 13	16 24	12 5	7 13	7 3	3 6	10 2	31 17	3 7	17 5	11 7	5 4	
36	Homicide, operations of war	M F	— 1	— 1	— 2	— 2	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	— 1	

*"Delayed" maternal deaths
(see page 237)

TABLE 21—continued—County Boroughs

Supplementary Abridged List of Causes of Death (See first page of Table)		Newcastle upon Tyne	Northampton	Norwich	Nottingham	Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens	Salford	Sheffield	Smethwick	Southampton	Southend-on-Sea	Southport	South Shields
1) Tub. of meninges and nervous system	M F	1	—	—	—	—	—	—	—	—	1	1	—	1	1	1	—	—	—	—	1
1) Typhoid fever	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2) Scarlet fever	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3) Streptococcal sore throat	M F	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
4) Erysipelas, septicæmia, pyæmia	M F	—	—	—	1	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—
5) Acute infectious encephalitis	M F	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
6) Smallpox	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7) Infectious hepatitis	M F	—	1	—	—	2	—	—	1	1	1	—	—	—	—	—	1	—	1	—	—
1) Malig. neoplasm, mouth and pharynx	M F	11	1	—	5	5	3	4	4	4	5	1	5	3	9	14	1	8	3	3	1
2) Malig. neoplasm, œsophagus	M F	4	1	3	10	2	4	3	4	3	—	1	2	4	1	10	—	3	5	3	—
1) Malig. neoplasm, intestine and rectum	M F	48	21	22	57	23	16	44	37	27	18	1	4	15	4	7	2	4	2	4	3
1) Malig. neoplasm, larynx	M F	2	—	1	—	2	—	1	2	3	2	3	2	1	2	1	—	1	4	2	1
1) Malig. neoplasm, cervix uteri	F	25	5	3	20	11	6	11	17	16	5	5	1	10	10	28	6	14	4	3	13
1) Hodgkin's disease	M F	2	—	1	6	1	—	4	3	—	2	—	—	—	2	7	—	2	1	1	—
1) Lymphosarcoma, reticulosarcoma	M F	5	1	—	3	—	—	3	2	2	2	—	—	1	1	3	3	3	3	—	1
1) Thyrotoxicosis	M F	3	—	1	3	1	1	2	6	—	—	1	—	—	1	3	2	4	6	1	1
1) Otitis media and mastoiditis	M F	1	—	—	1	—	—	2	—	1	1	—	—	1	—	—	1	2	—	—	2
1) Rheumatic fever	M F	1	—	—	1	1	—	1	1	1	1	—	—	—	1	2	2	—	—	3	—
1) Chronic rheumatic heart disease	M F	16	11	8	20	13	6	14	15	5	9	3	6	4	15	37	4	6	10	4	10
1) Hyperten. without mention of heart	M F	21	15	10	40	10	3	19	25	3	8	6	5	9	29	61	1	18	15	8	11
1) Appendicitis	M F	2	1	—	1	2	1	3	1	2	—	—	1	4	4	2	1	6	2	2	—
1) Intestinal obstruc. and hernia	M F	6	6	5	10	3	3	7	5	4	1	8	5	1	5	5	2	5	6	7	3
1) Cirrhosis of liver	M F	12	1	2	10	5	2	4	6	5	5	2	1	1	10	16	1	4	8	1	4
1) Cholelithiasis, cholecystitis	M F	9	1	3	2	2	1	7	1	3	2	3	2	1	1	6	3	1	3	—	2
1) Maternal sepsis (not abortion)	F	4	2	1	5	6	4	2	3	1	1	2	3	1	4	7	4	1	5	1	1
1) Toxæmias of pregnancy and puerperium	F	1	1	1	1	—	—	—	—	—	—	—	1	—	—	—	1	1	1	—	—
1) Abortion	F	2	1	—	—	—	—	—	1	—	—	—	1	—	1	1	1	1	—	—	—
1) Birth injury	M F	7	3	2	9	7	4	4	6	3	1	2	3	1	9	10	2	8	—	1	2
1) Post-natal asphyxia and atelectasis	M F	4	2	1	15	5	3	6	10	3	4	2	8	5	5	8	2	14	3	5	1
1) Pneumonia of newborn	M F	2	2	1	2	2	1	7	4	2	3	—	—	—	4	4	1	1	—	—	1
1) Ophth., pemphigus, sepsis of newborn	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2) Hemolytic disease of newborn	M F	—	—	1	2	—	—	1	1	—	—	2	—	1	1	2	—	1	3	—	—
3) Immaturity (without other dis. peculiar to early infancy)	F	15	1	3	15	5	2	8	13	4	2	5	3	11	10	36	1	10	3	5	7
1) Senility without psychosis	M F	10	—	16	19	16	2	3	13	3	8	19	8	18	12	27	4	5	4	6	4
1) Ill-defined and unknown cause	M F	22	6	17	25	22	2	13	28	5	18	25	9	12	20	30	7	9	13	1	6

TABLE 21—continued—County Boroughs

Abridged List of Causes of Death (See first page of Table)			Stockport	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff	Merthyr Tydfil	Newport (Mon.)	Swansea
1	Tuberculosis, respiratory	M	5	41	22	7	6	9	19	4	11	11	7	9	14	5	6	29	3	6	13
		F	5	21	4	1	3	4	8	4	2	2	6	1	4	1	3	7	4	—	10
2	Tuberculosis, other	M	3	2	1	2	—	—	1	1	1	—	—	1	1	—	1	1	1	—	—
		F	4	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
3	Syphilitic disease	M	2	6	3	1	1	1	2	2	2	5	1	1	3	3	1	11	1	—	1
		F	2	—	—	—	2	2	2	1	—	4	—	1	1	—	—	6	—	—	—
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	(1)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
6	Meningococcal infections	M	—	—	—	—	—	—	1	1	—	2	—	—	—	2	—	2	1	1	2
		F	1	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
7	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1
		F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Measles	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Other infective, etc., diseases	M	2	4	5	—	1	2	1	1	1	2	—	1	(1)	—	1	5	—	1	4
		F	(1)	3	3	2	—	2	2	1	4	2	1	—	3	—	4	—	—	1	1
10	Malignant neoplasm: stomach	M	35	63	40	14	9	27	20	16	16	42	18	12	38	11	20	50	15	15	38
		F	27	52	37	11	11	16	19	15	13	24	10	18	21	9	19	37	17	8	33
11	lung, bronchus	M	50	122	68	31	16	32	57	29	27	74	32	23	60	18	30	87	17	42	6
		F	11	11	4	3	5	9	5	2	9	2	4	6	6	—	3	12	—	—	—
12	breast	M	27	35	27	10	5	22	24	11	20	36	12	17	28	20	26	47	8	14	32
		F	14	18	19	8	6	11	7	2	6	11	7	6	15	10	11	28	5	10	18
13	uterus	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Other malignant and lymphatic neoplasms	M	81	118	94	40	44	62	68	33	46	78	37	28	69	37	60	140	22	50	107
		F	84	121	66	32	27	53	42	32	30	57	26	23	38	35	57	109	20	48	66
15	Leukæmia, aleukæmia	M	1	7	7	—	1	4	—	5	—	2	2	2	3	1	3	4	1	7	4
		F	1	7	6	2	1	1	2	—	—	5	4	1	1	4	6	5	1	2	3
16	Diabetes	M	4	5	2	3	—	3	2	—	1	7	3	1	7	1	2	6	2	1	4
		F	6	10	4	2	5	2	5	3	9	4	7	9	2	2	8	14	1	7	10
17	Vascular lesions of nervous system	M	118	145	117	44	41	73	56	64	69	90	54	60	92	44	92	129	67	63	138
		F	178	228	157	70	65	92	95	54	68	137	57	82	136	67	108	229	67	96	161
18	Coronary disease, angina	M	154	267	192	96	87	133	94	68	59	151	76	81	119	62	122	327	59	97	199
		F	95	139	125	52	42	81	45	37	33	92	56	36	65	37	80	170	32	48	120
19	Hypertension with heart disease	M	10	35	10	6	7	13	24	6	9	16	14	7	22	6	14	42	8	11	24
		F	22	38	16	9	14	15	21	7	9	21	7	11	17	16	19	48	8	14	29
20	Other heart disease	M	122	216	77	45	80	48	82	57	53	97	46	57	105	34	60	115	36	89	127
		F	170	254	114	68	85	79	106	86	66	173	68	84	152	72	91	183	67	118	192
21	Other circulatory disease	M	31	84	26	12	8	18	23	15	30	15	18	12	31	8	15	68	16	32	39
		F	43	96	29	15	8	14	29	35	11	37	17	6	42	9	33	54	27	32	39
22	Influenza	M	4	4	3	2	2	5	—	2	2	1	3	—	—	—	2	4	—	1	5
		F	3	5	2	—	6	3	—	1	1	7	—	4	—	1	3	6	—	—	—
23	Pneumonia	M	37	60	54	17	25	27	38	20	17	65	27	14	58	21	42	67	24	14	18
		F	35	62	37	21	15	32	21	18	40	23	20	23	20	17	41	60	24	12	15
24	Bronchitis	M	103	126	83	21	42	50	65	57	49	96	41	48	77	34	48	106	34	24	85
		F	46	59	35	6	15	27	28	32	20	48	15	25	25	10	24	44	11	14	37
25	Other diseases of respiratory system	M	11	65	15	2	3	10	4	3	12	14	6	12	12	3	9	18	7	5	10
		F	2	13	6	2	1	4	8	3	9	8	3	6	10	2	4	8	2	5	2
26	Ulcer of stomach and duodenum	M	10	22	21	6	2	4	13	3	7	9	5	4	21	5	11	16	5	11	12
		F	3	7	5	2	2	1	5	1	5	3	5	6	6	2	3	6	—	5	6
27	Gastritis, enteritis and diarrhoea	M	5	5	3	2	1	1	—	1	1	—	—	6	3	1	2	3	—	2	5
		F	11	8	1	—	2	3	1	—	—	3	6	3	7	2	3	7	2	4	3
28	Nephritis and nephrosis	M	5	14	15	4	3	7	5	2	2	12	7	5	8	2	6	14	7	4	12
		F	2	14	9	4	5	8	2	2	3	3	2	6	6	1	4	14	1	5	10
29	Hyperplasia of prostate	M	21	16	15	4	6	8	7	5	3	9	5	5	15	3	11	24	14	12	22
30	Pregnancy, childbirth, abortion*	M	4	2	2	1	—	—	—	1	2	3	1	—	2	—	3	1	1	1	4
31	Congenital malformations	M	7	19	14	3	2	10	6	9	9	6	4	3	9	2	3	18	2	11	7
		F	9	17	7	5	1	9	4	7	5	6	4	7	4	3	2	16	4	3	8
32	Other defined and ill-defined dis.	M	89	103	78	32	34	46	57	38	47	62	46	51	121	36	53	111	33	56	96
		F	94	136	81	38	36	55	67	35	45	76	47	49	147	56	62	147	38	59	137
33	Motor vehicle accidents	M	11	20	11	3	7	4	10	6	5	17	8	7	10	7	10	20	1	13	12
		F	6	5	3	1	1	6	2	2	2	3	3	2	5	—	2	4	1	5	8
34	All other accidents	M	11	39	36	15	6	17	17	12	12	18	13	12	29	6	19	33	13	9	22
		F	24	25	22	12	13	14	12	8	14	13	7	10	30	9	22	18	10	13	16
35	Suicide	M	13	25	14	6	5	2	2	8	7	15	6	4	8	7	9	18	4	2	1
		F	9	14	6	4	7	3	4	3	3	5	—	2	10	8	8	8	1	—	—
36	Homicide, operations of war	M	3	2	3	—	—	—	1	1	—	—	1	1	1	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

** "Delayed" maternal deaths
(see page 237)

TABLE 21—continued—County Boroughs

Supplementary Abridged List of Causes of Death (See first page of Table)		Stockport	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff	Merthyr Tydfil	Newport (Mon.)	Swansea
2(1) Tub. of meninges and nervous system	M F	1 2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
9(1) Typhoid fever	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(2) Scarlet fever	M F	(J)1	—	—	—	—	—	—	—	—	—	—	—	(J)1	—	—	—	—	—	—
9(3) Streptococcal sore throat	M F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
9(4) Erysipelas, septicæmia, pyæmia	M F	—	1	—	—	—	1	1	—	1	—	—	—	2	—	—	1	—	—	3
9(5) Acute infectious encephalitis	M F	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—
9(6) Smallpox	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7) Infectious hepatitis	M F	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
14(1) Malig. neoplasm, mouth and pharynx	M F	2 6	7 1	5 2	5 2	5 2	5 2	2 4	—	1 1	4 1	1 1	6 4	4 2	1 2	1 2	8 4	2 1	1 1	7 4
14(2) Malig. neoplasm, œsophagus	M F	5 9	1 3	3 6	4 3	6 4	3 1	—	—	3 5	1 2	1 3	2 9	3 2	1 4	5 11	2 8	1 1	3 6	7 7
14(3) Malig. neoplasm, intestine and rectum	M F	29 30	38 44	33 20	12 11	11 9	21 29	12 16	12 13	18 14	28 21	14 7	7 8	23 29	12 12	12 17	36 40	5 4	12 18	27 24
14(4) Malig. neoplasm, larynx	M F	1 1	—	—	—	—	1	—	—	—	—	1	2	—	—	—	5	1	1	1
13(1) Malig. neoplasm, cervix uteri	F	5	11	14	5	5	5	3	2	4	8	5	5	10	4	8	21	3	7	16
14(5) Hodgkin's disease	M F	2 1	4 1	—	—	—	3 1	7 1	1 1	—	—	—	1 1	2 2	—	—	2 2	2 2	2 2	2 2
14(6) Lymphosarcoma, reticulosarcoma	M F	—	2 1	2 2	—	—	—	3 1	1 1	—	2 2	1 1	—	1 1	1 2	—	4 2	—	1 1	1 4
32(1) Thyrotoxicosis	M F	1 3	2 2	—	—	—	1 1	4 1	—	1 1	1 1	—	2 2	—	—	—	—	—	—	1 2
32(2) Otitis media and mastoiditis	M F	1 1	1 1	—	—	—	—	1 1	—	1 1	—	1 1	2 2	—	—	—	—	—	1 1	—
32(3) Rheumatic fever	M F	1 3	2 1	—	—	—	1 1	1 1	—	1 1	2 2	—	—	—	—	1 1	1 1	—	—	1 1
20(1) Chronic rheumatic heart disease	M F	16 17	23 40	9 24	4 10	3 9	4 10	5 9	5 11	5 7	10 19	6 10	5 14	13 12	2 3	7 22	5 29	14 11	14 22	14 37
21(1) Hyperten. without mention of heart	M F	16 11	19 28	4 8	4 3	2 5	10 10	11 5	11 5	4 10	6 8	10 17	5 17	4 17	4 5	6 23	7 23	8 9	20 14	20 15
32(4) Appendicitis	M F	2 3	1 1	—	—	—	2 1	2 1	—	1 1	2 2	2 1	2 2	1 1	—	1 3	2 3	2 2	2 2	3 2
32(5) Intestinal obstruc. and hernia	M F	5 8	3 7	5 6	1 2	1 4	7 2	7 4	3 2	1 7	7 6	5 5	8 4	5 6	2 2	1 6	4 10	4 5	4 5	3 4
32(6) Cirrhosis of liver	M F	1 2	4 3	9 5	2 1	2 2	4 2	2 2	1 4	1 2	1 2	1 1	—	2 2	2 5	5 2	2 5	2 4	—	1 4
32(7) Cholelithiasis, cholecystitis	M F	1 3	4 5	2 1	1 4	1 1	—	—	3 5	2 2	1 4	—	—	2 2	2 1	2 9	2 3	2 5	4 5	4 5
30(1) Maternal sepsis (not abortion)	F	—	1	2	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	1
30(2) Toxæmias of pregnancy and puerperium	F	2	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1
30(3) Abortion	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
32(8) Birth injury	M F	—	3 5	6 3	2 2	1 2	1 3	3 1	5 1	4 2	4 2	2 2	3 3	3 3	3 1	1 1	11 15	2 6	5 6	7 9
32(9) Post-natal asphyxia and atelectasis	M F	1 5	13 9	3 8	2 2	1 1	4 4	6 5	1 2	2 2	2 4	2 2	3 4	11 14	1 1	3 2	14 8	6 4	4 4	3 1
23(1) Pneumonia of newborn	M F	1 4	5 4	3 3	—	1 1	1 4	2 2	—	—	3 2	2 2	2 3	3 1	3 4	4 3	3 2	2 1	1 1	2 2
32(11) Ophth., pemphigus, sepsis of newborn	M F	—	—	—	—	1 1	—	1 1	—	1 1	—	—	—	—	—	—	—	—	—	—
32(12) Hæmolytic disease of newborn	M F	—	2 10	—	—	1 4	—	—	—	—	—	1 6	—	—	1 4	—	—	1 8	—	2 15
32(13) Immaturity (without other dis. peculiar to early infancy)	M F	10 8	10 10	11 7	4 4	3 1	2 3	6 3	10 5	5 7	8 11	6 3	10 8	6 4	4 3	2 2	8 5	1 1	6 2	15 8
32(14) Senility without psychosis	M F	23 34	14 27	—	4 11	—	3 9	15 14	2 8	16 18	2 9	2 5	17 17	44 86	7 27	18 18	23 23	3 5	13 20	26 49
32(15) Ill-defined and unknown cause	M F	—	1 1	—	—	—	—	—	—	—	1 1	—	1 1	—	—	—	—	—	—	1 1

TABLE 21—continued—Administrative Counties

Abridged List of Causes of Death (See first page of Table)			Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham	Ely, Isle of	Essex	Gloucestershire	Herefordshire	Hertfordshire	Huntingdonshire	Kent	Lancashire
1	Tuberculosis, respiratory	M	17	23	21	12	69	30	12	40	39	17	74	3	92	32	9	48	5	95	172
2	Tuberculosis, other	F	5	5	10	3	29	4	6	11	10	7	21	1	34	9	2	17	45	63	
		M	1	1	2	—	8	2	2	3	4	2	5	—	11	3	2	4	10	8	
3	Syphilitic disease	M	2	6	6	6	14	6	4	8	13	2	15	2	33	9	1	10	29	51	
4	Diphtheria	F	3	2	2	1	6	2	—	6	6	—	12	—	16	—	—	4	21	17	
		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	M	—	—	1	—	2	—	—	1	2	1	—	—	1	1	—	—	—	2	
6	Meningococcal infections	F	—	—	—	—	1	1	—	1	—	—	(J)2	—	2	—	—	3	—	2	
		M	—	—	2	—	—	2	1	1	2	1	2	—	5	—	—	2	—	2	
7	Acute poliomyelitis	M	—	2	—	—	6	—	1	1	1	—	—	—	4	—	—	1	1	4	
8	Measles	F	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		M	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	
9	Other infective, etc., diseases	M	3	3	3	2	14	(J)12	2	(J)9	8	2	16	2	(J)18	8	1	4	—	19	
10	Malignant neoplasm: stomach	F	5	5	5	3	7	4	1	3	10	2	(J)9	—	12	12	(J)3	—	22	30	
		M	42	40	53	34	151	76	40	132	83	48	215	12	280	73	20	14	255	380	
		F	43	37	48	16	131	50	22	73	65	53	126	6	212	54	14	67	183	325	
11	lung, bronchus	M	99	117	142	67	288	76	43	204	154	90	246	26	631	135	36	208	580	692	
12	breast	F	16	15	16	9	52	9	8	29	30	11	30	2	124	17	6	120	100	120	
		M	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	uterus	M	78	59	54	47	164	75	23	132	127	59	128	13	336	80	35	129	349	423	
		F	20	26	36	21	82	43	26	63	49	24	97	2	119	37	11	57	135	207	
14	Other malignant and lymphatic neoplasms	M	162	169	218	106	442	188	118	385	369	190	458	53	849	241	64	379	918	1,098	
15	Leukæmia, aleukæmia	F	142	144	176	83	410	166	104	296	336	190	408	35	782	213	74	350	32	781	
		M	5	9	18	6	20	8	4	11	25	12	21	5	57	13	6	20	1	52	
		F	9	8	9	4	23	10	10	18	16	6	17	2	49	10	3	21	55	44	
16	Diabetes	M	8	9	7	4	18	17	4	14	17	10	14	1	52	14	3	13	3	31	
		F	11	9	16	11	38	18	12	38	39	23	36	3	74	26	5	17	1	85	
17	Vascular lesions of nervous system	M	206	255	242	148	669	265	196	462	455	226	830	78	1,057	314	97	407	39	1,046	
		F	298	349	328	224	1039	368	238	632	702	355	924	121	1,403	449	122	644	59	1,553	
18	Coronary disease, angina	M	310	272	372	179	1053	371	269	673	612	391	1029	71	1,671	415	107	646	61	1,710	
19	Hypertension with heart disease	F	176	186	237	93	548	222	154	396	383	219	619	38	982	278	64	408	41	992	
		M	46	31	40	19	84	45	25	104	81	30	128	6	188	60	11	81	4	193	
		F	46	36	59	35	106	69	27	93	111	43	134	10	271	70	14	93	13	225	
20	Other heart disease	M	235	248	273	140	703	449	197	613	619	264	637	88	1,074	461	142	435	69	1,295	
21	Other circulatory disease	F	313	295	341	153	979	617	272	758	810	383	746	125	1,602	649	155	670	83	1,901	
		M	60	99	96	49	198	99	48	196	164	77	232	24	387	113	24	157	14	371	
		F	79	94	96	48	252	94	49	221	197	89	242	22	408	119	46	196	7	514	
22	Influenza	M	9	30	8	9	22	26	8	12	24	13	16	1	54	26	13	6	26	54	
		F	6	17	12	19	33	31	8	14	35	10	16	2	43	37	4	19	7	45	
23	Pneumonia	M	80	93	117	44	172	78	49	189	139	88	214	23	430	135	30	201	11	457	
		F	83	79	95	40	168	94	34	127	151	94	188	28	438	129	40	252	22	424	
24	Bronchitis	M	108	104	150	47	377	79	54	290	164	67	398	16	705	124	53	191	22	634	
		F	53	38	68	33	157	48	35	108	112	34	121	18	346	78	35	96	6	344	
25	Other diseases of respiratory system	M	11	24	25	12	52	42	3	50	45	35	97	11	98	51	10	46	2	126	
		F	11	16	6	10	25	15	8	23	26	13	26	1	58	14	5	22	—	66	
26	Ulcer of stomach and duodenum	M	35	33	48	13	64	35	14	62	19	6	65	6	154	34	17	52	8	183	
27	Gastritis, enteritis and diarrhoea	F	13	8	11	8	28	10	4	19	21	15	18	2	67	14	4	37	4	58	
		M	10	4	8	2	13	8	4	11	10	13	1	28	10	3	8	—	42	45	
		F	14	11	10	4	25	16	7	16	12	21	2	44	9	3	22	—	52	50	
28	Nephritis and nephrosis	M	16	16	17	13	65	28	13	39	35	19	63	5	84	27	7	29	3	90	
		F	14	7	17	6	50	28	7	45	37	12	34	6	60	15	7	25	3	72	
29	Hyperplasia of prostate	M	38	23	34	13	74	46	10	58	77	44	82	15	110	45	20	46	8	139	
30	Pregnancy, childbirth, abortion*	F	3	2	3	—	8	8	3	7	3	2	18	—	12	3	—	—	—	6	
31	Congenital malformations	M	29	16	18	9	44	14	14	49	27	17	69	2	87	17	10	30	5	82	
32	Other defined and ill-defined dis.	F	10	13	14	4	41	9	17	37	16	12	60	3	77	18	9	28	4	113	
		M	148	136	177	67	448	189	140	307	266	152	416	41	702	194	72	274	38	724	
		F	188	184	191	82	559	252	171	359	371	157	487	36	895	255	59	323	47	873	
33	Motor vehicle accidents	M	41	39	43	28	82	23	19	61	32	26	66	3	121	50	16	81	22	124	
34	All other accidents	F	7	12	16	4	19	4	5	19	6	23	1	4	46	14	6	20	—	64	
		M	34	41	48	28	97	67	34	117	64	36	174	8	154	57	15	72	11	187	
		F	43	31	43	25	107	51	30	76	89	33	119	7	144	53	13	84	6	167	
35	Suicide	M	16	18	20	19	64	20	16	43	49	20	64	8	128	27	9	34	4	104	
		F	11	13	13	11	41	20	6	31	21	11	33	1	86	16	4	40	4	78	
36	Homicide, operations of war	M	—	—	—	1	4	—	1	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
** "Delayed" maternal deaths (see page 237)			1	—	2	—	—	2	—	—	—	—	1	—	1	1	—	1	—	2	2

TABLE 21—continued—Administrative Counties

Supplementary Abridged List of Causes of Death (See first page of Table)		Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham	Ely, Isle of	Essex	Gloucestershire	Hampshire	Hertfordshire	Huntingdonshire	Kent	Lancashire	Leicestershire
1) Tub. of meninges and nervous system	M	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	1	3	—
1) Typhoid fever	F	—	1	—	—	—	1	—	—	1	—	—	1	—	1	—	3	—	2	4	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
2) Scarlet fever	F	—	—	—	—	—	(1)1	—	(1)1	—	—	—	—	(1)1	—	—	(1)1	—	—	(1)1	—
3) Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—
4) Erysipelas, septicaemia, pyaemia	M	1	—	1	—	—	—	—	2	2	—	3	—	5	—	—	—	—	6	4	2
5) Acute infectious encephalitis	F	—	—	1	—	1	1	—	—	—	—	3	—	—	—	—	—	—	3	2	—
	M	1	1	1	—	1	1	—	1	1	—	1	—	1	1	—	1	—	1	7	—
6) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7) Infectious hepatitis	M	—	2	—	2	1	1	—	4	1	—	3	1	5	1	—	—	—	4	4	—
	F	3	1	4	—	—	—	1	1	2	—	2	—	2	4	1	—	—	5	7	1
1) Malig. neoplasm, mouth and pharynx	M	11	8	3	8	24	9	2	16	11	9	31	2	38	14	6	20	—	43	57	3
2) Malig. neoplasm, oesophagus	F	7	3	5	1	13	9	5	10	6	4	10	1	16	5	1	10	3	22	33	4
	M	4	8	15	9	26	5	7	18	25	7	28	3	41	13	2	23	3	64	61	13
	F	5	5	7	2	21	13	3	7	26	14	14	—	31	12	5	16	—	34	44	3
3) Malig. neoplasm, intestine and rectum	M	55	45	61	28	137	61	45	127	116	60	125	24	195	62	15	91	15	243	326	66
4) Malig. neoplasm, larynx	F	47	54	79	38	163	58	34	116	122	72	184	15	276	86	30	129	11	268	383	46
	M	3	4	6	—	9	2	3	11	8	5	15	1	30	4	2	7	1	24	35	4
	F	—	1	1	—	1	3	1	2	2	—	1	1	2	—	1	2	—	4	12	2
1) Malig. neoplasm, cervix uteri	F	11	16	22	9	53	25	13	37	17	15	72	1	71	20	10	36	6	82	136	12
5) Hodgkin's disease	M	5	2	3	1	18	4	2	6	8	1	6	1	22	6	—	12	1	20	30	5
	F	3	—	2	3	11	1	3	2	4	—	9	1	11	2	1	5	—	16	12	3
6) Lymphosarcoma, reticulosarcoma	M	3	2	3	4	6	5	1	7	5	6	16	—	12	6	2	7	—	18	9	4
1) Thyrotoxicosis	F	3	5	5	1	3	1	4	7	3	2	9	—	9	5	3	7	—	17	9	3
	M	1	—	—	2	—	—	—	—	—	2	1	1	2	—	—	—	—	1	5	—
	F	6	1	2	2	6	5	—	6	10	5	2	—	8	3	2	3	—	13	11	3
2) Otitis media and mastoiditis	M	—	1	1	—	—	—	3	2	2	—	4	—	4	1	—	4	—	8	6	—
3) Rheumatic fever	F	—	1	1	—	2	1	1	1	2	—	2	1	2	—	1	1	—	7	7	1
	M	1	2	—	—	3	—	1	1	1	1	6	—	1	1	—	—	—	3	8	—
	F	—	3	—	—	2	—	—	3	1	—	4	—	1	—	—	2	—	4	5	1
4) Chronic rheumatic heart disease	M	22	13	31	5	49	25	21	36	32	31	68	8	100	31	8	33	6	92	177	17
5) Hyperten. without mention of heart	F	25	22	39	12	115	33	35	69	51	24	120	6	210	47	12	52	8	180	271	34
	M	21	26	36	15	53	31	8	64	52	18	65	8	151	34	5	46	4	134	160	31
	F	30	16	23	16	79	23	13	85	55	30	69	7	153	33	15	65	4	156	164	23
6) Appendicitis	M	3	6	4	2	11	5	2	10	9	11	8	2	20	3	2	9	3	19	27	6
7) Intestinal obstruc. and hernia	F	5	1	1	2	7	3	1	4	3	3	4	1	16	7	—	7	—	14	14	2
	M	7	12	15	2	38	16	12	20	12	13	22	6	39	12	5	19	—	78	75	18
	F	9	14	17	2	33	12	12	26	6	25	—	—	59	13	1	21	1	64	84	11
8) Cirrhosis of liver	M	—	6	10	1	8	1	4	13	15	5	8	—	22	7	1	4	1	15	40	5
	F	5	3	3	—	5	2	3	8	6	4	9	—	14	7	3	8	2	15	32	1
9) Cholelithiasis, cholecystitis	M	4	4	3	3	4	7	3	5	8	5	7	1	16	4	2	9	1	14	22	3
	F	5	7	8	1	16	9	5	14	16	9	20	—	34	6	1	10	1	30	62	10
10) Maternal sepsis (not abortion)	F	—	—	2	—	—	2	1	1	—	—	2	—	3	—	—	—	—	—	3	1
11) Toxæmia of pregnancy and puerperium	F	1	—	1	—	3	2	—	1	2	—	7	—	3	1	—	1	—	3	6	2
12) Abortion	F	—	—	—	—	2	—	1	1	—	1	4	—	4	2	—	1	—	1	3	—
13) Birth injury	M	7	12	6	4	20	12	6	19	6	8	20	—	38	11	3	24	2	29	65	16
	F	6	10	4	1	20	4	6	15	10	4	20	1	34	2	—	9	—	20	33	9
14) Post-natal asphyxia and atelectasis	M	12	5	20	2	16	7	5	17	20	5	26	1	32	18	2	21	—	44	80	11
	F	6	5	7	4	15	13	4	17	6	4	12	2	21	8	1	9	—	28	45	9
15) Pneumonia of newborn	M	1	5	3	3	10	8	4	14	5	7	8	1	17	3	2	5	1	11	18	2
	F	—	3	3	1	5	5	2	5	2	4	9	—	19	2	2	5	—	7	8	1
1) Ophth., pemphigus, sepsis of newborn	M	—	—	—	—	1	—	—	1	1	—	—	—	2	—	—	—	—	—	2	—
	F	—	—	—	—	—	—	—	2	1	—	2	—	3	1	—	—	—	—	1	—
2) Hæmolytic disease of newborn	M	—	1	—	1	4	—	1	2	1	1	2	—	8	—	1	2	—	11	14	1
	F	1	—	3	1	1	—	—	3	3	—	—	—	6	3	1	6	—	6	11	—
3) Immaturity (without other dis. peculiar to early infancy)	M	15	7	17	6	45	10	15	21	17	16	57	6	68	25	12	18	4	60	97	11
	F	12	10	15	6	25	15	9	15	8	12	44	—	41	11	6	11	3	51	88	6
4) Senility without psychosis	M	27	21	13	6	128	40	46	69	44	18	61	8	95	19	14	22	9	104	193	35
	F	44	60	34	16	179	84	70	79	96	25	78	13	201	53	26	48	19	173	299	63
5) Ill-defined and unknown cause	M	1	2	3	2	5	3	1	—	1	1	9	1	7	1	1	1	1	10	9	4
	F	1	1	1	—	5	2	1	—	2	2	5	—	2	—	—	3	—	7	5	1

TABLE 21—continued—Administrative Counties

Supplementary Abridged List of Causes of Death (See first page of Table)		Lincolnshire: (Parts of Holland)	Lincolnshire: (Parts of Kesteven)	Lincolnshire: (Parts of Lindsey)	Middlesex	Norfolk	Northamptonshire	Northumberland	Nottinghamshire	Oxfordshire	Peterborough, Soke of	Rutland	Shropshire	Somerset	Southampton	Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	
2(1)	Tub. of meninges and nervous system	M	—	—	1	2	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—
9(1)	Typhoid fever	M	—	—	1	1	—	—	1	—	—	—	2	1	—	—	—	—	2	—	—	—
9(2)	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9(3)	Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9(4)	Erysipelas, septicaemia, pyæmia	M	—	—	2	—	1	—	—	—	—	—	—	—	—	1	1	1	—	—	—	
9(5)	Acute infectious encephalitis	M	—	—	4	—	—	—	—	—	—	—	—	—	3	1	1	—	2	1	—	
		F	—	1	6	6	—	—	1	1	—	—	1	2	—	3	—	—	3	—	—	
9(6)	Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9(7)	Infectious hepatitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	7	1	1	1	1	1	—	—	1	1	1	4	—	—	2	—	—	
		F	—	3	14	—	1	1	—	—	—	—	1	1	3	4	—	—	4	2	—	
14(1)	Malig. neoplasm, mouth and pharynx	M	5	4	10	48	9	6	20	7	10	—	6	13	21	20	6	6	35	14	13	
14(2)	Malig. neoplasm, œsophagus	M	2	—	5	19	9	7	3	6	1	—	5	1	12	13	3	3	21	6	6	
		F	4	3	5	63	18	8	14	8	9	2	15	14	17	20	7	4	39	16	17	
14(3)	Malig. neoplasm, intestine and rectum	M	25	28	57	337	80	53	85	90	21	8	48	81	101	140	30	32	202	65	85	
14(4)	Malig. neoplasm, larynx	M	17	20	38	372	59	43	56	82	17	12	44	86	106	141	44	22	282	92	84	
		F	2	3	3	29	4	1	6	4	1	1	2	3	9	7	10	3	16	8	3	
13(1)	Malig. neoplasm, cervix uteri	F	4	10	16	97	19	5	32	36	5	2	14	25	46	46	9	5	63	23	18	
14(5)	Hodgkin's disease	M	1	—	3	23	3	1	3	6	1	1	1	2	9	7	3	—	22	6	4	
		F	3	—	—	28	—	1	4	3	—	—	—	4	5	8	4	—	13	2	3	
14(6)	Lymphosarcoma, reticulosarcoma	M	—	2	2	28	4	3	6	4	—	1	4	3	9	7	5	3	11	7	3	
32(1)	Thyrotoxicosis	M	—	1	2	16	6	4	1	2	2	—	1	6	6	10	4	1	13	5	4	
		F	—	1	—	—	—	—	—	—	—	—	1	2	—	1	1	—	2	—	—	
		F	—	2	3	8	2	1	4	4	2	—	1	14	4	10	2	1	5	3	1	
32(2)	Otitis media and mastoiditis	M	—	—	2	3	—	1	2	2	—	—	1	1	1	7	2	1	5	—	—	
32(3)	Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—	1	—	—	
		F	—	—	5	—	—	—	2	—	1	—	3	4	1	3	—	2	—	—	—	
		F	—	—	1	6	—	2	3	2	—	—	—	1	2	2	1	—	—	—	—	
20(1)	Chronic rheumatic heart disease	M	8	5	13	130	20	20	36	43	8	4	27	43	38	63	16	4	96	17	20	
21(1)	Hyperten. without mention of heart	M	5	11	18	292	27	18	45	48	16	4	2	48	58	75	13	9	140	40	31	
		F	5	13	43	183	27	32	45	45	20	2	1	18	65	49	65	17	9	134	32	
		F	5	14	39	211	27	36	28	17	5	3	25	55	51	53	18	9	190	50	25	
32(4)	Appendicitis	M	1	1	4	18	1	5	1	5	—	—	2	6	11	13	1	3	16	9	5	
32(5)	Intestinal obstruc. and hernia	M	4	3	16	68	14	11	7	18	3	5	7	21	21	30	12	4	45	15	7	
		F	3	3	10	82	8	8	11	16	9	3	9	18	19	31	6	6	41	21	16	
32(6)	Cirrhosis of liver	M	—	2	9	26	2	5	4	7	3	2	1	6	12	6	1	3	20	6	6	
32(7)	Cholelithiasis, cholecystitis	M	1	3	1	20	5	3	6	6	2	1	2	3	8	10	1	2	12	2	4	
		F	1	6	3	15	1	2	4	2	1	—	1	6	10	6	1	3	8	5	2	
		F	—	4	8	42	5	3	8	13	2	—	4	14	7	17	6	3	30	13	13	
30(1)	Maternal sepsis (not abortion)	F	1	—	—	1	1	1	2	—	1	—	1	—	1	2	—	—	—	—	—	
30(2)	Toxæmias of pregnancy and puerperium	F	—	—	—	7	2	—	2	1	—	1	2	3	2	5	—	—	3	—	1	
30(3)	Abortion	F	—	—	—	3	—	—	3	—	—	—	—	1	—	3	—	—	2	1	—	
32(8)	Birth injury	M	2	1	5	48	6	6	19	15	12	1	10	17	16	29	4	3	20	4	7	
		F	4	1	4	24	5	5	11	6	3	—	8	7	13	13	3	—	15	5	4	
32(9)	Post-natal asphyxia and atelectasis	M	5	6	10	67	9	17	12	14	5	4	2	16	22	43	7	9	36	4	5	
		F	1	3	7	42	8	8	6	11	7	1	11	16	12	26	7	1	22	6	5	
32(1)	Pneumonia of newborn	M	1	2	2	17	5	2	3	5	3	1	7	6	7	15	1	1	10	4	5	
		F	1	1	2	7	2	2	5	2	—	1	2	3	7	12	3	—	—	—	8	
32(11)	Ophth., pemphigus, sepsis of newborn	M	—	—	1	1	—	—	—	—	—	—	—	2	—	2	1	1	1	—	—	
		F	—	1	1	1	—	1	—	1	—	—	—	—	—	2	1	1	—	—	—	
32(12)	Hæmolytic disease of newborn	M	1	—	1	9	3	—	2	2	—	—	2	1	2	4	1	—	3	—	1	
		F	—	—	—	9	1	—	—	—	—	—	—	1	2	4	1	—	2	1	—	
32(13)	Immaturity (without other dis. peculiar to early infancy)	M	7	5	13	62	7	11	28	24	3	3	14	3	5	17	35	8	9	44	9	
		F	2	6	11	50	8	5	22	29	5	1	3	5	18	33	2	3	27	7	15	
32(14)	Senility without psychosis	M	28	21	39	44	46	4	33	43	11	7	4	57	65	160	15	5	71	20	24	
		F	24	6	72	91	84	12	50	52	16	14	43	97	115	230	29	10	167	41	44	
32(15)	Ill-defined and unknown cause	M	—	1	1	6	2	2	2	1	1	—	—	2	1	1	1	—	1	—	—	
		F	1	—	—	5	—	2	2	2	—	—	—	2	1	1	—	1	—	—	—	

TABLE 21—continued—Administrative Counties

Abridged List of Causes of Death (See first page of Table)		Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire	Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Brecknockshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	†Flintshire	Glamorganshire	Merionethshire	Monmouthshire	Montgomeryshire	Pembrokeshire	
1	Tuberculosis, respiratory	M	41	11	8	19	33	11	25	135	9	5	27	7	15	8	18	98	13	19	3	5
2	Tuberculosis, other	F	9	1	—	4	10	6	2	42	—	1	3	2	8	4	41	—	14	1	1	2
3	Syphilitic disease	M	8	1	—	7	6	1	9	35	4	—	1	1	3	4	16	—	8	1	1	—
4	Diphtheria	F	3	(1)	—	5	—	2	4	22	—	—	2	—	1	—	2	—	1	—	—	—
5	Whooping cough	M	—	—	—	—	1	—	(1)	3	—	—	—	—	—	—	—	—	—	1	1	
6	Meningococcal infections	F	—	—	—	—	—	—	3	3	—	1	—	—	—	—	2	—	—	—	—	
7	Acute poliomyelitis	M	—	—	—	—	—	—	3	2	—	—	—	—	—	—	2	—	—	—	—	
8	Measles	F	—	—	—	—	—	—	2	1	—	—	—	—	—	—	2	—	—	—	—	
9	Other infective, etc., diseases	M	8	1	—	3	3	2	6	16	—	—	1	2	4	3	7	—	7	—	1	
10	Malignant neoplasm: stomach	F	13	3	—	2	2	2	5	18	—	2	—	(1)	4	11	1	—	—	—	—	
11	lung, bronchus	M	64	17	17	57	62	34	76	298	23	9	41	23	43	45	25	174	10	67	16	
12	breast	F	61	15	12	38	66	23	69	203	10	9	42	12	58	39	26	125	10	57	10	
13	uterus	M	153	27	11	29	101	129	65	100	14	17	36	11	54	43	57	182	12	98	4	
14	Other malignant and lymphatic neoplasms	F	27	2	7	12	13	14	15	80	2	3	8	2	4	6	2	19	—	7	1	
15	Leukæmia, aleukæmia	M	103	13	18	76	79	31	65	272	11	9	18	25	43	25	137	8	50	8	9	
16	Diabetes	F	34	4	10	24	27	22	34	145	10	5	10	5	21	9	14	57	8	26	6	
17	Vascular lesions of nervous system	M	293	33	69	195	199	129	198	773	31	36	87	29	115	93	89	366	27	164	30	
18	Coronary disease, angina	F	208	45	55	171	178	108	176	780	20	18	96	38	101	91	70	292	37	138	19	
19	Hypertension with heart disease	M	13	1	—	10	13	7	13	38	—	1	3	4	2	5	18	—	5	3	2	
20	Other heart disease	F	15	3	2	8	12	7	10	33	—	2	5	—	4	6	—	—	—	—	—	
21	Other circulatory disease	M	12	1	—	4	5	10	9	46	4	2	3	3	6	2	5	20	—	6	1	
22	Influenza	F	24	2	7	12	10	16	11	92	2	6	8	4	10	6	48	4	20	1	5	
23	Pneumonia	M	336	71	70	257	300	160	301	1384	54	46	99	48	139	171	113	596	38	236	48	
24	Bronchitis	F	447	101	118	345	393	251	384	1625	65	54	175	79	191	220	185	667	40	266	83	
25	Other diseases of respiratory system	M	496	115	91	373	324	282	449	1849	66	71	136	59	195	212	165	860	40	371	33	
26	Ulcer of stomach and duodenum	F	286	53	72	208	219	157	263	1111	32	28	76	36	93	108	101	411	13	173	24	
27	Gastritis, enteritis and diarrhoea	M	58	5	18	64	57	15	44	218	7	4	25	10	30	28	21	113	4	52	2	
28	Nephritis and nephrosis	F	75	12	37	55	35	31	51	253	8	9	32	22	35	22	24	94	10	43	7	
29	Hyperplasia of prostate	M	400	43	93	365	339	211	344	1254	62	95	82	72	135	177	106	648	41	326	47	
30	Pregnancy, childbirth, abortion*	F	454	86	154	445	497	219	481	1710	65	84	151	91	190	215	119	741	57	347	58	
31	Congenital malformations	M	109	18	29	116	68	65	104	394	15	16	64	8	72	44	30	225	18	89	101	
32	Other defined and ill-defined dis.	F	125	18	28	94	68	80	77	441	10	9	83	14	57	44	38	215	17	85	13	
33	Motor vehicle accidents	M	15	—	5	19	21	5	18	57	1	1	—	—	12	9	1	9	4	6	—	
34	All other accidents	F	18	—	4	25	16	9	19	53	1	1	2	4	6	3	4	13	7	1	4	
35	Suicide	M	110	9	36	80	86	53	82	360	20	7	23	12	25	40	28	163	5	74	3	
36	Homicide, operations of war	F	140	10	39	83	111	53	45	301	13	10	15	10	13	19	28	114	4	49	10	
37	Motor vehicle accidents	M	145	18	35	122	164	73	119	775	18	25	52	13	77	56	49	463	16	203	18	
38	All other accidents	F	79	8	21	44	101	41	47	367	10	9	27	15	37	22	35	161	8	71	5	
39	Suicide	M	40	6	10	27	24	13	22	118	1	9	13	4	98	17	13	204	10	52	8	
40	Homicide, operations of war	F	24	2	5	14	7	9	7	56	3	—	5	1	6	3	5	29	2	9	2	
41	Suicide	M	43	11	6	30	29	17	32	104	4	3	9	3	17	20	12	48	5	28	6	
42	Homicide, operations of war	F	12	5	5	14	17	4	12	43	—	2	—	5	7	3	17	2	5	2	1	
43	Suicide	M	9	—	3	12	9	4	9	37	—	2	1	—	2	2	15	1	7	—	—	
44	Homicide, operations of war	F	25	5	2	13	11	9	7	43	—	1	3	—	3	2	6	12	—	9	3	
45	Suicide	M	21	3	7	26	26	20	22	120	9	3	11	9	15	25	8	62	8	24	2	
46	Homicide, operations of war	F	24	4	2	10	27	12	18	116	6	2	8	8	16	12	7	69	4	26	2	
47	Suicide	M	43	7	13	32	27	28	43	113	7	8	18	10	25	29	14	106	11	38	8	
48	Homicide, operations of war	F	6	—	1	2	2	2	3	14	1	—	1	1	2	1	3	8	1	6	—	
49	Suicide	M	25	6	5	17	16	12	21	75	3	7	5	1	16	8	10	47	—	31	7	
50	Homicide, operations of war	F	30	6	1	20	23	9	19	86	2	5	9	4	9	9	51	—	19	1	7	
51	Suicide	M	238	18	50	161	167	116	162	755	32	24	78	36	104	111	85	425	20	149	29	
52	Homicide, operations of war	F	245	35	60	229	189	118	170	876	45	24	83	47	122	132	91	496	28	195	24	
53	Suicide	M	61	8	4	45	29	32	49	132	3	9	10	7	17	19	20	58	1	24	3	
54	Homicide, operations of war	F	15	1	2	11	12	2	14	56	2	—	—	5	2	4	19	—	7	3	5	
55	Suicide	M	62	8	13	35	46	35	73	267	13	9	10	11	31	19	24	122	9	60	8	
56	Homicide, operations of war	F	72	10	14	28	46	31	55	235	5	3	9	8	19	25	19	70	3	36	16	
57	Suicide	M	37	3	7	34	32	26	21	106	2	6	16	9	15	9	9	39	4	15	3	
58	Homicide, operations of war	F	26	4	2	19	11	9	11	76	3	2	4	6	7	5	18	—	15	2	4	
59	Suicide	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
60	Homicide, operations of war	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

*“Delayed” maternal deaths (see page 237)

† The figures for this area include 15 deaths (11M., 4F.,) (including 2M. deaths from Tuberculosis of the Respiratory System) in a Polish General Hospital which could not be transferred to the area of residence.

TABLE 21—continued—Administrative Counties

Supplementary Abridged List of Causes of Death (See first page of Table)		Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire	Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Brecknockshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	Flintshire	Glamorganshire	Merionethshire	Monmouthshire	Montgomeryshire	Pembrokeshire	Radnorshire
(1) Tub. of meninges and nervous system	M	—	—	1	—	—	1	1	2	—	—	—	—	1	—	—	3	—	1	—	—	—
(1) Typhoid fever	M	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	
(2) Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
(3) Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
(4) Erysipelas, septicaemia, pyaemia	M	—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	1	—	2	—	—	
(5) Acute infectious encephalitis	M	4	—	—	2	—	—	2	1	—	—	—	—	1	—	—	1	—	—	—	—	
(6) Smallpox	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
(7) Infectious hepatitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
(1) Malig. neoplasm, mouth and pharynx	M	19	2	3	16	6	6	9	31	2	—	9	2	3	2	4	23	—	8	2	3	1
(2) Malig. neoplasm, oesophagus	F	6	—	2	3	3	7	7	20	1	1	5	2	1	5	6	1	12	4	3	1	—
(3) Malig. neoplasm, intestine and rectum	M	19	2	5	16	7	9	8	31	1	5	6	3	12	14	5	24	1	12	5	2	—
(4) Malig. neoplasm, larynx	F	11	1	2	7	11	5	10	37	2	1	11	7	12	7	4	21	5	5	2	—	—
(1) Malig. neoplasm, cervix uteri	M	77	9	30	50	74	40	78	249	11	9	26	8	44	24	31	108	9	60	15	13	5
(5) Hodgkin's disease	F	61	17	26	58	73	48	57	305	7	5	43	12	30	37	27	119	16	51	4	15	4
(6) Lymphosarcoma, reticulosarcoma	M	2	—	—	2	3	—	1	8	—	—	3	2	—	1	2	8	—	1	—	—	—
(1) Thyrotoxicosis	F	5	—	—	4	6	3	1	13	2	1	2	—	1	1	3	11	5	—	1	—	—
(2) Otitis media and mastoiditis	M	8	3	—	3	6	2	1	10	—	—	—	—	—	5	1	4	—	1	—	1	—
(3) Rheumatic fever	F	7	—	—	2	3	—	3	10	—	—	1	—	3	1	1	6	1	2	—	2	—
(1) Chronic rheumatic heart disease	M	2	—	—	1	3	1	3	9	2	2	3	3	4	3	5	1	2	2	—	—	—
(1) Hyperten. without mention of heart	F	2	—	—	3	1	—	1	9	—	—	—	—	—	1	5	3	—	—	—	1	—
(2) Appendicitis	M	2	—	—	1	—	2	1	4	—	—	—	—	—	—	3	—	—	—	—	—	—
(3) Intestinal obstruc. and hernia	F	1	—	—	—	—	1	2	1	—	—	—	—	—	—	1	8	—	1	—	—	—
(4) Cirrhosis of liver	M	34	4	4	27	20	11	25	97	1	8	6	3	15	15	12	84	4	23	4	7	—
(1) Hyperten. without mention of heart	F	46	5	7	18	47	12	32	216	6	6	8	7	23	23	21	120	8	38	—	7	1
(2) Appendicitis	M	45	4	13	37	30	19	18	114	7	4	31	3	26	16	12	94	4	28	3	5	—
(3) Intestinal obstruc. and hernia	F	40	4	13	30	21	16	22	107	5	4	37	7	14	12	18	85	6	32	4	6	3
(4) Cirrhosis of liver	M	12	—	2	6	5	7	1	13	1	1	1	—	3	3	1	6	—	—	2	—	—
(5) Intestinal obstruc. and hernia	F	3	—	—	2	3	2	6	8	—	—	—	—	1	1	5	5	—	1	—	—	—
(6) Cirrhosis of liver	M	18	1	6	9	12	8	10	54	3	3	7	—	6	5	2	21	3	12	1	2	1
(7) Cholelithiasis, cholecystitis	F	22	2	8	19	14	6	9	38	1	2	10	2	9	4	3	24	3	11	1	—	—
(8) Cholelithiasis, cholecystitis	M	9	1	1	2	10	1	3	21	2	2	2	—	1	4	3	9	—	4	—	—	—
(9) Cholelithiasis, cholecystitis	F	13	1	4	7	4	3	3	11	—	—	2	—	3	3	1	7	1	2	—	1	1
(10) Cholelithiasis, cholecystitis	M	11	—	—	4	3	7	3	19	1	1	—	—	2	2	5	2	3	6	2	—	—
(11) Cholelithiasis, cholecystitis	F	6	—	3	9	8	—	5	53	1	5	2	2	8	2	23	1	—	—	2	—	—
(1) Maternal sepsis (not abortion)	F	1	—	—	—	1	—	—	1	—	—	—	—	—	2	2	—	—	—	—	—	—
(2) Toxæmias of pregnancy and puerperium	F	2	—	—	1	1	1	1	3	—	—	—	—	1	—	—	2	—	2	—	—	—
(3) Abortion	F	1	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(4) Birth injury	M	15	1	5	16	11	4	9	44	1	3	2	1	5	2	5	25	1	8	—	5	—
(5) Post-natal asphyxia and atelectasis	F	11	1	1	14	7	2	4	26	1	1	1	1	5	3	3	19	2	7	1	2	1
(6) Pneumonia of newborn	M	21	—	—	10	10	7	8	83	2	1	6	6	5	9	8	38	—	22	3	7	—
(7) Ophth., pemphigus, sepsis of newborn	F	8	—	—	3	8	2	8	62	2	—	6	3	5	6	20	—	12	2	2	—	—
(8) Haemolytic disease of newborn	M	6	1	—	4	6	1	4	21	—	—	—	—	1	—	1	8	1	4	—	1	—
(9) Ophth., pemphigus, sepsis of newborn	F	1	—	—	1	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
(10) Haemolytic disease of newborn	M	—	—	—	1	1	1	1	9	—	—	—	—	—	—	—	—	—	—	—	—	—
(11) Immaturity (without other dis. peculiar to early infancy)	F	2	—	—	—	—	—	—	10	—	—	—	—	—	—	—	—	—	—	—	—	—
(12) Senility without psychosis	M	13	—	—	6	18	12	32	75	1	3	4	2	9	6	4	32	—	12	2	5	—
(13) Ill-defined and unknown cause	F	13	—	4	7	5	10	17	53	3	—	—	—	1	6	5	20	3	10	1	3	—
(14) Pneumonia of newborn	M	24	6	8	32	19	24	21	96	7	1	14	9	28	22	17	119	9	20	11	11	2
(15) Ophth., pemphigus, sepsis of newborn	F	46	9	15	80	39	42	40	189	16	6	24	1	33	31	29	152	8	31	13	33	4
(16) Haemolytic disease of newborn	M	1	—	1	2	—	3	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
(17) Immaturity (without other dis. peculiar to early infancy)	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 22.—Crude Death Rates from the principal Epidemic Diseases and from certain other Causes; Infant Mortality and Maternal Mortality, 1955 and 1956

۱۰۰

See Explanatory notes on page v

[illegible]

[illegible]

TABLE 22—continued

Administrative Area	Mortality per Million Population at All Ages																Mortality per 1,000 Total (live and still) births													
	Tuberculosis (all forms) (001-019)				Tuberculosis of the respiratory system (001-008)				Typhoid fever (040)		Scarlet fever (050)		Diphtheria (055)		Whooping cough (056)		Meningococcal infections (057)		Acute poliomyelitis (080)		Measles (085)		Infant Mortality per 1,000 related Live Births		Maternal Mortality not due to abortion					
	(001-019)		(001-008)		(040)		(050)		(055)		(056)		(057)		(080)		(085)		(1955)		(1956)		(1955)		(1956)		(1955)		(1956)	
	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956
Doncaster	120	108	108	108	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dudley	202	124	186	93	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastbourne	138	138	121	104	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
East Ham	121	114	112	105	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Exeter	182	208	156	156	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gateshead	221	179	203	161	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gloucester	178	149	163	134	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Great Yarmouth	291	117	233	78	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Grimsby	190	199	169	189	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Halifax	165	135	155	135	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hastings	247	248	216	232	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Huddersfield	94	172	86	157	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ipswich	137	82	128	82	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kingston upon Hull	200	160	187	147	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Leeds	152	130	140	108	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Leicester	206	106	199	95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lincoln	170	113	156	113	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Liverpool	271	199	244	190	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Manchester	208	166	188	147	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Middlesbrough	182	167	161	147	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Newcastle upon Tyne	185	159	171	148	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Northampton	126	216	117	196	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Norwich	132	116	116	100	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nottingham	179	122	167	112	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Oldham	150	159	133	126	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 22—continued

Administrative Area	Mortality per Million Population at All Ages																		Mortality per 1,000 births			
																			Infant Mortality per 1,000 related Live Births	Maternal Mortality not due to abortion		
																				Sepsis of pregnancy, childbirth and the puerperium (640, 641, 681, 682, 684)	Others (642-649, 660-680, 683, 685-689)	
Administrative Counties	Tuberculosis (all forms) (001-019)		Tuberculosis of the respiratory system (001-008)		Typhoid fever (040)		Scarlet fever (050)		Diphtheria (055)		Whooping cough (056)		Menin- gococcal infections (057)		Acute poliomyelitis (080)		Measles (085)		1955	1956	1955	1956
	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956	1955	1956
Bedfordshire	130	110	116	99	0	0	0	0	0	0	2	2	4	4	6	3	3	1	24	23	0.12	0.07
Berkshire	90	73	77	67	—	—	—	—	—	—	—	—	3	—	9	—	3	3	18	22	0.19	—
Buckinghamshire	101	89	89	83	—	—	—	—	—	—	15	—	9	—	6	6	—	—	21	18	—	—
Buckinghamshire	56	79	44	74	—	—	—	—	—	—	—	2	7	7	5	—	5	—	20	17	0.15	0.29
Cambridgeshire	95	83	83	83	—	—	—	—	—	—	—	—	—	—	11	6	6	6	21	20	—	—
Cheshire	107	125	89	115	—	—	1	—	—	—	4	4	4	—	4	8	2	1	25	23	0.08	—
Cornwall	161	109	141	100	—	—	—	—	—	—	3	3	3	6	—	—	—	—	27	23	—	0.41
Cumberland	120	97	111	83	—	—	—	—	—	—	3	3	9	9	—	5	—	3	28	31	0.27	0.41
Derbyshire	119	80	105	72	—	—	1	—	—	—	5	—	1	3	9	1	4	—	29	24	0.19	0.26
Devon	158	115	137	96	—	—	—	—	—	—	2	4	—	4	6	2	4	4	21	20	0.15	0.09
Dorset	99	89	92	79	—	—	—	—	—	—	—	3	3	3	10	3	—	—	25	25	—	—
Durham	184	116	157	103	—	—	—	—	—	—	2	3	5	3	1	1	7	1	32	27	0.06	0.12
Ely, Isle of	23	45	11	45	—	—	—	—	—	—	—	—	11	—	—	—	—	—	16	19	—	—
Essex	99	82	82	73	—	—	—	—	—	—	1	2	2	4	12	3	4	—	22	20	0.08	0.11
Gloucestershire	109	103	100	90	—	—	2	—	—	—	4	2	—	—	4	—	7	—	24	20	0.14	—
Herefordshire...	118	110	102	86	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26	27	—	—
Hertfordshire	85	105	75	91	—	—	—	—	—	—	—	4	3	3	6	1	4	—	16	18	0.09	—
Huntingdonshire	63	93	41	66	—	—	—	—	—	—	14	—	—	—	13	—	—	—	23	22	—	—
Kent	128	101	117	87	—	—	—	—	—	—	1	1	7	2	11	5	1	1	23	22	0.13	—
Lancashire	158	124	146	112	—	—	0	—	—	—	2	2	6	7	2	4	3	—	26	27	0.39	0.09
Leicestershire	128	104	100	91	—	—	—	—	—	—	—	—	—	3	3	3	8	—	22	23	—	—
Lincolnshire, Holland	97	58	68	58	—	—	—	—	—	—	—	—	—	—	10	—	—	10	22	29	—	—
" Kesteven	169	106	138	83	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26	28	—	—
" Lindsey	85	98	76	82	—	—	3	—	—	—	6	6	6	6	6	—	3	—	28	23	—	—
London A.C....	170	139	157	129	0	—	1	1	1	1	2	2	7	5	8	2	5	1	23	21	0.10	—
Middlesex	118	104	108	95	0	—	—	—	—	—	0	—	4	3	10	1	2	—	19	19	0.03	0.03

TABLE 23 —Causes of Death by Month of Occurrence, } England and Wales
January – December, 1956

Note.—Totals for any period made up from this table will differ from the corresponding figures shown in other tables (except Table 16) which are tabulated according to date of registration.

See Explanatory notes on page v

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	ALL CAUSES {M	27865	31430	27639	22068	20636	18622	18083	18012	17955	19916	21971	23765
		25867	29917	27361	20752	19630	17511	17186	17019	17044	18501	20350	22365
001-138	I.—Infective and Parasitic Diseases {M	634	653	563	461	420	384	342	365	354	412	412	506
		289	313	278	229	203	192	196	221	199	193	235	209
001-008	Tuberculosis of respiratory system {M	448	459	360	315	257	230	204	216	206	237	254	341
		156	160	151	110	92	80	80	97	81	89	120	95
010	Tuberculosis of meninges & central nervous system .. {M	5	4	3	6	6	2	2	1	5	1	1	3
		6	4	4	12	1	3	5	4	3	1	3	6
011	Tuberculosis of intestines, peritoneum, and mesenteric glands {M	3	3	3	—	1	3	5	2	7	2	2	4
		1	3	1	2	3	2	6	6	2	3	3	2
012, 013	Tuberculosis of bones and joints {M	6	4	8	4	4	3	2	4	4	5	3	4
		3	3	6	2	3	4	—	4	6	2	2	6
014-019	Tuberculosis, all other forms {M	13	10	19	10	14	11	8	15	12	8	12	12
		13	9	9	17	10	7	9	15	9	10	8	8
020-029	Syphilis and its sequelæ .. {M	84	99	97	66	77	68	63	65	65	96	69	82
		45	62	35	37	38	32	31	33	34	37	35	33
030-039	Gonococcal infection and other venereal diseases .. {M	1	2	3	—	—	—	—	1	1	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—
040	Typhoid fever* {M	—	—	—	—	—	—	—	—	—	—	—	—
		1	—	—	—	—	—	—	—	1	—	—	—
041	Paratyphoid fever* .. {M	—	—	—	—	—	—	—	1	—	—	1	—
		1	—	1	—	—	—	—	—	—	1	—	—
042	Other salmonella infections* {M	—	1	—	2	—	2	2	1	4	3	5	—
		—	—	1	1	3	1	3	3	6	6	2	—
044	Brucellosis(undulant fever) {M	—	1	—	—	—	—	—	—	1	—	—	—
		—	—	—	—	—	—	—	—	—	—	1	—
045	Bacillary dysentery .. {M	3	2	2	2	1	1	—	—	1	—	1	—
		1	1	2	3	—	3	—	2	—	—	—	—
048	Unspecified forms of dysentery .. {M	—	—	—	—	2	—	—	—	—	—	—	—
		—	1	—	1	—	—	—	—	—	—	—	—
049	Food poisoning (infection and intoxication) .. {M	1	—	—	—	2	—	—	1	—	—	—	1
		—	2	2	—	1	—	1	—	1	—	—	—
050	Scarlet fever* {M	—	—	2	2	1	—	—	—	1	—	1	1
		1	—	2	—	2	1	—	—	—	1	—	—
051	Streptococcal sore throat .. {M	2	2	2	—	—	—	4	1	1	—	2	—
		—	—	5	2	1	—	1	1	3	—	1	—
052	Erysipelas {M	1	—	1	—	—	—	—	—	—	—	—	1
		—	—	—	1	2	1	—	—	—	—	—	—
053, 054	Septicæmia, pyæmia, and bacterial toxæmia .. {M	6	11	5	9	2	11	1	4	2	5	4	4
		5	4	4	2	3	3	5	8	3	1	3	5
055	Diphtheria* {M	—	—	1	—	2	—	—	1	—	—	—	1
		—	—	—	—	1	—	—	—	—	1	1	—
056	Whooping cough* .. {M	3	5	1	5	1	7	1	4	5	3	2	5
		4	6	3	—	7	4	6	4	6	3	7	3
057	Meningococcal infections {M	10	10	15	9	11	6	10	7	6	6	14	6
		7	15	8	7	5	5	5	4	3	6	5	8
061	Tetanus {M	3	1	—	3	1	3	1	3	2	4	1	1
		1	1	2	2	2	3	2	2	—	—	—	—
070	Vincent's infection .. {M	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	1	—	—	—	—	—
072	Leptospirosis icterohæmorrhagica (Weil's disease) {M	1	1	1	1	—	—	—	1	1	1	3	1
		—	—	—	—	—	—	—	—	—	—	—	—
080	Acute poliomyelitis .. {M	4	5	3	2	5	6	6	8	6	10	7	4
		4	4	4	—	2	2	4	5	7	4	6	4
081	Late effects of acute poliomyelitis .. {M	—	1	1	—	1	1	—	1	—	—	2	2
		3	4	2	—	2	—	—	1	—	1	—	1

* See page 274 for deaths from "late effects" included in these headings.

TABLE 23—continued

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
082	Acute infectious encephalitis {M F	6 3	3 2	7 3	4 3	5 1	7 3	5 2	3 3	3 6	6 5	4 8	5 8
083	Late effects of acute infectious encephalitis .. {M F	11 6	9 8	9 6	7 6	8 2	5 8	9 7	6 8	5 5	3 4	2 4	7 3
084	Smallpox* {M F	—	—	—	—	—	—	—	—	—	—	—	—
085	Measles* {M F	1 3	4 1	4 1	— 1	— 2	— 3	1 2	1 —	—	1 1	1 —	1 2
086	Rubella (German measles)* {M F	—	—	1	—	—	—	—	—	—	—	—	—
087	Chickenpox* {M F	—	1	—	1 1	2 —	1 —	2 1	— —	1 1	—	1 —	—
088	Herpes zoster {M F	— 5	2 3	3 8	2 5	— 3	2 2	2 4	1 6	2 4	1 2	2 1	— 2
089	Mumps {M F	1	—	—	1	—	—	—	1	—	—	—	1
092	Infectious hepatitis .. {M F	11 10	8 12	10 14	7 10	11 11	13 18	10 15	10 9	6 13	10 13	11 14	9 17
093	Glandular fever (infectious mononucleosis) .. {M F	1	—	—	—	1	—	1	—	—	1	1	— 1
096	Other diseases attributable to viruses .. {M F	1	—	—	—	—	1	1	—	—	—	1	1 2
100-108	Typhus and other rickettsial diseases* .. {M F	—	—	—	—	—	—	—	—	—	—	—	—
110-117	Malaria {M F	—	—	—	—	—	—	—	—	1	1	—	1
remainder of 001-138	All other diseases classified as infective and parasitic* {M F	8 10	6 7	3 3	3 4	7 4	4 6	2 6	6 6	5 5	8 2	7 9	8 3
140-239	II.—Neoplasms {M F	4199 3846	4087 3698	4210 3777	3925 3546	4157 3707	4038 3550	4119 3715	4051 3722	4009 3694	4337 3769	4294 3825	4235 3827
140-148	Malignant neoplasm of buccal cavity and pharynx {M F	108 58	103 44	104 53	107 49	94 48	113 60	92 48	103 50	108 64	98 47	104 60	102 69
150	Malignant neoplasm of œsophagus .. {M F	122 92	95 83	124 83	125 86	102 79	116 70	113 77	106 66	102 79	146 77	114 95	112 71
151	Malignant neoplasm of stomach .. {M F	639 533	635 507	661 541	622 528	673 520	621 530	644 522	638 508	645 481	659 516	670 484	635 538
152-154	Malignant neoplasm of intestine, incl. rectum .. {M F	605 672	609 665	586 651	537 618	634 681	566 647	595 714	566 682	569 620	605 655	615 669	606 673
155, 156	Malignant neoplasm of biliary passages & of liver {M F	95 113	61 95	84 112	81 97	78 117	71 98	86 108	81 122	73 107	82 99	78 113	69 121
157-159	Malignant neoplasm of pancreas, peritoneum, & unspecified digestive organs {M F	159 171	167 145	126 151	181 150	182 151	168 124	155 140	161 139	152 137	177 153	174 150	198 146
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses {M F	15 11	6 7	13 8	7 8	8 9	12 7	12 9	9 5	14 13	14 9	14 4	10 7
161	Malignant neoplasm of larynx .. {M F	58 19	62 13	56 9	58 15	72 16	43 15	54 13	49 13	43 14	65 11	56 14	59 17
162-165	Malignant neoplasm of lung and bronchus, trachea, mediastinum, and of thoracic organs (sec'd'ry) {M F	1379 231	1285 230	1345 223	1230 196	1285 185	1279 221	1300 254	1259 211	1279 220	1375 203	1335 227	1353 233
170	Malignant neoplasm of breast .. {M F	5 745	7 711	8 714	10 708	3 683	4 642	6 708	5 720	3 755	4 727	5 740	10 729
171-174	Malignant neoplasm of uterus .. F	317	344	337	299	363	294	298	332	324	341	352	338
175, 176	Malignant neoplasm of other and unspecified female genital organs F	301	248	262	277	270	275	241	280	279	300	277	275
177	Malignant neoplasm of prostate .. M	288	313	313	291	302	302	271	287	288	297	297	311
178, 179	Malignant neoplasm of other and unspecified male genital organs M	31	39	33	20	32	23	28	37	28	30	23	17

* See page 274 for deaths from "late effects" included in these headings.

TABLE 23—continued

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
180	Malignant neoplasm of kidney { M F	46 46	51 49	63 48	52 29	65 36	60 36	58 33	69 44	57 41	58 34	64 33	59 37
181	Malignant neoplasm of bladder and other urinary organs { M F	163 67	174 72	174 70	121 56	153 80	169 67	169 60	163 90	180 62	185 76	192 96	178 70
190, 191	Malignant neoplasm of skin { M F	29 35	44 32	43 39	33 28	44 43	41 35	41 39	50 29	29 49	33 27	49 35	37 3
193	Malignant neoplasm of brain and other parts of nervous system { M F	66 59	58 47	75 68	69 49	64 40	79 54	77 56	82 35	82 65	87 69	87 62	64 56
196	Malignant neoplasm of bone (including jaw bone) { M F	28 21	37 19	27 29	26 22	24 30	32 29	42 37	33 25	34 22	35 19	37 23	29 29
201	Hodgkin's disease .. { M F	34 31	42 19	51 32	40 24	47 25	42 22	44 23	34 25	37 23	43 30	49 30	45 25
204	Leukæmia and aleukæmia { M F	119 78	93 110	106 94	97 82	89 83	99 85	98 76	98 97	97 93	119 95	104 93	107 95
Remainder of 140-205	Malignant neoplasm of all other & unspecified sites, incl. other neoplasms of lymphatic and hæmato-poietic tissues { M F	146 166	156 185	156 179	157 158	147 193	132 155	170 167	159 173	132 170	159 206	169 196	166 179
210	Benign neoplasm of buccal cavity and pharynx .. { M F	— 1	— —	— —	1 —	2 —	— —	— —	— —	— —	— —	— —	— —
211	Benign neoplasm of other parts of digestive system { M F	3 1	— 4	1 2	1 6	— 1	2 3	4 2	— —	3 1	4 2	— 3	4 5
212	Benign neoplasm of respiratory system .. { M F	3 1	1 —	2 —	— —	2 —	— 1	1 —	1 —	1 —	1 2	1 1	— 1
213	Benign neoplasm of breast { M F	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —
214-217	Benign neoplasm of female genital organs F	22	19	17	14	16	18	30	18	24	21	17	17
218	Benign neoplasm of male genital organs M	—	—	—	—	—	—	—	—	—	—	—	—
219	Benign neoplasm of kidney and other urinary organs { M F	2 2	5 1	6 1	6 5	2 3	5 1	6 2	6 4	3 5	7 2	5 4	13 4
220-222	Benign neoplasm of skin.. { M F	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
223	Benign neoplasm of brain & other parts of nervous system { M F	9 10	10 9	10 11	10 13	11 14	12 11	9 20	10 12	8 14	13 21	8 11	14 17
224-229	Benign neoplasm of all other and unspecified organs and tissues { M F	6 5	4 5	11 9	7 4	9 2	6 12	4 6	8 12	5 9	4 4	4 6	6 7
230-239	Neoplasm of unspecified nature { M F	41 38	30 35	32 34	36 24	33 19	41 38	40 32	37 30	36 23	37 23	40 30	31 30
240-289	III.—Allergic, Endocrine System, Metabolic, and Nutritional Diseases { M F	290 425	372 551	294 460	225 334	196 330	156 285	160 304	166 336	170 301	208 339	191 355	230 377
241	Asthma { M F	155 140	182 178	139 138	87 89	76 85	48 80	69 90	68 103	58 80	79 94	67 99	98 93
Remainder of 240-245	Other Allergic disorders .. { M F	— —	3 1	1 1	1 —	— —	— —	— —	— —	1 —	— 2	— —	1 —
250	Simple goitre { M F	1 2	1 1	2 1	1 1	— 1	— —	— 1	— 3	1 —	— 5	1 2	— 4
251	Nontoxic nodular goitre .. { M F	1 4	— 5	2 —	— 2	— 2	— 3	1 2	— 2	— 4	— —	— —	1 1
252	Thyrototoxicosis with or without goitre { M F	2 17	5 31	5 30	7 32	3 25	4 27	5 27	7 23	3 25	4 19	4 28	1 16
253, 254	Other diseases of thyroid gland { M F	3 27	9 55	3 35	3 16	1 11	1 15	2 7	3 12	1 12	2 19	3 24	4 20
260	Diabetes mellitus { M F	98 200	134 240	106 210	104 170	78 168	81 123	60 151	68 174	88 152	105 172	94 179	93 201
270-277	Diseases of other endocrine glands { M F	10 12	15 15	16 12	7 11	14 13	12 13	10 12	8 6	10 12	6 11	8 8	9 22

TABLE 23—continued

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
280-286	Avitaminoses, and other deficiency states.. {M F	7 9	10 8	6 7	5 4	6 2	1 9	4 7	2 4	2 8	2 6	8 6	4 8
287	Obesity, not specified as of endocrine origin {M F	4 10	5 13	5 16	1 7	8 15	1 8	1 2	4 10	2 4	3 5	2 7	5 5
288	Gout {M F	— —	3 1	1 —	1 —	2 —	4 1	1 —	— —	1 —	— —	— —	4 —
289	Other metabolic diseases.. {M F	9 4	5 3	8 8	8 2	6 8	4 6	7 5	6 4	4 3	7 6	4 2	10 7
290-299	IV.—Diseases of the Blood and Blood-forming Organs {M F	64 115	68 133	74 122	60 130	56 121	48 131	54 87	48 108	56 93	48 100	59 106	65 109
290	Pernicious and other hyperchromic anæmias {M F	27 53	21 65	30 52	19 69	16 56	25 63	23 46	23 50	24 44	12 42	17 62	26 49
291	Iron deficiency anæmias (hyperchromic anæmias) {M F	2 21	7 13	5 13	8 20	5 22	5 19	4 7	6 18	10 12	3 18	7 14	8 16
292, 293	Other anæmias {M F	21 25	28 34	24 40	22 28	23 25	12 35	16 23	13 26	16 18	22 26	22 18	18 28
294-299	Other diseases of blood and blood-forming organs.. {M F	14 16	12 21	15 17	11 13	12 18	6 14	11 11	6 14	6 19	11 14	13 12	13 16
300-326	V.—Mental, Psychoneurotic, and Personality Disorders {M F	38 61	54 77	27 70	28 60	34 74	22 43	33 41	27 54	25 65	30 69	30 64	26 84
300-309	Psychoses {M F	27 42	46 66	22 59	23 48	17 64	23 39	20 35	22 46	20 56	19 55	20 56	18 75
310-326	Psychoneuroses, and disorders of personality, including mental deficiency {M F	11 19	8 11	5 11	5 12	7 10	5 4	13 6	5 8	5 9	11 14	10 8	8 9
330-398	VI.—Diseases of the Nervous System and Sense Organs {M F	3369 4380	3856 5078	3480 4861	2771 3899	2666 3757	2388 3384	2274 3351	2282 3145	2430 3194	2391 3436	2739 3706	3067 4140
330-334	Vascular lesions affecting central nervous system {M F	3082 4104	3581 4753	3221 4566	2572 3672	2453 3517	2185 3164	2082 3138	2094 2954	2211 2980	2208 3216	2509 3479	2829 3906
340	Meningitis, except meningococcal and tuberculous												
340.0	H. influenzae .. {M F	4 —	3 4	1 —	— 2	1 —	2 1	2 3	— 2	2 3	2 1	1 —	2 3
340.1	Pneumococcus .. {M F	17 8	19 7	19 22	6 5	9 12	8 3	4 7	8 2	4 4	3 7	12 11	13 3
340.2	Due to other specified organism.. {M F	4 3	1 2	3 2	4 2	2 4	— 4	6 1	— 3	4 1	2 —	1 3	8 3
340.3	Unspecified cause .. {M F	3 4	2 2	3 5	— 3	3 —	3 3	2 3	2 2	4 4	2 4	7 2	5 2
341-344	Other inflammatory diseases of central nervous system {M F	16 14	13 8	16 12	12 18	15 13	6 14	10 8	10 11	16 13	8 10	12 14	18 15
345	Multiple sclerosis .. {M F	24 48	35 64	29 59	26 43	25 44	25 35	30 34	19 37	30 36	19 38	33 30	21 27
350	Paralysis agitans .. {M F	67 95	80 103	69 84	54 62	66 73	56 62	47 62	50 61	47 71	43 71	50 69	77 75
351, 352	Cerebral spastic infantile paralysis, and other cerebral paralysis {M F	38 29	24 44	35 36	23 27	21 24	24 30	24 25	21 18	24 23	28 27	18 31	20 28
353	Epilepsy {M F	46 25	34 35	28 36	30 27	23 32	30 33	18 29	31 21	36 21	34 25	38 29	37 31
354-357	Other diseases of central nervous system.. {M F	47 37	46 37	32 25	30 24	28 22	37 26	37 28	30 28	30 30	28 25	41 24	50 29
365	Erythroedema polyneuritica {M F	— —	1 —	1 —	— 1	— —	— —	— —	1 —	— —	— —	— —	— —
360-364, 366-369	Other diseases of nerves and peripheral ganglia.. {M F	3 2	3 6	6 5	2 4	2 —	— 3	2 3	5 1	6 1	1 4	2 4	3 5
370-379	Inflammatory diseases of eye {M F	— —	1 —	1 —	2 —	1 —	— —	— —	— —	2 —	— —	— —	— —
380-389	Other diseases and conditions of eye .. {M F	— 3	— 4	3 —	2 2	2 8	1 —	1 5	2 1	1 3	3 1	3 1	— 5
390-398	Diseases of ear and mastoid process .. {M F	18 8	14 8	14 8	10 5	16 5	10 6	9 5	9 4	15 4	9 7	12 9	14 8

TABLE 23—continued

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
400-468	VII.—Diseases of the Circulatory System	{M 9893 F 10058}	{M 11418 F 11496}	{M 10243 F 10633}	{M 8251 F 8016}	{M 7544 F 7337}	{M 6857 F 6529}	{M 6544 F 6209}	{M 6606 F 6174}	{M 6362 F 6195}	{M 7353 F 6844}	{M 8321 F 7764}	{M 8773 F 8559}
400-402	Rheumatic fever	{M 12 F 14}	{M 12 F 8}	{M 9 F 12}	{M 11 F 11}	{M 10 F 14}	{M 9 F 4}	{M 2 F 12}	{M 4 F 1}	{M 7 F 6}	{M 10 F 7}	{M 9 F 7}	{M 7 F 10}
410-416	Chronic rheumatic heart disease	{M 296 F 536}	{M 341 F 591}	{M 192 F 559}	{M 270 F 408}	{M 272 F 439}	{M 225 F 347}	{M 208 F 350}	{M 215 F 341}	{M 184 F 322}	{M 221 F 397}	{M 273 F 380}	{M 257 F 488}
420	Arteriosclerotic heart disease, including coronary disease	{M 4517 F 2805}	{M 4885 F 3010}	{M 4399 F 2697}	{M 3972 F 2201}	{M 3667 F 2148}	{M 3434 F 1996}	{M 3371 F 1886}	{M 3432 F 1991}	{M 3234 F 1901}	{M 3689 F 2218}	{M 4196 F 2433}	{M 4212 F 2598}
421	Chronic endocarditis not specified as rheumatic ..	{M 152 F 139}	{M 160 F 156}	{M 163 F 145}	{M 112 F 119}	{M 126 F 96}	{M 127 F 87}	{M 106 F 80}	{M 113 F 74}	{M 112 F 97}	{M 102 F 121}	{M 131 F 104}	{M 140 F 127}
422	Other myocardial degeneration	{M 2793 F 3936}	{M 3479 F 4758}	{M 3120 F 4539}	{M 2156 F 3221}	{M 1871 F 2778}	{M 1656 F 2420}	{M 1512 F 2252}	{M 1493 F 2209}	{M 1508 F 2261}	{M 1726 F 2416}	{M 1940 F 2812}	{M 2253 F 3142}
430	Acute and sub-acute endocarditis	{M 21 F 16}	{M 15 F 12}	{M 19 F 11}	{M 15 F 11}	{M 18 F 8}	{M 12 F 11}	{M 15 F 11}	{M 20 F 10}	{M 13 F 7}	{M 15 F 8}	{M 11 F 12}	{M 20 F 6}
431	Acute myocarditis not specified as rheumatic ..	{M 11 F 9}	{M 10 F 9}	{M 12 F 3}	{M 6 F 5}	{M 6 F 5}	{M 2 F 5}	{M 4 F 2}	{M 5 F 1}	{M 3 F 3}	{M 9 F 5}	{M — F 7}	{M 8 F 6}
432	Acute pericarditis specified as non-rheumatic .. .	{M 2 F 1}	{M 1 F 1}	{M 1 F —}	{M 2 F —}	{M 2 F 1}	{M — F 2}	{M — F 1}	{M — F —}	{M 2 F —}	{M 1 F —}	{M 1 F —}	{M — F 1}
433	Functional disease of heart	{M 113 F 183}	{M 125 F 219}	{M 99 F 173}	{M 89 F 121}	{M 75 F 132}	{M 84 F 109}	{M 57 F 92}	{M 62 F 100}	{M 64 F 103}	{M 74 F 107}	{M 86 F 133}	{M 85 F 152}
434	Other and unspecified diseases of heart ..	{M 310 F 288}	{M 386 F 346}	{M 342 F 328}	{M 236 F 241}	{M 225 F 221}	{M 185 F 196}	{M 176 F 204}	{M 173 F 168}	{M 169 F 212}	{M 211 F 197}	{M 242 F 254}	{M 314 F 294}
440-447	Hypertensive disease	{M 943 F 1224}	{M 1112 F 1411}	{M 955 F 1192}	{M 762 F 902}	{M 730 F 829}	{M 631 F 749}	{M 623 F 723}	{M 609 F 697}	{M 601 F 737}	{M 709 F 762}	{M 809 F 888}	{M 812 F 977}
450	General arteriosclerosis	{M 517 F 660}	{M 659 F 722}	{M 619 F 739}	{M 444 F 536}	{M 409 F 473}	{M 351 F 420}	{M 336 F 410}	{M 323 F 384}	{M 304 F 378}	{M 384 F 418}	{M 413 F 495}	{M 450 F 527}
451-456	Other diseases of arteries ..	{M 101 F 88}	{M 116 F 94}	{M 96 F 74}	{M 84 F 84}	{M 68 F 59}	{M 78 F 68}	{M 70 F 66}	{M 74 F 69}	{M 73 F 65}	{M 96 F 72}	{M 89 F 99}	{M 128 F 81}
460-466	Diseases of veins	{M 101 F 155}	{M 114 F 155}	{M 119 F 154}	{M 90 F 156}	{M 64 F 134}	{M 59 F 116}	{M 62 F 113}	{M 78 F 124}	{M 85 F 97}	{M 85 F 133}	{M 118 F 138}	{M 85 F 146}
467	Other diseases of circulatory system	{M 4 F 4}	{M 3 F 3}	{M 3 F —}	{M — F —}	{M 1 F —}	{M 1 F 2}	{M 2 F 4}	{M 4 F 4}	{M 3 F 6}	{M 1 F —}	{M 2 F 2}	{M 2 F 4}
468	Certain diseases of lymph nodes & lymph channels	{M — F —}	{M — F 1}	{M 1 F —}	{M 2 F —}	{M — F —}	{M 3 F —}	{M — F —}	{M 1 F 1}	{M — F —}	{M 3 F —}	{M 1 F —}	{M — F —}
470-527	VIII.—Diseases of the Respiratory System	{M 5367 F 3532}	{M 6891 F 5170}	{M 4945 F 3860}	{M 2805 F 1739}	{M 2135 F 1350}	{M 1591 F 949}	{M 1364 F 871}	{M 1288 F 838}	{M 1477 F 876}	{M 1947 F 1174}	{M 2636 F 1563}	{M 3272 F 2114}
470-475	Acute upper respiratory infections	{M 8 F 11}	{M 4 F 12}	{M 10 F 6}	{M 6 F 3}	{M 10 F 7}	{M 5 F 1}	{M 2 F 6}	{M 4 F 2}	{M 6 F 4}	{M 8 F 4}	{M 4 F 6}	{M 4 F 6}
480-483	Influenza	{M 165 F 179}	{M 552 F 565}	{M 293 F 359}	{M 52 F 62}	{M 38 F 18}	{M 8 F 11}	{M 14 F 12}	{M 10 F 12}	{M 15 F 6}	{M 22 F 17}	{M 43 F 45}	{M 59 F 66}
490	Lobar pneumonia	{M 282 F 192}	{M 340 F 248}	{M 249 F 215}	{M 165 F 124}	{M 139 F 96}	{M 102 F 78}	{M 94 F 63}	{M 78 F 56}	{M 87 F 61}	{M 113 F 77}	{M 127 F 101}	{M 187 F 138}
491	Bronchopneumonia	{M 1133 F 1216}	{M 1555 F 1691}	{M 1163 F 1488}	{M 643 F 639}	{M 524 F 584}	{M 394 F 401}	{M 368 F 381}	{M 328 F 382}	{M 413 F 397}	{M 478 F 507}	{M 605 F 650}	{M 825 F 801}
492	Primary atypical pneumonia	{M 11 F 9}	{M 14 F 12}	{M 9 F 10}	{M 11 F 5}	{M 6 F 6}	{M 7 F 4}	{M 5 F 7}	{M 3 F 3}	{M 1 F 3}	{M 7 F 4}	{M 2 F 6}	{M 10 F 8}
493	Pneumonia, other and unspecified	{M 83 F 84}	{M 87 F 89}	{M 90 F 80}	{M 57 F 49}	{M 51 F 39}	{M 39 F 31}	{M 35 F 25}	{M 28 F 25}	{M 28 F 21}	{M 49 F 27}	{M 57 F 29}	{M 61 F 62}
500	Acute bronchitis	{M 312 F 380}	{M 469 F 564}	{M 261 F 353}	{M 101 F 130}	{M 66 F 68}	{M 46 F 30}	{M 38 F 28}	{M 31 F 29}	{M 44 F 33}	{M 58 F 66}	{M 97 F 115}	{M 158 F 168}
501	Bronchitis unqualified	{M 168 F 200}	{M 243 F 282}	{M 152 F 174}	{M 87 F 73}	{M 60 F 49}	{M 34 F 33}	{M 26 F 23}	{M 29 F 34}	{M 44 F 30}	{M 48 F 51}	{M 68 F 60}	{M 96 F 97}
502	Chronic bronchitis	{M 2736 F 1075}	{M 3148 F 1469}	{M 2305 F 970}	{M 1389 F 532}	{M 977 F 375}	{M 742 F 276}	{M 618 F 231}	{M 618 F 209}	{M 681 F 237}	{M 957 F 324}	{M 1365 F 428}	{M 1573 F 618}
510	Hypertrophy of tonsils and adenoids	{M 3 F —}	{M 2 F 1}	{M 1 F —}	{M 1 F 1}	{M 1 F 2}	{M 1 F —}	{M — F 2}	{M 1 F 1}	{M 2 F —}	{M 3 F 1}	{M 1 F 3}	{M 1 F 1}
511-517	Other diseases of upper respiratory tract	{M 8 F 3}	{M 4 F 5}	{M 11 F 7}	{M 4 F 1}	{M 6 F —}	{M 3 F 3}	{M 2 F 8}	{M 2 F 2}	{M 4 F 3}	{M 7 F 3}	{M 4 F 5}	{M 3 F 5}
518-522	Empyema, pleurisy, and pneumothorax	{M 46 F 67}	{M 60 F 82}	{M 45 F 77}	{M 44 F 44}	{M 40 F 42}	{M 36 F 30}	{M 31 F 33}	{M 26 F 34}	{M 31 F 34}	{M 23 F 35}	{M 31 F 45}	{M 32 F 57}

TABLE 23—continued

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
523, 524	Silicosis and occupational pulmonary fibrosis .. {M F	90 1	71 1	90 2	56 2	62 1	50 —	43 1	25 1	32 4	44 —	58 1	62 —
525	Other chronic interstitial pneumonia .. {M F	23 10	40 8	26 9	15 3	15 6	8 2	6 6	6 5	12 7	13 5	15 5	26 9
526	Bronchiectasis .. {M F	143 73	159 91	124 69	84 43	82 60	60 31	32 28	48 22	46 27	55 35	74 50	80 52
527	Other diseases of lung and pleural cavity .. {M F	156 32	143 50	116 41	90 28	58 18	61 12	50 17	51 21	31 9	62 20	85 14	95 26
530-587	IX.—Diseases of the Digestive System .. {M F	912 660	888 695	802 687	743 555	669 589	618 541	587 587	669 548	613 541	661 576	672 601	712 608
530-539	Diseases of buccal cavity and œsophagus .. {M F	11 5	9 21	3 15	6 11	6 13	11 5	7 13	13 9	2 9	6 14	10 15	5 5
540	Ulcer of stomach .. {M F	232 115	229 125	168 107	169 82	150 67	106 63	109 66	119 67	89 83	135 80	132 84	149 82
541	Ulcer of duodenum .. {M F	220 45	199 67	218 65	183 43	144 37	140 54	122 39	157 31	144 39	133 47	147 46	168 51
542	Gastrojejunal ulcer .. {M F	6 —	7 3	3 —	3 1	5 4	6 1	3 1	4 —	4 2	2 2	4 1	3 —
543	Gastritis and duodenitis .. {M F	5 6	4 4	3 5	4 2	3 8	1 1	6 6	4 4	5 7	6 3	3 2	5 3
544	Disorders of function of stomach .. {M F	1 1	— 1	2 —	— —	2 2	2 1	— 1	2 —	— 1	3 —	— —	— —
545	Other diseases of stomach and duodenum .. {M F	4 4	11 3	10 6	5 3	6 2	3 3	4 4	4 3	7 2	9 —	6 2	5 2
550-553	Appendicitis .. {M F	54 30	38 26	48 39	33 31	50 30	37 31	36 25	42 22	52 26	51 22	39 25	40 27
560, 561	Hernia of abdominal cavity {M F	71 95	77 100	66 86	80 76	47 64	64 67	58 49	64 58	53 61	59 48	63 74	69 74
570	Intestinal obstruction, without mention of hernia .. {M F	84 65	75 57	53 69	55 62	48 58	56 54	46 66	62 62	53 55	48 55	63 65	71 51
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over {M F	43 39	43 34	41 38	29 18	37 40	21 24	32 31	19 20	22 29	22 27	20 32	28 36
572-578	Other diseases of intestines and peritoneum .. {M F	57 76	64 87	63 82	48 90	70 89	60 93	52 107	60 106	53 76	70 94	60 86	55 89
580-583	Diseases of liver .. {M F	61 75	61 56	65 58	64 39	49 56	49 43	55 58	54 55	63 49	52 57	57 48	68 58
584-586	Diseases of gall bladder and biliary ducts .. {M F	43 80	45 70	38 88	45 62	35 92	41 79	40 91	42 80	44 94	42 96	45 103	33 100
587	Diseases of pancreas .. {M F	20 24	16 41	21 29	19 35	17 27	21 22	17 20	23 31	22 28	23 31	23 18	13 30
590-637	X.—Diseases of the Genito-Urinary System .. {M F	788 352	783 398	728 342	699 318	617 323	587 301	576 280	593 265	591 295	631 292	633 344	645 338
590	Acute nephritis .. {M F	13 5	16 7	14 7	15 8	11 4	12 7	10 4	3 7	4 —	6 5	7 5	10 3
591-594	Chronic, other and unspecified nephritis .. {M F	268 216	262 242	257 216	249 176	205 168	169 172	181 138	164 119	205 136	179 167	189 193	205 181
600-609	Other diseases of urinary system .. {M F	117 115	129 130	104 107	96 124	97 127	105 104	96 123	79 110	105 132	114 103	114 124	112 137
610	Hyperplasia of prostate .. M	379	370	346	330	299	295	282	339	271	323	313	311
611-617	Other diseases of male genital organs M	11	6	7	9	5	6	7	8	6	9	10	7
620, 621	Diseases of breast .. F	1	—	—	1	1	—	—	—	—	—	—	—
622-626	Diseases of ovary, Fallopian tube, and parametrium F	3	4	3	3	4	3	4	6	3	4	6	8
630-637	Diseases of uterus and other female genital organs F	12	15	9	6	19	15	11	23	20	13	16	9

TABLE 23—continued

International List No.	Causes of Death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
640-689	XI.—Deliveries and Complications of Pregnancy, Childbirth and the Puerperium	F	42	31	37	33	31	35	27	40	25	36	33	34
640	Pyelitis and pyelonephritis of pregnancy	F	—	—	—	—	—	2	—	—	1	1	—	1
641	Other infections of genito-urinary tract during pregnancy	F	—	—	—	—	—	—	—	—	—	—	—	—
642	Toxæmias of pregnancy ..	F	14	5	12	10	3	6	11	9	6	10	5	10
643-649	Other complications of pregnancy	F	4	6	6	4	5	4	4	5	4	5	7	4
650-652	Abortion	F	8	4	3	7	3	6	5	6	7	11	5	9
660-678	Delivery	F	13	9	10	8	11	10	3	9	3	7	11	5
680	Puerperal urinary infection without other sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—
681, 683	Sepsis of childbirth and the puerperium, and pyrexia of unknown origin during the puerperium	F	1	1	1	—	1	3	1	—	—	—	—	—
682	Puerperal phlebitis and thrombosis	F	—	4	3	3	3	—	2	9	1	1	2	5
684	Puerperal pulmonary embolism	F	—	1	—	—	1	1	—	—	1	1	—	—
685, 686	Puerperal toxæmia ..	F	—	—	1	1	3	2	1	—	1	—	2	—
687	Cerebral hæmorrhage in the puerperium	F	1	—	—	—	—	1	—	2	—	—	1	—
688, 689	Other complications of puerperium	F	1	1	1	—	1	—	—	—	1	—	—	—
690-716	XII.—Diseases of the Skin and Cellular Tissue	{M F}	21 33	16 28	15 33	18 19	14 18	19 20	19 24	12 20	14 27	9 30	14 23	12 17
690-698	Infections of skin and subcutaneous tissue	{M F}	7 10	2 8	7 10	12 2	5 5	6 6	7 7	7 10	3 12	3 9	9 6	5 3
700-716	Other diseases of skin and subcutaneous tissue	{M F}	14 23	14 20	8 23	6 17	9 13	13 14	12 17	5 10	11 15	6 21	5 17	9 12
720-749	XIII.—Diseases of the Bones and Organs of Movement	{M F}	58 112	80 140	63 132	51 121	47 106	45 88	47 80	46 83	39 88	56 93	49 86	42 108
720, 721	Acute arthritis	{M F}	— 1	3 —	1 —	— —	1 1	2 1	1 1	1 —	4 —	— —	1 1	1 —
722	Rheumatoid arthritis and allied conditions	{M F}	15 66	28 71	16 76	18 72	22 67	13 43	20 52	11 54	10 46	19 63	16 53	17 63
723	Osteo-arthritis (arthrosis) & allied conditions	{M F}	15 19	12 29	22 20	10 26	7 20	7 18	8 15	8 11	9 17	8 13	11 12	6 13
724, 725	Other and unspecified forms of arthritis	{M F}	— —	— 1	— —	— 1	1 —	— —	— 1	— —	— —	1 1	— —	— —
726, 727	Muscular rheumatism, and rheumatism unspecified	{M F}	2 —	1 —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	1 1
730	Osteomyelitis & periostitis	{M F}	2 3	5 8	2 5	3 5	— 1	3 6	4 1	6 4	2 3	7 2	1 2	3 1
731-749	Other diseases of musculo-skeletal system	{M F}	24 23	31 31	22 31	19 17	16 17	19 20	14 10	20 14	14 22	21 14	20 18	14 30
750-759	XIV.—Congenital Malformations	{M F}	204 200	218 208	212 211	205 176	231 166	194 159	191 137	174 165	188 174	192 163	203 197	237 181
750	Monstrosity	{M F}	4 10	3 5	8 6	5 7	4 4	7 5	2 6	5 7	6 3	9 8	3 8	4 5

TABLE 23—continued

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
751	Spina bifida and meningocele {M F	40 51	44 56	35 43	36 39	42 56	32 53	38 48	38 41	26 49	41 40	36 59	36 52
752	Congenital hydrocephalus {M F	8 10	10 13	10 10	9 5	14 10	9 8	10 6	4 5	8 4	11 6	11 10	14 9
753	Other congenital malformation of nervous system and sense organs {M F	7 6	2 10	7 11	1 1	4 5	7 3	3 2	3 6	2 5	5 6	3 7	5 5
754	Congenital malformations of circulatory system .. {M F	81 79	101 68	76 79	92 82	94 53	74 54	76 41	69 72	84 72	74 69	90 63	105 63
755	Cleft palate and harelip .. {M F	1 2	1 2	1 —	2 2	1 —	2 2	4 1	— 1	1 2	1 1	— 2	2 —
756	Congenital malformations of digestive system .. {M F	20 13	19 14	34 18	26 15	23 23	28 5	27 10	26 9	23 14	15 27	27 19	22 17
757	Congenital malformations of genito-urinary system {M F	22 23	21 18	24 18	21 12	25 6	24 16	20 14	19 16	24 17	19 14	19 12	29 14
758	Congenital malformations of bone and joint .. {M F	2 —	4 5	1 3	1 1	4 —	3 1	— 2	2 1	3 1	2 2	5 3	3 2
759	Other and unspecified congenital malformations, not elsewhere classified {M F	19 6	13 17	16 23	12 12	20 9	8 12	11 7	8 7	11 7	15 4	9 14	17 14
760-776	XV.—Certain Diseases of Early Infancy {M F	483 342	516 355	509 356	460 345	476 294	477 279	451 317	408 301	431 279	435 321	428 306	536 285
760	Intracranial and spinal injury at birth {M F	73 43	87 56	88 56	88 63	76 48	74 40	80 39	60 38	85 47	79 49	66 43	90 31
761	Other birth injury {M F	21 13	24 15	18 20	18 12	21 11	20 9	20 20	15 15	20 14	20 19	8 13	14 18
762	Postnatal asphyxia and atelectasia {M F	145 95	133 74	135 85	120 88	138 85	124 61	109 85	119 78	111 65	116 78	134 96	144 72
763	Pneumonia of newborn .. {M F	50 38	74 47	46 36	50 24	33 13	35 17	24 20	39 21	31 12	34 23	34 18	56 31
764	Diarrhoea of newborn .. {M F	4 1	2 —	3 3	2 2	4 2	2 2	4 2	— 1	— 2	3 5	2 —	1 2
765-769	Other infections of newborn {M F	7 14	13 7	8 7	11 4	5 3	8 6	5 13	8 9	6 6	9 8	10 7	14 4
770	Hæmolytic disease of newborn {M F	16 14	17 25	17 18	13 11	16 14	16 11	10 13	14 12	11 13	11 12	21 11	19 17
771	Hæmorrhagic disease of newborn {M F	15 9	18 10	13 9	11 11	10 6	13 6	5 2	10 5	7 8	13 9	10 5	16 6
772, 773	Nutritional maladjustment and ill-defined diseases peculiar to early infancy {M F	13 8	13 7	9 7	8 6	12 7	8 7	8 8	6 2	9 4	12 4	17 9	10 4
774-776	Immaturity unqualified .. {M F	139 107	135 114	172 115	139 126	161 105	177 121	186 115	137 120	151 108	138 114	126 104	172 100
780-795	XVI.—Symptoms, Senility and Ill-Defined Conditions {M F	339 573	473 685	396 628	273 450	252 483	200 384	199 374	172 343	181 359	210 376	224 388	292 489
780-789	Symptoms referable to systems or organs .. {M F	7 7	9 10	8 7	4 4	8 4	5 5	5 5	5 3	4 9	3 6	6 6	3 4
792	Uræmia unqualified .. {M F	1 4	6 3	8 2	1 1	1 2	2 1	1 1	— —	1 —	3 —	— —	2 1
794	Senility without mention of psychosis {M F	327 559	449 666	374 617	265 442	239 475	186 376	186 366	163 336	172 347	196 368	215 382	281 481
790, 791, 793, 795.	Ill-defined and unknown causes of mortality .. {M F	4 3	9 6	6 2	3 3	4 2	7 2	7 2	4 4	4 3	8 2	3 —	6 3

TABLE 23—continued

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
E800-E999	XVII.—Accidents, Poisonings & Violence (External Cause) {M F	1206 847	1057 861	1078 874	1093 782	1122 741	996 641	1123 586	1105 656	1015 639	996 690	1066 754	1115 866
E800-E802	Railway accidents {M F	16 5	23 1	28 2	14 —	22 3	12 1	24 4	26 1	22 1	30 1	31 2	33 4
E810-E825	Motor vehicle traffic accidents {M F	323 133	198 65	269 96	278 92	310 109	276 99	325 94	364 114	326 108	307 98	323 127	284 138
E830-E835	Motor vehicle non-traffic accidents {M F	4 —	10 1	9 1	14 2	3 2	4 1	6 3	9 —	7 —	4 2	10 1	5 —
E840-E845	Other road vehicle accidents {M F	11 3	6 3	5 3	10 2	19 3	16 3	17 6	22 2	15 2	11 2	10 7	16 6
E850-E858	Water transport accidents {M F	7 —	13 —	21 —	15 —	16 1	10 —	21 2	13 2	10 1	5 —	7 —	6 —
E860-E866	Aircraft accidents {M F	23 2	7 —	6 —	15 2	11 —	6 —	12 —	7 —	9 —	17 —	10 1	14 —
E870-E895	Accidental poisoning .. {M F	64 66	77 93	52 68	39 58	39 44	31 35	29 27	31 41	33 35	39 51	50 59	59 80
E900-E904	Accidental falls {M F	223 334	222 380	190 359	170 285	162 285	160 223	164 233	158 261	171 234	142 264	160 289	216 351
E910-E936	Other accidents {M F	218 134	228 162	206 133	191 94	214 92	197 86	238 59	206 72	166 68	167 68	187 101	211 107
E940-E959	Complications due to medical & surgical procedures {M F	4 1	2 1	1 1	3 3	2 4	5 4	1 3	2 2	1 4	6 2	1 1	3 2
E960-E965	Late effects of injury and poisoning {M F	17 3	20 1	19 1	10 6	10 4	9 4	13 1	9 1	5 3	15 1	13 1	12 3
E970-E973	Suicide by poisoning .. {M F	167 118	143 115	161 149	177 188	176 141	136 143	132 112	151 128	143 144	133 148	152 121	137 125
E974	Suicide and self-inflicted injury by hanging and strangulation {M F	41 9	46 8	34 13	60 11	60 13	56 14	60 6	39 4	36 6	40 8	41 14	48 12
E975	Suicide and self-inflicted injury by submersion (drowning) {M F	19 19	14 14	25 21	28 21	25 22	30 16	21 15	25 15	19 15	19 19	20 16	24 22
E976-E979	Suicide by other and unspecified means .. {M F	63 10	45 10	46 18	60 12	44 10	45 10	45 8	35 7	44 12	45 9	42 7	44 6
E980-E985	Homicide and injury purposely inflicted by other persons (not in war) {M F	6 10	3 7	6 9	9 6	9 8	3 2	15 13	8 6	8 6	16 17	9 7	3 10
E990-E999	Injury resulting from operations of war {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

NOTE:—Of the deaths assigned to the following categories in this table (see pages 266 and 267):—
040-043, 050, 055, 056, 058, 084-087, 100-108

those where the interval between onset of the disease and death was stated to exceed one year are as follows:—

050	Scarlet fever {M F	— 1	— —	2 2	2 —	1 2	— 1	— —	— —	1 —	— —	1 —	1 —
055	Diphtheria {M F	— —	— —	1 —	— —	1 1	— —	— —	— —	— —	— —	1 —	— —
056	Whooping cough .. {M F	— —	1 —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —
085	Measles {M F	— —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —

TABLE 24.—Stillbirths by Sex and Legitimacy (with Ratio per 1,000 Total Births), 1956.

England and Wales, Standard Regions, Wales, Conurbations, London A.C., City of London, Metropolitan and County Boroughs; Urban and Rural Aggregates in each Administrative County.

Area	Legitimate		Illegitimate		Total	Stillbirths per 1,000 Total Births
	M.	F.	M.	F.		
SUMMARY						
ENGLAND AND WALES	8096	7307	513	489	16405	23
Regions and Conurbations:						
Northern	708	631	37	42	1418	25
Tyneside Conurbation	204	196	15	9	424	27
Remainder of Northern	504	435	22	33	994	24
East and West Ridings	769	672	51	46	1538	23
West Yorkshire Conurbation	282	242	24	30	578	22
Remainder of East and West Ridings	487	430	27	16	960	23
North Western	1380	1253	89	71	2793	26
South East Lancashire Conurbation	480	446	42	30	998	25
Merseyside Conurbation	378	306	14	19	717	26
Remainder of North Western	522	501	33	22	1078	27
North Midland	670	654	51	41	1416	25
Midland	898	831	53	42	1824	24
West Midlands Conurbation	454	409	27	21	911	24
Remainder of Midland	444	422	26	21	913	24
Eastern	564	504	31	33	1132	20
London and South Eastern	1478	1376	120	120	3094	19
Greater London	1113	1035	94	98	2340	19
Remainder of South Eastern	365	341	26	22	754	19
Southern	482	412	33	37	964	21
South Western	582	462	19	35	1098	23
Wales (including Monmouthshire)	565	512	29	22	1128	27
Wales I (South East)	436	388	18	12	854	28
Wales II (Remainder)	129	124	11	10	274	24
Urban/Rural Aggregates:						
Conurbations	2911	2634	216	207	5968	22
Areas outside Conurbations:						
Urban areas with populations of 100,000 and over	5185	4673	297	282	10437	23
Urban areas with populations of 50,000 and under 100,000	1117	1018	75	70	2280	24
Urban areas with populations under 50,000	629	582	48	44	1303	24
Rural Districts	1872	1700	87	92	3751	24
	1567	1373	87	76	3103	22

TABLE 24.—continued

Area	Legitimate		Illegitimate		Total	Still-births per 1,000 Total Births	Area	Legitimate		Illegitimate		Total	Still-births per 1,000 Total Births
	M.	F.	M.	F.				M.	F.	M.	F.		
LONDON A.C., CITY OF LONDON, METROPOLITAN BOROUGHES AND COUNTY BOROUGHES													
London A.C.	487	453	64	66	1070	20							
City of London	—	—	—	—	—	—	County Boroughs						
							—contd.						
Metropolitan Boroughs:							Dudley	15	15	—	—	30	
Battersea	17	24	2	4	47	25	Eastbourne	2	10	—	1	13	
Bermondsey	13	7	—	—	20	21	East Ham	18	13	—	—	31	
Bethnal Green	9	10	—	2	21	23	Exeter	11	8	—	1	20	
Camberwell	27	20	3	2	52	19	Gateshead	33	26	4	—	63	
Chelsea	6	8	—	—	14	17							
							Gloucester	11	11	1	3	26	
Deptford	5	12	—	4	21	19	Great Yarmouth	10	11	—	—	21	
Finsbury	5	3	2	—	10	14	Grimsby	35	35	—	2	72	
Fulham	16	14	7	2	39	22	Halifax	13	15	3	1	32	
Greenwich	11	17	1	3	32	24	Hastings	5	6	2	1	14	
Hackney	22	22	2	2	48	19							
							Huddersfield	14	14	2	1	31	
Hammer Smith	26	14	1	3	44	24	Ipwich	16	17	2	1	36	
Hampstead	9	13	1	1	24	16	Kingston upon Hull	76	55	6	4	141	
Holborn	1	4	—	—	5	19	Leeds	90	68	6	11	175	
Ilington	43	39	3	9	94	21	Leicester	45	49	6	4	104	
Kensington	23	20	4	5	52	18							
							Lincoln	12	18	1	1	32	
Lambeth	31	36	12	4	83	20	Liverpool	211	166	7	11	395	
Lewisham	38	21	4	—	63	19	Manchester	158	137	22	12	329	
Paddington	11	15	5	3	34	15	Middlesbrough	43	43	2	2	90	
Poplar	13	7	2	1	23	19	Newcastle upon Tyne	70	65	8	4	147	
St. Marylebone	6	9	2	5	22	26							
							Northampton	12	18	—	2	32	
St. Pancras	17	18	1	2	38	16	Norwich	16	18	3	3	40	
Shoreditch	7	5	—	1	13	18	Nottingham	61	58	4	4	127	
Southwark	13	14	—	3	30	18	Oldham	24	27	3	4	58	
Stepney	18	19	2	2	41	21	Oxford	10	10	3	1	24	
Stoke Newington	13	8	1	—	22	25							
							Plymouth	51	31	1	2	85	
Wandsworth	48	42	4	5	99	20	Portsmouth	53	30	1	5	89	
Westminster	10	10	2	2	24	21	Preston	19	18	2	1	40	
Woolwich	29	22	3	1	55	27	Reading	14	19	1	—	34	
							Rochdale	16	11	1	—	28	
County Boroughs	2753	2488	202	178	5621	25							
Barnsley	14	24	2	—	40	29	Rotherham	16	13	1	1	31	
Barrow-in-Furness	12	10	—	—	22	22	St. Helens	35	32	2	1	70	
Bath	16	7	—	—	23	21	Salford	39	38	3	5	85	
Birkenhead	36	33	1	1	71	28	Sheffield	78	73	4	4	159	
Birmingham	222	189	17	10	438	23	Smethwick	6	5	1	1	13	
Blackburn	21	10	—	2	33	21	Southampton	42	39	4	6	91	
Blackpool	25	21	2	2	50	28	Southend-on-Sea	14	24	1	—	39	
Bolton	33	35	—	1	69	27	Southport	24	13	3	—	40	
Bootle	18	24	1	2	45	23	South Shields	20	29	—	2	51	
Bournemouth	15	19	3	—	37	23	Stockport	22	27	2	1	52	
Bradford	49	61	8	9	127	26	Stoke-on-Trent	70	56	6	1	133	
Brighton	26	22	1	4	53	25	Sunderland	56	33	3	1	93	
Bristol	84	75	4	9	172	25	Tynemouth	19	9	1	1	30	
Burnley	18	8	2	1	29	23	Wakefield	11	8	—	2	21	
Burton upon Trent	5	10	1	—	16	19	Wallasey	40	25	3	1	69	
Bury	9	5	—	—	14	15	Walsall	28	24	1	2	55	
Canterbury	9	5	—	—	14	30	Warrington	12	11	1	1	25	
Carlisle	13	18	3	2	36	29	West Bromwich	24	18	—	—	42	
Chester	15	11	—	1	27	26	West Ham	21	31	3	1	56	
Coventry	41	45	4	1	91	19	West Hartlepool	9	9	1	3	22	
Croydon	39	32	1	2	74	20	Wigan	23	29	1	—	53	
Darlington	12	14	2	2	30	25	Wolverhampton	34	39	4	4	81	
Derby	21	25	4	2	52	24	Worcester	17	8	2	—	27	
Dewsbury	13	12	—	—	25	28	York	21	8	—	2	31	
Doncaster	15	18	2	—	35	24							
							Cardiff	51	61	3	2	117	
							Merthyr Tydfil	27	10	1	—	38	
							Newport, Mon.	24	25	—	1	50	
							Swansea	25	36	2	2	65	

TABLE 24.—continued

Area	Legitimate		Illegitimate		Total	Still-births per 1,000 Total Births	Area	Legitimate		Illegitimate		Total	Still-births per 1,000 Total Births
	M.	F.	M.	F.				M.	F.	M.	F.		
ADMINISTRATIVE COUNTIES													
Note.—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs, but excluding County Boroughs) and of Rural Districts in each Administrative County.													
Shropshire ... U.D.	31	43	4	3	81	21	Shropshire ... U.D.	29	29	1	2	61	27
Shropshire ... R.D.	23	20	—	2	45	27	Shropshire ... R.D.	24	28	—	1	53	23
Shropshire ... U.D.	26	17	2	2	47	24	Somerset ... U.D.	58	34	2	1	95	27
Shropshire ... R.D.	47	33	3	2	85	20	Somerset ... R.D.	51	28	2	2	83	22
Shropshire ... U.D.	33	38	2	6	79	24	Southampton ... U.D.	63	63	1	3	130	18
Shropshire ... R.D.	33	27	1	2	63	17	Southampton ... R.D.	42	51	4	5	102	21
Staffordshire ... U.D.	9	7	—	1	17	14	Staffordshire ... U.D.	147	139	6	5	297	26
Staffordshire ... R.D.	17	13	—	—	30	21	Staffordshire ... R.D.	50	41	5	—	96	26
Staffordshire ... U.D.	124	118	2	7	251	25	Suffolk, East ... U.D.	7	10	—	1	18	12
Staffordshire ... R.D.	25	37	1	—	63	20	Suffolk, East ... R.D.	18	26	—	4	48	25
Staffordshire ... U.D.	41	32	4	1	78	28	Suffolk, West ... U.D.	8	7	—	1	16	22
Staffordshire ... R.D.	32	23	—	1	56	26	Suffolk, West ... R.D.	13	9	1	1	24	19
Sussex ... U.D.	26	22	2	2	52	33	Surrey ... U.D.	149	116	6	11	282	17
Sussex ... R.D.	31	24	2	1	58	26	Surrey ... R.D.	19	21	—	—	40	17
Sussex ... U.D.	61	58	4	3	126	23	Sussex, East ... U.D.	18	16	2	1	37	16
Sussex ... R.D.	71	63	4	3	141	24	Sussex, East ... R.D.	19	12	2	1	34	18
Sussex ... U.D.	36	25	1	7	69	21	Sussex, West ... U.D.	28	37	3	1	69	24
Sussex ... R.D.	47	35	1	1	84	24	Sussex, West ... R.D.	18	15	1	1	35	16
Warwickshire ... U.D.	27	22	2	2	53	20	Warwickshire ... U.D.	55	64	2	2	123	21
Warwickshire ... R.D.	26	12	1	1	40	23	Warwickshire ... R.D.	34	34	2	3	73	22
Warwickshire ... U.D.	137	141	4	8	290	25	Westmorland ... U.D.	4	3	—	—	7	18
Warwickshire ... R.D.	57	62	1	4	124	23	Westmorland ... R.D.	6	5	1	—	12	25
Wight, Isle of ... U.D.	15	13	—	—	28	31	Wight, Isle of ... U.D.	12	7	—	1	20	20
Wight, Isle of ... R.D.	6	3	—	—	9	17	Wight, Isle of ... R.D.	4	3	—	—	7	31
Wiltshire ... U.D.	229	195	11	12	447	20	Wiltshire ... U.D.	30	38	—	1	69	21
Wiltshire ... R.D.	32	30	1	3	66	18	Wiltshire ... R.D.	34	36	1	—	71	21
Wiltshire ... U.D.	31	26	1	1	59	24	Worcestershire ... U.D.	42	50	—	5	97	21
Wiltshire ... R.D.	49	53	1	5	108	21	Worcestershire ... R.D.	24	17	1	2	44	23
Wiltshire ... U.D.	14	8	—	1	23	27	Yorkshire, E.R. ... U.D.	22	17	1	—	40	26
Wiltshire ... R.D.	17	12	—	2	31	25	Yorkshire, E.R. ... R.D.	8	13	1	—	23	14
Yorkshire, E.R. ... U.D.	92	76	4	2	174	21	Yorkshire, N.R. ... U.D.	51	37	1	4	93	25
Yorkshire, E.R. ... R.D.	38	26	—	2	66	18	Yorkshire, N.R. ... R.D.	29	27	1	1	58	21
Yorkshire, E.R. ... U.D.	9	7	1	—	17	29	Yorkshire, W.R. ... U.D.	237	189	10	8	444	23
Yorkshire, E.R. ... R.D.	8	5	—	—	13	19	Yorkshire, W.R. ... R.D.	92	84	5	2	183	22
Yorkshire, N.R. ... U.D.	166	184	11	7	368	20	Anglesey ... U.D.	8	5	1	—	14	38
Yorkshire, N.R. ... R.D.	56	39	3	2	100	19	Anglesey ... R.D.	4	6	—	—	11	23
Anglesey ... U.D.	351	329	22	12	714	26	Brecknockshire ... U.D.	5	4	—	—	9	37
Anglesey ... R.D.	61	71	7	4	143	28	Brecknockshire ... R.D.	4	6	—	—	10	17
Anglesey ... U.D.	32	32	2	—	66	25	Caernarvonshire ... U.D.	10	7	—	1	18	19
Anglesey ... R.D.	36	41	4	1	82	26	Caernarvonshire ... R.D.	6	9	1	—	16	24
Cardiganshire ... U.D.	9	5	—	1	15	22	Cardiganshire ... U.D.	3	1	—	—	4	16
Cardiganshire ... R.D.	9	6	—	—	16	16	Cardiganshire ... R.D.	5	5	—	2	12	24
Cardiganshire ... U.D.	5	13	—	—	18	25	Cardiganshire ... R.D.	23	12	1	—	36	39
Cardiganshire ... R.D.	14	18	3	—	35	24	Cardiganshire ... R.D.	20	15	—	1	36	25
Cardiganshire ... U.D.	42	39	3	4	88	32	Denbighshire ... U.D.	8	15	2	2	27	23
Cardiganshire ... R.D.	32	29	6	1	68	25	Denbighshire ... R.D.	27	26	—	—	53	36
Cardiganshire ... U.D.	282	256	17	15	570	18	Flintshire ... U.D.	9	14	—	2	25	22
Cardiganshire ... R.D.	10	6	1	1	18	14	Flintshire ... R.D.	15	9	—	1	25	21
Cardiganshire ... U.D.	59	46	6	2	113	24	Flintshire ... R.D.	118	127	6	3	254	29
Cardiganshire ... R.D.	30	14	4	3	51	20	Glamorganshire... U.D.	42	32	1	—	75	24
Cardiganshire ... U.D.	17	19	1	1	38	18	Glamorganshire... R.D.	3	1	—	—	4	14
Cardiganshire ... R.D.	70	59	1	4	134	22	Merionethshire ... U.D.	6	1	2	—	9	30
Cardiganshire ... U.D.	22	5	—	1	28	18	Merionethshire ... R.D.	3	1	—	—	4	14
Cardiganshire ... R.D.	80	75	1	7	163	26	Monmouthshire... U.D.	86	52	4	2	144	30
Cardiganshire ... U.D.	35	26	3	2	66	24	Monmouthshire... R.D.	11	8	—	1	20	24
Cardiganshire ... R.D.	10	6	1	—	17	20	Montgomeryshire ... U.D.	2	5	—	—	7	25
Cardiganshire ... U.D.	25	16	4	1	46	18	Montgomeryshire ... R.D.	3	3	—	—	6	14
Cardiganshire ... R.D.	13	12	2	—	27	27	Pembrokeshire ... U.D.	9	6	2	—	17	20
Cardiganshire ... U.D.	3	3	—	—	6	31	Pembrokeshire ... R.D.	6	9	3	1	19	26
Cardiganshire ... R.D.	—	1	—	—	1	16	Radnorshire ... U.D.	1	—	—	—	1	11
Cardiganshire ... U.D.	4	4	—	—	8	27	Radnorshire ... R.D.	4	2	—	—	6	36

TABLE 25—Deaths at Various Periods in the First Year of Life by Legitimacy.
Death rates per 1,000 related Live Births, 1956

See Explanatory notes on page v.

Area	All Infants										Legitimate Infants										Illegitimate Infants									
	Deaths								Deaths per 1,000 related Live Births	Deaths								Deaths per 1,000 related Live Births	Deaths								Deaths per 1,000 related Live Births			
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Under 1 year	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Under 1 year	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year
ENGLAND AND WALES	5144	4785	1850	1906	1623	781	465	16554	17	24	4763	4535	1760	1794	1541	750	457	15600	17	23	381	250	90	112	82	31	8	954	22	29
Regions and Conurbations:																														
Northern	422	456	177	199	149	65	39	1507	19	27	396	437	173	190	143	63	39	1441	19	27	26	19	4	9	6	2	—	66	23	31
Tyneside Conurbation	107	114	43	45	37	10	8	364	18	24	100	111	43	43	34	9	8	348	18	24	7	3	—	2	3	1	—	16	17	28
Remainder of Northern	315	342	134	154	112	55	31	1143	19	28	296	326	130	147	109	54	31	1093	19	28	19	16	4	7	3	1	—	50	26	33
East and West Ridings	531	497	196	172	188	91	54	1729	19	26	500	476	186	165	177	89	52	1695	18	26	31	21	10	7	11	2	2	84	21	29
West Yorkshire Conurbation	215	172	74	77	68	33	20	659	18	25	201	166	68	73	65	31	19	623	18	25	14	6	4	3	2	1	1	36	19	26
Remainder of East and West Ridings	316	325	122	95	120	58	34	1070	19	27	299	310	118	92	112	58	33	1022	19	27	17	15	4	3	8	—	1	48	23	31
North Western	902	761	292	368	290	144	74	2831	19	27	835	720	283	344	276	139	73	2670	18	27	67	41	9	24	14	5	1	161	24	33
South East Lancs. Conurbation	350	282	99	128	119	57	26	1061	19	28	320	264	98	121	114	54	26	997	19	27	30	18	3	7	5	3	—	64	23	31
Merseyside Conurbation	251	169	71	107	79	27	11	715	18	26	232	163	68	96	74	26	10	669	18	26	19	6	3	11	5	1	1	46	24	39
Remainder of North Western	301	310	122	133	92	60	37	1055	19	27	283	293	117	127	88	59	37	1004	18	27	18	17	5	6	4	1	—	51	24	31
North Midland	392	389	158	169	144	63	31	1346	17	24	368	367	146	161	140	61	31	1274	17	24	24	22	12	8	4	2	—	72	22	28
Midland	583	510	206	204	181	87	52	1823	18	25	544	477	200	195	173	82	51	1722	17	25	39	33	6	9	8	5	1	101	22	29
West Midlands Conurbation	293	235	99	112	93	41	23	896	17	24	273	216	96	106	89	38	23	841	17	24	20	19	3	6	4	3	—	55	22	29
Remainder of Midland	290	275	107	92	88	46	29	927	18	25	271	261	104	89	84	44	28	881	18	25	19	14	3	3	4	2	1	46	23	30
Eastern	347	313	145	126	96	53	34	1114	15	21	322	299	132	116	91	52	34	1046	15	20	25	14	13	10	5	1	—	68	21	28
London and South Eastern	1022	917	357	338	292	151	101	3178	15	20	918	858	326	314	272	144	98	2930	14	20	104	59	31	24	20	7	3	248	21	28
Greater London	762	697	270	242	199	109	77	2356	15	20	675	650	246	227	188	103	76	2165	14	19	87	77	24	15	11	6	1	191	22	27
Remainder of South Eastern	260	220	87	96	93	42	24	822	15	22	243	208	80	87	84	41	22	765	15	21	17	12	7	9	9	2	57	20	32	
Southern	322	263	91	100	89	38	22	925	15	21	295	249	89	91	85	36	21	866	15	20	27	14	2	9	4	2	1	59	18	25
South Western	308	295	86	89	81	44	24	927	15	20	296	287	86	85	73	43	24	894	15	20	12	8	—	4	8	1	—	33	10	17
Wales (including Monmouthshire)	315	384	142	141	113	45	34	1174	21	29	289	365	139	133	111	41	34	1112	20	28	26	19	3	8	2	4	—	62	33	43
Wales I (South East)	239	271	109	109	92	34	24	878	21	30	219	259	108	104	91	32	24	837	20	29	20	12	1	5	1	—	—	62	34	42
Wales II (Remainder)	76	113	33	32	21	11	10	296	20	27	70	106	31	29	20	9	10	275	20	26	6	6	—	2	—	—	—	21	3	4

TABLE 25—continued

Area	All Infants										Legitimate Infants										Illegitimate Infants							Deaths per 1,000 related Live Births				
	Deaths								Deaths per 1,000 related Live Births		Deaths								Deaths per 1,000 related Live Births		Deaths											
	Deaths								Deaths per 1,000 related Live Births		Deaths								Deaths per 1,000 related Live Births		Deaths											
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months		Total under 1 year			
COUNTY BOROUGHS—continued																																
Blackburn	7	7	6	4	4	2	1	31	13	21	7	6	6	3	4	2	1	29	13	20	3	1	1	1	1	1	1	2	14	28		
Blackpool	12	15	4	5	3	2	2	43	18	25	9	13	4	4	3	1	2	36	17	23	3	2	1	1	1	1	1	6	35	49		
Bolton	10	23	7	7	9	1	3	64	16	24	9	21	7	7	6	1	3	54	16	23	1	2	1	1	3	1	1	6	35	46		
Bootle...	19	12	3	9	8	3	—	54	18	28	18	12	3	9	8	3	—	53	18	29	1	2	1	1	1	1	1	5	33	40		
Bournemouth	11	10	5	4	3	2	—	35	17	22	8	9	5	3	3	2	—	30	15	21	3	1	1	1	1	1	1	5	33	42		
Bradford	33	45	15	16	12	9	6	136	19	28	32	45	14	15	11	9	6	132	20	29	1	1	1	1	1	1	1	4	7	14		
Brighton	21	14	2	3	3	2	3	48	18	22	17	14	2	3	3	2	2	41	18	22	4	1	1	1	1	1	1	4	27	25		
Bristol	36	45	16	14	11	5	2	129	14	19	35	44	16	14	10	4	2	125	15	20	1	1	1	1	1	1	1	4	27	14		
Burnley	10	7	5	6	4	2	2	36	18	29	9	6	4	6	4	2	2	33	16	28	1	1	1	1	1	1	1	2	3	38		
Burton upon Trent	3	5	3	2	1	1	2	17	13	21	3	3	3	2	1	1	2	15	12	20	2	2	1	1	1	1	1	2	2	35	35	
Bury	4	6	3	2	2	1	—	15	15	17	2	5	3	2	2	1	—	12	12	14	2	1	1	1	1	1	1	3	59	59		
Canterbury	2	2	4	1	2	1	—	11	15	24	2	4	1	2	2	1	—	11	16	26	1	—	—	—	—	—	—	—	2	16	33	
Carlisle	9	9	5	3	4	3	1	34	19	28	8	9	5	2	2	4	3	32	19	28	1	1	1	1	1	1	1	1	19	19	33	
Chester	9	22	2	2	2	1	—	36	33	36	8	22	2	2	2	1	—	35	34	37	1	4	1	1	1	1	1	5	18	18	18	
Coventry	37	42	19	8	15	2	1	124	21	27	37	38	18	8	15	2	1	119	21	27	—	—	—	—	—	—	—	—	5	18	18	
Croydon	17	13	6	10	16	3	2	67	10	19	16	12	6	9	15	3	2	63	10	18	1	1	1	1	1	1	1	4	13	26	26	
Darlington	10	13	6	2	3	2	1	39	25	34	10	11	6	2	2	1	—	37	25	34	1	2	1	1	1	1	1	2	2	32	32	
Derby	22	19	4	9	4	2	—	60	21	28	21	18	4	9	4	2	—	58	21	29	1	1	1	1	1	1	1	2	18	18	18	
Dewsbury	7	4	—	2	2	2	—	20	13	23	7	4	—	1	6	2	2	19	13	23	1	1	1	1	1	1	1	1	1	27	27	
Doncaster	12	10	4	5	7	—	—	38	18	27	11	9	4	4	6	—	—	34	18	25	1	1	1	1	1	1	1	4	34	68	68	
Dudley ...	6	6	4	3	5	1	2	27	17	28	6	6	4	3	5	1	2	27	17	29	1	—	—	—	—	—	—	—	—	—	—	—
Eastbourne	1	1	4	—	2	1	—	8	9	14	1	4	—	1	2	1	—	8	9	15	1	—	—	—	—	—	—	—	2	43	43	
East Ham	10	8	1	7	6	3	1	32	17	23	5	7	1	7	6	4	3	30	19	22	2	1	1	1	1	1	1	2	43	43	43	
Exeter	16	19	8	7	5	1	1	56	22	29	16	18	8	7	4	3	2	54	22	29	1	1	1	1	1	1	1	2	17	35	35	
Gateshead	8	9	3	3	8	—	1	32	17	28	8	9	3	3	6	—	1	30	18	27	1	—	—	—	2	—	—	2	32	32	32	
Gloucester	6	5	3	1	12	5	1	37	19	23	5	15	1	1	12	4	—	14	16	21	3	3	3	3	3	3	3	4	53	53	53	
Great Yarmouth	12	19	15	6	5	3	—	37	26	39	12	17	7	9	5	3	—	66	26	39	4	4	4	4	4	4	4	2	26	26	26	
Grimsby	7	7	9	5	1	—	—	37	15	24	6	6	1	2	—	—	—	35	15	24	1	1	1	1	1	1	1	2	21	21	21	
Halifax	5	7	1	2	—	—	—	15	18	21	5	6	1	2	—	—	—	14	18	21	—	1	1	1	1	1	1	1	25	25	25	
Hastings
Huddersfield ...	6	11	8	5	5	2	1	38	13	21	6	11	8	5	5	2	1	38	14	22	1	1	1	1	1	1	1	4	21	28	28	
Ipswich	10	19	7	2	13	5	1	44	19	23	9	18	6	2	4	1	1	40	19	23	4	3	3	3	3	3	3	1	12	23	40	40
Kingston upon Hull	38	44	25	23	23	13	5	161	19	27	34	41	25	12	19	13	5	149	19	28	9	3	3	3	3	3	3	1	19	30	30	37
Leeds	81	49	22	28	21	9	5	215	19	27	72	46	19	27	20	8	4	196	18	26	9	3	3	3	3	3	3	1	30	30	37	

TABLE 25—continued

Area	All Infants										Legitimate Infants										Illegitimate Infants																			
	Deaths										Deaths per 1,000 related Live Births										Deaths										Deaths per 1,000 related Live Births									
	Deaths										Deaths										Deaths										Deaths									
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Deaths per 1,000 related Live Births	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Deaths per 1,000 related Live Births	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Deaths per 1,000 related Live Births										
ADMINISTRATIVE COUNTIES (Urban and Rural Aggregates):																																								
ENGLAND (excluding Monmouthshire)																																								
Bedfordshire ...	U.D. 28	26	11	7	8	3	1	84	17	22	28	24	10	7	8	3	1	81	17	23	—	1	2	1	—	—	—	—	—	—	13									
Bedfordshire ...	R.D. 12	14	3	2	4	2	3	37	18	23	11	13	2	2	4	4	3	34	17	22	—	1	1	—	—	—	—	—	—	—	3									
Berkshire ...	U.D. 17	11	3	4	4	2	1	44	16	23	17	24	8	4	7	2	1	42	17	24	—	4	—	—	—	—	—	—	—	—	3									
Berkshire ...	R.D. 18	23	8	4	2	4	—	65	12	16	14	23	8	4	7	2	—	61	11	16	—	—	—	—	—	—	—	—	—	—	2									
Buckinghamshire	U.D. 25	16	2	6	2	2	2	54	13	17	24	14	2	5	6	2	2	50	13	16	—	1	2	1	—	—	—	—	—	—	4									
Buckinghamshire	R.D. 27	13	2	4	2	2	1	63	18	23	23	11	7	2	3	1	1	56	12	16	—	2	2	—	—	—	—	—	—	—	4									
Cambridgeshire	U.D. 11	8	3	2	3	1	—	50	18	23	11	7	2	3	3	1	—	29	18	26	—	—	—	—	—	—	—	—	—	—	7									
Cambridgeshire	R.D. 8	6	2	3	3	1	—	23	17	16	8	6	2	3	3	1	—	23	12	17	—	—	—	—	—	—	—	—	—	—	1									
Cheshire ...	U.D. 71	62	20	26	17	13	8	217	16	23	70	61	20	24	17	13	8	213	16	23	—	1	1	—	—	—	—	—	—	—	4									
Cheshire ...	R.D. 23	16	9	9	5	6	1	69	18	23	22	14	9	7	5	6	1	66	15	22	—	2	2	—	—	—	—	—	—	—	3									
Cornwall	U.D. 26	14	7	7	5	3	—	62	18	24	25	13	7	7	3	2	—	59	18	24	—	1	1	—	—	—	—	—	—	—	3									
Cornwall	R.D. 15	23	4	3	2	2	—	49	20	23	15	22	4	4	3	2	—	48	20	24	—	—	—	—	—	—	—	—	—	—	1									
Cumberland	U.D. 11	17	9	7	3	2	1	50	24	33	10	16	9	7	3	2	1	48	24	33	—	1	1	—	—	—	—	—	—	—	2									
Cumberland	R.D. 16	20	6	13	2	4	1	62	20	29	16	20	6	13	2	4	1	62	20	30	—	—	—	—	—	—	—	—	—	—	3									
Derbyshire ...	U.D. 45	36	14	16	13	11	6	131	18	24	44	35	14	16	12	11	6	128	18	25	—	5	4	1	—	—	—	—	—	—	10									
Derbyshire ...	R.D. 46	38	12	9	13	11	—	135	17	24	41	34	11	9	13	11	—	125	16	23	—	—	—	—	—	—	—	—	—	—	3									
Devon ...	U.D. 22	25	4	8	4	5	1	73	16	23	22	25	4	6	4	4	1	71	17	24	—	—	—	—	—	—	—	—	—	—	2									
Devon ...	R.D. 21	21	4	4	4	4	—	59	13	17	19	20	4	4	4	4	1	56	13	17	—	2	1	—	—	—	—	—	—	—	3									
Dorset ...	U.D. 20	29	6	8	5	2	—	68	22	27	18	29	6	7	5	2	1	65	22	27	—	—	—	—	—	—	—	—	—	—	3									
Dorset ...	R.D. 14	9	5	2	2	2	—	35	17	21	13	8	5	1	1	2	1	32	16	20	—	1	1	—	—	—	—	—	—	—	2									
Durham ...	U.D. 95	90	41	34	47	14	6	327	20	29	89	86	41	33	47	13	6	315	20	29	—	6	4	1	—	—	—	—	—	—	12									
Durham ...	R.D. 34	37	10	16	14	8	3	124	16	24	34	35	2	16	14	3	5	121	16	24	—	2	2	—	—	—	—	—	—	—	3									
Elv, Isle of	U.D. 3	2	2	2	1	1	1	15	8	17	3	4	2	2	1	1	2	10	12	20	—	—	—	—	—	—	—	—	—	—	—	44								
Elv, Isle of	R.D. 5	2	2	2	1	1	1	11	13	21	4	2	—	—	—	—	—	10	12	20	—	1	—	—	—	—	—	—	—	—	—	—								

283

TABLE 25—continued

Area	All Infants										Legitimate Infants										Illegitimate Infants																			
	Deaths										Deaths per 1,000 related Live Births										Deaths										Deaths per 1,000 related Live Births									
	Deaths										Deaths										Deaths										Deaths									
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks.	Total under 1 year	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year										
ADMINISTRATIVE COUNTIES—continued																																								
Suffolk, East	U.D.	11	5	4	3	3	2	29	14	20	11	5	4	3	3	2	2	28	14	20	2	1	—	—	—	—	—	—	—	—	—	1	—	13						
	R.D.	14	15	8	3	3	3	48	20	26	12	14	8	3	2	3	2	44	19	25	1	—	—	—	—	—	—	—	—	—	4	37	49							
Suffolk, West							
	R.D.	7	12	1	6	2	3	34	20	27	6	4	6	1	2	3	1	33	20	28	1	1	—	—	—	—	—	—	—	1	18	18								
Surrey...	U.D.	82	74	37	43	24	16	9	285	12	17	73	69	36	38	23	14	8	261	11	17	9	5	1	5	1	2	1	24	22	36	36								
	R.D.	18	14	3	5	5	3	51	15	22	18	14	3	3	5	5	3	51	15	22	1	—	—	—	—	—	—	—	—	—	—	—	—							
Sussex, East							
	R.D.	14	13	1	5	4	4	38	13	17	14	13	5	2	4	3	1	32	12	18	1	1	—	—	—	—	—	—	—	—	—	—	—							
Sussex, West	U.D.	20	20	11	9	10	4	5	79	18	28	20	18	10	9	9	4	4	74	18	27	1	2	1	—	—	—	—	—	—	—	—	—	—						
	R.D.	10	16	8	5	3	1	43	16	20	9	16	8	5	2	1	2	41	16	20	3	1	—	—	—	—	—	—	—	—	—	—	—							
Warwickshire							
	R.D.	31	33	14	11	13	5	2	109	14	19	28	33	14	10	12	5	2	104	14	19	3	1	—	—	—	—	—	—	—	—	—	—							
Westmorland...	U.D.	25	19	5	3	6	4	3	65	15	20	24	19	5	3	6	4	64	15	20	1	—	—	—	—	—	—	—	—	—	—	—	—	—						
	R.D.	2	1	2	2	1	1	9	13	23	1	1	2	2	1	1	1	8	11	22	1	—	—	—	—	—	—	—	—	—	—	—	—	—						
Wight, Isle of...						
	R.D.	7	5	—	—	—	—	16	12	17	7	5	—	—	—	—	—	16	13	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
Wiltshire	U.D.	22	20	4	6	5	3	62	15	20	22	18	4	6	5	2	3	60	15	20	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—					
	R.D.	16	21	12	7	3	2	57	12	17	15	20	4	7	3	3	3	55	12	17	1	1	—	—	—	—	—	—	—	—	—	—	—	—						
Worcestershire						
	R.D.	30	28	4	10	15	3	102	16	23	28	27	11	10	14	3	2	96	15	22	2	1	—	—	—	—	—	—	—	—	—	—	—	—						
Yorkshire, E.R.	U.D.	12	16	3	2	2	4	2	41	20	27	12	16	2	2	2	4	2	40	21	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
	R.D.	20	24	6	4	4	1	35	13	21	9	6	6	4	1	1	6	33	13	21	1	1	—	—	—	—	—	—	—	—	—	—	—	—						
Yorkshire, N.R.						
	R.D.	28	35	9	18	8	4	106	20	30	27	34	8	17	8	3	4	102	20	30	1	1	—	—	—	—	—	—	—	—	—	—	—	—						
Yorkshire, W.R.	U.D.	12	21	10	7	1	3	54	16	20	11	21	10	6	—	—	—	51	16	20	1	1	—	—	—	—	—	—	—	—	—	—	—	—						
	R.D.	159	149	48	42	51	19	480	19	26	152	141	45	41	51	18	12	460	19	26	7	8	3	1	—	—	—	—	—	—	—	—	—	—						
Yorkshire, W.R.						
	R.D.	77	60	28	24	16	9	238	21	30	74	59	23	24	16	8	8	231	21	30	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—					

ADMINISTRATIVE COUNTIES—continued

WALES (Including Monmouthshire)

Anglesey ...	U.D.	4	2	1	1	—	—	10	22	28	3	2	2	1	1	—	—	9	21	26	1	—	—	—	—	—	—	1	56	56
Brecknockshire	R.D.	2	3	1	1	—	—	9	13	19	2	3	1	2	1	—	—	9	13	20	—	—	—	—	—	—	—	—	—	—
	U.D.	2	3	2	—	1	—	9	30	38	2	3	3	3	4	—	—	9	31	40	—	—	—	—	—	—	—	—	—	—
	R.D.	3	3	3	4	—	—	13	15	22	3	3	3	—	—	—	—	13	16	23	—	—	—	—	—	—	—	—	—	—
Caernarvonshire	U.D.	4	14	3	5	3	1	32	22	34	3	14	2	5	3	1	2	30	21	34	1	—	1	—	—	—	2	44	44	44
Cardiganshire	R.D.	7	7	3	3	—	—	13	7	20	—	7	1	2	—	—	—	12	16	20	—	—	—	—	—	—	1	—	32	32
	U.D.	4	2	2	—	—	1	19	33	37	4	1	2	—	—	—	1	8	31	35	—	1	—	—	—	—	1	59	59	59
	R.D.	4	5	1	2	2	—	14	21	29	4	4	1	—	—	—	—	11	20	24	—	1	—	—	2	3	35	104	35	
Carmarthenshire	U.D.	5	9	4	1	4	2	25	20	28	4	9	4	1	4	2	—	24	20	28	1	—	—	—	—	—	1	33	34	34
Denbighshire	R.D.	12	18	7	3	6	—	46	27	34	11	17	7	3	6	—	—	44	26	33	1	1	—	—	—	—	2	44	44	44
	U.D.	7	11	2	1	2	2	25	17	22	7	11	2	1	1	—	2	24	18	22	—	—	—	—	—	—	1	19	19	19
	R.D.	6	13	5	5	2	1	34	17	24	6	13	5	3	2	2	1	32	18	23	—	—	2	—	—	—	2	—	52	52
Flintshire ...	U.D.	12	13	4	5	4	1	39	26	35	10	13	4	5	4	1	—	37	25	34	2	—	—	—	—	—	2	37	37	37
Glamorganshire	R.D.	16	13	1	3	3	—	26	17	22	6	13	1	3	3	—	—	26	18	23	—	—	—	—	—	—	9	31	35	35
	U.D.	68	74	22	36	13	11	257	19	30	63	71	22	36	32	13	11	248	19	30	5	3	—	1	—	—	1	13	13	13
	R.D.	25	33	14	11	9	3	95	23	31	25	32	14	11	9	3	—	94	24	31	—	1	—	—	—	—	—	1	118	119
Merionethshire	U.D.	1	4	—	—	—	1	6	18	22	1	2	—	—	—	1	—	4	12	16	—	2	—	—	—	—	2	118	119	119
Monmouthshire	R.D.	3	40	18	17	13	4	4	10	14	3	38	18	16	13	4	7	4	11	15	—	—	—	—	—	—	10	70	78	78
	U.D.	33	40	5	6	1	3	132	19	28	26	38	5	6	1	3	3	122	18	27	7	2	—	1	—	1	1	—	—	46
	R.D.	6	5	6	1	1	3	25	21	31	6	5	—	—	—	—	—	24	22	31	—	—	—	—	—	—	—	—	—	—
Montgomeryshire	U.D.	2	3	1	—	1	1	7	22	25	1	2	2	—	1	1	—	5	15	19	1	1	—	—	—	—	2	223	224	224
Pembrokeshire	R.D.	8	11	4	3	2	2	13	24	31	2	6	2	—	1	1	1	13	25	32	—	—	—	—	—	—	1	33	34	34
	U.D.	8	5	2	2	—	—	30	28	37	8	10	4	3	2	2	2	29	28	37	—	1	1	—	—	—	3	86	86	86
	R.D.	8	5	2	2	—	—	20	21	28	7	4	1	2	—	—	1	17	18	25	—	—	—	—	—	—	—	—	—	—
Radnorshire ...	U.D.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	R.D.	3	1	—	—	1	1	5	25	32	3	1	—	—	—	—	—	5	26	33	—	—	—	—	—	—	—	—	—	—

TABLE 26—Deaths at Various Periods in the First Year of Life, 1956, and the Four Quarters thereof

Area				Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Total under 1 day	Days						1 day and under 1 week
								1	2	3	4	5	6	
England and Wales	All Infants	...	{ M	9629	337	2656	2993	954	808	556	242	174	134	2868
		...	{ F	6925	266	1885	2151	693	460	337	185	141	101	1972
		...	{ P	16554	603	4541	5144	1647	1268	893	427	315	235	4785
	Legitimate	...	{ M	9071	289	2478	2767	900	771	534	229	164	124	2722
		...	{ F	6529	221	1775	1996	651	440	318	175	135	94	1813
		...	{ P	15600	510	4253	4763	1551	1211	852	404	299	218	4535
	Illegitimate	...	{ M	558	48	178	226	54	37	22	13	10	10	146
		...	{ F	396	45	110	155	42	20	19	10	6	7	104
		...	{ P	954	93	288	381	96	57	41	23	16	17	250
	Regions and Conurbations:													
	Northern			1507	48	374	422	145	132	94	34	29	22	456
	Tyneside Conurbation			364	13	94	107	35	29	27	10	5	8	114
	Remainder of Northern			1143	35	280	315	110	103	67	24	24	14	342
	East and West Ridings			1729	48	483	531	200	118	82	41	28	28	497
	West Yorkshire Conurbation			659	19	196	215	59	51	20	15	15	12	172
	Remainder of East and West Ridings			1070	29	287	316	141	67	62	26	13	16	325
	North Western			2831	105	797	902	267	191	146	67	51	39	761
	South East Lancashire Conurbation			1061	52	298	350	94	73	54	25	24	12	282
	Merseyside Conurbation			715	23	228	251	58	44	31	18	10	8	166
	Remainder of North Western			1055	30	271	301	115	74	61	24	17	19	310
	North Midland			1346	60	332	392	111	113	76	43	26	20	381
	Midland			1823	61	522	583	175	142	83	56	33	21	511
	West Midlands Conurbation			896	26	267	293	75	62	34	28	24	12	237
	Remainder of Midland			927	35	255	290	100	80	49	28	9	9	271
	Eastern			1114	46	301	347	98	88	58	32	16	21	311
	London and South Eastern			3178	133	889	1022	330	242	164	70	73	38	917
	Greater London			2356	109	653	762	254	186	121	57	53	26	697
	Remainder of South Eastern			822	24	236	260	76	56	43	13	20	12	220
	Southern			925	30	292	322	90	63	52	21	20	17	261
	South Western			927	36	272	308	97	77	61	27	15	18	291
	Wales (including Monmouthshire)			1174	36	279	315	134	102	77	36	24	11	381
	Wales I (South East)			878	28	211	239	93	62	58	29	19	10	277
	Wales II (Remainder)			296	8	68	76	41	40	19	7	5	1	111
	Urban/Rural Aggregates:													
	Conurbations			6051	242	1736	1978	575	445	287	153	131	78	1661
	Areas outside Conurbations:													
	Urban areas with populations of 100,000 and over			2230	83	607	690	233	175	129	58	25	33	651
	Urban areas with populations of 50,000 and under 100,000			1392	51	342	393	145	110	70	26	22	24	391
	Urban areas with populations of under 50,000			3832	128	1019	1147	392	323	206	112	71	60	1161
	Rural Districts			3049	99	837	936	302	215	201	78	66	40	901
England and Wales	March Quarter			4939	156	1111	1267	431	353	284	133	97	71	1361
	June Quarter			4083	156	1162	1318	408	344	234	103	77	54	1221
	September Quarter			3525	139	1134	1273	379	270	182	103	63	58	1051
	December Quarter			4007	152	1134	1286	429	301	193	88	78	52	1141

England and Wales, Standard Regions, Wales, Conurbations, Urban
and Rural Aggregates outside Conurbations

0	Weeks				Months										
	1	2	3	Total under 4 weeks	1	2	3	4	5	6	7	8	9	10	11
5861 4068 9929	532 429 961	285 228 513	221 155 376	6899 4880 11779	626 405 1031	495 380 875	399 314 713	326 211 537	197 176 373	166 137 303	139 135 274	109 95 204	102 90 192	86 57 143	85 45 130
5489 3809 9298	504 409 913	279 211 490	208 149 357	6480 4578 11058	589 385 974	466 354 820	382 296 678	308 199 507	185 171 356	157 132 289	130 133 263	107 91 198	97 89 186	86 56 142	84 45 129
372 259 631	28 20 48	6 17 23	13 6 19	419 302 721	37 20 57	29 26 55	17 18 35	18 12 30	12 5 17	9 5 14	9 2 11	2 4 6	5 1 6	— 1 1	1 — 1
878 221 657	99 25 74	39 5 34	39 13 26	1055 264 791	104 18 86	95 27 68	69 18 51	47 12 35	33 7 26	27 2 25	22 4 18	16 4 12	19 2 17	9 5 4	11 1 10
1028 387	106 34	52 24	38 16	1224 461	85 44	87 33	79 31	68 22	41 15	46 19	19 4	26 10	21 8	19 7	14 5
641	72	28	22	763	41	54	48	46	26	27	15	16	13	12	9
1663	152	78	62	1955	204	164	132	101	57	55	56	33	26	24	24
632 420 611	49 34 69	29 18 31	21 19 22	731 491 733	69 56 79	59 51 54	52 39 41	44 26 31	23 14 20	22 12 21	20 10 26	15 5 13	6 3 17	8 5 11	12 3 9
781	79	39	40	939	98	71	58	51	35	22	23	18	15	9	7
1093 528 565	100 49 51	55 27 28	51 23 28	1299 627 672	112 67 45	92 45 47	84 41 43	57 28 29	40 24 16	30 16 14	30 13 17	27 12 15	21 8 13	19 10 9	12 5 7
660	80	41	24	805	69	57	48	20	28	15	19	19	10	12	12
1939 1459 480	197 144 53	100 76 24	60 50 10	2296 1729 567	182 140 42	156 102 54	112 77 35	101 76 25	79 46 33	52 35 17	63 47 16	36 27 9	44 32 12	29 24 5	28 21 7
585	52	27	12	676	46	54	38	28	23	22	10	6	11	6	5
603	34	34	18	689	52	37	38	22	21	17	17	10	11	6	7
699 510 189	62 48 14	48 37 11	32 24 8	841 619 222	79 57 22	62 52 10	55 43 12	42 35 7	16 14 2	17 15 2	15 10 5	13 9 4	14 11 3	10 7 3	10 6 4
3647	335	179	142	4303	394	317	258	208	129	106	98	73	59	59	47
1343	117	63	63	1586	137	116	109	80	46	41	27	28	28	15	17
790	95	55	36	976	78	82	65	48	36	21	26	24	16	10	10
2311	211	118	75	2715	252	204	168	118	100	68	60	40	45	32	30
1838	203	98	60	2199	170	156	113	83	62	67	63	39	44	27	26
2636	305	156	113	3210	372	313	273	186	144	101	96	89	59	54	42
2538	232	117	94	2981	247	197	160	127	81	63	66	43	42	38	38
2328	188	97	93	2706	180	151	120	89	63	56	43	35	34	27	21
1427	236	143	76	2882	232	214	160	135	85	83	69	37	57	24	29

TABLE 27—Causes of Death of Infants under One Year at Different Age Periods, 1956

England and Wales

See Explanatory notes on page v.

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months				
					1	2	3	4	5	6		1	2	3	Total under 4 weeks	4 wks and under 3 mths.	3-5	6-8	9-11
001-008	ALL CAUSES	9629 6925	337 266	2556 1885	954 693	808 460	556 337	242 185	174 141	134 101	5861 4068	532 429	285 228	221 155	6899 4880	1121 785	922 701	414 367	273 192
	Tuberculosis of res- piratory system ..	{M F} 4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1
010	Tuberculosis of men- inges and central nervous system ..	{M F} 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
011	Tuberculosis of intes- tines, peritoneum & mesenteric glands ..	{M F} —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
012, 013	Tuberculosis of bones and joints ..	{M F} —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
014-018	Tuberculosis, all other organs ..	{M F} —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
019	Disseminated tuber- culosis ..	{M F} 2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1
020-029	Syphilis & its sequelæ ..	{M F} 2	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—
030-039	Gonococcal infection and other venereal diseases ..	{M F} —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
040-049	Infectious diseases commonly arising in intestinal tract ..	{M F} 8	—	—	—	—	1	—	1	—	2	1	—	—	2	3	1	1	1
045-048	Dysentery, all ..	{M F} 1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
050-064	Other bacterial diseases ..	{M F} 90	—	1	—	—	1	—	—	—	—	4	2	4	10	19	24	19	18
050	Scarlet fever ..	{M F} —	—	—	—	—	—	—	—	—	—	—	—	—	6	17	22	18	13
055	Diphtheria ..	{M F} —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 27—continued

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months				
												1	2	3	Total under 4 weeks	4 wks and under 3 mths.	3-5	6-8	9-11
					1	2	3	4	5	6									
280-289	Avitaminoses, and other metabolic diseases	7 9	--	--	--	1	--	--	--	1	1	1	3	2	1	2	1		
283	Active rickets	1 1	--	--	--	--	--	--	--	--	--	--	1	1	--	--	--		
286-0	Steatorrhea and sprue	1 2	--	--	--	--	--	--	--	--	--	--	--	--	1	2	--		
290-293	Anæmias ..	8 2	--	1	1	--	--	--	--	2	2	2	2	3	1	1	1		
294-299	Other diseases of blood and blood- forming organs	7 5	--	1	1	1	--	--	--	2	3	3	3	1	1	2	2		
300-326	Mental, psychoneu- rotic, & personality disorders	16 16	--	3 4	1 1	1 1	--	1	--	6 8	10	4	4	1	4	1	1		
325	Mental deficiency	16 16	--	3 4	1 1	1 1	--	1	--	6 8	10	4	4	1	4	1	1		
330-334	Vascular lesions affecting central nervous system	17 9	--	--	--	--	--	--	--	1	2	4	6	2	3	2	2		
340	Meningitis, except meningococcal and tuberculous	74 53	--	--	1	1	--	1	--	3 5	1 2	17 20	14 13	23 9	13 6	7 5	7 5		
351	Cerebral spastic infan- tile paralysis	2 2	--	1	--	--	--	--	--	1	--	--	--	1	1	--	1		
353	Epilepsy ..	5 4	--	--	1	--	--	--	--	1	--	1	1	1	2	1	3		
390-398	Diseases of ear and mastoid process	39 22	--	--	--	--	--	--	--	2	2	4 2	15 10	11 7	7 3	2	2		
Rem. of 330-398	Diseases of the ner- vous system and sense organs, others	24 22	--	--	1	--	--	--	--	1	2	3 2	3 3	5 6	6 6	7 5	7 5		
400-402	Rheumatic fever	1 1	--	--	--	1	--	--	--	--	--	1	--	--	--	1	--		
410-434	Diseases of the heart	10 9	--	--	1	--	--	--	--	1	--	1	5 3	1 1	2 4	1 1	1 1		

TABLE 27—continued

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months			
					Days							Weeks			4 wks under 3 mths.	Months		
					1	2	3	4	5	6		1	2	3		3-5	6-8	9-11
590-594	Nephritis & nephrosis.. { F	10 6	—	1	—	—	—	—	—	—	1	—	2	3	—	3	3	1
600-609	Other diseases of { urinary system .. { F	19 17	—	—	—	—	1	—	—	2	3	1	4	3	11	6	—	1
610-617	Diseases of male geni- tal organs .. M	4	—	—	1	—	—	—	—	—	—	—	—	—	2	1	1	—
615	Redundant prepuce & phimosis .. M	3	—	—	—	—	—	—	—	1	1	—	—	—	1	1	1	—
620-637	Diseases of female genital organs .. F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-698	Infections of skin and { subcutaneous tissue.. { F	9 5	—	—	—	—	—	—	—	1	1	1	—	—	3	6	—	—
700-716	Other diseases of skin { and subcutaneous { F	4 3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—
720-749	Diseases of the bones { & organs of move- { ment .. { F	30 15	—	1	—	1	—	—	—	—	2	3	2	2	6	10	9	3
730	Osteomyelitis and { osteostitis .. { F	6 1	—	—	—	—	—	—	—	—	—	—	1	2	3	3	—	—
750	Monstrosity .. { F	58 72	7 18	27 34	16 11	2 3	1 1	2 2	1 1	—	56 70	—	—	—	58 71	1	—	—
751	Spina bifida and men- ingocele .. { F	420 546	15 18	32 40	16 14	14 20	10 18	9 9	12 16	12 12	120 147	45 57	32 34	281 326	74 108	35 64	21 32	9 16
752	Congenital hydro- cephalus .. { F	78 65	4 3	13 15	4 4	3 2	2 1	1 1	—	—	27 29	3 1	1 —	32 30	9 10	16 16	14 6	7 3
753-0	Congenital cataract .. { F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
753-1	Other congenital mal- formations of nerv. system & sense organs	24 35	—	1 5	2 2	2 —	1 —	1 2	—	—	7 11	1 —	—	—	10 12	3 6	3 4	5 5
754-0	Tetralogy of Fallot .. { F	25 12	—	1	3	—	—	—	2	—	6 1	3 —	—	—	10 5	3 3	6 3	1 1
754-1	Deafness during inter-	45	—	1	—	—	7	—	—	—	22	1	2	2	9	9	1	—

defect	45	—	1	1	3	2	1	4	2	—	—	4	12	—	—	—	2	2	20	11	7	5	2
754.3	37	1	2	1	2	1	1	4	2	—	1	6	13	1	—	—	1	1	21	10	4	1	1
	38	1	2	5	3	2	3	2	—	—	3	16	16	—	—	—	2	2	21	6	6	2	3
754.4	464	5	38	39	42	37	42	12	8	18	20	44	188	7	—	—	18	20	270	91	65	21	17
	347	2	33	24	22	17	22	11	10	19	9	37	122	3	—	—	19	9	187	64	49	37	10
754.5	20	—	1	2	3	1	3	1	—	—	—	4	7	—	—	—	—	12	2	4	2	—	
	11	—	3	—	—	—	—	—	—	—	—	2	5	—	—	—	—	9	1	1	—	—	
754.6	28	—	1	1	—	2	—	2	2	—	—	6	7	1	—	—	—	15	8	4	1	—	
	16	—	—	—	—	2	—	1	1	—	—	1	4	—	—	—	1	8	4	2	2	—	
755	12	—	1	1	1	1	3	1	—	—	—	1	4	—	—	—	1	7	2	3	1	—	
	14	—	—	—	—	—	—	—	—	—	—	5	5	—	—	—	1	2	9	3	1	2	
756.0	25	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	3	5	18	8	2	—	
	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
756.1	26	—	3	1	3	1	—	3	3	—	3	1	17	3	—	—	4	—	22	2	2	—	—
	6	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	3	2	—	—	1	
756.2	175	1	3	5	11	19	4	13	9	5	8	37	75	14	—	—	13	8	133	19	14	6	3
	117	—	7	10	4	5	—	9	22	—	—	22	60	3	—	—	9	4	95	11	6	3	2
757.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
757.1	12	1	5	1	—	—	—	—	—	—	—	—	8	—	—	—	—	1	9	3	—	—	
	5	—	4	—	—	—	—	—	—	—	—	—	4	—	—	—	—	4	1	—	—	—	
757.2	2	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
757.3	70	1	18	3	2	1	—	3	1	—	3	4	28	—	—	—	5	7	44	14	6	4	2
	27	—	10	—	1	—	—	1	1	—	1	3	14	—	—	—	3	1	21	5	—	1	—
758.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
758.1	5	—	4	1	—	—	—	—	—	—	—	—	5	—	—	—	—	5	—	—	—	—	—
	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	
758.2	3	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	
758.3	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	1	—	—
	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4	—	—	—	—	
758.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
758.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
758.6	8	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	2	4	4	—	—	2
	7	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	4	1	—	—	—

TABLE 27—continued

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months			
					1	2	3	4	5	6		1	2	3	4 wks under 4 weeks	3-5	6-8	9-11
759.0	Congenital malformations of respiratory system {M {F	19 32	—	3 8	— 2	2	—	1	—	1 1	7 11	— 2	2 1	—	9 14	4 7	3 2	— 3
759.1	Congenital malformations of skin .. {M {F	1 1	—	—	—	—	—	—	—	—	—	— 1	—	—	1 —	—	—	—
759.2	Congenital malformations of muscle .. {M {F	12 5	—	9 2	— 2	— 1	—	—	—	—	11 5	1 —	—	—	12 5	—	—	—
759.3	Congenital malformations, other and unspecified {M {F	72 56	7 6	30 19	6 12	4 4	3 1	— 2	2 —	2 —	54 46	4 —	2 —	1 —	61 51	3 2	1 —	2 —
760.0	Intracranial & spinal injury at birth, without mention of immaturity {M {F	629 373	45 32	222 157	88 49	103 37	69 33	31 18	14 13	9 9	581 348	21 13	11 3	4 1	617 365	6 4	1 2	1 1
760.5	Intracranial & spinal injury at birth, with immaturity {M {F	309 179	— 1	103 72	55 40	52 22	43 16	10 9	8 2	4 5	282 167	18 8	4 2	2 —	306 177	3 1	—	—
761.0	Other birth injury, without mention of immaturity {M {F	111 95	19 26	55 40	12 10	12 6	3 3	6 2	—	—	107 87	2 —	— 5	—	110 94	—	—	1 —
761.5	Other birth injury, with immaturity .. {M {F	108 81	2 8	68 42	18 15	8 8	5 4	3 —	1 —	—	105 79	2 2	1 —	—	108 81	—	—	—
762.0	Postnatal asphyxia & atelektasis, without mention of immaturity {M {F	556 347	62 29	215 170	105 69	76 31	37 14	15 9	9 1	2 5	521 328	13 8	4 3	5 2	543 341	10 2	1 3	1 —
762.5	Postnatal asphyxia & atelektasis, with immaturity {M {F	964 616	21 24	461 306	209 116	119 73	69 39	25 21	18 10	13 4	935 593	20 14	7 2	3 —	963 612	1 3	—	—
763.0	Pneumonia of newborn, without mention of immaturity {M {F	345 208	— 1	21 5	32 14	37 20	36 16	11 8	20 8	8 9	165 86	70 65	61 25	49 32	345 208	—	—	—
763.5	Pneumonia of newborn, with immaturity {M {F	157 96	—	10 5	13 7	22 16	26 13	12 7	8 4	10 7	101 59	24 19	19 11	13 7	157 96	—	—	—
764.0	Diarrhea of newborn, without mention of immaturity {M {F	19 16	—	—	—	— 1	—	—	—	—	— 2	6 3	4 5	9 6	19 16	—	—	—
764.5	Diarrhea of newborn, with immaturity {M {F	8 5	—	—	—	—	—	—	—	—	—	1 —	3 4	4 1	8 5	—	—	—
765.0	Ophthalmia neonatorum, without mention of immaturity {M {F	— 1	—	—	—	—	—	—	—	—	—	— 1	—	—	—	—	—	—

TABLE 27—continued

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months			
					1	2	3	4	5	6		1	2	3	Total under 4 weeks 3 mths.	3-5	6-8	9-11
769-8	Neonatal disorders attributed to toxoplasmosis, with immaturity	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—
769-9	Neonatal disorders attributed to other or unspecified maternal toxemia, with immaturity	14 8	1	2 3	1 2	3 3	3	2	—	—	12 8	2	—	—	14 8	—	—	—
770-0	Erythroblastosis, without mention of immaturity	127 135	5 15	83 84	6 10	15 8	9 4	3 1	1	1	123 123	1 8	1 3	—	125 134	1 —	1	—
770-1	Kernicterus, without mention of immaturity	22 15	—	—	1 1	6 4	9 6	2 1	1	2	21 14	—	—	—	21 14	—	1	—
770-2	Erythroblastosis, with disorder of liver other than icterus gravis, without mention of immaturity	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
770-5	Erythroblastosis, without mention of nervous affection but with immaturity	21 15	4 2	13 6	2	1	2	—	1	—	20 13	1 1	—	—	21 14	1	—	—
770-6	Kernicterus with immaturity	8 5	—	—	—	—	—	—	2	—	2 4	5 1	—	—	7 5	—	—	1
770-7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
771-0	Hemorrhagic disease of newborn, without mention of immaturity	89 55	1	16 4	15 7	18 9	15 12	6 5	2 4	3 1	76 42	5 9	5 3	2 1	88 55	1	—	—
771-5	Hemorrhagic disease of newborn, with immaturity	52 27	—	2 2	3 7	14 7	11 1	5 3	2	2	39 22	8 4	2 1	2	51 27	1	—	—
772-0	Nutritional maladjustment, without mention of immaturity	6 2	—	—	—	—	—	—	—	—	—	—	—	—	—	5 1	—	—
772-5	Nutritional maladjustment, with immaturity	2 1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
773-0	III-defined diseases peculiar to early infancy, without men-	30 22	3	4 2	3 2	1 3	5 4	—	1	—	18 15	4 3	—	—	22 20	5 2	1	1

774	peculiar to early infancy, with immaturity of any other subsidiary condition	40	2	21	3	5	4	3	2	3	46	6	1	53	9	1	—
	Immaturity un-qualified .. {M}{F}	63	1	22	—	6	3	2	—	—	43	8	1	52	10	1	—
776	Immaturity un-qualified .. {M}{F}	1763	71	1048	—	234	84	40	24	1690	56	11	3	1760	3	—	—
780-795	Symptoms, and ill-defined conditions .. {M}{F}	1292	49	690	—	214	81	27	25	1220	44	13	6	1283	9	—	—
780-2	Convulsions .. {M}{F}	29	6	—	—	1	3	—	—	11	4	—	—	15	7	5	1
785-2	Jaundice .. {M}{F}	13	2	—	—	1	—	—	—	4	1	—	—	5	1	4	3
E800-E999	Accidents, poisonings, and violence.. {M}{F}	8	—	—	—	—	3	—	—	3	1	—	—	4	2	2	—
E800-E866	Transport accidents .. {M}{F}	3	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
E870-E895	Accidental poisoning .. {M}{F}	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E900-E936	Other accidents .. {M}{F}	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E921-E925	Accidental mechanical suffocation .. {M}{F}	309	24	5	—	3	4	3	1	40	3	7	5	55	98	107	33
E926	Lack of care of infants under 1 year of age .. {M}{F}	213	14	3	—	3	1	3	1	26	3	6	8	43	67	73	28
E940-E959	Accidents due to medical & surgical intervention .. {M}{F}	262	—	—	—	1	3	2	1	7	3	7	4	21	96	98	29
E980-E985	Homicide and injury purposely inflicted by other persons (not in war) .. {M}{F}	179	1	—	—	1	1	3	1	9	3	5	8	25	63	64	21
Rem. of E800-E999	Other violence .. {M}{F}	28	22	3	—	—	—	—	—	16	—	—	—	27	—	—	1
N800-N829	Fractures .. {M}{F}	16	13	1	—	2	—	—	—	—	—	—	—	16	—	—	—
N850-N856	Head injury (excluding skull fracture) .. {M}{F}	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
N860-N869	Internal injury of chest, abdomen, & pelvis .. {M}{F}	1	3	—	—	1	1	—	—	5	—	—	—	5	1	1	2
N940-N949	Burns .. {M}{F}	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. of N800-N999	Other injuries .. {M}{F}	3	—	2	—	—	—	—	—	2	—	—	—	2	1	2	—
		304	24	4	—	2	3	1	—	36	3	7	4	50	98	103	31
		211	16	3	—	3	—	31	1	28	3	6	8	45	64	69	24
																	9

TABLE 28—continued

Area	Bronchitis (500-502)							Gastro-enteritis (571, 764)						
	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
ENGLAND AND WALES	311	25	101	118	48	19	19	319	48	117	78	45	31	13
Regions and Conurbations:														
Northern	16	3	6	4	3	—	—	24	5	9	8	1	1	—
Tyneside Conurbation ...	2	—	—	1	1	—	—	6	1	3	2	—	—	—
Remainder of Northern ...	14	3	6	3	2	—	—	18	4	6	6	1	1	—
East and West Ridings ...	47	2	18	21	5	1	2	58	6	24	9	10	9	1
West Yorkshire Conurbation ...	9	1	4	4	—	—	—	26	—	15	3	4	4	—
Remainder of E. & W. Ridings	38	1	14	17	5	1	2	32	6	9	6	6	5	1
North Western	53	4	17	22	8	2	6	54	7	26	13	5	3	1
S.E. Lancashire Conurbation ...	16	2	3	6	4	1	—	12	1	7	2	1	1	1
Merseyside Conurbation ...	24	1	11	9	3	—	4	10	—	6	4	—	—	—
Remainder of North Western	13	1	3	7	1	1	2	32	6	13	7	4	2	—
North Midland	31	3	6	12	4	6	—	29	5	12	1	8	3	—
Midland	22	3	8	7	2	2	1	39	6	14	9	6	4	2
West Midlands Conurbation ...	14	1	6	5	1	1	1	22	2	9	6	3	2	1
Remainder of Midland ...	8	2	2	2	1	1	—	17	4	5	3	3	2	1
Eastern	18	—	5	8	2	3	—	23	6	7	4	4	2	2
London and South Eastern ...	86	10	26	32	15	3	8	45	7	9	16	8	5	3
Greater London	74	8	21	29	13	3	6	34	7	9	12	3	3	3
Remainder of South Eastern ...	12	2	5	3	2	—	2	11	—	—	4	5	2	—
Southern	11	—	4	2	5	—	—	18	3	5	8	1	1	1
South Western	5	—	2	1	2	—	—	11	—	5	4	1	1	2
Wales (including Monmouthshire)	22	—	9	9	2	2	2	18	3	6	6	1	2	1
Wales I (South East) ...	18	—	8	8	—	2	1	13	3	4	3	1	2	1
Wales II (Remainder) ...	4	—	1	1	2	—	1	5	—	2	3	—	—	—
Urban/Rural Aggregates:														
Conurbations	139	13	45	54	22	5	11	110	11	49	29	11	10	5
<i>Areas outside Conurbations:</i>														
Urban areas with populations of 100,000 and over ...	42	2	13	13	9	5	1	43	6	18	11	5	3	3
Urban areas with populations of 50,000 and under 100,000 ...	29	4	7	12	3	3	3	28	10	6	7	3	2	1
Urban areas with populations under 50,000	56	3	21	25	4	3	1	75	13	28	16	13	5	2
Rural Districts	45	3	15	14	10	3	3	63	8	16	15	13	11	2
ENGLAND AND WALES	3215	1997	560	363	195	100	124	1885	1858	14	8	2	3	98
Regions and Conurbations:														
Northern	312	218	39	31	17	7	8	147	147	—	—	—	—	6
Tyneside Conurbation ...	82	59	9	10	4	—	2	42	42	—	—	—	—	1
Remainder of Northern ...	230	159	30	21	13	7	6	105	105	—	—	—	—	5
East and West Ridings ...	301	203	43	32	17	6	11	148	144	2	1	1	—	3
West Yorkshire Conurbation ...	118	89	14	9	2	4	7	61	59	1	1	—	—	2
Remainder of E. & W. Ridings	183	114	29	23	15	2	4	87	85	1	—	1	—	1
North Western	528	324	95	55	36	18	12	309	303	4	1	—	1	15
S.E. Lancashire Conurbation ...	206	123	36	24	15	8	5	122	120	1	—	—	1	8
Merseyside Conurbation ...	126	88	21	11	3	3	5	89	87	1	1	—	—	—
Remainder of North Western	196	113	38	20	18	7	2	98	96	2	—	—	—	7
North Midland	274	170	58	27	15	4	10	150	148	—	2	—	—	8
Midland	361	212	64	44	25	16	16	228	228	—	—	—	—	18
West Midlands Conurbation ...	168	99	33	18	10	8	11	106	106	—	—	—	—	10
Remainder of Midland ...	193	113	31	26	15	8	5	122	122	—	—	—	—	—
Eastern	229	142	47	23	10	7	12	120	117	1	1	—	1	7
London and South Eastern ...	597	342	111	79	43	22	35	366	358	3	3	—	1	27
Greater London	441	264	73	54	35	15	23	289	284	3	—	1	1	24
Remainder of South Eastern ...	156	78	38	25	8	7	12	77	74	—	3	—	—	3
Southern	176	107	34	23	4	8	4	132	129	3	—	—	—	7
South Western	183	114	29	20	15	5	9	134	134	—	—	—	—	1
Wales (including Monmouthshire)	254	165	40	29	13	7	7	151	150	1	—	—	—	6
Wales I (South East) ...	186	115	33	25	9	4	4	120	119	1	—	—	—	6
Wales II (Remainder) ...	68	50	7	4	4	3	3	31	31	—	—	—	—	—
Urban/Rural Aggregates:														
Conurbations	1141	722	186	126	69	38	53	709	698	6	2	1	2	43
<i>Areas outside Conurbations:</i>														
Urban areas with populations of 100,000 and over ...	426	280	70	42	23	11	8	240	238	1	1	—	—	6
Urban areas with populations of 50,000 and under 100,000 ...	268	152	55	35	29	7	11	125	123	1	1	—	—	9
Urban areas with populations under 50,000	721	423	144	87	43	24	29	453	448	1	3	—	1	26
Rural Districts	659	420	105	73	41	20	23	358	351	5	1	1	—	14

TABLE 28—continued

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Post-natal asphyxia, atelectasis (762)							Hæmolytic disease of newborn (770)						
ENGLAND AND WALES	2483	2459	16	5	2	1	139	349	342	2	1	2	2	6
Regions and Conurbations:														
Northern	129	126	3	—	—	—	6	21	21	—	—	—	—	—
Tyneside Conurbation ...	27	26	1	—	—	—	—	3	3	—	—	—	—	—
Remainder of Northern ...	102	100	2	—	—	—	6	18	18	—	—	—	—	—
East and West Ridings ...	292	288	2	2	—	—	20	41	41	—	—	—	—	—
West Yorkshire Conurbation ...	92	90	—	2	—	—	6	20	20	—	—	—	—	—
Remainder of E. & W. Ridings ...	200	198	2	—	—	—	14	21	21	—	—	—	—	—
North Western	392	389	2	—	1	—	24	73	71	1	—	1	—	—
S.E. Lancashire Conurbation ...	156	154	1	—	1	—	7	33	32	—	—	1	—	—
Merseyside Conurbation ...	127	127	—	—	—	—	10	17	16	1	—	—	—	—
Remainder of North Western ...	109	108	1	—	—	—	7	23	23	—	—	—	—	—
North Midland	209	207	1	1	—	—	11	22	21	—	—	—	1	1
Midland	278	278	—	—	—	—	14	24	24	—	—	—	—	4
West Midlands Conurbation ...	138	138	—	—	—	—	6	7	7	—	—	—	—	—
Remainder of Midland ...	140	140	—	—	—	—	8	17	17	—	—	—	—	4
Eastern	150	150	—	—	—	—	9	35	35	—	—	—	—	—
London and South Eastern ...	506	500	4	1	—	1	36	85	84	—	—	—	1	—
Greater London	388	383	3	1	—	1	29	64	63	—	—	—	1	—
Remainder of South Eastern ...	118	117	1	—	—	—	7	21	21	—	—	—	—	—
Southern	137	136	1	—	—	—	9	12	12	—	—	—	—	1
South Western	176	175	1	—	—	—	2	14	14	—	—	—	—	—
Wales (including Monmouthshire)	214	210	2	1	1	—	8	22	19	1	1	1	—	—
Wales I (South East) ...	146	144	1	—	1	—	4	17	14	1	1	1	—	—
Wales II (Remainder) ...	68	66	1	1	—	—	4	5	5	—	—	—	—	—
Urban/Rural Aggregates:														
Conurbations	928	918	5	3	1	1	58	144	141	1	—	1	1	—
<i>Areas outside Conurbations:</i>														
Urban areas with populations of 100,000 and over ...	349	347	2	—	—	—	20	50	50	—	—	—	—	3
Urban areas with populations of 50,000 and under 100,000 ...	160	158	2	—	—	—	11	28	28	—	—	—	—	—
Urban areas with populations under 50,000	578	570	6	1	1	—	23	68	66	—	1	1	—	1
Rural Districts	468	466	1	1	—	—	27	59	57	1	—	—	1	2
Immaturity associated with diseases of early infancy 760-773)*								Immaturity (774-776)						
ENGLAND AND WALES	2919	2897	18	3	—	1	168	3181	3148	31	2	—	—	244
Regions and Conurbations:														
Northern	199	197	2	—	—	—	10	362	359	5	—	—	—	19
Tyneside Conurbation ...	41	40	1	—	—	—	1	88	88	—	—	—	—	6
Remainder of Northern ...	158	157	1	—	—	—	9	274	271	3	—	—	—	13
East and West Ridings ...	290	288	1	1	—	—	15	338	337	1	—	—	—	21
West Yorkshire Conurbation ...	99	98	—	1	—	—	7	132	131	1	—	—	—	7
Remainder of E. & W. Ridings ...	191	190	1	—	—	—	8	206	206	—	—	—	—	14
North Western	472	469	3	—	—	—	26	583	575	8	—	—	—	47
S.E. Lancashire Conurbation ...	194	194	—	—	—	—	11	182	180	2	—	—	—	21
Merseyside Conurbation ...	141	140	1	—	—	—	10	108	105	3	—	—	—	9
Remainder of North Western ...	137	135	2	—	—	—	5	293	290	3	—	—	—	1
North Midland	223	221	1	—	—	1	15	233	231	2	—	—	—	13
Midland	359	356	2	1	—	—	22	313	310	3	—	—	—	22
West Midlands Conurbation ...	171	169	2	—	—	—	11	154	153	1	—	—	—	13
Remainder of Midland ...	188	187	—	1	—	—	11	159	157	2	—	—	—	9
Eastern	164	163	1	—	—	—	11	223	220	3	—	—	—	18
London and South Eastern ...	591	587	3	1	—	—	46	645	639	6	—	—	—	62
Greater London	456	453	2	1	—	—	38	468	462	6	—	—	—	52
Remainder of South Eastern ...	135	134	1	—	—	—	8	177	177	—	—	—	—	11
Southern	183	181	2	—	—	—	10	165	162	3	—	—	—	12
South Western	194	193	1	—	—	—	4	139	137	1	1	—	—	4
Wales (including Monmouthshire)	244	242	2	—	—	—	9	180	178	1	1	—	—	22
Wales I (South East) ...	178	176	2	—	—	—	7	137	136	—	1	—	—	15
Wales II (Remainder) ...	66	66	—	—	—	—	2	43	42	1	—	—	—	7
Urban/Rural Aggregates:														
Conurbations	1102	1094	6	2	—	—	78	1132	1119	13	—	—	—	108
<i>Areas outside Conurbations:</i>														
Urban areas with populations of 100,000 and over ...	424	419	5	—	—	—	24	414	410	2	2	—	—	34
Urban areas with populations of 50,000 and under 100,000 ...	180	179	1	—	—	—	11	309	306	3	—	—	—	14
Urban areas with populations under 50,000	677	673	4	—	—	—	31	765	756	9	—	—	—	53
Rural Districts	536	532	2	1	—	1	24	561	557	4	—	—	—	3

*Including some deaths shown elsewhere in this table.

TABLE 29.—Notifications of certain Infectious Diseases. (Case rates per 100,000 population, 1946 to 1956. (For the years 1946 to 1949, the Rates in this Table relate to Civilians only)
Rates based on final numbers after correction (except in Port Health Districts)

See Explanatory notes on page v.

Disease	Year	England and Wales (including Port Health Districts)	England	Wales (including Monmo'th-shire)	London A.C.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Municipal Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London A.C.)	Wales (including Monmo'th-shire)	England	Wales (including Monmo'th-shire)	England (excluding London A.C.)	Wales (including Monmo'th-shire)	England	Wales (including Monmo'th-shire)
†Tuberculosis, Respiratory ...	1954	87	86	105	133	71	105	102	105	77	115	58	80
	1955	77	76	92	116	62	93	94	88	66	100	52	85
	1956	71	70	85	111	56	83	87	93	60	87	46	77
†Tuberculosis of Meninges and C.N.S. ...	1954	2	2	3	1	1	3	2	2	1	3	1	2
	1955	1	1	2	1	1	2	1	1	1	1	1	2
	1956	1	1	1	1	1	1	1	1	1	1	1	1
†Tuberculosis, Other ...	1954	11	11	15	11	11	16	11	12	10	15	12	16
	1955	9	9	12	10	9	13	9	11	8	11	10	15
	1956	8	8	10	9	8	10	9	10	8	8	8	13
Typhoid fever ...	1946	1	1	7	1	1	9	1	2	1	9	1	8
	1947	1	1	1	1	1	0	1	1	1	0	1	1
	1948	1	1	1	1	1	1	1	1	1	1	2	1
	1949	1	1	1	1	1	1	1	1	1	1	1	1
	1950	1	0	0	1	0	0	0	0	0	0	0	0
	1951	1	0	0	1	0	0	0	0	0	0	0	1
	1952	0	0	0	1	0	0	0	0	0	0	0	0
	1953	0	0	0	1	0	0	0	0	0	0	0	0
	1954	0	0	0	1	0	0	0	0	0	0	0	0
	1955	0	0	0	1	0	0	0	0	0	0	0	0
	1956	0	0	0	1	0	0	0	0	0	0	0	0
Paratyphoid fevers ...	1946	2	2	3	1	1	3	3	2	1	4	1	1
	1947	1	1	0	1	1	0	1	0	1	1	2	1
	1948	1	1	0	1	1	1	1	0	1	1	1	1
	1949	1	1	0	1	1	0	2	0	1	1	1	1
	1950	1	1	0	1	1	0	0	0	1	1	1	0
	1951	2	2	3	1	2	4	3	17	2	29	2	17
	1952	1	1	2	1	1	2	1	1	1	3	1	2
	1953	1	1	2	1	1	2	1	1	1	5	1	2
	1954	1	1	7	1	1	2	1	20	1	3	2	2
	1955	2	2	2	1	2	2	1	1	2	1	1	1
	1956	1	1	2	1	1	2	1	1	1	1	2	3
Meningococcal infections ...	1946	5	5	2	6	4	4	6	8	4	4	4	4
	1947	5	5	6	5	4	5	7	5	5	7	4	4
	1948	3	3	4	3	2	3	4	3	2	4	2	2
	1949	2	2	2	2	2	2	4	2	2	4	1	2
	1950	3	3	3	3	2	3	3	2	2	3	2	3
	1951	3	3	4	3	3	4	4	5	3	4	2	3
	1952	3	3	2	2	3	3	4	4	3	5	2	3
	1953	3	3	3	3	2	3	4	3	2	4	2	3
	1954	3	3	4	3	2	3	4	5	2	4	2	3
	1955	3	3	4	3	2	3	4	4	2	4	2	3
	1956	3	2	3	3	2	3	3	3	2	3	2	2

†See note at end of Table 33.

TABLE 29—continued

Disease	Year	England Wales (including Port Health Districts)	England	Wales (including Monmo'th- shire)	London A.C.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Municipal Boroughs and Urban Districts of		Aggregate of Rural Districts of—	
						England (excluding London A.C.)	Wales (including Monmo'th- shire)	England	Wales (including Monmo'th- shire)	England (excluding London A.C.)	Wales (including Monmo'th- shire)	England	Wales (including Monmo'th- shire)
Scarlet fever	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
	1946	138	137	153	142	127	155	154	147	132	181	115	113
	1947	137	111	141	133	123	126	164	198	131	131	103	102
	1948	173	170	219	146	154	193	209	310	165	210	128	164
	1949	163	163	160	146	156	140	180	229	167	160	131	109
	1950	150	150	155	123	147	143	163	195	152	170	136	101
	1951	111	111	108	110	107	103	120	126	113	126	93	67
	1952	153	156	107	156	148	100	171	133	164	116	111	74
	1953	139	141	96	102	137	80	160	115	145	119	70	70
	1954	97	99	65	74	100	60	104	83	106	69	86	46
Diphtheria	1955	73	74	70	63	68	60	86	71	72	62	42	42
	1956	74	72	115	67	68	102	80	159	70	108	64	94
	1946	29	28	42	24	23	42	37	40	25	44	18	38
	1947	13	13	18	14	10	19	18	13	11	20	9	17
	1948	8	8	7	6	7	8	11	6	3	8	5	8
	1949	4	4	4	2	3	4	3	3	1	4	3	5
	1950	2	2	2	2	1	2	3	2	1	3	1	2
	1951	2	1	2	1	1	1	2	2	2	2	1	2
	1952	1	1	2	1	1	0	1	1	1	1	0	1
	1953	1	1	1	0	1	0	0	1	0	0	0	0
Whooping cough	1954	0	0	0	0	0	0	0	—	0	0	0	0
	1955	0	0	0	0	0	0	0	—	0	0	1	0
	1956	0	0	0	0	0	0	0	0	0	0	0	—
	1946	229	235	126	222	216	115	272	164	215	121	218	106
	1947	222	228	127	286	215	118	237	160	220	136	88	106
	1948	342	349	237	313	347	227	363	274	342	241	358	203
	1949	239	242	183	170	251	161	280	260	232	167	231	150
	1950	360	372	172	321	347	138	431	296	351	148	338	123
	1951	387	387	376	321	407	162	370	425	401	375	419	342
	1952	261	267	166	166	249	153	328	210	250	160	246	142
Erysipelas	1953	358	365	253	330	361	207	380	417	362	218	359	189
	1954	239	241	283	330	361	207	238	192	236	210	301	202
	1955	178	182	107	141	256	115	198	178	170	109	200	125
	1956	207	210	149	166	198	117	247	264	201	123	191	108
	1946	22	23	16	27	20	16	25	16	22	19	18	11
	1947	19	19	14	23	17	13	21	16	18	15	15	10
	1948	21	22	17	22	20	17	25	20	21	19	18	14
	1949	19	19	18	17	18	15	22	25	18	18	17	12
	1950	17	18	15	17	17	13	20	22	17	15	15	9
	1951	14	14	10	15	13	9	15	15	13	10	12	8
	1952	14	14	11	14	13	10	16	15	13	12	12	7
	1953	14	14	11	12	13	10	15	14	13	12	12	6
	1954	12	12	9	11	12	8	14	12	12	12	11	7
	1955	12	11	8	11	10	7	11	12	11	9	10	4
	1956	10	11	8	11	10	7	11	12	11	9	10	4

[illegible]

TABLE 30 — Seasonal Incidence of Certain Infections } England and Wales
Diseases, 1956

Note.—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week: where the seasonal excess is more than 30 per cent over the weekly average the proportionate figure is shown in heavy type.

See explanatory notes on page v.

Week ended			Typhoid fever	Para-typhoid fevers	Meningo-coccal Infection	Scarlet fever	Whooping cough	Diphtheria	Measles	Acute Poliomyelitis	
										Paralytic	Non-paralytic
Jan	7	1956	33	89	96	115	64	150	106	105	51
"	14	"	—	100	118	111	72	67	78	90	69
"	21	"	67	111	104	161	80	167	64	59	46
"	28	"	100	44	111	150	87	67	70	54	29
Feb	4	"	33	44	89	148	91	183	80	67	34
"	11	"	67	56	132	150	73	133	95	49	20
"	18	"	—	78	129	134	70	150	103	31	17
"	25	"	—	44	146	136	59	83	104	31	14
Mar	3	"	67	56	143	131	67	100	92	36	9
"	10	"	67	56	114	142	69	67	87	33	14
"	17	"	—	133	193	139	75	117	95	28	23
"	24	"	—	78	75	153	80	100	92	23	9
"	31	"	67	33	107	107	71	100	88	28	9
Apr	7	"	67	33	143	106	76	67	110	21	6
"	14	"	33	78	125	84	82	117	98	31	23
"	21	"	100	133	64	80	87	83	69	38	17
"	28	"	67	78	96	101	100	133	66	26	14
May	5	"	133	122	100	121	104	83	71	28	29
"	12	"	67	211	118	115	99	100	101	38	31
"	19	"	33	300	107	108	88	100	112	38	34
"	26	"	67	100	114	86	76	133	106	41	26
June	2	"	167	178	111	77	102	100	126	97	60
"	9	"	300	233	96	90	109	67	105	97	49
"	16	"	67	189	82	100	122	50	111	54	63
"	23	"	67	200	104	103	122	83	106	97	71
"	30	"	167	33	75	100	134	133	123	121	97
July	7	"	233	244	111	106	136	117	113	185	120
"	14	"	67	178	150	80	136	83	108	126	166
"	21	"	133	178	121	83	144	33	108	179	206
"	28	"	133	278	68	90	135	67	108	182	254
Aug	4	"	33	89	93	66	121	—	106	187	166
"	11	"	167	133	64	43	120	67	88	149	217
"	18	"	167	56	32	44	141	83	79	149	277
"	25	"	267	122	100	38	142	17	61	162	326
Sept	1	"	300	67	93	39	129	83	45	136	211
"	8	"	500	89	96	39	131	67	36	95	194
"	15	"	133	67	93	49	128	117	31	118	186
"	22	"	300	78	114	59	104	100	36	100	206
"	29	"	167	100	79	70	100	133	46	154	203
Oct	6	"	100	100	71	72	84	33	65	164	260
"	13	"	267	44	86	83	79	167	70	164	246
"	20	"	33	78	79	94	83	100	92	197	180
"	27	"	67	156	79	90	88	150	99	133	177
Nov	3	"	133	178	96	90	87	67	101	174	191
"	10	"	100	100	143	100	103	183	102	185	140
"	17	"	67	56	71	109	118	117	115	154	100
"	24	"	100	56	89	127	114	33	133	128	71
Dec	1	"	100	11	71	126	119	117	148	121	71
"	8	"	167	22	86	132	120	67	196	141	77
"	15	"	33	22	139	120	112	100	213	126	69
"	22	"	33	22	89	115	98	167	218	108	51
"	29	"	67	22	71	82	71	50	226	100	29
Average weekly number of cases notified (original notifications)			3	9	28	641	1,773	6	3,047	39	35

TABLE 31--Cases of certain Infectious Diseases Notified, 1946 to 1956—England and Wales

Final numbers after correction (except in Port Health Districts)

See Explanatory notes on page v.

(a) Total (excluding cases in Port Health Districts). { Civilians only, 1946 to 1949,
including non-civilians for 1950 onwards.

Diseases	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
Typhoid fever	459	264	346	278	211	202	130	99	118	190	132
Paratyphoid fevers	720	396	370	576	291	1094	1038	352	547	872	438
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	1	—	—	—	—	—	—	—	—
Meningococcal infections	1880	2196	1198	934	1149	1390	1326	1354	1245	1125	1164
Scarlet fever	56099	57246	73940	70186	65878	48735	67251	61172	43022	32597	33098
Whooping cough	92892	92657	146372	102801	157752	169347	114863	157835	105904	79101	92407
Diphtheria	11601	5492	3531	1874	959	658	372	265	166	154	51
Erysipelas	9023	7812	9094	8259	7642	5935	5997	5992	5372	4612	4380
Ophthalmia neonatorum	3416	3245	2729	2229	1935	1762	1788	1772	1684	1771	1515
Dysentery	7688	3711	5071	4513	17271	28564	14520	18409	31833	36699	48989
Malaria (contracted in England and Wales)	6	5	3	4	—	1	—	53	—	—	—
Relapsing fever	3	1	2	—	7	2	—	1	—	—	—
Smallpox	43	77	—	17	—	27	135	30	—	—	—
Measles	159553	393116	399185	385753	367598	616093	389448	544957	146970	693740	160499
Ac. Poliomyelitis (Paralytic)	655	7646	1829	5918	5557	1527	2740	2970	1313	3711	1715
Ac. Poliomyelitis (Non-paralytic)	—	—	—	—	2195	1082	1162	1568	641	2617	1482
Ac. Encephalitis (Infective)	76	67	29	49	186	202	112	166	118	150	173
Ac. Encephalitis (Post-infectious)	—	—	—	—	67	110	91	91	101	118	106
Typhus fever	—	1	—	—	1	*3	*1	*1	†1	*1	1
Pneumonia (acute primary and acute influenzal)	36134	33006	31207	34386	30634	43229	31710	37200	26543	27900	25439
†Puerperal fever and pyrexia	7167	6528	5501	4724	4132	7417	12351	12716	12239	12108	11682
Continued fever (London A.C. only)	—	—	—	—	—	—	—	—	—	—	—
Food poisoning	?	?	?	?	7506	5797	5872	10373	9001	12717	10985

(b) Port Health Districts. { Civilians only 1946 to 1949,
including non-civilians for 1950 onwards.

Typhoid fever	11	12	15	31	25	4	5	2	4	3	4
Paratyphoid fevers	5	4	—	3	2	1	1	1	1	4	2
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infections	2	4	—	1	1	—	1	—	1	1	4
Scarlet fever	25	18	7	21	11	9	10	8	4	22	5
Whooping cough	24	20	26	7	29	94	6	7	8	32	3
Diphtheria	16	17	15	9	3	6	4	1	7	1	2
Erysipelas	2	—	5	3	8	1	2	7	3	2	2
Ophthalmia neonatorum	—	—	—	—	—	—	—	—	—	—	—
Dysentery	43	28	16	14	15	26	15	17	25	19	20
Relapsing fever	—	—	—	—	—	—	—	—	—	—	—
Smallpox	1	—	—	2	1	—	—	—	—	—	—
Measles	530	48	266	64	127	99	54	93	25	63	57
Ac. Poliomyelitis (Paralytic)	6	9	7	14	8	2	7	6	6	1	2
Ac. Poliomyelitis (Non-paralytic)	—	—	—	—	—	3	1	3	—	2	1
Ac. Encephalitis (Infective)	—	—	—	—	—	—	1	—	—	—	—
Ac. Encephalitis (Post-infectious)	—	—	—	—	—	—	—	1	—	—	—
Typhus fever	—	—	—	7	—	—	—	—	—	—	—
Pneumonia (acute primary and acute influenzal)	37	40	29	22	29	30	26	14	19	30	21
†Puerperal fever and pyrexia	—	1	—	—	—	1	—	2	—	1	—
Continued fever (London A.C. only)	—	—	—	—	—	—	—	—	—	—	—
Food poisoning	?	?	?	?	2	2	—	3	—	2	13

(c) Non-Civilians (including cases in Port Health Districts).

Typhoid fever	23	14	8	2	—	—	—	—	—	—	—
Paratyphoid fevers	11	16	3	3	—	—	—	—	—	—	—
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infections	130	86	18	8	—	—	—	—	—	—	—
Scarlet fever	606	782	884	460	8	—	—	—	—	—	—
Whooping cough	20	5	12	8	—	—	—	—	—	—	—
Diphtheria	369	100	29	7	—	—	—	—	—	—	—
Erysipelas	44	33	21	8	—	—	—	—	—	—	—
Dysentery	210	63	17	11	—	—	—	—	—	—	—
Malaria (contracted in England and Wales)	1	—	—	—	—	—	—	—	—	—	—
Relapsing fever	—	—	—	—	—	—	—	—	—	—	—
Smallpox	12	1	—	—	—	—	—	—	—	—	—
Measles	319	623	155	118	—	—	—	—	—	—	—
Ac. Poliomyelitis (Paralytic)	19	121	19	50	—	—	—	—	—	—	—
Ac. Poliomyelitis (Non-paralytic)	—	—	—	—	—	—	—	—	—	—	—
Ac. Encephalitis (Infective)	2	1	1	—	—	—	—	—	—	—	—
Ac. Encephalitis (Post-infectious)	1	—	—	—	—	—	—	—	—	—	—
Typhus fever	—	—	—	—	—	—	—	—	—	—	—
Pneumonia (acute primary and acute influenzal)	442	183	122	153	—	—	—	—	—	—	—
†Puerperal fever and pyrexia	12	6	3	—	—	—	—	—	—	—	—
Continued fever (London A.C. only)	—	—	—	—	—	—	—	—	—	—	—

*Not louse-borne.

†Type undetermined.

‡See note at end of Table 29.

\$1 case unconfirmed.

TABLE 32.—Cases of certain Infectious Diseases Notified, by Sex and Age, 1956 { England and Wales, Standard Regions, Wales, Conurbations (excluding Port Health Districts)

Final numbers after correction.

Area	All Ages		0—		1—		2—		3—		4—		5—		10—		15—		25 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Scarlet fever																						
ENGLAND AND WALES	16529	16569	55	58	325	291	998	799	1512	1379	1849	1737	9071	9337	1865	2161	587	483	226	287	41	37
Regions and Conurbations:																						
Northern	1082	1183	1	4	26	22	80	65	106	118	102	101	609	674	108	146	39	35	10	18	1	—
Tyneside Conurbation	412	443	3	3	6	8	32	27	60	56	42	40	234	264	31	33	5	7	2	5	—	—
Remainder of Northern	670	740	1	1	20	14	48	38	46	62	60	61	375	410	77	113	34	28	8	13	1	—
East and West Ridings	1943	1989	6	12	34	46	124	107	197	168	222	234	1019	1066	242	271	72	55	20	25	7	5
West Yorkshire Conurbation	727	786	1	3	11	14	47	56	67	66	73	79	397	418	89	113	29	31	11	6	2	—
Remainder of East and West Ridings	1216	1203	5	9	23	32	77	51	130	102	149	155	622	648	153	158	43	24	9	19	5	5
North Western	2826	2879	10	7	69	50	197	152	300	299	367	350	1527	1617	258	314	70	50	25	35	3	5
South East Lancashire Conurbation	1023	986	2	3	22	16	67	55	122	110	144	130	562	528	76	104	20	24	8	15	—	—
Merseyside Conurbation	530	571	2	1	18	18	37	37	48	59	72	74	304	323	39	49	7	6	3	4	—	—
Remainder of North Western	1273	1322	6	3	29	16	93	60	130	130	151	146	661	766	143	161	43	20	14	16	3	4
North Midland	1571	1497	9	3	26	25	90	77	147	127	175	155	892	870	160	176	48	44	18	15	6	5
Midland	1396	1407	5	5	31	23	92	65	110	109	160	132	793	808	143	196	37	45	23	20	2	4
West Midlands Conurbation	630	635	5	4	15	12	41	34	55	59	77	46	363	400	54	53	13	15	5	6	2	—
Remainder of Midland	766	772	—	1	16	11	51	31	55	50	83	86	430	408	89	137	24	30	18	14	—	—
Eastern	1218	1112	3	—	24	14	60	47	90	88	104	102	720	624	160	170	31	42	25	23	1	2
London and South Eastern	3599	3399	13	13	65	49	190	145	296	235	415	376	2019	2016	409	384	136	110	54	68	2	3
Greater London	2893	2797	11	9	54	43	159	111	250	193	355	327	1599	1657	313	317	107	86	43	52	2	2
Remainder of South Eastern	706	602	2	4	11	6	31	34	46	42	60	49	420	359	96	67	29	24	11	16	—	1
Southern	625	594	2	—	7	9	22	27	53	38	64	68	350	325	77	85	42	17	6	23	2	2
South Western	905	878	3	5	18	17	48	39	67	73	97	85	487	487	111	112	54	31	15	23	5	6
Wales (including Monmouthshire)	1364	1431	3	9	25	36	95	75	146	124	143	134	655	850	197	307	58	54	30	37	12	5
Wales I (South East)	1066	1292	3	9	19	27	73	59	125	99	121	111	529	693	136	237	43	39	13	18	4	—
Wales II (Remainder)	298	339	—	—	6	9	22	16	21	25	22	23	126	157	61	70	15	15	17	19	8	—
Urban/Rural Aggregates:																						
Conurbations	6215	6218	21	23	126	111	383	320	602	543	763	696	3459	3590	602	675	181	169	72	88	6	3
Areas Outside Conurbations:																						
Urban areas with populations of 100,000 and over	2740	2759	11	7	65	59	175	136	299	255	323	309	1475	1558	287	330	75	70	26	28	4	7
Urban areas with populations of 50,000 and under	1197	1192	2	1	23	18	84	62	119	106	147	128	641	705	124	128	38	23	22	18	1	3
Urban areas with populations under 50,000	3457	3457	2	1	23	18	84	62	119	106	147	128	641	705	124	128	38	23	22	18	1	3

Area		All Ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Whooping cough																							
ENGLAND AND WALES		44184	48223	4299	4167	4268	4422	5212	5706	5765	6196	5724	6427	17374	19177	1047	1123	107	186	274	679	114	140
Regions and Conurbations:																							
Northern		3832	4343	423	370	426	495	486	581	541	672	523	585	1338	1505	71	86	6	10	14	35	4	4
Tyneside Conurbation		1188	1355	146	131	137	186	181	192	163	197	160	185	386	440	10	14	2	2	3	8	—	4
Remainder of Northern		2644	2988	277	239	289	309	305	389	378	475	363	400	952	1065	61	72	4	8	11	27	4	—
East and West Ridings		5565	6017	570	578	538	537	636	691	689	735	743	799	2166	2420	145	125	9	19	36	77	33	36
West Yorkshire Conurbation		2267	2649	273	266	247	249	282	316	297	318	342	357	851	1042	51	49	3	10	13	35	8	7
Remainder of East and West Ridings		3198	3368	297	312	291	288	354	375	392	417	401	442	1315	1378	94	76	6	9	23	42	25	29
North Western		7581	8335	802	800	808	848	959	1086	1124	1188	1041	1171	2687	2997	102	137	15	23	28	70	15	15
South East Lancashire Conurbation		2349	2549	259	235	260	234	332	361	353	356	324	360	787	878	41	44	5	8	10	26	3	7
Merseyside Conurbation		2413	2468	275	260	234	301	305	353	321	340	274	348	866	1053	45	51	5	11	10	27	2	2
Remainder of North Western		2116	2327	268	285	294	293	322	372	438	482	445	463	1214	1314	46	62	7	14	12	27	6	6
North Midland		3132	3469	288	278	267	265	362	396	410	451	387	516	1329	1415	64	75	6	9	13	49	6	15
Midland		6065	6580	561	589	601	655	763	832	860	883	768	875	2368	2534	99	111	9	18	28	71	8	12
West Midlands Conurbation		3738	4069	360	386	409	499	546	553	565	578	475	567	1385	1483	58	52	3	9	14	46	5	6
Remainder of Midland		2327	2511	201	203	215	246	264	286	307	318	293	308	983	1051	41	59	6	9	14	25	3	6
Eastern		3251	3646	266	256	265	269	327	371	406	411	381	419	1457	1669	97	122	9	14	33	94	10	21
London and South Eastern		8731	9479	843	755	791	810	971	1015	968	1062	1051	1194	3705	4128	285	266	17	58	77	174	13	17
Greater London		5244	7057	650	596	604	612	709	772	701	757	756	871	2721	3100	198	181	19	41	51	125	5	12
Remainder of South Eastern		2317	2412	193	159	187	198	262	243	267	305	295	323	984	1028	87	85	8	17	26	49	8	5
Southern		1752	1824	145	153	177	163	211	193	223	226	232	232	679	748	55	61	10	12	13	29	7	7
South Western		2429	2479	225	188	230	210	272	282	299	283	313	323	976	1057	72	65	9	13	23	51	10	7
Wales (including Monmouthshire)		1846	2051	176	200	165	170	225	259	245	285	285	333	669	704	57	75	7	10	9	29	8	6
Wales I (South East)		1386	1547	133	159	127	135	172	200	187	219	233	225	474	520	44	59	7	6	5	21	4	3
Wales II (Remainder)		460	504	43	41	38	35	53	59	58	66	52	88	195	184	13	16	—	4	4	8	4	3
Urban/Rural Aggregates:																							
Conurbations		18236	20157	1963	1894	1888	2011	2308	2540	2400	2543	2329	2688	6816	7748	373	371	35	71	97	257	27	34
Areas Outside Conurbations:																							
Urban areas with populations of 100,000 and over		6444	6933	619	649	672	683	791	842	876	916	841	892	2443	2646	129	163	16	30	27	73	30	39
Urban areas with populations of 50,000 and under 100,000		2751	2866	295	262	266	255	332	332	359	371	348	385	1070	1139	62	61	7	11	10	45	2	5
Urban areas with populations under 50,000		9041	9915	822	806	820	883	1013	1161	1256	1366	1268	1377	3584	3906	165	203	25	38	59	148	29	27
Rural Districts		7712	8352	600	556	622	590	768	831	874	1000	938	1085	3461	3738	318	325	24	36	81	156	26	35

TABLE 32—continued

Area	All Ages		0—		1—		2—		3—		4—		5—		10—		15—		25 and over	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Diphtheria																				
ENGLAND AND WALES	26	25	—	—	1	—	4	1	2	—	2	4	9	7	4	3	2	3	2	7
Regions and Conurbations:																				
Northern	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
Tyneside Conurbation	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
Remainder of Northern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
East and West Ridings	7	4	—	—	—	—	—	—	1	—	—	—	4	2	1	1	1	—	1	—
West Yorkshire Conurbation	7	4	—	—	—	—	—	—	1	—	—	—	4	2	1	1	1	—	1	—
Remainder of East and West Ridings	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North Western	—	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
South East Lancashire Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Merseyside Conurbation	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Remainder of North Western	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North Midland	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—
Midland	3	3	—	—	—	—	1	1	1	—	1	—	2	1	—	—	—	—	—	—
West Midlands Conurbation	1	2	—	—	—	—	1	1	1	—	—	—	1	—	—	—	—	—	—	—
Remainder of Midland	2	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Eastern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
London and South Eastern	9	8	—	—	—	—	2	—	—	—	1	2	3	2	2	1	2	1	1	—
Greater London	9	8	—	—	—	—	2	—	—	—	1	2	3	2	2	1	2	1	1	—
Remainder of South Eastern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Southern	1	2	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
South Western	1	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	3	—	—
Wales (including Monmouthshire)	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales I (South East)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales II (Remainder)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban/Rural Aggregates:																				
Conurbations	10	16	—	—	—	—	2	1	1	—	1	3	3	5	2	2	—	3	1	2
Areas Outside Conurbations:																				
Urban areas with populations of 100,000 and over	12	3	—	—	1	—	—	—	1	—	—	—	6	1	2	—	1	—	1	2
Urban areas with populations of 50,000 and under 100,000	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban areas with populations under 50,000	3	3	—	—	—	—	2	—	—	—	1	1	1	1	1	1	—	—	1	2
Rural Districts	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Area			All Ages			0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown		
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Measles																										
ENGLAND AND WALES			81586	78913	2484	2602	6948	6747	9310	8752	10080	9623	10738	10238	38532	36976	2168	2342	618	756	382	565	326	310		
Regions and Conurbations:																										
Northern			7841	7642	303	285	762	701	966	904	1045	990	1106	1033	3441	3496	150	142	38	58	27	26	3	7		
Tyne-side Conurbation			1667	1589	45	50	148	112	184	172	216	186	231	222	804	781	30	45	6	13	3	8	—	—		
Remainder of Northern			6174	6053	258	235	614	589	782	732	829	804	875	811	2637	2715	120	97	32	45	24	18	3	7		
East and West Ridings			5493	5388	222	228	559	507	618	613	734	667	796	771	2405	2467	83	101	35	38	16	24	25	22		
West Yorkshire Conurbation			1179	1157	48	54	114	98	118	124	135	112	190	177	551	561	12	14	8	8	1	8	2	1		
Remainder of East and West Ridings			4314	4231	174	174	445	409	500	489	599	555	606	544	1854	1906	71	87	27	30	15	16	23	21		
North Western			15219	14658	599	613	1475	1458	2023	1882	2174	2101	2276	2104	6402	6123	166	227	47	72	29	45	28	33		
South East Lancashire Conurbation			3390	3202	128	112	308	270	379	358	499	454	519	519	1462	1406	41	52	9	14	11	7	4	10		
Merseyside Conurbation			5864	5802	286	310	641	681	915	866	905	866	866	741	2180	2219	52	67	9	31	5	11	5	10		
Remainder of North Western			5965	5654	185	191	526	507	729	658	770	781	861	844	2760	2498	73	108	29	27	13	27	19	13		
North Midland			3460	3286	104	114	303	286	365	362	368	386	455	429	1697	1536	111	103	40	36	11	23	6	11		
Midland			4537	4263	155	157	422	402	542	501	542	495	564	557	2073	1962	140	122	38	29	13	24	48	14		
West Midlands Conurbation			996	927	51	46	110	112	152	108	119	105	127	123	409	402	15	19	11	6	1	3	1	3		
Remainder of Midland			3541	3336	104	111	312	290	390	393	423	390	437	434	1664	1560	125	103	27	23	12	21	47	11		
Eastern			10682	10202	212	233	750	734	1124	935	1255	1186	1223	1222	5646	5388	307	324	72	66	50	75	43	39		
London and South Eastern			16634	16358	462	535	1392	1377	1901	1793	1952	1876	2123	2033	8152	7835	361	465	133	230	114	172	44	42		
Greater London			11489	11336	379	430	1056	1049	1364	1314	1432	1366	1559	1460	5347	5207	182	231	86	149	68	114	16	16		
Remainder of South Eastern			5145	5022	83	105	336	328	537	479	520	510	564	573	2805	2628	179	234	47	81	46	58	28	26		
Southern			5415	5142	114	125	419	394	538	557	595	588	704	641	2726	2492	203	203	67	77	38	56	11	9		
South Western			7680	7539	168	174	491	520	745	719	790	747	855	821	3913	3800	453	459	118	106	61	97	86	96		
Wales (including Monmouthshire			4625	4435	145	138	375	368	488	486	625	587	636	677	2077	1877	194	196	30	46	23	23	32	37		
Wales I (South East)			2507	2449	93	106	231	251	309	283	405	371	380	397	1023	956	46	58	9	15	5	8	6	4		
Wales II (Remainder)			2118	1986	52	52	144	117	179	203	220	216	256	280	1054	921	148	138	21	31	18	15	26	33		
Urban/Rural Aggregates:																										
Conurbations			24585	24013	937	1002	2377	2322	3112	2942	3306	3089	3522	3242	10753	10576	332	428	129	221	89	151	28	40		
Areas Outside Conurbations:																										
Urban areas with populations of 100,000 and over			9809	9523	354	402	1012	975	1304	1227	1412	1351	1374	1357	4153	3941	109	130	36	74	25	37	30	29		
Urban areas with populations of 50,000 and under			4516	4271	201	235	608	594	801	730	875	846	938	863	2949	2774	72	135	46	48	19	34	7	12		
Urban areas with populations under 50,000..			22443	21625	603	593	1818	1769	2476	2315	2707	2629	2916	2848	11103	10593	502	515	129	163	69	116	120	94		
Rural Districts			18233	17481	389	380	1133	1087	1617	1538	1780	1708	1988	1928	9574	9092	1153	1134	278	252	180	227	141	135		

TABLE 32—continued

Area		All Ages		0—		1—		2—		3—		4—		5—		10—		15—		25 and over		Unknown
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
Acute poliomyelitis (paralytic)																						
ENGLAND AND WALES																						
Regions and Conurbations:		898	817	19	26	60	55	67	67	63	56	62	61	232	190	95	78	104	111	196	172	—
Northern		111	78	5	1	12	12	7	5	12	8	3	8	30	13	11	7	11	8	20	16	—
Lancashire Conurbation		11	12	—	—	1	5	—	—	—	—	1	1	4	1	—	—	—	—	3	5	—
Remainder of Northern		100	66	5	1	11	7	7	5	10	8	2	7	26	12	11	7	11	8	17	11	—
East and West Ridings		51	43	1	3	4	5	3	4	5	—	3	2	15	7	6	6	5	7	9	9	—
West Yorkshire Conurbation		22	12	1	3	3	3	2	4	4	—	—	—	4	4	2	3	1	1	5	1	—
Remainder of East and West Ridings		29	31	—	—	1	2	1	—	1	—	3	2	11	3	4	3	4	6	4	8	—
North Western		170	198	3	7	18	12	16	19	14	16	15	12	33	47	13	21	19	22	39	41	—
South East Lancashire Conurbation		96	122	1	4	10	9	7	11	5	14	11	7	21	29	5	15	12	15	24	18	—
Merseyside Conurbation		20	26	—	2	3	2	2	3	5	1	1	1	4	7	1	3	2	1	2	6	—
Remainder of North Western		54	50	2	1	5	1	7	5	4	1	3	4	8	11	7	3	5	6	13	17	—
North Midland		35	36	1	—	1	1	4	3	4	2	2	6	10	10	4	2	4	10	5	2	—
Midland		47	28	2	1	3	2	3	—	5	2	1	3	11	9	7	1	7	3	8	7	—
West Midlands Conurbation		25	12	1	1	3	2	2	—	3	2	—	2	8	3	2	—	2	3	3	4	—
Remainder of Midland		22	16	1	—	—	—	1	—	2	—	1	3	6	5	1	5	3	5	3	—	—
Eastern		54	45	2	1	2	3	3	2	2	3	2	7	23	12	4	4	4	7	12	6	—
London and South Eastern		324	276	3	10	14	15	27	26	18	16	25	16	90	64	38	23	33	36	76	70	—
Greater London		228	188	2	6	12	13	20	19	16	9	19	11	59	45	27	15	24	24	49	46	—
Remainder of South Eastern		96	88	1	4	2	2	7	7	2	7	6	5	31	19	11	8	9	12	27	24	—
Southern		49	50	2	2	3	—	2	4	2	3	6	1	6	14	5	7	11	8	12	11	—
South Western		28	39	—	—	1	1	1	2	—	5	3	3	4	6	6	6	5	8	8	8	—
Wales (including Monmouthshire)		29	24	—	1	2	4	1	2	1	1	2	3	10	8	1	1	5	2	7	2	—
Wales I (South East)		16	18	—	1	2	4	1	—	1	1	1	3	6	6	1	1	2	1	2	1	—
Wales II (Remainder)		13	6	—	—	—	—	—	2	—	—	—	—	4	2	—	—	3	1	5	1	—
Urban/Rural Aggregates:																						
Conurbations		402	372	5	13	32	34	33	33	35	24	33	22	100	89	37	36	41	41	86	80	—
Areas Outside Conurbations:																						
Urban areas with populations of 100,000 and over		61	76	2	2	3	3	3	8	3	4	6	9	15	21	10	5	11	11	8	13	—
Urban areas with populations of 50,000 and under 100,000		60	44	4	2	3	1	4	3	4	5	4	5	4	1	17	8	4	9	10	9	—
Urban areas with populations under 50,000		217	175	3	4	15	8	20	17	10	10	13	14	38	19	12	20	32	20	56	40	—
Rural Districts		138	150	5	5	7	9	7	6	11	13	16	15	39	34	25	20	22	18	36	30	—

Area	All Ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Acute poliomyelitis (non-paralytic)																						
ENGLAND AND WALES	867	615	6	6	15	14	22	14	47	32	61	50	335	190	161	109	104	97	115	103	1	
Regions and Conurbations:																						
Northern	73	54			2	1		2	6	6	5	8	31	19	17	13	4	2	8	3		
Tyneside Conurbation	2	4																				
Remainder of Northern	71	50			2	1		2	6	6	4	8	31	15	16	13	4	2	8	3		
East and West Ridings	41	25							2		3	1	13	8	5	6	9	4	8	6		
West Yorkshire Conurbation	19	16							1		2	1	6	1	2	1	4	2	4	1		
Remainder of East and West Ridings	22	19							1		1		7	7	3	5	5	2	4	5		
North Western	297	205	3	3	4	5	10	8	17	11	21	20	113	48	49	33	35	38	45	39		
South East Lancashire Conurbation	243	165	3	3	3	2	8	5	12	8	17	16	96	40	34	26	29	30	41	35		
Merseyside Conurbation	16	10						1	1	1	1	1	5	1	5	3	3	4	3	2		
Remainder of North Western	38	30			1	3	2	2	4	2	3	3	12	7	10	4	3	7	3	2		
North Midland		14		1	1				5		1			14	3	7	2	6	3	6	5	
Midland	41	23			1					3	1	1	15	7	7	5	10	2	7	5		
West Midlands Conurbation	7	7												5	4	1	3					
Remainder of Midland	34	16			1					3	1	1	15	2	3	4	7	2	7	4		
Eastern		35				2	1		3	1	2		10	19	10	2	3	3	5	3		
London and South Eastern						4	8	4	13	9	20	16	102	69	43	29	22	26	22	23		
Greater London	235	181	1	1	4	4	8	4	17	11	20	14	11	72	45	30	16	15	16	7		
Remainder of South Eastern	155	109	1	1	3	2	6	1	7	6	14	6	5	30	24	13	7	10	15	12		
Southern	80	72			1	2	2	3	6	3	6											
	35	34			1		1			1	2	2	8	6	11	5	4	10	8	10		
South Western																						
	45	26			1	1	1		1		5		22	4	6	11	6	5	3	5		
Wales (including Monmouthshire)																						
Wales I (South East)	25	23	1	1		1	1			1	1	2	7	7	6	3	5	4	3	4	1	
Wales II (Remainder)	16	18										2	6	6	5	3	1	3	1	3	1	
	9	5	1	1		1							1	1	1		4	1	2	1		
Urban/Rural Aggregates:																						
Conurbations	442	301	4	4	6	4	14	7	21	15	35	29	179	96	76	47	54	49	53	50		
Areas Outside Conurbations:																						
Urban areas with populations of 100,000 and over	78	57	1	1	1	1	2	1	4	5	3	1	27	19	20	13	9	10	10	6	1	
Urban areas with populations of 50,000 and under 100,000	54	47																				
Urban areas with populations under 50,000	172	128	1	1	3	6	1	2	14	7	10	12	68	42	26	19	21	14	28	25		
Rural Districts	121	82			4	1	5	3	7	2	7	5	43	19	22	18	17	19	16	15		

TABLE 32—continued

Area	All Ages		0—		5—		15—		45—		65 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Enteric or typhoid fever													
ENGLAND AND WALES	69	63	5	6	22	6	27	32	13	11	2	8	—	—
Regions and Conurbations:														
Northern	3	9	—	2	2	1	1	4	—	1	—	1	—	—
Tyne-side Conurbation	2	3	—	—	2	—	—	2	—	—	—	—	—	—
Remainder of Northern	1	6	—	2	—	1	1	2	—	—	—	1	—	—
East and West Ridings	6	2	1	—	2	—	3	1	—	—	—	1	—	—
West Yorkshire Conurbation	2	—	1	—	—	—	2	—	—	—	—	—	—	—
Remainder of East and West Ridings	4	2	—	—	2	—	1	1	—	—	—	1	—	—
North Western	8	8	2	1	1	1	3	4	2	—	—	2	—	—
South East Lancashire Conurbation	4	1	2	1	—	—	2	—	1	—	—	—	—	—
Merseyside Conurbation	1	3	—	—	—	—	1	3	1	—	—	—	—	—
Remainder of North Western	3	4	—	—	1	1	1	—	—	—	—	—	—	—
North Midland	2	3	—	—	—	—	1	1	1	2	—	—	—	—
Midland	1	1	—	—	—	—	1	1	—	—	—	—	—	—
West Midlands Conurbation	1	1	—	—	—	—	1	—	—	—	—	—	—	—
Remainder of Midland	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastern	5	5	—	—	2	1	—	2	2	1	1	1	—	—
London and South Eastern	28	29	1	2	7	3	12	19	8	4	—	1	—	—
Greater London	22	23	1	2	4	2	11	16	6	3	—	—	—	—
Remainder of South Eastern	6	6	—	—	3	1	1	3	2	1	—	1	—	—
Southern	4	1	—	—	3	—	1	—	—	1	—	—	—	—
South Western	4	2	—	—	3	—	—	—	—	2	1	—	—	—
Wales (including Monmouthshire)	8	3	1	1	2	—	5	—	—	—	—	2	—	—
Wales I (South East)	5	1	1	—	2	—	2	—	—	—	—	—	—	—
Wales II (Remainder)	3	2	—	—	—	—	3	—	—	—	—	2	—	—
Urban/Rural Aggregates:														
Conurbations	31	31	4	3	6	2	14	20	7	4	—	2	—	—
Areas Outside Conurbations:														
Urban areas with populations of 100,000 and over	4	5	1	—	1	—	1	1	1	3	—	1	—	—
Urban areas with populations of 50,000 and under 100,000	2	2	1	—	1	—	1	1	1	—	—	1	—	—
Urban areas with populations under 50,000	17	15	—	3	5	1	7	4	3	3	—	4	—	—

Area	All Ages			0-			5-			15-			45-			65 and over			Unknown
	M.	F.		M.	F.		M.	F.		M.	F.		M.	F.		M.	F.		
Paratyphoid fevers																			
ENGLAND AND WALES	193	245		41	44		65	88		70	78		14	23		3	11		1
Regions and Conurbations:																			
Northern	11	10		2	3		4	1		5	3			2			1		
Tyne-side Conurbation	5	4			2		2			2	2								
Remainder of Northern	6	6		2															
East and West Ridings	20	24		3	7		12	7		4	8		1				1		
West Yorkshire Conurbation	8	19		1	5		4	5		2	7		1						
Remainder of East and West Ridings	12	5		2	2		8	2		2	1								
North Western	18	28		4	6		4	7		8	8		1	5		1	2		
South East Lancashire Conurbation	9	10		1	4		2	4		5	1					1			
Merseyside Conurbation	5	8		2				2		2	5		1				1		
Remainder of North Western	4	10		1	2		2	1		1	2			5					
North Midland	7	5		3	2		2	2		2									
Midland	8	18		1	3		1	4		6	6						1		
West Midlands Conurbation	3	3						2		3									
Remainder of Midland	5	15		1	3		1	2		3	6			3			1		
Eastern	19	11		1	3		9	3		8	2			1		1	2		
London and South Eastern	69	109		14	12		22	50		24	39		9	6			2		
Greater London	57	88		12	11		17	45		20	28		8	4					
Remainder of South Eastern	12	21		2	1		5	5		4	11		1	2			2		
Southern	5	8		2	1		1	2		2	3			2					
South Western	17	11		3	3		2	3		10	2		2	3					
Wales (including Monmouthshire)	19	21		8	4		8	9		1	7		1				1		
Wales I (South East)	18	19		8	4		8	8			6		1						
Wales II (Remainder)	1	2						1		1	1								
Urban/Rural Aggregates:																			
Conurbations	87	132		16	21		25	59		35	42		10	5		1	4		1
Areas Outside Conurbations:																			
Urban areas with populations of 100,000 and over	23	30		7	6		9	9		5	7		2	7			1		
Urban areas with populations of 50,000 and under 100,000	18	14		2	1		8	3		7	7			3					
Urban areas with populations under 50,000	32	35		10	7		11	6		11	14			6			2		
Rural Districts	33	34		6	9		12	11		12	8		2	2		1	4		

TABLE 32—continued

Area		All Ages		0—		1—		2—		3—		4—		5—		10—		15—		25 and over		Unknown	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Meningococcal infection																							
ENGLAND AND WALES		710	454	168	111	111	56	53	39	54	35	24	13	94	61	57	27	59	33	89	79	1	—
Regions and Conurbations:																							
Northern		65	41	24	13	11	12	6	2	3	—	1	—	9	4	3	2	5	2	3	6	—	—
Tyne-side Conurbation		22	15	9	5	5	6	2	1	1	—	—	—	8	3	3	1	2	2	2	5	—	—
Remainder of Northern		43	26	15	8	6	6	4	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—
East and West Ridings		87	72	18	18	14	10	4	9	3	9	3	3	10	4	7	4	7	6	21	9	—	
West Yorkshire Conurbation		27	20	7	7	7	3	1	1	2	4	—	—	4	4	1	1	3	6	4	2	—	
Remainder of East and West Ridings		60	52	11	11	7	7	3	8	1	5	3	3	6	—	6	3	6	4	17	7	—	
North Western		146	73	41	25	33	11	13	1	14	9	4	4	16	14	9	2	7	2	9	6	—	
South East Lancashire Conurbation		57	31	18	10	5	5	3	1	8	2	3	2	1	8	4	2	2	2	3	1	—	
Merseyside Conurbation		33	20	13	8	12	3	2	—	1	4	—	—	1	1	2	1	2	—	6	2	—	
Remainder of North Western		56	22	10	7	8	3	6	—	5	2	1	2	14	5	3	1	3	—	—	—	—	
North Midland		43	14	7	5	7	1	3	1	6	3	1	1	8	—	3	1	5	—	3	2	—	
Midland		112	54	17	9	14	8	2	6	6	2	4	1	17	10	9	1	16	4	27	13	—	
West Midlands Conurbation		80	36	12	4	10	5	1	4	4	2	4	1	13	7	8	1	12	3	16	9	—	
Remainder of Midland		32	18	5	5	4	3	1	2	2	—	—	—	4	3	1	—	4	1	11	4	—	
Eastern		31	24	6	2	4	1	3	4	3	—	1	—	4	5	3	2	5	2	2	8	—	
London and South Eastern		111	103	32	22	19	9	10	8	10	7	4	3	13	14	6	9	5	10	12	21	—	
Greater London		100	90	29	21	18	9	10	7	9	6	4	3	12	13	5	7	4	7	9	17	—	
Remainder of South Eastern		11	13	3	1	1	—	1	1	1	1	—	—	1	1	1	2	1	3	3	4	—	
Southern		37	24	10	8	1	—	4	1	—	2	4	—	4	1	5	2	4	4	5	6	—	
South Western		34	21	7	6	4	1	5	1	3	2	—	1	7	5	1	1	3	—	4	4	—	
Wales (including Monmouthshire)		44	28	6	3	4	3	3	6	6	2	2	—	6	4	11	3	2	3	3	4	1	
Wales I (South East)		37	22	5	2	3	3	5	5	5	2	2	—	5	2	10	3	—	2	3	3	1	
Wales II (Remainder)		7	6	1	1	1	—	1	1	1	—	—	—	1	2	1	—	2	1	—	1	—	
Urban Rural Aggregates:																							
Conurbations		319	212	88	55	65	31	21	14	25	18	11	6	32	30	20	11	24	14	33	33	—	
Areas Outside Conurbations:																							
Urban areas with populations of 100,000 and over		97	56	14	18	13	8	6	5	11	7	4	2	19	5	9	1	9	3	11	9	1	
Urban areas with populations of 50,000 and under 100,000		54	30	12	8	4	5	5	3	6	1	—	3	3	8	2	6	1	3	5	10	2	
Urban areas with populations under 50,000		133	97	33	20	18	12	11	6	16	6	3	1	18	16	13	7	8	4	19	23		
Rural Districts		107	59	21	10	11	3	9	6	6	3	—	—	17	18	9	7	—	9	16	12	—	

Area	All Ages		0-		5-		15-		45-		65 and over		Unknown		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
Ergasilpis															
ENGLAND AND WALES	2005	2375	26	17	61	63	514	574	959	1096	410	601	35	24	
Regions and Conurbations:															
Northern	141	140	3	1	3	5	33	39	71	63	28	31	3	1	
Tyneside Conurbation	45	50	2	—	—	2	10	15	25	23	8	10	—	—	
Remainder of Northern	96	90	1	1	3	3	23	24	46	40	20	21	3	1	
East and West Ridings	245	261	4	2	12	9	55	66	108	125	62	55	4	4	
West Yorkshire Conurbation	115	129	2	1	5	6	32	30	51	61	24	30	1	1	
Remainder of East and West Ridings	130	132	2	1	7	3	23	36	57	64	38	25	3	3	
North Western	249	327	3	2	4	7	64	75	118	166	55	74	5	3	
South East Lancashire Conurbation	88	142	1	—	2	2	17	37	48	75	17	27	3	1	
Merseyside Conurbation	68	75	—	—	1	—	19	15	37	40	11	20	—	—	
Remainder of North Western	93	110	2	2	1	5	28	23	33	51	27	27	2	2	
North Midland	190	181	1	1	6	9	43	58	94	75	39	35	7	3	
Midland	193	244	4	1	5	1	65	59	98	115	20	66	1	2	
West Midlands Conurbation	100	123	2	—	4	—	33	31	50	65	11	26	—	—	
Remainder of Midland	93	121	2	1	1	1	32	28	48	50	9	40	1	1	
Eastern	156	175	1	—	5	3	46	40	60	69	40	61	4	2	
London and South Eastern	475	628	6	4	17	20	115	141	239	284	92	177	6	2	
Greater London	372	475	5	4	13	16	91	118	197	218	66	118	6	1	
Remainder of South Eastern	103	153	1	—	4	4	24	23	42	66	26	59	—	—	
Southern	106	142	1	2	6	1	29	32	53	66	15	36	2	5	
South Western	133	160	2	1	2	4	35	34	64	80	28	41	2	—	
Wales (including Monmouthshire)	117	117	1	3	1	4	29	30	54	53	31	25	1	2	
Wales I (South East)	93	92	1	3	1	3	23	24	42	42	26	18	1	2	
Wales II (Remainder)	24	25	—	—	1	1	6	6	12	11	5	7	—	—	
Urban Rural Aggregates:															
Conurbations	788	994	12	5	25	26	202	246	408	482	137	231	4	4	
Areas Outside Conurbations:															
Urban areas with populations of 100,000 and over	300	359	1	4	8	8	77	94	143	172	65	79	6	2	
Urban areas with populations of 50,000 and under 100,000	135	160	—	1	6	2	39	35	57	71	33	49	—	2	
Urban areas with populations under 50,000	402	448	5	14	14	13	104	95	177	200	97	118	14	9	
Rural Districts	380	414	8	3	8	14	101	95	174	171	78	124	11	7	

TABLE 32—continued.

Area		All Ages		0—		1—		2—		3—		4—		5—		10—		15—		25 and over		Unknown	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Dysentery																							
ENGLAND AND WALES		24010	24979	932	810	1729	1462	1926	1677	1727	1620	1676	1539	8197	7299	2338	1995	1004	1793	3922	6216	559	568
Regions and Conurbations:		1112	1177	58	53	97	82	92	90	76	81	67	84	352	296	100	72	35	89	228	320	7	10
Northern		340	403	16	17	40	31	23	35	28	31	25	28	120	108	30	20	10	20	47	109	1	4
Tyneside Conurbation		772	774	42	36	57	51	69	55	48	50	42	56	232	188	70	52	25	69	181	211	6	6
Remainder of Northern		4124	4022	194	147	302	259	340	303	307	258	283	247	1311	1125	366	255	154	282	675	943	192	203
East and West Ridings		2086	2121	89	65	184	153	183	175	189	159	156	124	653	552	169	128	62	138	326	532	75	95
West Yorkshire Conurbation		2038	1901	105	82	118	106	157	128	118	99	127	123	658	573	197	127	92	144	349	411	117	108
Remainder of East and West Ridings		1731	3362	145	129	322	253	310	284	303	292	245	260	964	835	230	207	109	215	520	844	26	43
North Western		1731	1789	67	72	187	142	171	172	173	165	135	153	515	450	114	113	65	98	295	411	9	13
South East Lancashire Conurbation		336	337	23	24	43	40	47	37	38	33	27	25	90	57	23	18	6	30	38	72	1	1
Merseyside Conurbation		1107	1236	55	33	92	71	92	75	92	94	83	82	359	328	93	76	38	87	187	361	16	29
Remainder of North Western		2535	2609	67	60	162	139	180	138	152	141	149	173	892	794	245	212	129	173	415	617	144	162
North Midland		2482	2626	93	88	181	139	207	196	183	176	172	132	875	818	246	225	101	191	419	656	5	5
Midland		950	996	47	44	100	68	87	77	88	84	60	46	283	231	73	92	37	85	172	268	3	1
West Midlands Conurbation		1532	1630	46	44	81	71	120	119	95	92	112	86	592	587	173	133	64	106	247	388	2	4
Remainder of Midland		2026	2032	57	35	103	83	116	85	136	96	133	131	746	648	209	174	113	170	341	536	72	74
Eastern		5992	6655	214	216	424	379	472	420	410	406	432	348	2180	2022	654	594	244	499	932	1730	30	41
London and South Eastern		4875	5521	192	180	372	349	399	353	355	359	370	307	1709	1619	495	484	191	404	778	1446	14	20
Greater London		1117	1134	22	36	52	30	73	67	55	47	62	41	471	403	159	110	53	95	154	284	16	21
Remainder of South Eastern		801	753	25	11	40	41	61	43	50	48	64	53	284	234	77	92	42	50	97	170	61	11
Southern		1105	1037	41	38	55	51	84	73	64	68	75	66	382	334	151	101	56	67	189	236	8	3
South Western		659	706	38	33	43	36	64	45	46	54	56	45	211	193	60	63	21	57	106	164	14	16
Wales (including Monmouthshire)		475	533	31	28	33	30	43	35	34	46	44	33	141	145	43	44	15	41	82	120	9	11
Wales I (South East)		184	173	7	5	10	6	21	10	12	8	12	12	70	48	17	19	6	16	24	44	5	5
Wales II (Remainder)		10318	11167	434	402	926	783	910	849	871	831	773	683	3370	3017	904	855	371	775	1656	2838	103	134
Urban/Rural Aggregates:		4942	5132	218	153	325	297	394	327	336	311	386	365	1785	1581	423	371	166	348	712	1175	197	204
Conurbations		1853	1892	69	55	106	105	139	126	126	139	153	134	707	568	221	160	61	131	255	450	16	24
Areas Outside Conurbations:		3869	3985	128	112	229	174	290	221	232	209	237	223	1399	1259	450	363	165	287	624	993	115	138
Urban areas with populations of 100,000 and over		3028	2803	83	88	143	103	193	154	162	130	127	128	936	874	340	246	241	252	675	760	128	68
Urban areas with populations of 50,000 and under 100,000																							
Urban areas with populations under 50,000..																							
Rural Districts																							

Area	All Ages		0-		5-		15-		45-		65 and over		Unknown
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
Acute encephalitis (infective)													
ENGLAND AND WALES	89	84	11	9	42	25	28	37	8	8	—	4	1
Regions and Conurbations:													
Northern	6	9	—	2	4	2	2	3	—	1	—	—	—
Tyneside Conurbation	5	7	—	2	4	1	1	3	—	1	—	—	—
Remainder of Northern	1	2	—	—	—	—	—	—	—	—	—	—	1
East and West Ridings	4	4	1	—	1	2	1	—	1	2	—	—	—
West Yorkshire Conurbation	1	1	—	—	1	1	1	—	1	2	—	—	—
Remainder of East and West Ridings	3	3	1	—	—	1	—	—	—	—	—	—	—
North Western	8	7	—	1	4	1	3	2	1	3	—	—	—
South East Lancashire Conurbation	2	4	—	1	2	1	—	2	—	—	—	—	—
Merseyside Conurbation	1	—	—	—	1	—	—	—	—	—	—	—	—
Remainder of North Western	5	3	—	—	1	—	3	—	1	3	—	—	—
North Midland	4	3	2	1	—	—	2	2	—	—	—	—	—
Midland	23	15	4	1	10	9	8	2	1	1	—	2	—
West Midlands Conurbation	8	6	2	1	2	1	3	1	1	1	—	2	—
Remainder of Midland	15	9	2	—	8	8	5	1	—	—	—	—	—
Eastern	6	5	—	—	5	1	1	2	—	1	—	1	—
London and South Eastern	31	29	3	—	16	6	10	22	2	—	—	—	—
Greater London	27	29	2	—	14	6	9	22	2	—	—	—	—
Remainder of South Eastern	4	—	1	—	2	—	1	—	—	—	—	—	—
Southern	3	5	1	—	1	3	—	2	1	—	—	—	—
South Western	2	1	—	—	—	—	—	1	2	—	—	—	—
Wales (including Monmouthshire)	2	6	—	4	1	1	1	1	—	—	—	—	—
Wales I (South East)	1	5	—	4	1	—	—	—	—	—	—	—	—
Wales II (Remainder)	1	1	—	—	—	1	1	—	—	—	—	—	—
Urban/Rural Aggregates:													
Conurbations	44	47	4	4	24	10	13	28	3	2	—	3	—
Areas Outside Conurbations:													
Urban areas with populations of 100,000 and over	7	5	1	1	1	1	2	2	3	1	—	—	—
Urban areas with populations of 50,000 and under 100,000	2	4	—	—	—	2	1	1	—	1	—	—	—
Urban areas with populations under 50,000..	14	11	4	3	6	4	4	1	—	3	—	—	—
Rural Districts	22	17	2	1	10	8	8	5	2	1	—	1	1

TABLE 32—continued

Area	All Ages		0—		5—		15—		45—		65 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Acute encephalitis (post infectious)														
ENGLAND AND WALES	64	42	17	14	33	18	9	9	4		1		1	
Regions and Conurbations:														
Northern	4	3	2	1	1	1	1	1						
Tyneside Conurbation	2	1	1											
Remainder of Northern	2	2	1	1		1								
East and West Ridings	1	2	1	1		1								
West Yorkshire Conurbation	1	1	1											
Remainder of East and West Ridings		2		1		1								
North Western	5	4	1	2	4	2								
South East Lancashire Conurbation	2	1			2	1								
Merseyside Conurbation	3	2	1	1	2	1								
Remainder of North Western														
North Midland	7	1	5	1	1		1							
Midland														
West Midlands Conurbation	5	7		3	4	3	1	1						
Remainder of Midland	2	3		2	3	2	1	1						
Eastern	3	3		1	2	1			1					
London and South Eastern	24	14	5	4	14	7	3	3	1				1	
Greater London	23	12	4	4	14	5	3	3	1				1	
Remainder of South Eastern	1	2	1			2								
Southern	6	5	1		4	3	1	1				1		
South Western	5	1	1		1		1	1	2					
Wales (including Monmouthshire)	4	2	1	1	2		1	1						
Wales I (South East)	4	2	1	1	2		1	1						
Wales II (Remainder)														
Urban/Rural Aggregates:														
Conurbations	31	19	6	7	20	8	3	4	1				1	
Areas Outside Conurbations:														
Urban areas with populations of 100,000 and over	3	3	1	1		1	1	1	1				1	
Urban areas with populations of 50,000 and under ^a 100,000	7	3	1	1	4	1	1	1	1				1	
Urban areas with populations under 50,000	11	9	4	4	5	3	2	2	2					
Rural Districts	12	8	5	1	4	5	2	1	1			1		

Area		All Ages			0-			5-			15-			45-			65 and over			Unknown	
		M.	F.		M.	F.		M.	F.		M.	F.		M.	F.		M.	F.			
Acute pneumonia																					
ENGLAND AND WALES		14204	11235	2087	1764	1452	1225	3147	2336	4510	2894	2733	3083	114	94						
Regions and Conurbations:																					
Northern																					
Tyneside Conurbation		1284	967	224	160	127	116	303	237	434	194	215	236	2	3						
Remainder of Northern		499	365	69	47	56	34	127	110	173	74	89	85	2	3						
East and West Ridings		2275	1724	409	345	204	176	494	332	691	466	393	440	11	18						
West Yorkshire Conurbation		766	640	157	144	67	68	159	119	229	143	148	155	6	11						
Remainder of East and West Ridings		1509	1084	252	221	137	108	335	213	462	318	250	285	5	7						
North Western		1774	1370	420	336	180	175	392	250	500	279	281	313	13	15						
South East Lancashire Conurbation		675	516	161	123	63	52	140	102	202	106	103	129	3	7						
Merseyside Conurbation		464	428	150	137	46	67	190	70	109	68	74	79	1	1						
Remainder of North Western		635	426	109	76	71	56	152	78	189	105	104	105	9	7						
North Midland		1005	744	107	90	107	95	239	158	345	189	187	202	18	12						
Midland																					
West Midlands Conurbation		1580	1100	202	178	160	134	385	234	508	303	256	289	22	9						
Remainder of Midland		804	586	122	117	71	74	196	124	260	144	119	147	11	5						
Eastern		776	514	80	61	89	60	189	110	248	159	137	142	11	4						
London and South Eastern		914	673	77	80	99	66	226	142	270	227	173	206	15	6						
Greater London		2984	2637	340	269	329	247	602	590	1035	665	721	793	13	17						
Remainder of South Eastern		2267	1991	246	185	225	169	476	492	827	557	557	488	5	9						
Southern		717	646	94	84	104	78	126	98	208	177	164	214	8	8						
South Western		581	533	78	63	56	59	124	109	169	145	128	169	9	5						
Wales (including Monmouthshire)		1047	917	115	108	111	104	216	190	314	282	230	278	9	7						
Wales I (South East)		760	570	115	115	79	53	176	94	244	144	149	157	2	2						
Wales II (Remainder)		592	431	92	97	58	43	145	73	190	106	108	109	1	1						
Urban/Rural Aggregates:		168	139	23	18	21	10	31	21	54	38	41	48	1	1						
Conurbations		5475	4526	905	753	528	464	1188	1017	1800	1028	1085	1174	26	33						
Areas Outside Conurbations:																					
Urban areas with populations of 100,000 and over		2551	2076	457	394	263	217	476	390	768	574	511	552	13	12						
Urban areas with populations of 50,000 and under 100,000		920	696	115	105	88	83	214	123	308	179	190	202	5	4						
Urban areas with populations under 50,000		2638	2003	339	275	287	227	581	434	860	541	486	566	30	15						
Rural Districts		2520	1934	271	237	286	234	688	372	774	561	472	589	40	30						

TABLE 32—continued

Area	All Ages			0—			5—			15—			45—			65 and over			Unknown		
	M.	F.		M.	F.		M.	F.		M.	F.		M.	F.		M.	F.		M.	F.	
Food poisoning																					
ENGLAND AND WALES	5224	5761		963	859		1268	1217		1831	2109		703	784		328	641		131	151	
Regions and Conurbations:																					
Northern	226	299		43	54		58	99		87	89		35	38		5	11		8	8	
Tyneside Conurbation	47	64		18	28		9	11		10	18		8	5		1	2		1	—	
Remainder of Northern	189	235		25	26		49	88		77	71		27	33		4	9		7	8	
East and West Ridings	438	844		112	94		100	284		130	337		45	53		22	58		19	18	
West Yorkshire Conurbation	215	281		60	56		46	72		69	79		24	26		11	38		5	10	
Remainder of East and West Ridings	213	563		52	38		54	212		61	258		21	27		11	20		14	8	
North Western	629	908		169	168		149	125		179	308		109	145		17	50		6	12	
South East Lancashire Conurbation	283	374		80	84		62	53		88	136		44	72		6	23		3	6	
Merseyside Conurbation	178	211		39	33		48	30		52	106		34	29		1	4		1	1	
Remainder of North Western	168	223		50	51		39	42		39	66		31	44		7	15		2	5	
North Midland	361	401		61	56		77	67		125	154		54	63		30	50		14	11	
Midland	604	562		122	90		151	105		190	205		97	84		29	65		15	13	
West Midlands Conurbation	297	274		56	50		62	66		111	110		61	32		7	15		1	1	
Remainder of Midland	307	288		66	40		89	39		79	95		36	52		22	50		15	12	
Eastern	529	526		87	71		134	150		177	178		53	48		8	61		20	18	
London and South Eastern	1404	1500		264	206		318	242		455	592		236	225		115	224		16	11	
Greater London	1085	1271		205	170		250	202		385	522		176	201		59	171		10	5	
Remainder of South Eastern	319	229		59	36		68	40		70	70		60	24		56	53		6	6	
Southern	416	449		45	58		128	79		151	112		29	85		56	94		7	21	
South Western	414	187		32	26		73	48		253	72		25	24		30	15		1	2	
Wales (including Monmouthshire)	203	185		28	36		30	18		84	62		19	19		16	13		25	37	
Wales I (South East)	129	19		19	30		16	13		70	45		16	14		8	5		—	—	
Wales II (Remainder)	74	78		9	6		14	5		14	17		4	5		8	8		25	37	
Urban/Rural Aggregates:																					
Conurbations	2105	2475		458	421		477	434		715	971		347	365		88	261		20	23	
Areas Outside Conurbations:																					
Urban areas with populations of 100,000 and over	939	759		175	148		286	184		355	262		77	104		26	47		20	14	
Urban areas with populations of 50,000 and under 100,000	421	836		81	60		98	273		128	330		65	84		28	84		2	5	
Urban areas with populations under 50,000	826	919		162	158		215	190		233	278		105	121		88	107		43	65	

Area	All Ages		0—		5—		15—		25		45—		65 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
†Tuberculosis, Respiratory																
ENGLAND AND WALES	18927	12665	487	475	1002	1043	3135	3863	5996	4964	6458	1726	1782	551	67	43
Regions and Conurbations:																
Northern	1638	1192	49	43	106	117	275	425	524	441	548	132	131	30	5	4
Tyne-side Conurbation	638	438	19	12	43	40	120	145	199	177	208	56	49	8	—	—
Remainder of Northern	1000	754	30	31	63	77	155	280	325	264	340	76	82	22	5	4
East and West Ridings	1576	1078	45	45	66	81	237	309	469	440	597	155	158	45	4	3
West Yorkshire Conurbation	696	437	17	21	28	29	103	114	208	182	276	73	61	17	3	4
Remainder of East and West Ridings	880	641	28	24	38	52	134	195	261	258	321	82	97	28	1	2
North Western	2677	1915	75	68	160	167	455	641	773	733	961	233	245	66	8	7
South East Lancashire Conurbation	924	569	29	29	53	44	140	184	272	220	346	88	83	22	1	2
Merseyside Conurbation	859	709	25	23	57	66	171	248	241	270	279	79	86	23	—	—
Remainder of North Western	894	637	21	16	50	57	144	209	260	243	336	86	76	21	7	5
North Midland	1174	781	29	23	76	77	205	254	368	317	386	98	107	19	3	3
Midland	2167	1403	91	98	154	144	392	445	669	501	698	165	160	49	3	3
West Midlands Conurbation	1198	778	58	61	84	88	250	272	370	261	362	73	72	22	2	1
Remainder of Midland	969	625	33	37	70	56	142	173	299	240	336	92	88	27	1	—
Eastern	971	630	17	22	50	51	175	189	357	266	276	72	88	24	8	6
London and South Eastern	5167	3228	96	102	195	197	780	894	1735	1336	1777	505	576	189	8	5
Greater London	4328	2659	77	82	152	159	627	757	1481	1117	1489	415	496	145	6	4
Remainder of South Eastern	839	569	19	20	43	38	153	137	254	219	288	90	80	44	2	1
Southern	1154	738	27	19	46	50	198	192	387	302	388	121	99	50	9	4
South Western	1124	764	20	25	70	62	201	209	358	297	364	123	106	41	5	7
Wales (including Monmouthshire)	1279	936	38	30	79	97	217	305	356	331	463	132	112	38	14	3
Wales I (South East)	946	673	31	23	51	68	169	219	268	244	343	96	78	21	6	2
Wales II (Remainder)	333	263	7	7	28	29	48	86	88	87	120	36	34	17	8	1
Urban/Rural Aggregates:																
Conurbations	8643	5590	225	228	417	426	1411	1700	2771	2227	2960	764	847	237	12	8
Areas Outside Conurbations:																
Urban areas with populations of 100,000 and over	2904	1894	81	79	171	174	496	595	856	703	1020	255	271	82	9	6
Urban areas with populations of 50,000 and under 100,000	1408	962	26	34	77	61	243	292	436	394	511	142	111	37	4	2
Urban areas with populations under 50,000...	3688	2449	81	75	216	231	594	763	1097	948	1151	311	305	116	24	8
Rural Districts	2504	1770	74	59	121	151	391	516	836	692	816	254	248	79	18	19

†See note at end of Table 33

TABLE 32—continued

Area	All Ages		0-		5-		15-		25-		45-		65 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
†Tuberculosis of Meninges and C.N.S.																
ENGLAND AND WALES	219	214	67	42	71	77	35	53	28	27	16	12	1	3	1	—
Regions and Conurbations:																
Northern	17	32	10	3	2	15	3	7	2	4	—	2	—	1	—	—
Lyneside Conurbation	4	6	2	—	1	1	1	1	—	—	—	—	—	—	—	—
Remainder of Northern	13	26	8	3	1	13	2	4	2	3	—	2	—	1	—	—
East and West Ridings	31	25	14	8	9	11	5	3	1	2	2	1	—	—	—	—
West Yorkshire Conurbation	15	15	6	7	3	4	1	2	1	1	1	1	—	—	—	—
Remainder of East and West Ridings	20	10	8	1	6	7	4	1	—	1	1	—	—	—	—	—
North Western	26	33	10	12	9	9	3	10	2	1	2	1	—	—	—	—
South East Lancashire Conurbation	9	17	5	3	1	4	1	8	1	1	—	—	—	—	—	—
Merseyside Conurbation	7	10	4	3	5	3	1	1	—	—	—	—	—	—	—	—
Remainder of North Western	10	6	1	6	3	—	—	—	—	—	—	—	—	—	—	—
North Midland	21	19	5	3	7	8	5	5	1	3	2	—	—	—	1	—
Midland	25	26	9	7	7	11	5	5	3	2	1	1	—	—	—	—
West Midlands Conurbation	10	11	2	4	3	4	4	2	1	1	—	—	—	—	—	—
Remainder of Midland	15	15	7	3	4	7	1	3	2	1	1	—	—	—	—	—
Eastern	17	14	2	—	6	4	4	3	5	4	—	3	—	—	—	—
London and South Eastern	36	26	7	5	14	7	5	6	4	5	5	1	1	2	—	—
Greater London	27	21	4	5	10	6	4	4	3	4	5	1	1	—	—	—
Remainder of South Eastern	9	5	3	—	4	1	1	2	1	1	—	—	—	—	—	—
Southern	10	14	2	2	5	3	1	6	1	3	1	—	—	—	—	—
South Western	21	13	6	2	6	3	3	2	4	3	2	3	—	—	—	—
Wales (including Monmouthshire)	15	12	2	—	6	6	1	6	5	—	1	—	—	—	—	—
Wales I (South East)	13	11	2	—	6	6	—	5	4	—	—	—	—	—	—	—
Wales II (Remainder)	2	1	—	—	—	—	1	1	1	—	—	—	—	—	—	—
Urban Rural Aggregates:																
Conurbations	68	76	20	22	23	22	12	20	5	8	7	3	1	1	—	—
Areas Outside Conurbations:																
Urban areas with populations of 100,000 and over	35	35	8	5	12	16	7	6	5	7	3	1	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	20	9	9	2	5	5	1	2	4	—	—	—	—	—	—	—
Urban areas with populations under 50,000	51	49	19	14	16	16	5	14	9	8	4	2	—	—	2	—
Rural Districts	45	45	11	9	16	12	10	11	5	4	2	3	—	—	1	—

Area	All Ages			0-5			5-15			15-25			25-45			45-65 and over			Unknown
	M.	F.		M.	F.		M.	F.		M.	F.		M.	F.		M.	F.		
†Tuberculosis, Other Forms																			
ENGLAND AND WALES	1657	2074		128	108		363	334	322	469	488	716	270	282	76	151	10	14	
Regions and Conurbations:																			
Northern																			
Tyneside Conurbation	149	182		7	7		37	29	40	58	34	55	26	23	5	9	—	1	
Remainder of Northern	85	110		6	6		25	17	23	41	14	26	15	16	2	5	—	1	
East and West Ridings																			
West Yorkshire Conurbation	170	184		18	9		43	46	30	29	37	58	31	28	10	14	1	—	
Remainder of East and West Ridings	106	100		10	5		24	28	21	16	21	34	22	13	7	4	—	—	
North Western																			
South East Lancashire Conurbation	236	284		23	20		67	44	36	75	60	89	43	39	7	17	—	—	
Merseyside Conurbation	76	96		7	9		27	17	7	27	16	27	17	12	2	4	—	—	
Remainder of North Western	53	77		2	6		6	8	12	23	23	24	10	14	—	2	—	—	
Remainder of North Western	107	111		14	5		34	19	17	25	21	38	16	13	5	11	—	—	
North Midland																			
Midland																			
West Midlands Conurbation	201	204		20	12		35	35	42	61	74	73	26	17	4	4	—	2	
Remainder of Midland	98	136		9	9		22	26	22	37	34	49	11	12	3	1	—	—	
Eastern																			
London and South Eastern	134	154		9	11		35	25	35	31	33	51	13	18	7	15	2	3	
Greater London	320	451		24	10		46	43	55	95	119	183	61	75	12	45	3	—	
Remainder of South Eastern	252	368		20	9		31	32	41	82	103	150	45	59	10	36	2	—	
Southern	68	83		4	1		15	11	14	13	16	33	16	16	2	9	1	—	
South Western	89	143		5	6		14	32	15	23	26	53	20	17	6	10	3	2	
Wales (including Monmouthshire)	123	167		6	12		30	29	20	31	37	50	20	30	10	13	—	2	
Wales I (South East)	107	151		8	9		25	23	22	32	30	45	14	23	8	14	—	4	
Wales II (Remainder)	67	103		5	5		16	13	12	24	19	32	10	18	5	8	—	3	
Wales II (Remainder)	40	48		3	4		9	10	10	8	11	14	4	5	3	6	—	1	
Urban/Rural Aggregates:																			
Conurbations																			
Areas Outside Conurbations:	607	765		47	32		108	96	106	186	218	278	107	112	19	60	2	1	
Urban areas with populations of 100,000 and over	295	283		8	13		39	32	44	76	56	114	46	29	11	16	—	3	
Urban areas with populations of 50,000 and under 100,000	127	162		8	8		31	24	31	34	31	61	20	23	5	11	1	3	
Urban areas with populations under 50,000	379	434		41	27		103	74	64	90	97	145	48	63	21	30	5	5	
Rural Districts	339	430		23	28		82	108	77	83	86	118	49	55	20	34	2	4	

†See note at end of Table 33.

†See note at end of Table 33.

Area	2	3	4	5	6	7	8	9	10	11	Acute Poliomyelitis				Acute Encephalitis		Puerperal pyrexia	Food poisoning	Tuberculosis†		
	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Paralytic	Non-paralytic	Infective	Post-infectious	Respiratory	Meninges and C.N.S.			Other		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	

(a) Numbers Originally-Notified

*ENGLAND AND WALES (including Port Health Districts):																				
Total	173	474	1464	33469	92703	293	4439	1527	53243	160664	2048	1856	187	111	25892	11659	12823	32090	452	3776
Total (excluding Port Health Districts)
Port Health Districts	169	472	1460	33464	92700	291	4437	1527	53223	160607	2046	1855	187	111	25871	11659	12810	31979	450	3774
Regions and Conurbations:
Northern	17	24	130	2295	8185	19	287	29	2496	15470	193	142	16	6	2290	567	636	2846	53	335
Lyndside Conurbation	6	10	39	874	2541	1	98	5	916	3257	24	9	12	2	900	135	142	1081	12	139
Remainder of Northern	11	14	91	1421	5644	18	189	24	1580	12213	169	133	4	4	1390	432	494	1765	41	196
East and West Ridings	13	48	185	4004	11641	48	516	70	9479	10892	135	75	8	5	4295	836	1356	2673	56	360
West Yorkshire Conurbation	5	32	52	1525	5031	20	246	25	4328	2333	59	26	2	3	1355	194	447	1139	26	150
Remainder of East and West Ridings	8	16	133	2479	6610	28	270	45	4151	8559	76	49	6	2	2940	642	909	1534	30	210
North Western	26	50	247	5748	15972	63	586	281	7949	29902	531	595	21	8	3165	1993	2327	4727	68	540
South East Lancashire Conurbation	20	94	2032	4995	4	238	91	3797	6598	317	466	9	2	1187	641	1549	31	180
Merseyside Conurbation	9	16	68	1115	4602	53	145	143	1334	11691	101	38	4	1	909	897	1628	16	132
Remainder of North Western	11	14	85	6375	6	203	47	2818	11613	113	91	8	5	1069	455	494	1550	21	228
North Midland	6	15	116	3075	6608	6	375	23	6135	6740	66	95	11	10	1729	457	923	1972	39	286
Midland	3	28	240	2841	12733	78	448	630	5302	8000	133	81	38	13	2725	988	1237	3630	51	408
West Midlands Conurbation	1	5	182	1304	7892	69	234	574	2084	92	23	14	8	1433	510	607	2015	21	168
Remainder of Midland	2	58	1537	4841	6	214	56	3218	6874	41	58	24	5	1292	478	630	1615	30	240
Eastern	10	32	59	2340	6923	2	330	45	4114	20908	102	93	13	4	1593	652	1187	1596	29	296
London and South Eastern	69	188	259	7115	18250	49	1118	279	13595	33026	641	543	56	41	5660	4210	3292	8473	67	776
Greater London	55	154	233	5798	13497	48	864	255	11328	22866	453	372	53	37	4294	3649	2615	7046	53	622
Remainder of South Eastern	14	34	26	1317	4753	1	254	24	2267	10160	188	171	3	4	1366	561	677	1427	14	154
Southern	7	13	64	1223	3575	4	248	95	1603	10582	100	82	9	11	1110	631	874	1911	26	226
South Western	7	34	85	1800	4909	19	293	50	2168	15225	88	90	7	7	1968	913	569	1905	33	292
Wales (including Monmouthshire)	11	40	75	3003	3904	3	236	25	1302	9062	57	59	8	6	1336	412	409	2246	28	255
Wales I (South East)	6	37	62	2364	2942	2	187	20	1018	4965	36	42	6	1038	400	244	1640	24	169
Wales II (Remainder)	5	3	13	639	962	1	49	5	4097	21	17	2	..	308	12	165	606	4	86
Urban/Rural Aggregates:
Conurbations	82	237	668	12648	38558	195	1825	1093	23787	48671	1046	934	94	53	10078	6026	5644	14458	159	1391
Areas Outside Conurbations:
Urban areas with populations of 100,000 and over	11	56	200	5566	13431	51	671	173	11181	19226	137	177	14	8	4925	2122	1906	4807	69	493
Urban areas with populations of 50,000 and under 100,000	9	36	122	2411	5650	8	301	108	3880	12791	119	116	8	10	1659	1080	1448	2386	31	290
Urban areas with populations under 50,000	41	68	279	6940	18990	19	849	81	8286	44201	410	376	27	22	4649	4978	1934	6008	100	876

Area	ENGLAND AND WALES (excluding Port Health Districts):																			Tuberculosis†
	(b) Final numbers after correction																			
	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Paralytic	Non-paralytic	Infective	Post-infectious	Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Respiratory	Meninges and C.N.S.	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Total	132	438	1164	33098	92407	51	4380	1515	48989	160499	1715	1482	173	106	25439	11682	10985	31592	433	3731
Regions and Conurbations:																				
Northern	12	21	106	2265	8175	2	281	29	2289	15483	189	127	15	7	2251	562	535	2830	49	331
Tyneside Conurbation	5	9	37	855	2543		95	5	743	3256	23	6	12	3	864	135	111	1076	10	136
Remainder of Northern	7	12	69	1410	5632		186	24	1546	12227	166	121	3	4	1387	427	424	1754	39	195
East and West Ridings	8	44	159	3922	11582	11	506	70	8146	10881	94	66	8	3	3999	878	1272	2654	56	354
West Yorkshire Conurbation	2	27	47	1513	5016	4	244	25	4207	2336	34	25	2	1	1406	193	496	1133	26	148
Remainder of East and West Ridings	6	17	112	2419	6566	7	262	45	3939	8545	60	41	6	2	2593	685	776	1521	30	206
North Western	16	46	219	5705	15916	3	576	281	6536	29877	368	502	15	9	3144	1982	1437	4592	59	520
South East Lancashire Conurbation	5	19	88	2009	4962		230	91	3520	6592	218	408	6	3	1191	638	657	1493	26	172
Merseyside Conurbation	4	13	53	1101	4584	2	143	143	673	11666	46	26	1	1	892	895	389	1568	13	130
Remainder of North Western	7	14	78	2595	6370	1	203	47	2343	11619	104	68	8	5	1061	449	391	1531	20	218
North Midland	5	12	57	3068	6601	2	371	21	5144	6746	71	54	7	8	1749	449	762	1955	40	282
Midland	2	26	166	2003	12645	6	437	628	5108	8800	75	64	38	12	2680	987	1166	3570	51	405
West Midlands Conurbation	1	6	116	1265	7807	3	223	572	1946	1923	37	14	14	7	1390	510	571	1976	21	166
Remainder of Midland	1	20	50	1538	4838	3	214	56	3162	6877	38	50	24	5	1290	477	595	1594	30	239
Eastern	10	30	55	2330	6897		331	43	4058	20884	99	65	11	6	1587	657	1055	1601	31	288
London and South Eastern	57	178	214	6998	18210	17	1103	275	12647	32992	600	416	60	38	5621	4206	2904	8395	62	771
Greater London	45	145	190	5690	13481	17	847	252	10396	22825	416	264	56	35	4258	3648	2356	6987	48	620
Remainder of South Eastern	12	33	24	1308	4729		256	23	2251	10167	184	152	4	3	1363	558	548	1408	14	151
Southern	5	13	61	1219	3576	3	248	94	1554	10557	99	69	8	11	1114	629	865	1892	24	232
South Western	6	28	55	1783	4908	5	293	50	2142	15219	67	71	3	6	1964	913	601	1888	34	290
Wales (including Monmouthshire)†	11	40	72	2995	3897	2	234	24	1365	9060	53	48	8	6	130	419	388	2215	27	258
Wales I (South East)	6	37	59	2358	2933	1	185	19	1008	4956	34	34	6	6	1023	405	236	1619	24	170
Wales II (Remainder)	5	3	13	637	964	1	49	5	357	4104	19	14	2	—	307	14	152	596	3	88
Urban/Rural Aggregates:																				
Conurbations	62	219	531	12433	38393	26	1782	1088	21485	48598	774	743	91	50	10001	6019	4580	14233	144	1372
Areas Outside Conurbations:																				
Urban areas with populations of 100,000 and over	9	53	153	5499	13377	15	659	172	10074	19332	137	135	12	6	4627	2167	1698	4798	70	488
Urban areas with populations of 50,000 and under 100,000	4	32	84	2389	5617	—	295	104	3745	12787	104	101	6	10	1616	1075	1237	2370	29	289
Urban areas with populations under 50,000	32	67	230	6906	18956	4	850	83	7854	44068	392	300	25	20	4641	1478	1745	5917	100	813
Rural Districts	25	67	166	5871	16064	6	794	68	5831	35714	308	203	39	20	4554	943	1705	4274	90	769

†See note at end of Table.

*No cases of Smallpox were notified during the year.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
ENGLAND (excluding Monmouthshire)																				
BEDFORDSHIRE																				
Municipal Boroughs and Urban Districts																				
Amphill ..	—	2	3	163	875	—	21	9	195	1745	7	9	—	—	191	117	45	178	3	38
Bedford ..	—	2	2	81	584	—	13	8	180	1234	4	9	—	—	145	109	29	132	3	29
Biggleswade ..	—	1	—	32	220	—	3	5	4	48	1	1	—	—	77	50	7	35	1	3
Dunstable M.B. ..	—	1	—	4	31	—	1	—	3	5	—	—	—	—	—	1	2	14	—	—
Kempston ..	—	—	1	4	34	—	1	1	3	32	1	—	—	—	9	1	2	11	—	—
Leighton Buzzard ..	—	—	—	5	79	—	2	—	8	8	1	—	—	—	28	54	17	62	2	2
Luton M.B. ..	—	—	1	35	201	—	2	2	163	1014	2	8	—	—	23	1	3	5	—	20
Sandy ..	—	—	—	—	35	—	2	—	41	—	—	—	—	—	6	1	1	—	—	1
Rural Districts																				
Amphill ..	—	—	1	82	281	—	8	1	15	511	3	—	—	—	46	8	16	46	—	9
Bedford ..	—	—	1	32	132	—	3	1	4	359	1	—	—	—	13	3	11	18	—	2
Biggleswade ..	—	—	—	32	105	—	1	—	2	20	1	—	—	—	8	3	2	16	—	5
Luton ..	—	—	1	10	29	—	1	—	9	58	1	—	—	—	12	—	3	7	—	2
BERKSHIRE																				
Reading C.B. ..	2	—	1	58	209	—	17	—	89	133	2	1	1	—	61	13	7	107	3	7
Administrative County	—	1	14	140	417	—	41	10	215	1172	10	11	1	1	218	35	189	202	2	31
Municipal Boroughs and Urban Districts																				
Abingdon M.B. ..	—	1	7	40	126	—	12	—	36	731	4	3	1	—	53	14	76	61	1	15
Maidenhead M.B. ..	—	—	2	18	27	—	4	—	20	140	1	—	—	—	14	7	7	7	1	3
Newbury M.B. ..	—	1	3	6	44	—	3	—	11	418	3	2	—	—	26	13	16	18	—	—
New Windsor M.B. ..	—	—	1	5	3	—	2	—	2	118	—	—	1	—	3	1	3	13	—	7
Wallingford M.B. ..	—	—	1	—	3	—	2	—	2	1	—	—	—	—	1	2	55	2	—	—
Wantage ..	—	—	1	1	13	—	3	—	—	—	—	—	—	—	5	10	—	2	—	1
Wokingham M.B. ..	—	—	1	6	—	—	—	—	—	45	—	1	—	—	—	5	—	3	—	—
Rural Districts																				
Abingdon ..	—	—	7	100	291	—	29	10	179	441	6	8	—	—	165	21	113	141	1	16
Bradfield ..	—	—	1	34	31	—	6	—	57	146	—	—	—	—	28	1	1	22	—	—
Cookham ..	—	—	1	3	45	—	4	—	58	—	—	—	—	—	15	1	12	7	—	1
Easthampstead ..	—	—	—	3	16	—	2	—	7	68	—	—	—	—	14	—	10	17	—	1
Faringdon ..	—	—	—	5	1	—	4	—	59	19	3	3	—	—	2	—	82	13	—	2
Hungerford ..	—	—	1	1	27	—	4	1	—	5	—	—	—	—	1	2	2	14	—	—
Newbury ..	—	—	1	3	40	—	4	—	11	30	—	—	—	—	6	1	2	15	—	—
Wallingford ..	—	—	1	6	25	—	4	2	5	—	1	—	—	—	4	1	1	13	1	3
Wantage ..	—	—	—	3	43	—	—	—	—	17	—	—	—	—	2	16	6	7	—	—
Windsor ..	—	—	—	1	1	—	7	7	15	59	1	3	—	—	1	—	4	8	—	1

BUCKINGHAMSHIRE																3	42
Municipal Boroughs and Urban Districts																1	23
Aylesbury M.B.	117	1
Beaconsfield	16	1
Bletchley	2	1
Buckingham M.B.	10	2
Chesham	3	1
Eton	11	1
High Wycombe M.B.	3	1
Linslade	23	4
Marlow	4	1
Newport Pagnell	5	1
Slough M.B.	23	1
Wolverton	19	1
Rural Districts	3	1
Amersham	84	2
Aylesbury	10	19
Buckingham	6	3
Eton	14	4
Eton .. Pagnell	75	1
Newport Pagnell	32	1
Wing	3	1
Winslow	2	1
Wycombe	28	7
CAMBRIDGESHIRE	19
Cambridge M.B.	11
Rural Districts	8
Chesterton	27	2
Newmarket	18	4
South Cambridgeshire	7	2
CHESHIRE	95
County Boroughs	683	9
Birkenhead	104	5
Chester	65	32
Stockport	31	9
Wallasey	4	5
Administrative County	32	14
Municipal Boroughs and Urban Districts	78	63
Alderley Edge	39	4
Alsager	383	2
Atrincham M.B.	43	39
Bebington M.B.	1	2
Bollington	1	2
Bowdon	1	3
Bredbury and Romiley	1	1
Cheadle and Gatley	11	4

† See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
CHESHIRE—contd.	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Municipal Boroughs and Urban Districts—contd.																				
Congleton M.B.				24	25		2			19	1				17	1	1	12		
Crewe M.B.			1	35	120		2	1	11	438					16	1	3	43		
Dukinfield M.B.				4	31		6		17	2	1	1			12	2		10		
Ellesmere Port M.B.		2		50	156		2			298	3				41			10		
Hale				3	17					41								2		
Hazel Grove and Bramhall	1			31	8		1			57		4			19			2	1	1
Hoylake				32	78		8		1	215	1				31		6	20		4
Hyde M.B.			2	93	6					4					19		1	13		4
Knutsford				3					45	87		2						2		1
Longendale				1	1											1		3		1
Lymm				4						1	1									
Macclesfield M.B.				33	49		3		1	101	19	5			1		2	3		
Marple				23	32		1			3	1	4			19	20		18		
Middlewich															1			3		
Nantwich				3	67				1	3					1	13		2		
Neston				10	46				22	92	1				30			3		1
Northwich				6	22		1			191	1	2			7			3		
Runcorn				47	155		2		49	258	1				4			4		1
Sale M.B.				23	72					243	6				13	2		32	1	
Sandbach				5	2					8								4		
Salybridge M.B.				8	78		1		3	3	1	1			3		3	12		3
Wilmslow				3	17				4	3	2				4			4		
Winsford				4	1		1		4	2					1			5		
Wirral				1	58				10	236	2	1			7	1		12		1
Rural Districts		1		164	483		10		22	433	13	8	1	1	103	5	9	77	2	24
Bucklow				28						98	2	4			3			1		
Chester				21	55		3		13	21	1	1			13		4	14	1	2
Congleton				24	37		1			10					9			4		1
Disley				6	3													1		
Macclesfield				12	45		5				5	3			14			12		1
Nantwich				40	100				3	118						4				2
Nantwich				18	62		1		1	112	3				22			8		14
Runcorn				28	104				1	34	2				3		4	13		
Tarvin				15	49				1	30					11	1		3		3

CORNWALL	2	3	90	385	36	4	6	5216	5	3	1	3	180	156	62	206	2	18
Municipal Boroughs and Urban Districts																		
Bodmin M.B.	1	2	55	167	27	4	5	2705	3	1	—	—	100	148	47	128	2	12
Bude-Stratton	—	—	8	7	1	—	2	331	—	—	—	—	2	—	—	3	—	—
Camberne-Redruth	—	—	4	6	8	3	—	100	—	—	—	—	33	138	1	37	—	—
Falmouth M.B.	1	1	12	13	—	—	1	977	—	—	—	—	7	—	13	2	—	7
Fowey M.B.	—	—	5	5	—	—	—	428	3	—	—	—	1	—	—	1	—	—
Helston M.B.	—	—	10	—	1	—	—	86	—	—	—	—	—	—	—	8	—	1
Launceston M.B.	—	—	—	8	—	—	—	151	—	—	—	—	1	—	20	2	—	—
Liskeard M.B.	—	—	—	4	1	—	1	133	—	—	—	—	9	4	—	2	—	1
Looe	—	—	—	2	—	—	—	95	1	—	—	—	4	—	—	2	—	—
Lostwithiel M.B.	—	—	—	—	—	1	—	—	—	—	—	—	3	1	—	4	—	—
Newquay	—	—	4	4	—	—	—	10	1	—	—	—	2	—	—	8	1	—
Pendennis M.B.	—	—	—	—	—	—	—	96	—	—	—	—	—	—	—	2	—	—
Penryn M.B.	—	—	—	—	—	—	—	137	—	—	—	—	1	—	—	3	—	—
Penzance M.B.	—	—	2	2	—	—	—	210	—	—	—	—	3	—	3	12	—	1
St. Austell	—	—	—	44	—	—	—	235	1	—	—	—	3	—	3	9	—	—
St. Ives M.B.	—	—	—	—	—	—	—	101	1	—	—	—	—	—	—	5	—	—
St. Just	—	—	—	—	—	—	—	42	—	—	—	—	1	—	1	4	—	—
Salisbury M.B.	—	—	6	67	14	—	—	8	—	—	—	—	22	1	—	6	—	6
Torpoint	—	—	2	4	2	—	—	442	—	—	—	—	9	—	4	5	—	—
Truro M.B.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—
Rural Districts																		
Camelford	1	1	35	218	9	—	1	2511	2	2	1	—	80	8	15	78	—	2
Kerrier	—	—	15	35	—	—	—	488	1	—	—	—	4	3	—	10	—	1
Launceston	—	—	2	19	1	—	—	152	—	—	—	—	1	—	13	13	—	—
Liskeard	—	—	6	14	—	—	—	119	—	—	—	—	13	—	4	7	—	—
St. Austell	—	—	2	11	—	—	—	85	—	—	—	—	6	1	—	10	—	—
St. Germans	—	—	4	24	3	—	—	15	—	2	—	—	13	—	—	4	—	—
Scilly, Isles of	—	—	34	34	—	—	—	—	—	—	—	—	5	—	—	3	—	—
Stratton	—	—	38	38	—	—	—	246	—	—	—	—	1	—	8	—	—	1
Truro	—	—	1	20	3	—	—	124	—	—	1	—	17	1	—	17	—	—
Wadebridge	—	—	2	17	1	—	—	767	—	—	—	—	14	2	3	5	—	—
West Penwith..	—	—	3	1	1	—	—	363	1	—	—	—	6	—	—	8	—	2
CUMBERLAND																		
Carlisle C.B.	1	2	7	657	30	4	66	2295	46	11	—	—	172	94	46	322	2	35
Administrative County																		
Carlisle C.B.	—	—	1	32	5	2	19	39	—	—	—	—	37	79	30	65	—	8
Municipal Boroughs and Urban Districts																		
Cockermouth	1	2	5	377	11	1	6	1266	22	5	—	—	135	15	16	257	2	27
Keswick	—	—	1	11	—	—	—	140	—	—	—	—	51	8	2	7	2	14
Maryport	—	—	1	21	—	1	1	34	—	—	—	—	—	—	2	3	2	—
Penrith	—	—	—	—	—	—	—	230	1	—	—	—	1	1	—	26	—	—
Whitehaven M.B.	1	1	4	1	3	—	3	3	—	—	—	—	5	—	—	3	—	2
Workington M.B.	1	3	6	90	6	—	2	638	19	3	—	—	33	4	—	40	—	2
Workington M.B.	—	—	—	254	—	—	—	221	2	2	—	—	12	3	—	30	—	7

*See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis				Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
CUMBERLAND—contd.																				
Rural Districts	990	24	6	..	2	84	7	14	148	..	13
Aston with Garrigill	248	..	14	1	41	1	2	1
Borlase	11	16	..	4	4	16
Cockerthorpe	31	24
Eggleston	25	136
Eggleston	51	5	421	17	4	14	5	..	64	..	5
Millom	63	..	3	1	1	385	1	2	..	2	9	1	..	23	..	3
Penrith	14	..	3	..	19	1	25	1	8	7	..	1
Wigton	53	..	5	22	10	..	2	21	..	1
DERBYSHIRE	..	2	11	853	2182	..	97	5	421	1145	23	26	4	1	503	43	54	382	7	56
Derby C.B.	..	1	3	103	293	..	13	1	212	32	9	4	69	18	19	72	2	11
Administrative County	..	1	8	750	1889	..	84	4	209	1113	14	22	4	1	434	25	35	310	5	45
Municipal Boroughs and Urban Districts	2	408	930	..	32	4	77	444	9	14	..	1	228	14	23	172	4	21
Alfreton	123	1	1	4	2
Ashbourne	2	1
Bakewell	10	..	1	1
Belper	22	..	2	..	10	1	3	2	5	1	..	2
Bolsover	13	..	2	1	1	3	2	1	4
Buxton M.B.	1	..	1	..	1	2	1	7
Chesterfield M.B.	169	..	12	1	10	125	40	2	..	7	1	2
Clay Cross	26	..	3	198	..	1	..	1	29	1	3	29
Dronfield	36	..	1	27	..	1	..	1	29	1	3	3
Glossop M.B.	3	..	1	1	27	1	1	3	3	2	8	7
Heanor	109	..	1	1	5	10	..	2	34	2
Ilkeston M.B.	35	..	1	1	1	16	..	1	7	2	..	13	..	2
Long Eaton	97	..	1	..	2	2	1	1	13	29	..	2
Matlock	112	..	1	..	1	3	13	18	..	2
New Mills	17	..	1	..	2	29	3	2	..	3	5
Ripley	6	..	14	1	..	1	63	6	1	1
Staveley	20	1	2	6
Swadincote	56	18	8	9
Whaley Bridge	1	1	10	15
Wirksworth	1	2	5
Rural Districts	..	1	6	342	959	..	52	..	132	669	5	8	4	..	206	11	12	138	1	24
Ashbourne	9	4	1	1	7	..	1
Bakewell	30	..	9	4	1	12	..	4
Belper	84	..	3	..	10	3	3	..	20	2	..	12	..	5
Blackwell	79	..	3	1	1

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Chesterfield	118	361	24	1	14	344	—	—	—	—	103	4
Clowne	27	61	1	—	85	187	2	—	85	187	2	—	—	35	1	5
Repton	7	271	1	—	16	12	3	—	16	12	3	—	—	12	—	2
Shardlow	4	39	9	—	—	—	—	—	—	—	—	—	5	28	—	1
DEVON	15	399	1833	5	399	1833	5	70	8	5735	18	82	89	554	8	77
County Boroughs	3	532	532	3	230	532	3	37	6	686	2	70	40	288	3	32
Exeter	3	1	85	70	12	529	2	12	2	529	2	53	19	53	2	16
Plymouth	2	462	462	3	145	462	3	25	4	157	2	17	21	235	1	16
Administrative County	3	1301	1301	2	169	1301	2	33	2	4549	16	12	49	266	5	45
Municipal Boroughs and Urban Districts	1	531	531	—	113	531	—	17	1	2134	7	8	10	147	4	30
Ashburton	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Barnstaple M.B.	—	42	42	—	3	42	—	1	—	22	—	1	1	1	1	—
Bideford M.B.	—	4	4	—	4	4	—	2	—	69	—	4	3	12	1	2
Brixham	—	19	19	—	4	19	—	2	—	3	—	1	1	6	—	—
Buckfastleigh	—	—	—	—	—	—	—	—	1	4	—	—	—	9	—	—
Budleigh Salterton	—	42	42	—	—	—	—	—	—	95	—	—	—	3	—	—
Credon	—	58	58	—	2	58	—	—	—	47	—	1	—	6	—	—
Dartmouth M.B.	—	36	36	—	2	36	—	—	—	8	—	—	2	1	—	—
Dawlish	—	66	66	—	4	66	—	2	—	85	—	—	—	12	—	—
Exmouth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Great Torrington M.B.	1	7	7	—	1	7	—	1	1	131	—	—	—	22	—	1
Holsworthy	—	34	34	—	1	34	—	—	—	68	—	—	—	2	—	—
Honiton M.B.	—	9	9	—	1	9	—	1	—	42	—	—	1	6	—	2
Ilfracombe	—	20	20	—	—	—	—	—	—	174	—	—	—	4	—	—
Kingsbridge	—	5	5	—	—	—	—	—	—	76	—	—	—	2	—	—
Lynnton	—	—	—	—	—	—	—	—	—	99	—	—	—	—	—	—
Newton Abbot	—	3	3	—	—	—	—	—	—	24	—	—	—	14	—	—
Northam	—	1	1	—	—	—	—	—	—	42	—	—	—	1	—	3
Okehampton M.B.	—	1	1	—	—	—	—	—	—	151	—	—	—	3	—	—
Ottery St. Mary	2	1	1	—	2	1	—	2	—	61	—	—	1	3	—	—
Paignton	—	38	38	—	1	38	—	1	1	38	—	—	—	11	—	4
Sacombe	—	6	6	—	—	—	—	—	—	3	—	—	—	1	—	1
Seaton	—	1	1	—	—	—	—	—	—	1	—	—	—	1	—	1
Sidmouth	—	22	22	—	—	—	—	—	—	144	—	—	2	5	—	1
South Molton M.B.	—	—	—	—	—	—	—	—	—	120	—	—	—	3	—	—
Tavistock	—	—	—	—	—	—	—	—	—	8	—	—	—	1	—	—
Teignmouth	—	28	28	—	1	28	—	1	—	9	—	—	—	10	—	1
Teversham M.B.	—	52	52	—	23	52	—	1	—	102	—	—	1	5	—	3
Torquay M.B.	—	43	43	—	25	43	—	2	—	15	—	—	1	6	—	8
Tonnes M.B.	—	—	—	—	—	—	—	—	—	6	—	—	—	2	—	1
Rural Districts	2	770	770	2	56	770	2	16	1	2415	9	4	39	119	1	15
Aminster	6	18	18	—	1	18	—	2	—	82	—	—	—	12	—	2
Barnstaple	1	2	2	—	—	2	—	—	—	460	—	—	29	7	—	—
Bideford	—	28	28	—	—	—	—	—	—	83	—	—	1	1	—	—
Broadwoodwider	—	43	43	—	—	—	—	—	—	22	—	—	—	—	—	—
Credon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Holsworthy	—	—	—	—	—	—	—	—	—	126	—	—	—	—	—	—
Honiton	—	4	4	—	—	—	—	—	—	83	—	—	—	5	—	1
Kingsbridge	1	8	8	—	—	8	—	—	—	109	—	—	—	9	—	—
Newton Abbot	1	10	10	—	—	10	—	1	—	16	—	—	—	11	—	—
Okehampton	—	69	69	1	—	—	—	—	—	201	—	—	—	3	—	2

*See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
<i>I</i>	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
DEVON—Rural Districts—contd.																				
..	—	7	3	16	282	1	8	—	—	31	1	—	—	—	46	2	2	24	—	3
..	—	—	—	9	107	—	2	—	—	424	—	—	—	—	23	1	8	11	—	2
..	—	—	—	—	16	—	—	—	—	129	1	—	—	—	3	—	—	—	—	—
..	—	—	—	—	1	—	—	—	—	—	2	1	1	—	19	1	—	8	—	—
..	—	—	—	3	85	—	1	—	—	349	—	—	—	—	—	—	—	5	—	—
..	—	—	—	—	—	—	—	—	—	182	—	—	—	—	14	—	—	—	—	—
..	—	—	—	1	5	—	2	1	—	58	2	—	—	—	6	—	—	11	—	1
..	—	—	—	1	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
DORSET	—	1	7	107	373	—	33	2	63	1654	7	4	1	1	141	60	191	188	—	29
Municipal Boroughs and Urban Districts																				
..	—	1	5	46	152	—	12	2	46	1015	2	3	—	1	53	53	90	130	—	19
..	—	—	—	11	4	—	—	—	—	—	—	—	—	—	1	—	3	—	—	—
..	—	—	—	—	—	—	—	—	—	131	1	—	—	—	4	—	—	—	—	—
..	—	—	1	—	10	—	—	—	—	179	—	—	—	—	3	5	—	8	—	—
..	—	—	—	5	8	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
..	—	—	3	11	62	—	3	2	44	24	—	2	—	—	24	27	3	64	—	12
..	—	—	—	—	—	—	3	—	2	300	—	—	—	—	1	1	—	9	—	—
..	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
..	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
..	—	—	—	3	10	—	—	—	—	40	—	—	—	—	4	4	2	—	—	—
..	—	—	—	1	28	—	1	—	—	6	—	—	—	—	3	—	—	7	—	—
..	—	—	—	1	18	—	—	—	—	3	—	—	—	—	—	—	—	1	—	—
..	—	—	—	—	—	—	3	—	—	323	—	1	—	—	8	17	82	25	—	5
..	—	1	1	5	12	—	—	—	—	1	—	—	—	—	2	—	4	—	—	—
..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
..	—	—	—	61	221	—	21	—	17	639	5	1	1	—	88	7	101	58	—	10
..	—	—	1	12	13	—	3	—	12	95	—	—	—	—	22	2	—	3	—	—
..	—	—	—	—	37	—	—	—	—	132	—	—	—	—	11	1	89	5	—	2
..	—	—	—	—	6	—	3	—	1	69	—	—	—	—	—	—	—	—	—	—
..	—	—	—	11	49	—	3	—	—	150	1	1	—	—	13	—	7	12	—	—
..	—	—	—	5	28	—	—	—	1	6	—	—	—	—	—	—	—	—	—	—
..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
..	—	—	—	1	9	—	3	—	—	31	—	—	—	—	8	—	—	—	—	—
..	—	—	—	3	38	—	2	—	1	52	3	—	—	—	1	4	3	5	—	—
..	—	—	—	21	—	—	—	—	—	88	—	—	—	—	—	—	—	14	—	—

DURHAM	3	6	48	1321	3798		151	15	892	5292	87	60	12	3	1362	337	233	1435	29	140
County Boroughs
Darlington
Gateshead
South Shields
Sunderland
West Hartlepool
Administrative County
Municipal Boroughs and Urban Districts
Barnard Castle
Billingham
Bishop Auckland
Blaydon
Boldon
Brandon and Bysbottles
Chester-le-Street
Consett
Crook and Willington
Durham M.B.
Felling
Hartlepool M.B.
Hebburn
Hetton
Houghton-le-Spring
Jarrow M.B.
Ryton
Sedham
Shildon
Spenymoor
Stanley
Stockton-on-Tees M.B.
Tow Law
Washington
Whickham
Rural Districts
Barnard Castle
Chester-le-Street
Darlington
Durham
Easington
Lanchester
Sedgefield
Stockton
Sunderland
Weardale
ELY, ISLE OF
Municipal Boroughs and Urban Districts
Chatteris
Ely
March
Whitesey
Wisbech M.B.

†See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis			Acute Encephalitis		Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious	Respiratory			Meninges and C.N.S.	Other	
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
ELY, ISLE OF—contd.																				
Rural Districts ..	—	—	—	13	29	—	11	—	10	297	1	—	—	—	29	—	2	15	3	4
Ely ..	—	—	1	7	19	—	2	—	1	131	—	—	—	—	13	1	—	6	3	—
North Wichford ..	—	—	1	4	2	—	5	—	3	96	—	—	—	—	14	—	—	8	3	3
Thorney ..	—	—	—	—	4	—	1	—	—	6	—	—	—	—	2	—	—	—	—	—
Wisbech ..	—	—	—	2	4	—	3	—	2	64	1	—	—	—	—	—	2	1	—	1
ESSEX ..	5	56	43	1722	5770	3	259	48	1737	8225	57	48	6	3	1138	481	843	1212	14	133
County Boroughs ..	1	7	8	456	775	2	58	8	423	1011	7	2	—	1	270	31	237	328	5	26
East Ham ..	—	4	1	27	168	—	14	3	45	316	3	1	—	—	54	6	41	118	1	7
Southend-on-Sea ..	1	—	4	332	331	—	22	5	93	145	1	1	—	—	132	6	182	91	2	10
West Ham ..	—	3	3	97	276	2	22	—	285	550	3	—	—	1	84	19	14	119	2	9
Administrative County ..	4	49	35	1266	4995	1	201	40	1314	7214	50	46	6	2	868	450	606	884	9	107
Municipal Boroughs and Urban Districts	4	49	34	1158	4421	1	173	39	1236	6476	46	39	5	1	775	346	534	820	7	87
Barking M.B. ..	—	1	2	49	110	—	8	13	152	27	—	—	—	—	33	52	21	46	1	3
Basildon ..	—	1	4	46	310	—	5	—	130	518	4	4	—	—	18	18	22	34	1	3
Benfleet ..	—	—	—	14	96	—	2	—	—	154	—	—	—	—	9	2	4	15	—	2
Braintree and Bocking ..	—	—	—	2	12	—	1	1	1	16	1	1	—	—	1	4	1	9	—	4
Brentwood ..	—	—	2	16	150	—	1	—	12	30	1	1	—	—	27	4	6	18	—	2
Brightingsea ..	—	—	—	3	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1
Burnham-on-Crouch ..	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	2	—	—
Canvey Island ..	—	—	—	7	42	—	—	—	—	235	—	—	—	—	14	—	1	7	1	1
Chelmsford M.B. ..	—	—	—	12	57	—	4	1	5	667	3	—	—	—	15	22	1	13	1	—
Chigwell ..	—	5	2	45	249	—	4	—	129	55	—	—	—	—	17	1	4	39	—	6
Chingford M.B. ..	—	1	1	65	249	—	5	—	23	59	—	1	—	—	17	1	4	20	—	2
Clacton ..	—	1	1	2	20	—	—	—	—	141	2	—	—	—	35	1	4	8	—	2
Colchester M.B. ..	1	1	3	31	169	—	3	—	62	14	2	—	—	—	35	28	14	15	4	4
Dagenham M.B. ..	—	6	3	86	412	—	15	8	67	91	4	9	1	—	48	3	46	75	4	4
Epping ..	—	—	—	1	28	—	—	—	3	7	—	—	—	—	—	1	—	5	—	2
Frinton and Walton ..	—	—	—	22	8	—	1	—	—	51	2	—	—	—	1	—	6	—	—	—
Halstead ..	—	—	—	—	—	—	—	—	15	208	—	—	—	—	—	—	—	—	—	—
Harlow ..	—	—	1	9	75	—	1	—	107	343	1	1	—	—	1	2	11	10	1	1
Harwich M.B. ..	—	—	1	—	45	—	1	—	—	9	—	—	—	—	—	1	—	7	—	—
Horncchurch ..	—	2	1	167	298	—	18	3	34	630	8	5	—	1	18	1	23	59	—	5
Ifford M.B. ..	1	6	4	191	394	—	30	7	161	502	4	2	—	—	159	73	51	126	1	16
Leiston M.B. ..	1	14	5	58	163	—	15	1	49	831	2	1	—	—	141	12	46	50	1	5
Maldon M.B. ..	—	—	1	1	1	—	—	—	—	7	—	—	—	—	14	4	2	4	—	—
Rayleigh ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Romford M.B. ..	—	7	4	139	368	—	8	—	48	743	3	6	—	—	37	3	50	62	—	2
Southend-on-Sea M.B. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Puerperal pyrexia	Food poisoning	Tuberculosis†			
											Paralytic	Non-paralytic	Infective	Post-infectious			Respiratory	Meninges and C.N.S.	Other	
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
HEREFORDSHIRE	1	72	255	..	15	..	34	1310	6	2	20	..	83	7	5	57	2	18
Municipal Boroughs and Urban Districts	1	23	90	..	5	..	6	532	1	..	22	4	4	20	2	7
Bromyard	31	1	1	..	1
Hereford M.B.	1	11	70	..	2	..	1	413	1	..	9	4	1	9	2	4
Kingston	1	65	1
Ledbury	13	1	5	1	..	1
Leominster M.B.	12	4	..	2	..	4	13	12	3	7	7
Ross-on-Wye	2	..	1	5	1	1
Rural Districts	49	165	..	10	..	28	778	6	2	19	..	61	3	1	37	..	11
Bromyard	2	21	1	140	2	4
Dore and Bredwardine	4	15	1	49	1	12	1	1	4
Hereford	5	39	11	186	4	2	20	5	..	4
Kingston	2	12	148	1	4	..	3
Ledbury	6	14	69	19	..	1	8
Leominster and Wigmore	26	8	1	46	1	4	2	..	3	..	1
Ross and Whitchurch	4	15	..	3	..	11	22	8	11	..	1
Weobley	41	..	2	..	4	118	13	2
HERTFORDSHIRE	4	2	18	396	949	..	57	27	353	3858	29	13	4	3	217	165	122	427	8	54
Municipal Boroughs and Urban Districts	1	1	16	269	728	..	35	27	158	3076	24	9	3	3	168	161	68	297	3	39
Baldock	6	12	2	1	1	..	1	..	8	12
Barnet	5	15	60	..	4	1	8	53	2	1	1	..	9	41	22	9	..	3
Berkhamsted	2	16	2	20	1	5	6	1	3	1	2
Bishop's Stortford	4	54	..	1	2	2	20	3	..	1	..	10	76	1	12	..	1
Bushey	6	9	..	2	20	2	42
Cheshunt	1	4	13	98	..	2	4	8	58	1	1	38	6	6	11
Chorleywood	12	11
East Barnet	50	101	..	2	..	9	17	2	13	3	12	5	1	2
Harpenden	16	4	..	1	28	1	1	1	26
Hemel Hempstead M.B.	18	47	..	6	..	6	1394	1	5	2	..	35	1	3
Hertford M.B.	1	6	1	..	1	2	2	1	5	1	1	6	..	2
Hitchin	1	16	8	96	1	7	1	1	15	..	2
Hoddesdon	1	4	71	..	4	19	1	1	11	1	13	9	..	2
Letchworth	1	15	33	..	1	19	8	..	5	4	..	3
Rickmansworth	9	32	2	27	2	1	3	5	18	4
Royston	29	2	..	10	160	2
St. Albans M.B.	37

[illegible]

†See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
KENT—contd.	1																			
Municipal Boroughs and Urban Districts—contd.																				
Gravesend M.B.	45	220	..	4	..	18	100	1	11	8	..	31	1	4
Hythe M.B.	4	6	2	9	6	12	..	1
Lydd M.B.	1	4	1	18	3
Maldstone M.B.	33	15	..	2	101	1	36	2	..	34	1	2
Margate M.B.	23	108	..	2	..	206	69	3	3	1	2	25	..	8
New Romney M.B.	6	5	67	17	2
Northfleet	74	44	..	3	..	50	46	1	20	1	36	11
Orpington	1	40	227	..	6	..	1	33	5	43	72	58	27	..	3
Penge	..	1	1	7	256	..	1	..	1	11	5	1	8
Queenborough M.B.	..	1	..	5	14	..	1	48	1	1
Ramsgate M.B.	15	231	..	3	..	3	444	10	3	..	40	..	2
Reculver M.B.	10	36	..	1	..	4	7	28	2	9	31	..	2
Royal Tunbridge Wells M.B.	..	1	2	10	54	..	5	1	..	13	2	9	2	1	16	..	4
Sandwich M.B.	13	..	1	1	5
Sevenoaks	25	23	1	5	7	..	3
Sheerness	48	226	..	3	20	2	1	1	12
Sittingbourne and Milton	13	11	..	1	6	11	1	..	15
Southborough	5	39	..	1	4	1	5
Swanscombe	..	1	..	40	17	14	16	6	..	5	2	..	2
Tenterden M.B.	3	20	3	1
Tombridge	6	62	2	4	1	5	8
Whitstable	1	23	11	..	4	4	15	1	..	5	..	2
Rural Districts																				
Bridge-Blean	..	1	3	169	969	..	35	..	223	1170	26	20	1	1	252	9	175	143	1	18
Crabbrook	19	31	..	2	..	7	78	7	..	1	4
Dartford	17	70	35	287	7	1	3	2
Dover	..	2	..	28	127	32	120	1	2	16	1	72	28	1	..
East Ashford	1	2	74	9	28	2	1	5	..	2	1
Eastly	4	25	120	184	7	2
Elham	4	15	2	51	1	5	..	88	7	..	3
Hollingbourne	1	1	..	1	..	2	22	1	2	..	19	12	..	2
Maidstone	1	10	25	..	2	..	1	90	19	3	1	6
Malling	1	5	85	..	4	..	1	64	1	52	..	3	14	..	1

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis			Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious	Respiratory				Meninges and C.N.S.	Other	
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
LANCASHIRE—contd.																					
Municipal Boroughs and Urban Districts—contd.																					
Droylsden	—	—	2	19	73	—	—	—	8	3	3	—	—	—	4	1	1	12	1	4	
Eccles M.B.	—	—	1	56	117	—	—	2	67	68	5	3	1	—	28	16	24	9	—	1	
Falsworth	—	—	1	25	57	—	—	—	74	1	—	—	—	—	21	5	—	—	—	3	
Farnworth M.B. .. .	—	—	1	17	158	—	—	—	158	16	3	—	—	—	21	21	18	9	—	2	
Fleetwood M.B. .. .	—	—	2	3	155	—	—	—	23	4	—	1	—	—	5	8	23	23	—	2	
Formby	—	—	—	6	18	—	—	—	—	94	—	—	—	—	3	—	—	—	—	—	
Fulwood	—	—	—	14	17	—	—	—	17	120	—	1	—	—	3	8	6	4	—	—	
Golborne	—	—	—	25	27	—	—	—	12	35	—	1	—	—	2	—	—	—	—	—	
Grange	—	—	—	1	1	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	
Great Harwood .. .	—	—	—	1	29	—	—	—	2	9	—	—	1	—	2	—	—	—	—	—	
Haslingden M.B. .. .	—	—	—	5	38	—	—	—	13	10	—	—	—	—	—	—	—	—	—	—	
Haydock	—	—	—	21	23	—	—	—	167	—	—	—	—	—	5	—	17	12	1	1	
Heywood M.B. .. .	—	—	—	12	9	—	—	—	69	5	2	4	2	—	10	—	8	9	1	—	
Hindley	—	—	—	24	44	—	—	—	8	—	—	5	—	—	12	—	10	—	—	4	
Horwich	—	—	—	2	14	—	—	1	9	334	—	—	—	—	12	2	11	—	—	2	
Huyton-with-Roby ..	—	—	—	65	207	—	—	—	19	587	1	—	—	—	28	1	49	61	—	3	
Ince-in-Makerfield ..	1	—	—	12	25	—	—	—	36	—	—	—	—	—	2	—	15	2	—	2	
Irlam	—	—	—	3	19	—	—	—	1	36	—	—	—	—	11	—	8	—	—	1	
Kearsley	—	—	—	24	4	—	—	—	34	6	1	—	—	—	17	—	1	—	—	1	
Kirkham	—	—	—	—	—	—	—	—	1	47	—	1	—	—	6	—	20	—	—	—	
Lancaster M.B. .. .	—	—	—	24	108	—	—	—	64	114	—	2	—	—	34	—	8	35	—	2	
Lees	—	—	—	7	2	—	—	—	1	—	—	—	—	—	1	—	7	1	—	1	
Leigh M.B.	—	—	—	37	108	—	—	—	6	142	1	—	—	—	3	2	24	1	—	2	
Leyland	—	—	—	37	45	—	—	—	4	433	2	—	—	—	2	1	15	15	—	2	
Litherland	—	—	—	10	63	—	—	—	1	613	1	—	—	—	1	—	32	32	—	5	
Littleborough .. .	—	—	—	2	15	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
Little Lever	—	—	—	17	128	—	—	—	8	16	—	—	—	—	1	—	4	—	—	—	
Longridge	—	—	—	3	1	—	—	—	1	303	—	—	—	—	1	—	3	—	—	—	
Lynham St. Anne's M.B.	—	—	—	20	116	—	—	—	10	—	2	—	—	2	—	—	20	—	—	4	
Middleton M.B. .. .	—	—	—	68	140	—	—	1	88	146	11	8	—	—	39	2	14	30	—	4	
Milnrow	—	—	—	7	15	—	—	—	1	14	—	—	—	—	—	—	—	—	—	—	
Morecambe and Heysham M.B.	—	—	—	13	8	—	—	—	29	27	—	3	—	—	8	—	4	—	—	2	
Mossley M.B. .. .	—	—	—	10	26	—	—	—	19	9	1	—	—	—	6	—	21	—	—	2	
Nelson M.B.	—	—	—	7	88	—	—	—	91	11	—	—	—	—	11	—	32	20	—	2	
Newton-le-Willows ..	—	—	—	139	102	—	—	4	395	—	1	—	2	—	42	1	9	—	—	4	
Ormskirk	—	—	—	3	36	—	—	—	—	149	—	—	—	—	17	—	10	—	—	—	
Oswestry	—	—	—	4	4	—	—	—	6	7	—	—	—	—	1	—	2	—	—	—	

[illegible]

†See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Puerperal pyrexia	Food poisoning	Tuberculosis†			
											Paralytic	Non-paralytic	Infective	Post-infectious			Respiratory	Meninges and C.N.S.	Other	
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
LEICESTERSHIRE—contd.																				
Municipal Boroughs and Urban Districts—contd.																				
Coalville	—	—	—	28	24	—	—	—	19	50	—	—	—	—	31	—	3	15	—	—
Hinckley	—	—	—	21	50	—	1	—	210	1	1	—	—	—	22	—	41	19	1	—
Loughborough M.B. ..	—	—	—	9	5	—	—	—	—	98	1	—	—	—	—	—	1	11	2	—
Market Harborough ..	—	—	—	5	11	—	—	—	57	3	—	—	—	—	—	—	—	2	—	—
Melton Mowbray	—	—	—	3	24	—	—	—	11	2	—	—	—	—	—	—	4	8	—	—
Oadby	—	—	1	2	1	—	—	—	1	1	—	—	—	—	—	—	—	7	—	—
Shepshed	—	—	—	53	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Wigston	—	—	1	3	22	—	—	—	46	1	1	—	—	2	2	—	3	2	—	—
Rural Districts	—	—	6	144	436	—	11	1	406	345	4	1	—	—	116	13	27	58	5	21
Ashby de la Zouch ..	—	—	—	4	22	—	2	—	1	27	—	—	—	—	1	—	6	2	—	—
Barrow upon Soar ..	—	—	—	47	162	—	—	2	123	103	1	1	—	—	11	5	3	12	2	6
Blisdon	—	—	3	10	45	—	—	—	25	40	1	—	—	—	11	—	2	1	—	—
Blaby	—	—	1	11	57	—	—	—	115	111	—	—	—	—	28	5	5	18	1	1
Castle Donington ..	—	—	—	14	51	—	3	—	3	39	—	—	—	—	8	1	7	2	1	3
Lutterworth	—	—	—	1	33	—	—	—	52	4	2	—	—	—	12	—	3	7	—	—
Market Bosworth ..	—	—	1	44	35	—	2	—	73	10	—	—	—	—	11	2	1	9	1	4
Market Harborough ..	—	—	—	1	3	—	1	—	5	2	—	—	—	—	—	—	—	3	—	—
Melton and Belvoir ..	—	—	1	12	28	—	—	—	9	9	—	—	—	—	23	—	—	4	—	4
LINCOLNSHIRE (PARTS OF HOLLAND)...																				
Municipal Boroughs and Urban Districts	—	—	1	62	118	—	13	—	77	243	—	3	—	—	85	4	27	24	1	5
Boston M.B.	—	—	1	19	58	—	3	—	5	162	—	—	—	—	50	4	15	7	1	3
Spalding	—	—	1	4	2	—	—	—	5	152	—	—	—	—	38	4	15	4	—	—
Rural Districts	—	—	—	43	60	—	10	—	—	10	—	—	—	—	12	—	—	3	1	1
Boston	—	—	—	23	30	—	—	—	72	81	—	3	—	—	35	—	12	17	—	2
East Elloe	—	—	—	8	17	—	4	—	61	55	—	2	—	—	12	—	10	5	—	—
Spalding	—	—	—	12	13	—	1	—	11	18	—	1	—	—	8	—	1	4	—	—
LINCOLNSHIRE (PARTS OF KESTEVEN)...																				
Municipal Boroughs and Urban Districts	—	—	—	153	249	—	27	2	32	21	1	1	1	—	56	18	23	66	2	16
Bourne	—	—	—	79	121	—	16	—	4	4	—	—	—	—	28	12	12	28	1	4
Grantham M.B.	—	—	—	10	—	—	—	—	4	—	—	—	—	—	5	—	9	3	—	—
Sleaford	—	—	—	24	16	—	7	—	—	—	—	—	—	—	12	—	1	20	1	—

†See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping Cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute Encephalitis		Puerperal pyrexia	Food poisoning	Tuberculosis†			
											Paralytic	Non-paralytic	Infective	Post-infectious			Respiratory	Meninges and C.N.S.	Other	
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
LONDON A.C.,—Metropolitan Boroughs—contd.																				
Lambeth	1	—	3	156	345	1	21	8	303	571	9	6	1	—	124	85	60	180	—	18
Lewisham	1	—	17	188	241	—	20	2	600	206	26	19	—	4	89	73	50	194	4	13
Paddington	2	—	7	25	102	—	5	3	86	392	3	6	—	1	43	186	51	220	2	20
Poplar	—	—	3	33	174	—	3	1	52	116	7	4	—	—	47	5	24	58	—	6
St. Marylebone	1	—	2	31	43	—	3	2	55	116	1	1	1	—	9	47	13	66	—	5
St. Pancras	3	3	3	68	175	—	11	9	91	840	4	1	11	—	69	27	63	176	2	13
Shoreditch	—	2	—	32	107	—	7	1	92	232	2	5	—	2	33	39	9	39	—	4
Southwark	—	—	—	262	144	—	10	3	716	447	4	—	—	—	52	69	8	140	1	15
Stepney	1	3	5	34	235	1	8	3	115	574	2	1	1	—	79	63	22	106	4	9
Stoke Newington	—	2	2	1	28	—	4	—	43	105	3	1	—	—	11	3	13	51	—	4
Wandsworth	2	2	4	202	548	4	53	2	750	678	23	15	5	3	354	101	362	277	3	19
Westminster	2	1	1	29	54	—	14	1	92	205	6	1	—	—	12	29	45	103	—	7
Woolwich	1	4	7	114	208	—	—	8	524	234	4	2	—	—	78	88	7	171	—	13
MIDDLESEX	8	22	34	1527	2418	2	249	84	1432	6342	112	80	14	6	1298	867	479	1495	10	164
Municipal Boroughs and Urban Districts:																				
Acton M.B.	8	22	34	1527	2418	2	249	84	1432	6342	112	80	14	6	1298	867	479	1495	10	164
Brentford and Chiswick M.B.	2	2	2	35	79	—	4	13	13	97	3	3	—	—	16	33	37	1	6	6
Ealing M.B.	—	—	2	46	50	—	11	4	10	107	2	2	—	—	17	97	11	49	—	6
Edmonton M.B.	—	—	2	156	67	—	12	3	179	726	27	21	1	—	161	71	16	134	—	12
Enfield M.B.	—	—	2	109	231	—	18	34	185	50	3	1	—	—	78	96	8	81	—	8
Feltham	—	—	2	54	190	—	19	8	207	201	2	1	—	—	79	52	15	56	—	6
Finchley M.B.	—	—	1	6	34	—	4	1	5	60	—	—	—	—	8	3	12	35	1	1
Friern Barnet	1	1	1	1	34	—	4	3	19	172	4	1	—	—	37	21	7	32	1	5
Harrow M.B.	2	—	5	22	18	—	5	—	38	80	1	1	—	—	5	1	7	17	—	—
Hayes and Harlington	1	—	2	138	88	—	14	1	17	610	7	7	3	—	67	1	77	142	1	17
Hendon M.B.	—	—	2	88	87	—	4	—	14	77	1	4	—	—	82	9	21	44	—	7
Heston and Isleworth M.B.	6	—	2	136	135	1	11	13	54	295	8	5	—	—	79	113	24	98	2	14
Hornsey M.B.	—	—	2	67	96	—	12	—	22	244	4	1	1	—	27	69	51	62	—	7
Potters Bar	—	1	1	88	116	—	12	—	69	146	5	3	1	—	53	8	13	67	—	4
Putney M.B.	—	—	1	2	25	—	11	—	11	20	1	3	—	—	32	10	13	67	—	—

TABLE 33—continued.

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis				Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
<i>I</i>	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
NORTHAMPTONSHIRE—contd.																				
Municipal Boroughs and Urban Districts— <i>contd.</i>																				
Desborough ..					7		1		1	2								2		
Higham Ferrers M.B. ..					23		2		40	303	2				26	16	3	1		
Irthlingborough ..				105	7		10			1					1			20		
Kettering M.B. ..			2		1															
Oundle ..																				
Raunds ..				11	23					100										
Rothwell ..				6						2										
Rushden ..				20	4	1	2		17	41	1	1			14		1	4		
Wellingborough ..										241	1				34	4	15			
Rural Districts																				
Brackley ..				111	92		10		43	363	3				77	5	57	50		
Brixworth ..				10	4				3	27								7		
Daventry ..				26	3		2		6	26					5	1	16	1		
Kettering ..				23	6				18	83						3	1	3		
Northampton ..				31	7		5			38	1				25	2	22	16		
Oundle and Thrapston				13			2		10	117					5	2				
Towcester ..					16					39	1				17		12	7		
Wellingborough ..				8	17				6	33	1				16		6	7		
NORTHUMBERLAND																				
County Boroughs ..				501	2235		62	2	813	2536	30	8	3	1	438	58	143	688	9	127
Newcastle upon Tyne ..				242	1296		23	2	68	932	12	3	2	1	217	37	14	388	4	67
Tynemouth ..				220	1057			2	68	683	11	3	2	1	206	37	14	333	4	62
Administrative County ..				22	239		3			249	1				11			55		5
Municipal Boroughs and Urban Districts																				
Alnwick ..				198	939		39		745	1604	18	5	1		221	21	129	300	5	60
Amble ..																				
Bedlington ..																				
Bedlingtonshire ..																				
Berwick-upon-Tweed M.B. ..				8	69		1		71	22	1				4	1	2	19	1	3
Blyth M.B. ..				12	177		2		8	63	2				15	6	7	46		4
Gosforth ..				19	57		7		35	26	2				10		4	20		4

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
OXFORDSHIRE—contd.																				
Municipal Boroughs and Urban Districts—contd.																				
Chipping Norton M.B.	1	1	6	2	2
Henley-on-Thames M.B.	1	1	..	3	15	1
Thame..	1	314
Witney..	7	1
Woodstock M.B.
Rural Districts	3	60	123	9	9	61	788	6	6	4	2	2	74	5	108	100	..	14
Banbury	9	4	2	2	2	..	1	8	..	1	1	8
Bullington	2	15	46	4	4	37	261	3	3	1	1	1	19	..	95	47	4	4
Chipping Norton	10	..	1	1	4	66	1	..	4	3
Henley	1	18	17	..	1	5	26	2	1	1	38	1	..	21	..	1
Ploughley	8	53	..	1	8	56	13	..	8	3	3	13	..	3
Witney	3	..	2	5	377	3	3	1	7	1	10	7	..	3
PETERBOROUGH, SOKE OF																				
Peterborough M.B.	1	21	19	..	1	1	29	26	1	2	43	40	62	35	..	3
Rural Districts	1	13	7	..	1	1	18	13	1	2	37	40	62	32	..	3
Barnack	8	12	11	13	6	3
Peterborough	7	11	9	4	4	1
..	1	1	9	9	2	2
RUTLAND																				
..	12	34	..	1	..	118	14	19	1	..	9	..	3
Oakham U.D.	2	52	3	3
Rural Districts	10	34	..	1	..	66	14	16	1	..	6	..	3
Ketton	5	19	2	2	9	1	..	1	..	1
Oakham	15	2	12	2	5
Uppingham	4	1	..	62	5	1
SHROPSHIRE																				
..	1	1	11	207	343	..	13	6	239	1046	4	6	..	1	155	24	145	114	4	42
Municipal Boroughs and Urban Districts																				
..	6	62	110	..	7	4	195	376	2	5	63	13	29	65	2	17

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Church Stretton
Dawley
Ellesmere
Ludlow M.B.
Market Drayton
Newport
Oakenfold
Oakenfold M.B.
Oswestry
Shrewsbury M.B.
Shrewsbury
Wenlock
Wenlock M.B.
Whitechurch
Rural Districts
Aleham
Bridgnorth
Clun
Drayton
Ellesmere
Ludlow
Oswestry
Shifnal
Wellington
Wem
SOMERSET
Bath C.B.
Administrative County
Municipal Boroughs and Urban Districts
Bridgwater M.B.
Burnham-on-Sea
Chard M.B.
Clevedon
Crewkerne
Frome
Glastonbury M.B.
Ilminster
Keynsham
Minhead
Norton-Redstock
Portsmouth
Shepton Mallet
Street
Taunton M.B.
Watchet
Wells M.B.
Weston-super-Mare M.B.
Yeovil M.B.
Rural Districts
Axbridge
Bathavon
Bridgwater
Chard
Clutton

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis			Acute Encephalitis	Post-infectious	Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective						Respiratory	Meninges and C.N.S.	Other
<i>I</i>	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
SOMERSET—Rural Districts—contd.																					
Dulverton	2	..	1	142	1	8	1	1	1
Frome	5	12	1	4	13
Langport	8	3	10	14	21	4
Long Ashton	1	25	34	1	..	11	1	7	..	2	15
Shepton Mallet	2	27	..	5	13	1	1	1	1	1	1
Taunton	1	20	4	..	5	..	3	65	2	7	3	..	8
Wellington	2	1	3	147	2
Wells	2	22	5	1
Williton	3	23	..	2	29	..	1	8	2	..	7
Wincanton	35	1	67	3	7	26	2	3	8
Yeovil	14	35	1	..	1	7	4
SOUTHAMPTON	19	652	2079	3	101	12	467	4079	41	18	2	2	384	248	151	892	13	84	..
County Boroughs	2	7	338	1038	2	38	6	138	1566	12	8	1	1	157	132	50	465	4	30	..
Bournemouth	2	127	53	46	383	4	1	1	..	53	6	24	107	3	7	..
Portsmouth	2	3	122	312	2	14	2	64	784	6	2	2	..	45	59	18	149	1	12	..
Southampton	2	2	89	673	..	12	4	28	399	2	5	..	1	59	67	8	209	..	11	..
Administrative County	..	2	12	314	1041	1	63	6	329	2513	29	10	1	1	227	116	101	427	9	54	..
Municipal Boroughs and Urban Districts	..	2	7	124	539	..	42	5	142	1747	23	5	1	1	128	92	40	255	4	33	..
Aldershot M.B.	2	..	11	6	4	16	163	2	2	2	..	9	1	1	7	2	1	..
Alton	6	3	..	1	11	9
Andover	7	4	2	1	3	2	5	2	7	3
Basingstoke M.B.	1	78	..	4	..	1	24	1	2	2	2	6
Christchurch M.B.	1	1	9	13	..	4	1	28	17	2	..	1	..	7	2	2	32	..	1	..
Eastleigh M.B.	9	139	..	1	..	1	158	5	29	..	21	..	5	..
Fareham	1	1	20	71	9	531	1	6	2	..	24	..	1	..
Farnborough	1	46	..	1	..	53	32	4	1	27	4	1	21	..	2	..
Fleet	6	5	2	9	35	9	17	7
Gosport M.B.	21	47	..	15	3	1	316	2	35	5	42	42	..	7	..
Havant and Waterloo	1	18	43	..	3	..	4	244	4	1	13	5	5	26	1	4	..
Lymington M.B.	1	1	7	31	..	7	..	10	158	10	2	..	16	..	2	..
Petersfield	5	61	1	2	..	1	..
Romsey M.B.	5	5	5	1	33	3	10
Winchester M.B.	3	5	46	..	2	1	15	17	5	7
Rural Districts	5	190	502	1	21	1	187	766	6	5	99	24	61	172	5	21	..
Alton	17	43	..	2	..	27	16	1	1	4	1	9	..	1	..
Andover	1	15	17	..	3	..	57	1	..	1	10	3	..	12
Basingstoke	11	17

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis			Acute Encephalitis	Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
SUFFOLK, EAST	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Ipswich C.B.	4	6	5	186	421	—	30	—	524	1839	5	—	2	—	114	100	51	145	3	42
Administrative County	—	2	2	43	208	—	8	—	490	663	1	—	—	—	14	52	42	50	1	17
Municipal Boroughs and Urban Districts	4	4	3	143	213	—	22	—	34	1176	4	—	2	—	100	48	9	95	2	25
Aldeburgh M.B.	—	2	1	79	62	—	11	—	19	720	2	—	—	—	56	25	5	43	—	10
Becles M.B.	—	—	—	10	—	—	2	—	1	25	—	—	—	—	4	—	3	4	1	2
Bungay	—	—	—	7	—	—	—	—	—	—	—	—	—	—	4	—	—	5	—	—
Eye M.B.	—	—	—	—	—	—	—	—	—	2	—	—	—	—	3	4	—	7	—	—
Felixstowe	—	—	—	—	1	—	—	—	—	482	—	—	—	—	—	—	1	—	—	—
Halesworth	—	—	—	2	2	—	5	—	1	3	—	—	—	—	3	8	—	3	1	1
Leiston-cum-Sizewell	—	1	—	10	35	—	4	—	11	13	1	—	—	—	16	12	—	11	5	5
Lowestoft M.B.	—	—	—	39	—	—	—	—	—	3	—	—	—	—	2	—	—	2	—	—
Saxmundham	—	—	—	2	1	—	—	—	—	1	—	—	—	—	8	—	—	3	—	—
Southwold M.B.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stowmarket	—	1	1	7	6	—	—	—	1	142	—	—	—	—	16	1	1	2	—	2
Woodbridge	—	—	—	2	17	—	—	—	5	49	—	—	—	—	4	—	—	—	—	—
Rural Districts	4	2	2	64	151	—	11	—	15	456	2	—	2	—	44	23	4	52	2	15
Blyth	—	—	—	9	38	—	4	—	3	29	1	—	—	—	13	1	—	10	—	2
Deben	—	—	—	9	32	—	5	—	9	233	—	—	—	—	10	14	2	10	—	4
Gipping	—	—	1	5	45	—	—	—	—	104	1	—	2	—	10	4	—	4	—	4
Hartismere	—	—	—	5	45	—	—	—	—	74	—	—	—	—	2	5	—	5	—	1
Lothlingland	—	—	—	22	26	—	2	—	2	8	—	—	—	—	16	1	2	8	—	2
Lothlingland	—	—	—	10	26	—	—	—	1	—	—	—	—	—	1	—	—	13	—	1
Samford	4	2	1	4	4	—	—	—	—	8	—	—	—	—	2	—	—	2	—	1
Wainford	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
SUFFOLK, WEST	—	—	3	45	178	—	8	—	87	1340	8	2	—	—	100	16	14	30	1	13
Municipal Boroughs and Urban Districts	—	—	—	20	64	—	1	—	72	594	4	2	—	—	27	11	11	7	1	6
Bury St. Edmunds M.B.	—	—	—	1	3	—	1	—	20	80	—	—	—	—	6	6	6	3	—	2
Hadleigh	—	—	—	1	42	—	—	—	4	66	—	—	—	—	1	—	—	—	—	1
Haverhill	—	—	—	15	7	—	—	—	—	135	—	—	—	—	18	3	—	—	—	—
Newmarket	—	—	—	2	12	—	—	—	47	306	4	2	—	—	2	2	5	2	1	3
Sudbury M.B.	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2	2	—	2	—	—
Rural Districts	—	—	3	25	114	—	7	—	15	746	4	—	—	—	73	5	3	23	—	7
Clare	—	—	—	—	5	—	4	—	—	79	—	—	—	—	6	1	3	—	—	—
Costford	—	—	3	1	18	—	—	—	—	117	—	—	—	—	7	1	4	4	—	1
Netford	—	—	—	17	30	—	2	—	13	467	4	—	—	—	32	1	2	2	—	3
Sudbury	—	—	—	4	44	—	1	—	1	40	—	—	—	—	20	2	6	6	—	—

SURREY	8	22	31	1019	2045	1	158	12	1915	4362	152	148	10	2	725	555	234	928	5	88
Croydon C.B.	8	168	405	29	7	334	852	15	11	4	—	58	47	40	190	1	22
Administrative County	23	851	1640	129	5	1581	3510	137	137	6	2	667	508	194	738	4	66
Municipal Boroughs and Urban Districts	22	787	1381	116	5	1481	3079	119	117	6	2	620	502	183	662	4	54
Banstead	2	27	85	5	—	17	292	6	9	—	—	12	3	2	15	—	3
Barnes M.B.	1	8	17	2	—	4	16	4	2	—	—	25	3	17	17	—	3
Beddington and Wallington M.B.	1	42	24	2	—	19	81	2	2	—	—	13	2	24	24	—	1
Carshalton	3	27	79	4	—	15	327	4	10	—	—	42	173	6	35	—	1
Caterham and Warlingham	1	44	32	7	—	4	134	1	1	—	—	8	—	19	19	—	1
Chertsey	3	3	—	—	—	9	7	4	2	—	—	66	—	—	22	—	1
Coulsdon and Purley	40	93	—	8	—	80	82	4	3	—	—	36	2	8	41	—	3
Dorking	3	35	—	—	—	19	17	3	—	—	—	1	6	4	8	—	3
Egham	1	18	11	5	—	141	14	—	1	—	—	36	56	5	39	—	2
Epsom and Ewell M.B.	2	39	82	1	—	16	94	2	1	—	—	—	—	—	—	—	2
Eshter	41	32	—	4	1	149	81	7	2	—	—	14	4	13	28	—	3
Farnham	20	11	—	4	—	29	—	1	—	—	—	4	—	—	11	—	—
Frimley and Camberley	6	39	—	4	—	45	12	1	3	—	—	4	—	—	10	—	—
Godalming M.B.	1	10	—	1	—	21	—	—	3	—	—	2	—	3	9	—	—
Guildford M.B.	12	40	—	7	—	182	624	12	34	—	—	2	3	8	19	—	—
Haslemere	2	—	—	—	—	6	14	—	—	—	—	5	5	45	3	—	1
Kingston-upon-Thames M.B.	17	58	—	—	—	21	35	1	2	—	—	32	88	3	25	—	4
Leatherhead	18	70	—	8	—	11	22	—	—	—	—	11	—	1	1	—	1
Malden and Coombe M.B.	1	27	90	3	—	49	93	1	1	—	—	22	2	3	19	—	4
Merton and Morden	45	123	—	10	—	77	156	5	—	—	—	66	22	8	51	—	4
Mitcham M.B.	1	56	103	7	—	60	50	5	8	—	—	19	—	—	30	—	1
Reigate M.B.	1	14	59	10	—	113	213	17	9	—	—	39	13	16	25	—	2
Richmond M.B.	1	25	26	8	3	4	85	2	—	—	—	13	—	5	20	—	2
Surbiton M.B.	2	48	78	4	—	289	228	9	1	—	1	18	2	13	43	—	3
Sutton and Cheam M.B.	65	66	—	5	—	47	275	—	3	—	—	21	11	15	34	—	1
Walton and Weybridge	1	6	13	3	—	1	6	2	—	—	—	21	5	—	23	—	1
Wimbledon M.B.	1	110	82	6	—	14	64	4	3	—	—	34	12	11	44	—	6
Woking	2	26	30	2	—	84	17	22	18	—	—	65	87	2	26	—	5
Rural Districts	1	64	259	13	—	100	431	18	20	—	—	47	6	11	76	—	12
Bagshot	3	3	45	4	—	2	12	2	2	—	—	2	3	1	4	—	1
Dorking and Horley	1	20	96	4	—	33	99	2	2	—	—	17	1	20	20	—	3
Godstone	3	10	32	3	—	44	81	4	3	—	—	11	1	3	22	—	1
Guildford	1	18	43	5	—	13	114	6	14	—	—	11	1	5	19	—	5
Hambleton	1	13	43	1	—	8	125	5	1	—	—	6	—	2	11	—	2
SUSSEX, EAST	5	291	818	84	14	759	3382	35	16	—	1	325	194	111	333	4	35
County Boroughs	3	133	425	39	7	619	1366	13	9	—	—	138	119	91	176	3	9
Brighton	96	221	—	15	7	449	791	9	9	—	—	95	48	66	108	—	7
Eastbourne	2	24	26	4	—	23	508	2	—	—	—	8	38	14	14	—	9
Hastings	1	13	178	20	—	147	67	2	—	—	—	35	33	25	54	—	2
Administrative County	2	158	393	45	7	140	2016	22	7	—	1	187	75	20	157	1	26
Municipal Boroughs and Urban Districts	1	100	142	28	7	90	1127	18	3	—	1	91	57	10	103	1	9
Bexhill M.B.	21	85	—	2	—	2	45	—	—	—	—	2	4	—	12	—	1
Bexhill Hill	—	—	—	2	—	—	25	—	—	—	—	—	—	—	3	—	—
Cockfield	1	4	24	2	—	1	26	—	—	—	—	4	49	1	12	—	—
East Grinstead	5	—	—	1	—	—	—	2	1	—	—	4	—	—	1	—	—
Hove M.B.	45	27	—	8	—	12	536	3	—	—	—	4	—	—	3	—	—
Lewes M.B.	—	6	—	2	—	2	91	1	—	—	—	39	3	7	46	—	4
Newhaven	1	2	—	2	—	9	180	—	—	—	—	9	—	1	11	—	1

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis			Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious			Respiratory	Meninges and C.N.S.	Other
SUSSEX, EAST—contd.																			
Municipal Boroughs and Urban Districts—contd.																			
Portsmouth	—	—	—	—	3	—	3	—	1	20	8	1	—	—	—	1	4	—	—
Rye M.B.	—	—	—	—	2	—	5	—	62	16	—	—	—	—	—	—	1	—	—
Seaford	—	—	—	—	1	—	5	—	—	183	—	—	—	—	—	—	3	—	—
Rural Districts																			
Battle	1	—	1	58	231	—	17	—	50	889	4	4	—	—	18	10	54	—	—
Chichester	—	—	—	7	89	—	7	—	14	105	1	—	—	—	2	3	—	—	—
Chichester M.B.	—	—	—	3	2	—	—	—	226	226	—	—	—	—	20	11	—	—	—
Cuckfield	—	—	—	16	31	—	2	—	2	102	—	2	—	—	5	2	17	—	—
Hailsham	—	—	1	20	54	—	3	—	32	400	1	2	—	—	1	1	5	—	—
Uckfield	1	—	—	12	55	—	5	—	—	56	2	—	—	—	11	4	10	—	—
SUSSEX, WEST ..	1	1	2	103	461	—	23	2	98	2652	24	13	1	—	114	45	116	1	13
Municipal Boroughs and Urban Districts																			
Arundel M.B.	1	1	1	46	220	—	16	2	66	1522	14	9	1	—	88	34	74	1	9
Bognor Regis	—	—	—	2	16	—	—	—	10	400	1	1	1	—	1	—	—	—	—
Chichester M.B.	—	1	1	1	21	—	4	—	1	436	2	1	—	—	20	12	13	—	—
Crawley	—	—	—	1	53	—	1	—	1	380	5	4	—	—	1	3	13	—	1
Horsham	—	—	—	2	54	—	—	—	34	14	1	1	—	—	4	18	3	—	2
Littlehampton	—	—	—	4	14	—	3	—	—	13	1	—	—	—	1	—	2	—	1
Shoreham-by-Sea	—	—	—	6	25	—	—	2	5	223	—	—	—	—	45	4	9	—	3
Southwick	1	—	—	7	6	—	1	—	13	17	1	1	—	—	31	1	4	—	1
Worthing M.B.	—	—	—	23	30	—	5	—	—	12	4	1	—	—	2	2	17	—	1
Rural Districts																			
Chichester	—	—	1	57	241	—	7	—	32	1130	10	4	—	—	26	11	42	—	4
Chichester M.B.	—	—	—	18	39	—	1	—	8	633	2	—	—	—	15	1	3	—	—
Horsham	—	—	—	10	45	—	4	—	19	20	1	2	—	—	1	6	16	—	2
Midhurst	—	—	—	14	51	—	1	—	—	366	1	—	—	—	7	1	9	—	2
Peworth	—	—	—	2	32	—	—	—	—	61	—	—	—	—	5	—	2	—	—
Worthing	—	—	1	4	50	—	1	—	3	20	5	—	—	—	12	1	4	—	1
Worthing M.B.	—	—	—	9	24	—	—	—	—	61	—	—	—	—	20	2	8	—	—
WARWICKSHIRE																			
County Boroughs	1	14	107	1216	6790	1	241	584	3299	1059	23	18	14	3	517	682	1770	22	186
Birmingham	1	12	96	794	5611	1	193	552	2592	726	14	12	12	3	372	555	1349	16	137
Coventry	1	4	92	613	4543	1	147	546	1258	593	8	11	12	3	359	354	1029	11	96
Administrative County	—	8	4	181	1068	—	46	6	1334	133	6	1	—	—	13	201	320	5	41
Municipal Boroughs and Urban Districts																			
Birmingham	—	2	11	422	1179	—	48	32	707	333	9	6	2	—	145	127	421	6	49
Coventry	—	1	8	244	728	—	32	9	489	244	4	5	1	—	38	84	298	2	35

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
<i>I</i>	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
WILTSHIRE—contd.																				
Municipal Boroughs and Urban Districts—contd.																				
Warminster	—	—	—	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Westbury	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wilton M.B.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rural Districts																				
Amesbury	—	—	—	123	323	—	16	2	399	251	7	6	—	—	56	47	108	95	3	15
Bradford and Melksham	—	—	—	28	12	—	—	—	5	4	—	—	—	—	6	—	5	7	—	—
Caine and Chippenham	—	—	—	28	24	—	—	—	—	21	1	—	—	—	3	—	79	7	—	2
Caine and Chippenham	—	—	—	31	131	—	3	—	71	60	1	—	—	—	3	—	7	7	—	2
Cricklade and Wootton Bassett	—	—	—	11	31	—	1	—	21	73	1	—	—	—	10	—	7	1	—	3
Devizes	—	—	—	7	19	—	—	—	—	9	—	—	—	—	—	—	—	—	—	—
Highworth	—	—	—	15	13	—	1	—	213	16	2	4	—	—	10	—	2	49	1	1
Marnesbury	—	—	—	2	9	—	—	—	—	7	—	—	—	—	1	—	—	7	—	—
Marlborough and Ramsbury	—	—	—	1	5	—	1	—	27	—	—	—	—	—	14	—	9	1	—	3
Mere and Tisbury	—	—	—	2	6	—	4	—	—	—	—	—	—	—	4	—	—	—	—	—
Pewsey	—	—	—	2	17	—	1	—	48	1	—	—	—	—	—	—	—	—	—	—
Salisbury and Wilton	—	—	—	5	24	—	4	—	8	17	3	—	—	—	2	—	6	4	1	3
Salisbury and Westbury	—	—	—	7	32	—	1	—	—	38	—	—	—	—	3	—	—	5	—	—
Warminster and Westbury	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
WORCESTERSHIRE																				
County Boroughs	—	—	—	251	1298	—	48	9	417	589	11	13	—	—	370	113	88	342	5	43
Dudley	—	—	—	3	219	—	9	4	144	238	6	3	—	—	83	47	24	120	1	14
Worcester	—	—	—	20	75	—	1	—	23	10	5	—	—	—	3	1	15	58	1	5
Administrative County	—	—	—	199	1079	—	39	5	273	351	5	10	—	—	287	66	64	222	4	29
Municipal Boroughs and Urban Districts																				
Beverley M.B.	—	—	—	161	869	—	31	5	236	172	5	8	—	—	214	60	54	174	3	21
Bromsgrove	—	—	—	8	18	—	—	—	—	—	—	—	—	—	7	—	—	2	—	—
Droitwich M.B.	—	—	—	26	71	—	1	—	24	4	—	—	—	—	9	14	3	9	—	—
Evesham M.B.	—	—	—	11	6	—	—	—	1	—	—	—	—	—	8	—	—	7	—	—
Halesowen M.B.	—	—	—	32	163	—	5	—	29	15	3	—	—	—	38	—	8	21	—	—
Kidderminster M.B.	—	—	—	19	47	—	2	—	9	7	1	—	—	—	19	7	3	32	—	—
Malvern	—	—	—	1	16	—	6	—	85	7	—	—	—	—	18	—	—	8	—	—
Oldbury M.B.	—	—	—	18	169	—	5	—	84	33	—	—	—	—	33	4	19	37	1	4
Redditch	—	—	—	7	36	—	3	—	44	22	—	—	—	—	14	—	1	20	—	2
Stourbridge M.B.	—	—	—	32	96	—	6	—	37	16	1	—	—	—	62	20	4	23	—	1
Stourport-on-Severn	—	—	—	3	173	—	—	—	—	2	—	—	—	—	2	14	1	13	2	—
Rural Districts	—	—	—	38	210	—	8	—	37	179	—	2	—	—	73	6	10	48	1	8
Bromsgrove	—	—	—	7	52	—	2	—	18	82	—	—	—	—	10	—	1	13	—	—

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
<i>I</i>	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
YORKSHIRE (NORTH RIDING)—contd.																				
Rural Districts—contd.																				
Easingwold	1	15	7	..	1	50	11	9	..	4
Flaughton	1	11	31	1	1	9	10	..	3
Helmley	1	8	4	2	1	..	2
Kirkby Moorside	1	46	3	1	1	1	..
Leyburn	2
Mallon	7	25	3	..	3	1
Masham
Northallerton	3	8	1	1	7	1	1
Pickering	8	1
Reeth	8
Richmond	1	1	7	45	..	1	..	2	21	2	3	10	2	25	9	..	1
Scarborough	4	18	..	3	..	1	5	3	1	2
Startforth	4	8	62	2
Stokesley	1	15	128	..	4	237	2	1	19	11
Thirsk	13	5	4	4
Wath	2	82	35	1	1	..	1
Whitby	2	3	1
YORKSHIRE (WEST RIDING)	..	35	145	3538	9348	4	461	51	7263	6326	86	66	8	3	3344	695	1211	2308	50	301
County Boroughs ..	5	21	74	2042	5083	4	275	38	4579	3045	51	38	5	1	2246	600	639	1479	27	150
Barnsley	9	73	181	..	63	2	287	219	12	136	19	26	63	6	6
Bradford	8	11	354	1167	..	63	9	485	232	3	5	1	1	449	20	98	224	6	16
Dewsbury	1	7	32	131	182	26	..	2	9	25	22	1	6
Doncaster	9	87	96	..	6	2	73	549	..	2	48	58	6	52
Halifax ..	2	..	1	150	152	..	6	3	63	37	1	2	71	13	1	77	..	5
Huddersfield	3	5	108	339	..	18	2	427	217	3	2	90	2	74	61	2	11
Leeds	3	9	425	1383	..	72	11	1485	983	17	6	494	113	193	413	6	52
Rotherham	3	80	93	..	6	1	174	21	32	47	48	59	1	6
Sheffield	19	612	982	..	73	8	838	183	13	19	4	..	889	300	129	387	6	25
Wakefield	2	1	32	142	4	5	..	556	537	..	1	6	14	40	56	3	16
York	1	..	89	237	..	5	..	9	38	2	24	2	1	45
Administrative County	1	14	71	1496	4265	..	106	13	2684	3281	35	28	3	2	1098	95	572	829	23	151
Municipal Boroughs and Urban Districts	..	11	53	1038	3176	..	134	10	1485	1985	27	20	3	2	747	70	445	597	19	109
Adwick le Street	1	3	17	..	3	2	31	208	1	9	3	2	13	..	2
Areborough	15	67	11	8	5	..	2
Baldon	47

Bentley with Arksey									
Bingley
Brampton M.B.
Castledyke M.B.
Colne Valley
Conisbrough
Cudworth
Darfield
Darton
Deane
Denby Dale
Denholme
Dodworth
Earby
Elland
Featherstone
Garforth
Goole M.B.
Harrogate M.B.
Hebden Royd
Heddoncliffe
Hemsworth
Holmfirth
Horsbory
Horsforth
Hoyland Nether
Ilkley
Keighley M.B.
Kirkburton
Knarborough
Knottingley
Malby
Meltham
Mexborough
Mirfield
Moniey M.B.
Normanton
Ossett M.B.
Olley
Penistone
Pontefract M.B.
Pudsey M.B.
Queensbury and Shelf
Raistrick
Ripon M.B.
Ripponden
Rothwell
Roxton
Saddleshworth
Selby
Shipley
Silsden
Skipton
Sowerby Bridge
Spensborough M.B.

*See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†			
											Measles	Paralytic	Non-paralytic	Infective				Post-infectious	Respiratory	Meninges and C.N.S.	Other
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
YORKSHIRE (WEST RIDING)—contd.																					
Municipal Boroughs and Urban Districts—contd.																					
Stanley	—	—	—	10	64	—	1	—	28	81	1	—	—	—	—	—	1	3	—	—	
Stocksbridge	—	—	4	10	58	—	—	—	4	120	—	—	—	—	—	—	1	5	—	—	
Swinton	—	—	—	22	15	—	1	—	24	4	—	—	—	—	—	—	—	8	—	—	
Tekhill	—	—	—	3	4	—	—	—	42	4	—	—	—	—	11	—	4	—	—	—	
Todmorden M.B.	—	—	—	3	15	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Wath upon Dearne	—	—	—	13	23	—	—	—	2	4	—	—	—	—	4	2	—	3	—	—	
Wombwell	—	—	2	28	57	—	4	—	12	23	—	—	—	—	20	2	1	12	—	—	
(a)Worsbrough	—	—	3	9	71	—	7	—	2	11	1	—	—	—	28	—	1	7	—	—	
Rural Districts	1	3	18	458	1089	—	52	3	1199	1296	8	8	—	—	351	25	127	232	4	42	
Bowland	—	—	—	2	15	—	—	2	—	1	—	—	—	—	12	4	—	—	—	—	
Doncaster	—	—	1	56	82	—	5	—	80	462	—	—	—	—	34	—	—	34	—	—	
Goole	—	—	—	34	34	—	—	2	3	16	—	—	—	—	37	1	12	22	—	—	
Hensworth	—	—	4	87	139	—	9	—	217	49	—	1	—	—	—	—	1	—	—	—	
Hepton	—	—	—	4	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Kiveton Park	—	—	2	34	17	—	3	—	4	7	—	—	—	—	11	1	4	8	—	—	
Nidderdale	—	—	—	7	12	—	2	—	1	34	—	—	—	—	7	1	—	2	—	—	
Osgodcross	—	—	—	13	65	—	—	—	—	8	—	—	—	—	—	—	—	7	—	—	
Penistone	—	—	—	12	34	—	—	—	—	135	—	—	—	—	20	—	11	1	—	—	
Ripon and Pateley Bridge	—	—	—	30	11	—	1	—	—	2	3	—	—	—	—	—	—	7	—	—	
Rotherham	—	—	3	64	78	—	6	—	148	35	1	2	—	—	24	6	46	21	1	4	
Sedburgh	—	—	—	1	34	—	—	1	—	1	—	—	—	—	1	—	—	2	—	—	
Selby	—	—	—	6	26	—	—	—	2	87	—	—	—	—	13	—	—	5	—	—	
Settle	—	—	2	14	106	—	5	—	—	8	—	—	—	—	42	—	9	12	—	—	
Skipton	—	—	—	30	64	—	—	4	44	11	—	—	—	—	21	—	1	10	—	—	
Tadcaster	1	—	—	27	92	—	5	2	565	272	—	—	—	—	61	—	4	34	—	—	
Thorne	—	—	—	9	64	—	—	—	31	102	—	—	—	—	15	—	1	7	—	—	
Wakefield	—	—	—	6	38	—	—	—	64	—	—	—	—	—	6	—	1	8	—	—	
Wetherby	—	—	—	32	32	—	2	—	1	9	—	—	—	—	21	—	16	7	—	—	
Wharfedale	—	—	—	50	141	—	4	—	26	55	—	—	—	—	52	—	18	48	—	—	
Wortley	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
WALES (Including Monmouthshire)																					
ANGLESEY	1	—	—	20	32	—	1	—	10	203	1	1	—	—	6	—	1	53	1	8	
Municipal Boroughs and Urban Districts	—	—	—	12	20	—	—	—	3	26	—	—	—	—	1	—	1	28	1	3	
Amlwch	—	—	—	5	2	—	—	—	—	3	—	—	—	—	—	—	—	1	—	—	

I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Holyhead	5	16	2	2	1	..	1	22	1	3
Llangefni	1	2	18	2
Menai Bridge	1	1	3	2
Rural Districts	8	12	..	1	..	7	177	1	1	5	25	..	5
Aethwy	2	6	..	1	..	2	108	3	6	..	1
Twrcelyn	5	6	5	55	1	1	13
Valley	1	5	6	14	1	1	13
BRECKNOCKSHIRE	4	3	83	..	5	..	18	38	2	..	1	..	14	1	..	34	..	8
Municipal Boroughs and Urban Districts
Brecknock M.B.	1	2	9	13	..	2	13	1	..	1	..	6	14	..	2
Brynafon	1	..	1	3	3	3	3
Blaith Wells	8	9	..	2	8	1	..	1	..	5	5	..	1
Blaith Wells	1	1	1	..	1
Hay	1	..	1	3	5
Llanwrtyd Wells	3
Rural Districts	3	1	21	70	..	3	..	18	25	1	8	1	..	20	..	6
Brecknock	3	30	11	2	1	..	1
Builth	4	24	..	3	17	6	5
Crickhowell	11
Hay	1	1	1	1	..	2	..	2
Vaynor and Penderyn	1	16	5	6	7	1	3
Ystradgynlais	8
CAERNARVONSHIRE	1	..	2	33	140	..	11	..	33	1483	4	9	2	..	43	2	80	121	..	20
Municipal Boroughs and Urban Districts
Bangor M.B.	1	..	2	22	112	..	4	..	24	963	3	8	1	..	19	2	80	64	..	7
Bethesda	4	1	1	35	..	5	14	..	1
Betws-y-Coed	2	3	..	1	100	1	5
Caernarvon M.B.	1	1	19	10	205	2	3	2	..	4
Conway M.B.	1	5	10	..	1	..	7	28	1	57	15
Criccieth	8	4	2	..	18	1	..	1
Llandudno	5	20	..	2	..	6	268	1	5	1	2	13
Llanfairfechan	1	1	92	12	2
Pennaenmawr	1	1	3	213	6	..	1
Portmadoc	48	8
Pwllheli M.B.
Rural Districts	11	28	..	7	..	9	520	1	1	1	..	24	57	13	..
Gwyrfa	10	5	..	4	..	3	281	..	1	15	33	3	8
Llyn	4	23	..	1	..	4	96	1	3	12	..	1
Nant Conway	2	92	1	7
Ogwen	1	2	51	6	5	..	1
CARDIGANSHIRE	9	432	1	1	6	1	6	43	..	5
Municipal Boroughs and Urban Districts	1	..	171	67	..	1
Aberayron	1	..	84	45	..	1	..	7	247	1	1	5	17	2	2
Aberystwyth M.B.	5	1	22	1	1	1
Cardigan M.B.	78	42	..	1	..	6	215	10
Lampeter M.B.	7	1	1	..	1
New Quay	1	3	3	2	3	..

†See note at end of Table. (a)Change in name from Worsborough to Worsbrough 1st February, 1956.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis			Acute Encephalitis	Puerperal pyrexia	Food poisoning	Tuberculosis†			
											Paralytic	Non-paralytic	Infective				Post-infectious	Respiratory	Meninges and C.N.S.	Other
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
CARDIGANSHIRE—contd.																				
Rural Districts	22	2	185	1	1	5	1	1	26	..	3
Aberayron	87	7	2	74	3	..	1	2	..	1
Aberystwyth	2	13	2	63	1	1	2	..	1	9	..	2
Telhlade	78	7	48	7
Tregaron	8
CARMARTHENSHIRE																				
Municipal Boroughs and Urban Districts	4	2	227	..	12	4	92	577	1	1	..	1	100	20	7	203	3	22
Ammanford	1	46	98	7	7	..	3	193	61	16	5	99	2	10
Burry Port	1	11	7	2	45	1	..	17	1
Carmarthen M.B.	1	12	37	1	102	8	1	2	14	..	1
Cyrranman	2	1	10	1	16	..	1
Kidwelly M.B.	1	1	2	2	..	2	2	2	1	..	1	1	5	1	1
Llandilo	2
Llandovery M.B.	25	51	..	3	28	50	3	1	44	..	4
Llanelli M.B.	6	8	1	..	1
Newcastle Emlyn	1	2
Rural Districts	4	81	129	5	5	4	89	384	1	1	39	4	2	104	1	12
Carmarthen	1	22	9	1	1	..	30	89	1	1	9	1	1	19	1	4
Llandilo	4	2	47	46	2	1	1	39	..	3
Llanelli	4	52	118	3	3	..	7	188	28	3	1	43	..	5
Newcastle Emlyn	3	5	61	3
DENBIGHSHIRE																				
Municipal Boroughs and Urban Districts	3	156	160	..	13	1	207	473	2	2	67	6	6	138	1	20
Abergele	97	74	..	7	..	185	356	..	1	42	3	5	54	1	9
Colwyn Bay M.B.	8	10	..	3	42	3	3	3	5	..	1
Denbigh M.B.	1	16	1	1	234	8	2	1	14	..	2
Flangollen	1	22	..	2	..	88	8	9	1	1	10
Llanrwst	2	3	..	1	..	21	8	1	1
Ruthin M.B.	3	2	4	..	1
Wrexham M.B.	70	35	..	2	..	75	62	..	1	20	1	..	20	..	3
Rural Districts	3	59	86	6	6	..	22	117	2	1	25	3	1	84	..	11
Aled	7	..	1	..	2	9	6	5	..	2
Ceiriog	1	28	1	6	..	1
Hirwaio	1	27	39	1	8	..	2
Ruthin

†See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis				Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious	Respiratory	Meninges and C.N.S.				Other		
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21		
MERIONETHSHIRE—contd.																						
Rural Districts			2	3	19					48								12				
Deudraeth			1	1	16					30								8				
Dolgelley			1	1	2					7								4				
Edeyrnion				1	1					4												
Penllyn																						
MONMOUTHSHIRE																						
.. .. .	3	1	5	636	859		32	5	148	2514	10		2	2	152	9	28	303	5	25		
Newport C.B.			2	311	420		10	3	112	959	3			1	43	1	18	76	1	7		
Administrative County	3	1	3	325	439		22	2	36	1555	7		2	1	109	8	10	227	4	18		
Municipal Boroughs and Urban Districts																						
Abercarn	3	1	3	239	338		20	2	30	1352	5		2	1	82	8	10	200	4	15		
Abergavenny M.B.			1	16	22		1		2	40					4			10		1		
Aberdillery			1	64	62					68					20			21		1		
Bedwas and Machen			1	1	9		2			104					11			21		1		
Bedwelly					20		3			115	1				1		1	27	1	3		
Blaenavon				5	9					3								3				
Cacileon				9	4					1					1	6		2				
Chepstow				15	69				22	226			1	1	4	2		10	1			
Cwmbran				51	41				1	105					29			25	1			
Ebbw Vale	3						13															
Monmouth M.B.				3	10					1								7				
Mynyddislwyn				2	9					5	2						1	16				
Nantyglo and Blaina				3	2					30								8				
Pontypool		1	1	29	51		1		2	337				1	1		1	15	1			
Rhymney					21				1	94				1			1	13		2		
Risca				20	13			2	1	11					19			13				
Tredegar				5	2					182					1	1	4	14				
Usk					1									1				2				
Rural Districts				86	101		2		6	203	2				27			27		3		
Abergavenny				7	10				2	2								5				
Chepstow				5	18				4	3								4		1		
Maesteg and St. Mellons				66	66					64	2				24			11				

MONTGOMERYSHIRE												
Municipal Boroughs and Urban Districts												
Llanfyllin M.B.
Llanidloes M.B.
Machynlleth
Montgomery M.B.
Newtown and Llanilwchaearn
Welshpool M.B.
Rural Districts												
Forden
Llanfyllin
Machynlleth
Newtown and Llanidloes
PEMBROKESHIRE												
Municipal Boroughs and Urban Districts												
Fishguard and Goodwick
Haverfordwest M.B.
Milford Haven
Narberth
Neyland
Pembroke M.B.
Tenby M.B.
Rural Districts												
Cemaes
Haverfordwest
Narberth
Pembroke
RADNORSHIRE												
Urban Districts												
Knighon
Llandrindod Wells
Presteigne
Rural Districts												
Colwyn
Kriton
New Radnor
Paincastle
Rhayader

⁴Notifications of Tuberculosis have for some years been recorded on annual returns submitted by local authorities to the Ministry of Health and figures have been published in the annual reports of the Chief Medical Officer of the Ministry of Health. In 1954 for the first time, weekly and quarterly returns of notifications of infectious disease sent by medical officers of health to the General Register Office were extended to include tuberculosis notifications. Figures derived from the quarterly returns are included in Tables 29, 32 and 33 of this volume. They are intended to relate to formal notifications of new cases of tuberculosis, corrected for any revision of diagnosis, but it is known that in some areas certain other cases have also been included, e.g. notifications of cases which have already been notified in the same or another area. Steps are being taken to rectify this.

The total of 35,756 cases recorded on these returns compares with a total of 35,504 formal primary notifications recorded on the annual returns to the Ministry of Health for 1956.

TABLE 34—Quarterly Air Temperature,
Rainfall and Sunshine, 1956

} England and Wales

Note—The averages used for rainfall and raindays are for the period 1881-1915, while those for temperature and sunshine are for 1921-1950.

District	Air Temperature			Rainfall		Sun- shine	Air Temperature			Rainfall		Sun- shine
	Highest	Lowest	Difference from Average daily mean	Percentage of Average	Number of days Difference from Average	Percentage of Average	Highest	Lowest	Difference from Average daily mean	Percentage of Average	Number of days Difference from Average	Percentage of Average
Quarter ended 31st March						Quarter ended 30th June						
England N.E.	°F. 64	°F. 1	°F. -3.0	% 128	+5	% 108	°F. 76	°F. 18	°F. -1.0	% 88	-4	% 106
England E.	66	2	-3.2	112	+2	108	77	22	-1.5	82	-7	100
Midland Counties	65	3	-2.7	79	-3	115	78	20	-1.2	84	-8	102
England S.E.	66	2	-2.9	90	-8	116	82	23	-1.2	68	-6	99
England N.W. and North Wales	63	3	-2.0	67	-9	119	80	20	-1.1	81	-3	109
England S.W. and South Wales	63	3	-2.8	69	-11	119	78	24	-0.7	62	-7	110
Mean	—	—	-2.8	91	-4	114	—	—	-1.1	77	-6	104
Quarter ended 30th Sept.						Quarter ended 31st Dec.						
England N.E.	79	31	-1.7	149	+8	86	68	19	+0.5	56	-10	95
England E.	85	32	-1.2	128	+6	84	68	18	+0.1	70	-6	80
Midland Counties	82	34	-1.4	157	+6	79	66	12	+0.1	67	-9	83
England S.E.	86	39	-0.8	150	+12	85	67	17	+0.2	68	-9	89
England N.W. and North Wales	78	30	-1.0	180	+8	86	66	14	+0.4	71	-6	94
England S.W. and South Wales	82	31	-1.1	148	+9	81	71	18	+0.2	64	-5	81
Mean	—	—	-1.2	152	+8	83	—	—	+0.3	66	-7	87
Year 1956												
England N.E.	79	1	-1.3	105	-1	99						
England E.	85	2	-1.5	97	-6	94						
Midland Counties	82	3	-1.3	98	-12	95						
England S.E.	86	2	-1.2	95	-13	96						
England N.W. and North Wales	80	3	-0.9	104	-10	103						
England S.W. and South Wales	82	3	-1.1	85	-15	100						
Mean	—	—	-1.2	97	-9	98						

TABLE 35—Rainfall, Mean Temperature and Sunshine, 1907-1956 } England and Wales

Year	Fall of rain in inches	Departure from Average of 35 years (1881-1915)	Mean Temperature of the Air at Sea-Level	Departure from Average of 30 years (1906-1935)	Mean Daily Sunshine	Departure from Average of 30 years (1906-1935)
	ins.	ins.	°F.	°F.	hrs.	hrs.
1907	34.9	-0.3	49.0	-0.7		
1908	32.0	-3.2	49.7	0.0		
1909	37.0	+1.8	48.4	-1.3	4.04	+0.09
1910	39.8	+4.6	49.6	-0.1	3.87	-0.08
1911	33.1	-2.1	50.8	+1.1	4.59	+0.64
1912	44.0	+8.8	49.6	-0.1	3.35	-0.60
1913	34.5	-0.7	50.5	+0.8	3.61	-0.34
1914	38.1	+2.9	50.7	+1.0	4.27	+0.32
1915	38.8	+3.6	49.0	-0.7	4.10	+0.15
1916	40.1	+4.9	49.4	-0.3	3.61	-0.34
1917	34.5	-0.7	48.3	-1.4	4.03	+0.08
1918	37.7	+2.5	50.0	+0.3	4.08	+0.13
1919	37.0	+1.8	48.2	-1.5	4.01	+0.06
1920	38.4	+3.2	50.2	+0.5	3.66	-0.29
1921	24.7	-10.5	51.8	+2.1	4.60	+0.65
1922	37.1	+1.9	47.8	-1.9	4.02	+0.07
1923	39.8	+4.6	49.2	-0.5	3.87	-0.08
1924	42.3	+7.1	49.5	-0.2	3.75	-0.20
1925	37.3	+2.1	49.4	-0.3	4.09	+0.14
1926	35.9	+0.7	50.3	+0.6	3.77	-0.18
1927	43.3	+8.1	49.4	-0.3	3.61	-0.34
1928	40.4	+5.2	50.1	+0.4	4.12	+0.17
1929	35.2	0.0	49.1	-0.6	4.52	+0.57
1930	41.4	+6.2	50.0	+0.3	3.84	-0.11
1931	38.4	+3.2	49.2	-0.5	3.60	-0.35
1932	36.3	+1.1	49.9	+0.2	3.53	-0.42
1933	28.6	-6.6	50.6	+0.9	4.42	+0.47
1934	33.5	-1.7	50.9	+1.2	4.08	+0.13
1935	39.8	+4.6	50.5	+0.8	4.13	+0.18
1936	38.4	+3.2	49.8	+0.1	3.56	-0.39
1937	38.8	+3.6	50.1	+0.4	3.46	-0.49
1938	34.9	-0.3	51.0	+1.3	3.84	-0.11
1939	39.9	+4.7	50.3	+0.6	3.97	+0.02
1940	35.6	+0.4	49.3	-0.4	4.18	+0.23
1941	33.8	-1.4	49.2	-0.5	3.67	-0.28
1942	33.1	-2.1	49.2	-0.5	3.90	-0.05
1943	32.8	-2.4	51.0	+1.3	4.25	+0.30
1944	35.3	+0.1	50.1	+0.4	3.73	-0.22
1945	32.8	-2.4	51.4	+1.7	3.81	-0.14
1946	41.6	+6.4	50.0	+0.3	3.83	-0.12
1947	32.4	-2.8	50.1	+0.4	3.97	+0.02
1948	37.5	+2.3	50.9	+1.2	4.12	+0.17
1949	30.9	-4.3	51.9	+2.2	4.63	+0.68
1950	40.2	+5.0	50.1	+0.4	3.94	-0.01
1951	43.7	+8.5	49.7	0.0	3.98	+0.03
1952	35.5	+0.3	49.5	-0.2	4.10	+0.15
1953	29.8	-5.4	50.7	+0.6	4.04	+0.08
1954	42.7	+7.5	49.6	-0.5	3.52	-0.44
1955	30.9	-4.3	49.7	-0.4	4.47	+0.51
1956	34.0	-1.2	48.9	-1.2	3.88	-0.08

Note: Since January 1953 the averages used for temperature and sunshine are for the period 1921-50.

TABLE 36 —Meteorological Observations, 1956 Kew Observatory, Richmond

Month	Temperature of the Air				Rain collected in a gauge whose receiving surface is 10 inches above the ground		Sunshine registered in hours		Atmospheric Pollution	
	Highest for Month	Lowest for Month	Mean daily Value	Departure from average of 80 years	Total	Departure from average of 80 years	Total	Departure from average of 70 years	Maximum for Month	Me
	°F	°F	°F	°F	ins.	ins.	hrs.	hrs.	mg/m ³	mg
January	53·8	22·8	40·4	+0·7	3·69	+1·73	50·0	+ 8·2	2·300	0·1
February	53·6	17·1	32·2	—8·1	0·20	—1·35	63·9	+ 5·5	0·450	0·1
March	61·7	27·9	44·3	+1·5	0·77	—0·77	143·2	+36·5	0·650	0·1
April	64·6	31·1	45·4	—2·1	0·95	—0·76	145·8	— 3·4	0·450	0·1
May	76·3	37·2	55·9	+2·3	0·22	—1·53	257·3	+59·8	0·300	0·0
June	74·8	44·6	57·5	—1·9	1·85	—0·13	146·5	—54·0	0·300	0·0
July	81·7	48·6	62·1	—0·6	5·93	+3·55	172·6	—22·9	0·150	0·0
August	71·4	44·6	58·3	—3·5	3·68	+1·44	164·5	—20·5	0·300	0·0
September	75·2	48·7	59·5	+2·1	2·01	+0·02	111·2	—29·7	0·450	0·0
October	62·6	33·8	50·4	+0·1	2·12	—0·39	111·9	+18·7	0·950	0·1
November	56·3	24·8	44·1	—0·1	0·39	—1·95	57·6	+ 6·4	1·100	0·1
December	55·6	29·3	44·4	+3·7	2·56	+0·40	9·1	—28·2	0·950	0·1
Means	—	—	49·5	—0·5	Sum 24·37	+0·26	Sum 1433·6	—23·6	—	0·1

Additional meteorological information may be obtained from the Monthly Weather Report and Annual Report of the Meteorological Office, and the annual volume of the British Rainfall Organisation, published by Her Majesty's Stationery Office.

APPENDIX A—Death Rates per million in England and Wales based upon the sex and age distribution of the population of Great Britain in the year of experience, with rates for Scotland for Comparison, 1952–1956

Personal no.	Causes of Death		1952		1953		1954		1955		1956	
			England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland
	ALL CAUSES	M	13,748	15,225	13,858	14,800	13,937	15,621	14,355	15,651	14,404	15,835
		F	9,342	11,085	9,430	10,470	9,248	11,037	9,531	11,206	9,494	11,118
		P	11,235	12,868	11,326	12,234	11,234	12,991	11,569	13,117	11,562	13,143
-008	Tuberculosis of respiratory system	M	317	375	270	326	245	276	207	253	177	219
		F	126	212	106	163	91	149	70	116	55	90
		P	211	282	178	235	159	205	130	175	108	147
-019	Tuberculosis, other forms	M	33	37	25	37	21	29	17	28	13	22
		F	24	41	21	35	16	16	12	20	11	13
		P	28	39	22	35	19	19	15	24	12	17
-029	Syphilis and its sequelæ	M	57	35	52	35	50	35	50	34	48	35
		F	21	13	17	7	18	13	17	9	17	6
		P	37	22	32	20	32	21	31	20	30	19
57	Meningococcal infections	M	7	7	8	7	6	10	5	5	5	6
		F	6	8	6	6	6	4	5	3	4	4
		P	7	8	7	6	6	7	5	4	4	5
-205	Malignant neoplasms, including neoplasms of lymphatic and hæmatopoietic tissues	M	2,394	2,496	2,417	2,592	2,496	2,700	2,539	2,699	2,574	2,770
		F	1,680	1,853	1,662	1,805	1,678	1,887	1,685	1,921	1,696	1,932
		P	1,979	2,126	1,977	2,139	2,017	2,224	2,037	2,247	2,057	2,281
60	Diabetes mellitus	M	59	67	57	64	57	64	59	72	60	65
		F	87	126	82	115	76	116	84	118	80	127
		P	75	103	72	95	68	94	73	100	72	102
-334	Vascular lesions affecting the central nervous system	M	1,607	1,964	1,588	1,939	1,693	2,066	1,735	2,131	1,732	2,153
		F	1,536	1,921	1,488	1,875	1,556	2,067	1,595	2,063	1,592	2,063
		P	1,564	1,936	1,528	1,896	1,612	2,066	1,650	2,088	1,649	2,101
-402	Rheumatic fever	M	7	10	7	9	7	8	5	12	5	10
		F	8	10	7	8	6	10	5	10	5	6
		P	7	10	7	8	7	9	5	11	5	8
-434	Heart diseases	M	4,184	5,047	4,111	4,829	4,277	5,196	4,388	5,198	4,463	5,336
		F	2,756	3,409	2,729	3,211	2,705	3,387	2,775	3,546	2,763	3,536
		P	3,366	4,104	3,319	3,906	3,370	4,160	3,456	4,254	3,480	4,309
-447	Hypertensive disease	M	492	385	504	391	520	419	527	466	513	460
		F	381	352	386	355	402	399	421	413	407	408
		P	428	367	436	369	451	407	466	437	452	430
-483	Influenza	M	47	69	157	66	47	38	79	50	69	55
		F	34	63	135	48	36	37	57	43	50	57
		P	40	65	145	56	41	38	66	47	58	56
-493, 63	Pneumonia (all forms)	M	543	488	596	433	519	468	597	461	631	504
		F	365	337	407	311	352	316	406	357	431	360
		P	442	402	488	363	423	377	486	401	515	421
-594	Nephritis and nephrosis	M	155	126	145	129	141	132	131	126	137	125
		F	116	110	105	115	101	109	93	100	86	97
		P	133	117	122	119	118	120	109	108	108	110

APPENDIX B.

Changes in Boundaries, Names, etc., of Counties, Boroughs, Urban and Rural Districts during the year 1956.

(i) Authorities for changes. (The date of operation in each case was 1st April, 1956.)

Reference	Ministry of Housing and Local Government Order No.	Description of Authority
(a)	H.L.G. 5504	The County of Essex (Braintree and Lexden and Winstree Rural Districts) Confirmation Order, 1955.
(b)	H.L.G. 5806	The County of Kent (Sittingbourne and Milton Urban District) Confirmation Order, 1956.
(c)	H.L.G. 5849	The Preston (Extension) Order, 1956 (<i>S.I.</i> 1956 No. 370).
(d)	—	The Crosby Corporation Act, 1956.
(e)	H.L.G. 5830	The County of Leicester (Ashby Woulds and Ashby de la Zouch Urban Districts) Confirmation Order, 1956.
(f)	H.L.G. 5904	The County of Stafford (Stone Urban District) Confirmation Order, 1956.
(g)	H.L.G. 5861	The County of West Sussex (Crawley Urban District) Confirmation Order, 1956.
(h)	H.L.G. 6000	The Warwickshire and Coventry (Boundaries) Order, 1956 (<i>S.I.</i> 1956 No. 446).
(i)	H.L.G. 5852	The Devizes (Extension) Order, 1956 (<i>S.I.</i> 1956 No. 369).
(j)	H.L.G. 5856	The Malmesbury (Extension) Order, 1956 (<i>S.I.</i> 1956 No. 371)

NOTE:—In addition to the above changes there were a few minor rectifications in boundaries consequent on changes in watercourses (made by declarations under Section 145 of the Local Government Act, 1933).

(ii) Particulars of changes.

- (a) The names of areas appearing more than once in columns 2 and 3 are marked ‡.
- (b) Acreage (land and inland water) figures, which are given to the nearest acre, have been supplied by the Ordnance Survey Department.

Autonomy	Boroughs, U.Ds. or R.Ds. affected by change		Particulars of areas transferred		
	Area diminished	Area enlarged (or created†)	Name and description (in use prior to change)	Acreage (land and inland water)	Census Population 1951
	2	3	4	5	6
	ESSEX Lexden and Winstree R.D.	Braintree R.D.	Part of Messing-cum-Inworth C.P.	1	Nil
	KENT Swale R.D.	Sittingbourne and Milton U.D.	Part of Tunstall C.P.	2	25
	LANCASHIRE Preston R.D. West Lancashire R.D.	Preston C.B. Crosby M.B.	Part of Lea C.P. Part of the C.Ps. of Ince Blundell, Sefton and Thornton	392 98	672 64
	LEICESTERSHIRE Ashby de la Zouch U.D.	Ashby Woulds U.D.	Part of Ashby de la Zouch C.P.	30	2
	STAFFORDSHIRE Stone R.D.	Stone U.D.	Part of Stone Rural C.P.	326	100
	SUSSEX, WEST Horsham R.D.	Crawley U.D.†	Parts of the C.Ps. of Crawley and Lower Beeding	5,614	10,481
	WARWICKSHIRE Coventry C.B.‡ Coventry C.B.‡ *Coventry C.B.‡ Meriden R.D.‡ Rugby R.D.‡ *Warwick R.D.‡	Meriden R.D.‡ Rugby R.D.‡ Warwick R.D.‡ Coventry C.B.‡ Coventry C.B.‡ Coventry C.B.‡	Part of Coventry C.P. Part of Coventry C.P. Part of Coventry C.P. Part of Allesley C.P. Part of Binley C.P. Part of the C.Ps. of Baginton and Stoneleigh	under 1 acre under 1 acre 3 1 1 4	Nil Nil 4 Nil Nil 2
	WILTSHIRE Devizes R.D. Malmesbury R.D.	Devizes M.B. Malmesbury M.B.	Part of Roundway C.P. Parts of the C.Ps. of Brokenborough and St. Paul Malmesbury Without.	29 27	65 80

The populations of the transferred areas were wrongly enumerated at the 1951 Census as though the areas already formed parts of Coventry C.B. and Warwick R.D.; no adjustment should therefore be made to 1951 Census populations for these two areas as given in the County Report for Warwickshire.

NOTE: On 1st February, 1956, the name of Worsborough U.D. (Yorkshire, West Riding) was changed to Worsbrough U.D.

(iii) Population of areas as constituted after the boundary changes shown in (ii)

(Supplementary to Table 12: see Explanatory Note 9).

Area affected by boundary change	Reconstituted Area		Area affected by boundary change	Reconstituted Area	
	Census Popu- lation 1951	Estimated Home Popu- lation Mid-1956		Census Popu- lation 1951	Estimated Home Popu- lation Mid-1956
1	2	3	1	2	3
Regions and Conurbations:			LEICESTERSHIRE		
North Western:			Municipal Boroughs and		
Merseyside Conurbation	1,386,108	1,386,540	Ashby de la Zouch ..	6,403	6,700
Remainder of North Western	2,638,020	2,663,370	Ashby Woulds ..	3,420	3,370
Urban/Rural Aggregates:			STAFFORDSHIRE		
Conurbations	16,922,096	16,861,500	Municipal Boroughs and		
<i>Areas outside Conurbations</i>			Urban Districts ..	638,811	673,600
Urban areas with popu- lations of 100,000 and over	5,819,490	5,843,700	Stone	8,399	8,860
Urban areas with popu- lations under 50,000 ..	9,294,026	9,779,320	Rural Districts ..	214,409	228,600
Rural Districts	8,343,080	8,765,150	Stone	16,689	16,690
KENT			SUSSEX, WEST		
Municipal Boroughs and			Municipal Boroughs and		
Urban Districts ..	1,215,583	1,259,000	Urban Districts ..	181,775	209,900
*Sittingbourne and			†Crawley	10,481	32,300
Milton	21,931	22,060	Rural Districts ..	141,017	148,800
Rural Districts ..	320,924	342,000	Horsham	20,989	21,450
*Swale	19,685	20,290	WARWICKSHIRE		
LANCASHIRE			County Boroughs ..	1,370,927	1,383,400
County Boroughs ..	3,078,978	3,008,000	*Coventry	258,242	272,600
Preston	121,367	117,200	Administrative County	490,743	535,600
Administrative County	2,038,875	2,091,000	Rural Districts ..	172,983	192,100
Municipal Boroughs and			Warwick	19,867	22,360
Urban Districts ..	1,745,600	1,768,000	WILTSHIRE		
Crosby M.B.	58,478	58,820	Municipal Boroughs and		
Rural Districts ..	293,275	323,000	Urban Districts ..	179,714	190,300
Preston	37,989	39,380	Devizes M.B. ..	7,962	8,160
West Lancashire ..	40,231	44,510	Malmesbury M.B. ..	2,590	2,720
			Rural Districts ..	206,978	212,500
			Devizes	15,810	17,360
			Malmesbury ..	9,714	10,070

*In addition to the adjustments of populations due to the boundary changes, the 1951 Census population of these areas has also been adjusted for 2 population in Sittingbourne and Milton U.D. and 3 population in Meriden R.D. which were erroneously enumerated at the 1951 Census in Swale R.D. and Coventry C.B., respectively.

†Crawley U.D. was created on 1st April, 1956.

APPENDIX B.—continued.

(iv) 1951 Census. Sex and age distribution of population in areas transferred between County Boroughs, Urban and Rural Aggregates of Administrative Counties.

Ages	Kent R.Ds. to Kent M.Bs. and U.Ds.		Lancashire R.Ds. to Preston C.B.		Lancashire R.Ds. to Lancashire M.Bs. and U.Ds.		Staffordshire R.Ds. to Staffordshire M.Bs. and U.Ds.		West Sussex R.Ds. to West Sussex M.Bs. and U.Ds.		Coventry C.B. to Warwickshire R.Ds.		Warwickshire R.Ds. to Coventry C.B.		Wiltshire R.Ds. to Wiltshire M.Bs. and U.Ds.	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Ages	15	10	334	338	31	33	47	53	4,921	5,560	2	2	1	1	70	75
Under 5	2	—	16	19	9	9	5	6	477	467	—	—	—	—	13	10
5—	2	1	24	22	6	6	3	3	356	397	—	—	—	—	5	5
10—	1	—	16	11	1	1	3	3	331	334	—	—	—	—	3	7
15—	—	—	14	17	—	—	3	4	270	317	—	—	—	—	3	5
20—	1	—	26	14	—	—	4	1	290	365	—	—	—	—	6	6
25—	—	—	24	18	2	7	—	5	353	382	—	—	—	—	7	7
30—	1	—	15	17	5	4	3	—	335	379	1	—	—	—	—	7
35—	3	2	22	23	4	3	2	3	418	403	—	—	—	—	6	2
40—	1	1	38	34	3	1	5	7	421	417	—	—	—	—	6	4
45—	1	—	27	31	—	—	4	1	364	406	—	—	1	1	4	3
50—	1	2	28	25	1	—	4	3	337	331	—	1	—	—	4	6
55—	1	1	20	27	—	—	2	4	233	321	—	—	—	—	3	6
60—	1	—	17	24	—	—	3	3	211	298	—	—	—	—	4	1
65—	—	—	26	25	—	—	4	5	204	268	1	—	—	—	2	2
70—	—	—	13	21	—	—	1	1	175	197	—	—	—	—	4	—
75—	—	—	4	6	—	—	—	3	87	165	—	—	—	—	—	1
80—	—	—	4	3	—	—	1	—	37	75	—	—	—	—	—	1
85 & over	—	—	—	1	—	—	—	—	22	38	—	—	—	—	—	2

GENERAL REGISTER OFFICE

STUDIES ON
MEDICAL AND POPULATION
SUBJECTS

No. 10

**Tuberculosis
Statistics**

FOR ENGLAND AND WALES

1938-1955

An Analysis of Trends and Geographical Distribution

This study sets out the general situation of tuberculosis morbidity and mortality in England and Wales, and shows the trends in recent years against the background of the pre-war situation. It surveys the notification rates of respiratory tuberculosis from 1938 to 1955, and examines the geographical distribution of notifications of respiratory tuberculosis in 1954 and 1955 with regard to England and Wales as a whole and its larger administrative units.

Price 4s. net

By Post 4s. 5d.

Obtainable from

HER MAJESTY'S STATIONERY OFFICE

at the address shown on cover page iv or through any bookseller

